

Indoor use of essential oils: Emission rates, exposure time and impact on air quality

Shadia Angulo-Milhem, Marie Verriele, Mélanie Nicolas, Frederic Thevenet

► To cite this version:

Shadia Angulo-Milhem, Marie Verriele, Mélanie Nicolas, Frederic Thevenet. Indoor use of essential oils: Emission rates, exposure time and impact on air quality. Atmospheric Environment, 2021, 244, pp.117863. 10.1016/j.atmosenv.2020.117863. hal-02943190

HAL Id: hal-02943190 https://hal.science/hal-02943190

Submitted on 14 Sep 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Version of Record: https://www.sciencedirect.com/science/article/pii/S1352231020305975 Manuscript_298a9009fde25c88c4784baeef6148ee

Indoor use of essential oils: *Emission rates*, *exposure time and impact on air quality*

4	Shadia Angulo Milhem	^{1, 2} , Marie	Verriele ¹	, Mélanie Nicolas	² , Frédéric	Thevenet ¹	1*
---	----------------------	-------------------------	-----------------------	-------------------	-------------------------	-----------------------	----

5

3

⁶ ¹ IMT Lille Douai, Université de Lille, SAGE, F-59000 Lille, F	France
--	--------

⁷ ²Centre Scientifique et Technique du Bâtiment (CSTB), F-38000 Grenoble, France

8

9	*Corresponding author
---	-----------------------

- 10 F. Thevenet
- 11 941 Rue Charles Bourseul, IMT Lille Douai. 5900 Douai, France.

12 Tel.: 03.27.71.26.12

13 E-mail: frederic.thevenet@imt-lille-douai.fr

14 Abstract

Essential-oils have attracted increasing interest due to their performance as inhibitors of 15 the metabolic functions of microorganisms. They are widely promoted as easy-to-use compounds 16 to improve indoor air quality and are associated with purifying actions. This study aims to assess 17 the emissions of molecules contained in essential-oils in confined environments by employing 18 different diffusion mechanisms under realistic conditions. Terpenes and carbonyl compounds are 19 20 the typical identified and quantified compounds emitted from the tea tree essential-oil. 21 Contrasted concentration levels and kinetic parameters are evidenced depending on the mechanism of diffusion, and the concentration levels can exceed the recommended critical 22 23 exposure level by one order of magnitude. Additionally, the relative contributions of individual terpenes in the gas phase vary throughout the diffusion process for all the investigated diffusers. 24 To assess the duration of the impact of essential-oil diffusion on indoor air quality, the mass 25 26 emission rates of individual terpenes are estimated. This study shows that, depending on the diffusion mechanism, the impact of essential-oil diffusion in confined environments varies from 27 5 hours to 60 days. The proposed experimental approach and the results provided offer the first 28 insights into the definition of risk scenarios and human exposure to essential-oils in indoor 29 environments. 30

31

32 Keywords: Essential oils; Indoor air; Indoor diffusion; Emission; Terpenes

33 Abbreviations

34 **TerVOCs** Terpenic volatile organic compounds

35 **AER** Air exchange rate

36 **CEL** Critical exposure limits

- **1. Introduction**
- 38

The efforts of the scientific community to address indoor air quality challenges have 39 increased considerably in the last decade, and society has become aware of the health risks 40 related to human contact with hazardous substances in confined environments. Promoted as air 41 "cleaners" and "purifiers" due to their acknowledged antibacterial, antifungal, antivirus and 42 43 sedative properties, essential oils have experienced an upsurge as easy-to-implement products to 44 improve indoor air quality. However, their widespread use and positive perception do not rule out any consequences on indoor gas pollutant levels. Therefore, detailed evaluations of the 45 corresponding emissions under realistic conditions must be undertaken. [1]–[3] 46

47

Essential oils are extracted from plants by water vapor distillation, dry distillation or 48 49 mechanical extraction methods that do not involve temperature changes. [4] These oils usually contain more than 100 different chemical substances; most of these substances are odorants and 50 mainly belong to the terpene chemical family, such as monoterpenes, sesquiterpenes, terpene 51 alcohols and terpenoids - hereinafter referred to as TerVOCs. [5], [6] An essential oil is 52 generally characterized by major compounds with specific relative abundances that provide its 53 typical odor. [7] Nonetheless, the proportions of TerVOCs in essential oils might vary slightly 54 depending on (i) the species of the plant, (ii) the place of growth, (iii) the environmental 55 56 conditions along the growth process and (iv) parameters set during the extraction process such as 57 pressure. [5], [6], [8]

58

59 Depending on their composition, essential oils can inhibit the metabolic functions of 60 microorganisms. Indeed, Inouye et al. [9]–[11] exhibited the antimicrobial action of essential oils

by gaseous contact. The results suggest that vapor levels of 0.1 - 0.9 mg/L in air may suppress 61 the growth of the bacterial pathogens of respiratory infection. Cinnamon bark, lemongrass and 62 thyme oils are evidenced as the most effective for this purpose. Likewise, tea tree oil (Melaleuca 63 alternifolia) has been widely investigated for its acknowledged antimicrobial, anti-inflammatory 64 and antiseptic properties. [12]-[15] Usachev et al. [16] reported a strong antiviral efficiency of 65 the vapors of tea tree and eucalyptus oils against two different viruses, highlighting the use of 66 67 essential oils as natural disinfectants for the further development of air treatment technologies and indoor air quality improvement [17]. Tea tree oil is also commonly incorporated into 68 household products, but to our knowledge, no scientific data have shown that this oil has air 69 70 sanitation properties related to the improvement of indoor air quality from a chemical point of 71 view.

72 Terpene hydrocarbons, presenting low molecular weights and high pressure vapors, are 73 highly volatile molecules that have boiling points ranging from 150 to 260 °C. [6] Monoterpenes result from the condensation of a penta-carbonate unit with two unsaturated bonds, isoprene (2-74 methyl-1, 3-butadiene). They are composed of 10 carbon atoms and 16 hydrogen atoms that can 75 be linearly or cyclically arranged according to different isomers. These species might have 76 various degrees of unsaturation, leading to highly reactive sites in their structures. [6], [18], [19] 77 In that regard, terpenes are highly reactive towards major oxidants such as ozone, hydroxyl 78 radicals (HO°) and nitrate radicals and are the most common initiators for gas phase oxidation 79 reactions in indoor and outdoor environments. [20] Consequently, the use of essential oil 80 diffusers in confined environments may contribute to worsening indoor air quality related to the 81 emissions of primary VOCs and the potential formation of secondary products, i.e., gas and 82

particulate byproducts. In indoor environments, primary VOC emissions must be addressed first
to determine the contribution of these sources to indoor air quality.

Although these diverse biological benefits have been recognized related to the use of 85 essential oils, several risks associated with their use in indoor environments are still questioned. 86 Can essential oils be considered a healthy remediation practice for facing current indoor air 87 problems? The lack of baseline information about the release of hazardous fragrance molecules 88 89 during the dissemination of essential oils in confined environments motivates the present work. 90 To that end, the emission dynamics of TerVOCs related to tea tree oil diffusion were investigated using three different and widespread diffusers. Then, the effects of essential oil diffusion on 91 92 indoor air quality are discussed in terms of diffusion mechanisms, emission rates and duration of impact on indoor air. 93

94

95 **2.** Materials and methods

96

97 2.1. Selection of an essential oil and diffusers of interest

98

99 2.1.1. Essential oil

100

Based on the detailed literature review recently proposed by Angulo Milhem et al. [21], a benchmark analysis was performed regarding the most widespread essential oils for indoor diffusion. A total of 38 essential oils claiming the ability to clean the air and/or neutralize toxins were identified. Among them, tea tree oil is selected not only for its reported sanitation properties but also for its extensive use and chemical composition. Interestingly, the predominant terpenes contained in this tea tree essential oil are highly reactive towards indoor oxidants.

2.1.2. Diffusers 108

109

110

Along the benchmark investigation, three different and major diffusion mechanisms have been identified. As a consequence, three representative diffusion devices are selected for this 111 study: 112

113

Nebulizing diffuser / This diffuser consists of a waterless diffusion device where essential oil is 114 diffused through an aerosol. Hence, an air flow is forced through a small tube, thus increasing its 115 velocity while the pressure at the exit point is reduced. This difference in pressure induces a 116 117 suction, causing the essential oil to rise upwards in a separate glass tube. Subsequently, a stream 118 of pressurized air contacts the oil surface and creates micro-droplets that easily evaporate. Experiments conducted using this diffusion device are performed at medium nebulization 119 120 intensity.

121

122 Ceramic heat diffuser / This diffuser evaporates essential oil through a soft heat gain. Heating resistance is maintained in a small ceramic receptacle at a constant and single temperature. In 123 this study, the selected device heats the oil to 68 ± 2 °C. The steady-state temperature is reached 124 within 30 minutes after the equipment is turned on. Moderate heating has been shown to allow 125 the evaporation of oil without impacting its chemical composition. 126

127

Capillarity diffuser / This diffuser consists of a wick-based system that combines the actions of 128 129 wicking and evaporating. In this diffuser, a beech wood stick is directly screwed on the essential oil flask, and the top of this porous stick is exposed to the air so that the volatile liquid slowlydiffuses from the liquid-air interphase. The dimensions of the stick are L: 6.5 cm x D: 4 cm.

132

The 3 selected diffusers were purchased from environmentally friendly retail stores. Note that each diffuser was operated a technical recommendations indicated on the device. The selection of the presented diffuser is based on the different physical processes of these devices as a representative selection of the most extensively used diffusers by consumers. Figure 1 present a description schema of the selected diffusers.

138




Figure 1. Pictures of the selected diffusers: (a) nebulizing diffuser, (b) ceramic electric heat
diffuser, (c) capillary diffuser

141

142 143

2.2. Characterization of the chemical composition of tea tree essential oil

For the composition analysis of tea tree essential oil, three samples were diluted in methanol at a concentration of 0.7 mg/mL. Then, 1 μ L of each sample was directly introduced into the split/splitless injector using a 1/10 split ratio. The analysis is performed using a 7890Atype instrument from Agilent Technologies equipped with a Restek Rtx®-1 (Crossbond® 100% dimethyl polysiloxane) chromatographic column (105 m x 530 μ m, 3 μ m film thickness) 149 connected to two different detectors: (i) a flame ionization detector (FID) used for quantification and (ii) mass spectrometry (MS), in the SCAN mode, used for identification from Agilent 150 Technologies 5975C inert MSD. Additionally, 27 high-purity standards of terpenes from Sigma-151 Aldrich[®] diluted in methanol and separated into 3 distinct mixtures are used for analytical 152 development (identifying and quantitating the compounds). The typical detection limit of this 153 instrument for hydrocarbon VOCs with the abovementioned sampling conditions is 0.01 mg/mL. 154 155 Note that the detection limit is determined as three time the signal over noise (S/N) ratio using a sample close to the detection limit of the instrument. The same method is applied to any 156 determination of the limit of detection throughout the paper. 157

158

159 2.3. Experimental chamber: simulation of a real case scenario

- 160
- 161 2.3.1. Emission chamber parameters
- 162

The experiments reported in this paper are conducted in a 1 m³ experimental chamber 163 (Vötsch VCE1000 Classic) that complies with the ISO 16000-9 standards. [22] The chamber is 164 operated under a controlled temperature, humidity and air exchange rate (AER). These values are 165 set at 23 \pm 1 °C, 50 \pm 5 % and 0.3 h⁻¹ \pm 0.05, respectively. The values for humidity and 166 temperature are established according to ISO 16000-9. The established AER corresponds to the 167 25th percentile reported in French dwellings by the Indoor Air Quality Observatory (OQAI). [23], 168 [24] Detailed characteristics of the experimental chamber are presented in Figure 2. Before 169 loading the test chamber with the selected product, blank measurements are performed to 170 determine background levels of TerVOCs and carbonyl compounds. Note that the mean 171

172 concentration level of blank measurements in the experimental chamber did not exceed173 standardized values for background concentrations of individual VOCs.

174




Figure 2. General scheme of the Vötsch VCE1000 Classic experimental chamber (adapted from
Manoukian, 2012).

178

For each diffuser, a set of three experiments is performed to guarantee the repeatability of 179 the experimental protocol. Essential oil diffusers are introduced and placed in the center of the 180 181 chamber, and 20 drops of tree tea oil are applied according to the manufacturer's instructions for each diffusion device to simulate realistic usage. Time zero of the experiment corresponds to the 182 time when (i) the nebulizing and electric diffusers are switched on and off from outside the 183 experimental chamber, which remains closed during the measurements (ii) or for a capillarity 184 diffuser, when the bottle with the diffusing stick is introduced in the center of the chamber. 185 Detailed experimental protocol parameters are described and presented in Table 1. 186

187

Regarding the analytical methodology, the temporal dynamics of TerVOC concentrations at the outlet of the experimental chamber are determined by offline and online samplings with different temporal resolutions. Details concerning the sampling parameter optimized for essential oil diffusion tested are gathered in Table 1.

194

195	Table 1. Experimental protocol and sampling parameters.

Experimental Protocol				
	ELECTRIC	NEBULIZING	CA	PILLARITY
	DIFFUSER	DIFFUSER	1	DIFFUSER
Duration of experiment	1	8 h		65 h
Applied / used mass				
(average ± standard deviation)	$0.79 \pm 0.02 \text{ g}$	0.82 ± 0.01 g		0.55 g
N=3				
	Sampling po	arameters		
		Offline		
Tenax TA® DNPH Cartridges			Online	
	for TerVOCs	for OVOCs		
Sampling Flow	0.040 L/min	0.800 L/min	C	0.025 L/min
E	Electric and nebulizing d	iffusers:		
	0 – 2 h : 10 m	in sampling every 30 min		
Sampling duration (min) and	2h - 6h : 10 i	nin sampling every hour		4 min every 15
time intervals (h)	0 - 1 h : continu	ous sampling every 15 min		min
	1 – 5 h : contin	uous sampling every hour		
8	- 60 h : 1 hour samplin	g with intervals of 6, 8, and	12 hours	

- 196
- 197

Offline measurements are performed with Tenax TA[®] cartridges and 2, 4dinitrophenylhydrazine (DNPH)-impregnated silica Supelco cartridges according to ISO 16000-3 and 16000-6. [25], [26] Samplings are controlled by a pump connected to a mass flow controller under specific flow rates and duration times specifically optimized for each type of diffuser tested, as described in Table 1. Note that preliminary experiments allowed optimizing the sampling flow and sampling time to avoid any breakthrough of the analytes on the cartridges. The offline sampling with the two types of cartridges were performed with parallel connections using separated sampling lines. These sampling lines were controlled by one pump but two distinct flow controllers.

The sampled Tenax TA® cartridges are desorbed using a PerkinElmer® thermal 207 208 desorption (TD) instrument (Model: Turbo Matrix 350) coupled to a 7890A instrument from Agilent Technologies. Desorbed compounds are thermally transferred under helium and 209 210 refocused on a Carbotrap B/C trap at 5 °C. The gas chromatographic analysis was performed using a Restek Rtx®-1 (Crossbond® 100% dimethyl polysiloxane) chromatographic column (60 211 m x 320 µm, 1 µm film thickness) connected to two different detectors (i) an FID for 212 213 quantification and (ii) MS (Agilent Technologies 5975B inert MSD) for the identification of compounds (SCAN mode). The typical detection limit of this instrument (TD-GC-FID/MS) for 214 215 VOCs with the abovementioned sampling conditions is 0.1 ppb. Calibration is achieved by sorbent tube spiking with homemade diluted mixtures of 27 TerVOCs, individually provided by 216 217 Sigma-Aldrich[®].

Carbonyl compounds were extracted from DNPH cartridges with 3 mL acetonitrile and analyzed with a Thermo Dionex Ultimate U3000. Compounds are eluted on an Acclaim RSLC carbonyl column (2.1 x 150 mm) and detected by RS variable wavelength UV absorption. Calibration of the carbonyls is achieved using high-purity certified standard solutions (aldehyde/ketone-DNPH stock standard-13). Considering these conditions, the typical detection limit for carbonyl compounds is 0.01 ppb.

Online measurements were performed with a compact gas chromatography system (C-225 GC/FID) (Model: Global Analyzer Solutions CGC4) with a Restek-VMS (proprietary 226 Crossbond® phase) column (15 m x 0.32 mm ID, 1.8 µm film thickness). This system is coupled 227 to an FID for compound quantification. Additionally, this online device is equipped with an 228 automated sampling system that samples air at a flow rate of 0.025 L.min⁻¹ for 4 min every 15 229 minutes. Subsequently, analytes are refocused on a multilayer sorbent (Model: General Purpose 230 Hydrophobic from Markers Internationals®) and transferred to the column under helium at 280 231 °C. Several C-GC/FID parameters were preliminarily optimized by the injection of individual 232 TerVOCs vaporized in a 6 L canister (Model: Silonite[®] from Entech). The typical detection 233 limits of this instrument for TerVOCs with the abovementioned sampling conditions are 0.1 ppb. 234 235

236


2.3.3. Inter-comparison of monitoring methods

237

Since no gaseous standards are available for the calibration of the considered TerVOCs 238 239 using C-GC/FID, a specific calibration methodology was developed. This method relies on the cross-calibration of C-GC/FID with TD-GC-FID/MS. TD-GC-FID/MS is preliminarily 240 calibrated offline through Tenax TA® sorbent cartridges doped with liquid TerVOC standard 241 solutions. TerVOCs are identified using the MS detector and quantified using the FID detector. 242 A correlation between the C-GC/FID signal and the TD-GC-FID/MS quantitative response is 243 achieved through simultaneous samplings of the diffusion of terpenes in the experimental 244 245 chamber. For each TerVOC, the concentration monitored by the quantitative offline system is 246 plotted as a function of the peak area of the C-GC/FID signal, as reported in Figure 3. For all detected TerVOCs, a linear trend is observed with correlation coefficients ranging from 21 to 247

124. The slopes of the linear regression are used for the quantitative analysis of TerVOCs by C-GC/FID.

250



251

Figure 3. Evolution of the α -pinene concentration measured by offline TD-CG-FID/MS as a function of the online C-GC/FID peak area of α -pinene (equation of the linear regression: y = 85 x).

Offline sampling is considered as the reference measurement method; however, the characterization of the emission process of essential oil requires a higher temporal resolution than that given by the reference method. For this reason, in the context of this paper, C-GC/FID is preferred over other methods since it allows a complete quantitative screening of all TerVOCs of interest every 15 minutes.

260

3. Results and discussion

261

262 3.1. Chemical composition of liquid tea tree oil

The chemical composition determined for the selected tea tree oil is reported in Table 3. The detected TerVOCs are listed by decreasing molar masses, and major compounds are written in bold. Note that the results show that the total mass concentration of the quantified terpene molecules represents 98.8 % w/w of the injected mass. This point ensures that the developed methodology allows an exhaustive quantitative and qualitative analysis of TerVOCs present in tea tree oil. 270 **Table 3.** Liquid composition of the selected tea tree essential oil and physical and chemical properties of identified terpenes (vapor

- pressure, boiling point and molar mass), and a comparison with the literature. NB: the three predominant TerVOCs of tea tree oil are
- written in bold.

				Vapor pressure		
	Mass of	Mass percentages	Mass percentages	from the literature at	Boiling point	Molar
	individual TerVOCs	per TerVOCs	from the literature	ambient temperature		mass
	(this work)	(this work)	[27]–[30]	(23 °C – 25 °C)		
	Mass ± SD			[Reference]		
	(mg/g)	(% w/w)	(% w/w)		(° C)	(g / mol)
				(Pa)		
			Monoterpenes			
α - thujene	12.0 ± 0.1	1.21	NS	NS	151	136.24
β- myrcene	11.7 ± 0.1	1.18	NS	220, 251, 268 [31]	167	136.24
α - pinene	26.9 ± 0.1	2.72	2.0 - 2.6	589, 599, 529 [32], [33]	156	136.24
a -terpinene	127.0 ± 0.3	12.85	6.0 - 10.4	222 [34]	175	136.24
β- pinene	7.1 ± 0.1	0.72	NS	400, 391 [34]–[36]	166	136.24
α – phellandrene	5.1 ± 0.2	0.52	NS	195, 220 [35]	172	136.24
limonene	10.7 ± 0.2	1.09	1.0	189, 192, 213 [35], [37]	176	136.24
γ - terpinene	226.0 ± 1.5	22.88	20.0 - 25.0	103, 145 [32]	183	136.24

α - terpinolene	34.5 ± 0.2	3.49	1.5 – 5	90, 99 [32], [35]	187	136.24	
	Terpene alcohols						
4 -terpineol	419.3 ± 1.9	42.45	40.1 - 41.0	37, 20 [35]	209	154.25	
α -terpineol	31.7 ± 0.2	3.21	2.4 - 4.0	*	175	154.25	
eucalyptol	36.5 ± 0.2	3.70	0 – 5.6	230, 260, 254 [37]	176	154.25	
			Sesquiterpenes				
aromadendrene	15.9 ± 0.1	1.61	NS	NS	NS	204.36	
varidiflorene	12.2 ± 0.3	1.23	NS	2 [38]	NS	204.36	
δ - cadinene	11.3 ± 0.2	1.14	NS	NS	NS	204.36	

273 NS: Not specified in the literature; *: Vapour pressure of nearly 0 Pa;

Regarding the diversity of TerVOCs, the tea tree oil is mainly composed of 9 274 275 monoterpenes, 3 terpene alcohols, and 3 sesquiterpenes. The predominant compounds in tea tree oil are 4-terpineol, γ -terpinene, α -terpinene, eucalyptol and α -terpineol, with respective mass 276 concentrations of 42.5, 22.8, 12.8, 3.70 and 3.21 % w/w. These five molecules account for 85.1 277 % w/w of the total mass concentration. Seven other TerVOCs are detected at trace 278 concentrations below 1.5 % w/w of the total mass concentration, namely, α -thujene, β -myrcene, 279 280 β -pinene, α -phellandrene, d-limonene, varidiflorene, and δ -cadinene. The results obtained for the 281 chemical composition of tea tree oil are in agreement with the range of mass concentrations of the typical terpenes reported in the literature, as reported in Table 3. As an example, Chiu et al. 282 283 [28] reported the chemical composition of a commercial oil, in which 4-terpineol, γ -terpinene, α terpinene, eucalyptol and α -terpineol represent 87 % w/w of the total mass concentration (i.e., 284 43, 19, 7, 6, and 5 % w/w, respectively). Possible variations between tea tree oil mass 285 286 concentrations can be related to the origin, extraction procedure and intrinsic properties of the plant. 287

Among the physical and chemical properties of TerVOCs, the saturation vapor pressure 288 of pure molecules is one of the key drivers governing emissions. The volatility of an essential oil 289 is directly driven by the abilities of the respective terpenes to transfer from the liquid phase to the 290 gas phase since no solvent matrix is present in the chemical composition. The vapor pressures 291 have been experimentally determined for most TerVOCs, and the corresponding values are 292 displayed in Table 3. Highly different vapor pressures for monoterpenes have been reported, 293 294 with values ranging from 90 to 599 Pa. Nevertheless, concerning the predominant compound in tea tree oil (4-terpineol), its vapor pressure value is among the lowest compared to that of other 295 TerVOCs, such as β -pinene and α -pinene, with respective vapor pressures of 572 and 396 Pa. 296

297 After the evaluation of the content of the selected essential oil, this work addressed the impact of its dissemination in indoor environments through the use of the above-described 298 diffusers. Depending on the devices and the amount of essential oil in the diffuser, the temporal 299 emission dynamics might be highly different. Therefore, in this paper, the evaluated diffusers are 300 classified as (i) transient diffusers or (ii) continuous diffusers. Transient diffusers are devices in 301 which a limited mass of oil is introduced, typically from one to tens of droplets of oil. As a 302 303 consequence, these diffusers mostly act as a finite, short-term emission source. In contrast, 304 diffusers involving the whole flask of essential oil, which is typically several milliliters in volume, are classified as continuous diffusers; they represent finite but long-term sources. For 305 306 clarity, the temporal dynamics of the selected diffusers are separately assessed according to this classification. 307

308

3.2. Transient diffusers: TerVOC emissions from electric and nebulizing devices 309

310

The temporal dynamics of the total TerVOC concentrations from the two transient 311 312 diffusers evaluated (electric and nebulizing devices) are presented in Figure 4. Among the 15 compounds identified and quantified in the liquid chemical composition of tea tree oil, only 12 313 are detected in the gas phase in the emissions by both transient diffusers. The three constituents 314 which are not detected in the gas phase are: aromadendrene, varidiflorene and δ – cadinene. It is 315 suggested that these molecules (sesquiterpenes) remain in the liquid phase, since their physical 316 317 and chemical properties may hinder the mass transfer of sesquiterpenes from the liquid to the gas 318 phase.

319 The detailed temporal dynamics of the four predominant TerVOCs monitored in the gas phase are displayed in Figure 4, and the results of the complete gas phase composition are 320

321 provided in Table 4. The results presented are obtained from a set of three distinct experiments to 322 evaluate the repeatability of the experimental protocol for each diffuser. The variation 323 coefficients for the various sets of experiments range from 4.1 % to 16.5 %.

324

325 326

3.2.1. Profiles of total TerVOCs

Although electric and nebulizing diffusers are characterized by different emission 327 mechanisms, both transient devices showed analogous temporal emission dynamics regarding 328 329 the total released TerVOCs. The corresponding profiles are shown in Figure 4, and they are both characterized by three main phases associated with the diffusion process: (i) a sudden increase in 330 331 the total TerVOC concentrations, confirming the rapid vaporization of terpenes from tea tree oil 332 until peak concentrations are reached, (ii) a primary decreasing trend associated with the gradual exhaust of the VOC source and the removal of VOCs from the experimental chamber, and (iii) a 333 334 final decreasing stage associated with the evacuation of emitted terpenes by the air exchange and the possible loss of these compounds on the walls. 335




Figure 4. Evolution of total TerVOC concentrations emitted from electric and nebulizing diffusers as a function of time (T = 23 °C, RH = 50 %, air renewal rate = 0.3 h⁻¹, chamber volume = 1 m³, online monitoring using C-GC-FID is used for analysis).

Regarding the emission levels, the peak concentrations of the total TerVOCs reached 341 $17\,350 \pm 710$ ppb and $16\,660 \pm 630$ ppb for electric and nebulizing diffusers, respectively. 342 Considering the standard deviation values, both diffusers are characterized by equivalent 343 344 maximum concentrations. Additionally, maximum concentrations are reached at approximately 90 minutes after the diffusers are turned on. Interestingly, the maximum total TerVOC 345 concentrations are higher than (i) the usual VOC concentrations in indoor air by 3 orders of 346 magnitude and (ii) the long-term exposure limit value proposed in by the project INDEX by 2 347 orders of magnitude. [19], [23] The total concentration of TerVOCs emitted by electric or 348 nebulizing diffusers of essential oils is much greater than that of other indoor sources of VOCs. 349 Transient diffusers of essential oils may appear as intense sources of VOCs in indoor 350 environments. 351

352 Su et al. [18] investigated the effects of evaporating three of the best-selling essential oils, including tea tree oil, in two different indoor settings characterized by equivalent volumes of 353 21.6 m³. In that study, environmental parameters, such as temperature and humidity, were not 354 controlled and were not specified. The experimental procedure was based on the diffusion of 300 355 µL of essential oils diluted in 50 mL of water using a candle diffuser. Note that the mass of tea 356 tree oil evaporated in the study by Su et al. [18] was 3 orders of magnitude lower than the mass 357 358 used in this work, and the oil was diluted in aqueous media. Studying the evaporation of tea tree oil, the authors observed a peak concentration of total TerVOCs of approximately 1400 ppb. 359 Likewise, terpene emissions during the evaporation process mostly occurred during the first 20 360 361 minutes for eucalyptus and tea tree oils, and peak concentrations were achieved after the same time span. The differences in terms of temporal profiles (levels of emitted TerVOCs and the 362 positions of emission peaks) from one study to another may be directly related to (i) the air 363 364 exchange rate and chamber volume, (ii) the mechanism of diffusion, and (iii) the quantity of diffused essential oils. Therefore, relevant comparisons between studies are allowed if the typical 365 emission scenarios are defined. Nonetheless, irrespective of the variability of the emission 366 protocols, the resulting total concentrations of TerVOCs largely exceed ppm levels. 367

368

Table 4. Emission characteristics of the 6 major terpenes emitted by electric and nebulizing diffusion of tea tree oil (T = 23 °C, RH = 50 %, air renewal rate = 0.3 h⁻¹, chamber volume = 1 m^{3}).

Tea tree oil	Transient diffusers	
Maximum concentration (ppb) ± SD	Time of maximum concentration (h)	k _D Deposition rate (h ⁻¹)

MAJOR TERPENES	ELECTRIC / NEBULIZING	CONCENTRATION RATIO ELECTRIC / NEBULIZING	ELECTRIC / NEBULIZING	ELECTRIC / NEBULIZING
γ -terpinene	5900 ± 125 / 5520 ± 330	1.07	1.31 / 1.31	0.31/0.31
α -terpinene	5090 ± 200 / 4900 ± 145	1.04	1.06 / 1.06	0.34 / 0.35
α -pinene	1600 ± 80 / 1600 ± 85	1.00	0.56 / 0.56	0.38 / 0.38
α -terpinolene	$1530 \pm 30 / 1400 \pm 100$	1.09	1.56 / 1.56	0.26 / 0.23
eucalyptol	1490 ± 120 / 1340 ± 150	1.11	1.31 / 1.31	0.31/0.31
4 -terpineol	$1100 \pm 20 / 800 \pm 45$	1.38	5.06 / 4.82	N.D

372 N.D.: Not determined

373

374 *3.2.2. Individual profiles of TerVOCs*

375

Beyond the global profile addressed through total TerVOC concentrations, the individual 376 emissions of 9 monoterpenes and 2 terpene alcohols were identified and quantified in the gas 377 378 phase. The main three predominant TerVOCs detected along the electric diffusion of tea tree oil are γ -terpinene, α -terpinene, and α -pinene. Their individual temporal profiles are reported in 379 Figure 5. They are characterized by the same three phases as shown by the total TerVOC 380 concentration profile (Figure 4). Therefore, maximum concentrations can be determined for 381 electric diffusion as 5900 \pm 125 ppb for γ -terpinene, 5090 \pm 200 ppb for α -terpinene and 1600 \pm 382 383 80 ppb for α-pinene. The corresponding data are reported in Table 4. In the case of the nebulizing diffuser, γ -terpinene, α -terpinene, and α -pinene are the major TerVOCs with typical 384 transient temporal profiles. Their maximum concentrations are within the same concentration 385 range as those with the electric diffuser, as confirmed by the concentration ratios reported in 386 Table 4. 387




Figure 5. Evolution of (a) γ -terpinene, (b) α -terpinene, (c) α -pinene and (d) 4-terpineol concentrations as a function of time during the diffusion of tea tree oil using an electric diffuser (grey symbols) and a nebulizing diffuser (black symbol) (T = 23 °C, RH = 50 %, air renewal rate = 0.3 h⁻¹, chamber volume = 1 m³, online monitoring using C-GC-FID is used for analysis).

Highly different emission dynamics are evidenced among individual terpenes. Comparing 393 two molecules with distinct chemical and physical properties, such as α -pinene (Figure 5c) and 394 4-terpineol (Figure 5d), their concentration profiles are highly different. The concentration of α -395 pinene is characterized by a sharp increase with a subsequent clearly marked maximum 396 concentration at only 0.56 h, whereas the concentration of 4-terpineol remains negligible within 397 the first minutes of diffusion and is characterized by a broad emission peak, leading to a weakly 398 marked maximum concentration after approximately 5 h of diffusion. Additionally, for both 399 diffusion devices, 10 hours after the emission started, the gas phase concentration of 4-terpineol 400

401 still represents nearly 40 % of the peak concentration, while the gas phase concentration of α -402 pinene is completely evacuated beyond 4 hours. Consequently, 4-terpineol has particularly slow emission kinetics compared to the other predominant molecules. For other major TerVOCs, 403 namely γ -terpinene, α -terpinene and α -terpinolene, analogous concentration dynamics with α -404 pinene are evidenced. The investigation of the individual concentration profiles suggests that the 405 dynamic of the liquid-to-gas transfer is driven by (i) the intrinsic physical and chemical 406 properties of individual TerVOCs and (ii) the abundance of individual TerVOCs in the pure 407 408 essential oil.

As can be observed in Figure 5, although TerVOCs exhibit different emission profiles, this is only related to the TerVOC itself and not to the diffusion mechanism. Indeed, for each VOC, profiles observed for electric and nebulizing diffusers overlap. However, a slight difference can be noted for the less volatile terpenes, such as 4-terpineol (Figure 5d). It appears that the electric diffuser promotes the maximum concentration of low-volatility TerVOCs by 30 % (Table 4). This phenomenon can be associated with the possible effect of distinct temperatures on terpenes with a comparatively high molar mass and low volatility.

In the frame of the European project Emissions, Exposure Patterns and Health Effects of 416 Consumer Products in the EU (EPHEC) [7], [39], [40], a health risk assessment methodology 417 was developed for limonene and α -pinene for the estimation of their critical exposure levels 418 (CELs) regarding short- and long-term exposures. In the EPHEC project, these values were 419 established at 810 ppb and 1620 ppb for α -pinene and limonene, respectively. Indeed, the results 420 421 presented in this section confirmed that the diffusion of tea tree oil through transient devices might induce indoor concentration levels to become one order of magnitude higher than the 422 CEL, considering α -pinene as the reference compound. 423

425 426

3.2.3. Quantitative fingerprint of tea tree essential oil as it diffuses

In this work, the fingerprint of an essential oil is defined as the contribution of each terpene molecule to the TerVOC gas concentration at a specific time t. Considering that the temporal profiles of individual TerVOCs are analogous for both electric and nebulizing diffusers, the analysis of the fingerprint is illustrated with the results obtained only from the nebulizing diffuser.

The diffusion through the nebulizing device initiates at t = 0. At this time, all individual 432 terpenes are in the liquid phase, as reported on the left side of Figure 6. In the liquid composition 433 of the tea tree oil, α -pinene is one of the minor compounds, present at 2.78 % w/w, and 4-434 435 terpineol is the major compound, present at 42.5 % w/w. Nonetheless, nearly 30 minutes after the diffusion process starts, the concentration of α -pinene contributes up to 20 % of the total 436 437 TerVOCs emitted in the gas phase (Figure 6). At the same time, 4-terpineol, characterized by a lower saturation partial pressure than that of α -pinene, is still present in the liquid phase and is 438 439 not transferred to the gas phase. After 4 hours of diffusion, 4-terpineol contributes up to 16.7 % to the TerVOCs transferred to the gas phase, while α -pinene only accounts for 3.8 % of the total 440 gas phase terpenes. 441




Figure 6. Temporal evolutions of the relative abundances of major TerVOCs transferred to the gas phase during the diffusion of tea tree essential oil using the nebulization device. NB: the relative abundances of major TerVOCs in the liquid phase are reported at t = 0 (T = 23 °C, RH = 50 %, air renewal rate = 0.3 h⁻¹, chamber volume = 1 m³).

442

Indeed, at t = 4 h, α -pinene is almost exhausted from the tea tree oil and has gradually escaped from the experimental chamber due to air renewal or deposition on inner surfaces. As a consequence, the different emission dynamics of individual TerVOCs emitted from tea tree oil 451 induce a considerable variation in the gas phase terpene composition within the diffusion time 452 span. The fingerprint of the essential oil in the gas phase varies with the emission process, as 453 evidenced in Figure 6. This phenomenon has a direct impact on (i) odor perception and (ii) the 454 exposure of individuals to terpenes while diffusing essential oils in an indoor environment.

455

456 457

3.2.4. Individual profiles of oxygenated VOCs (OVOCs)


458 Additionally, carbonyl compounds are monitored during every diffusion experiment. Acetone, methylglyoxal, o-tolualdehyde, p-tolualdehyde, glyoxal and 2,5-dimethyl benzaldehyde 459 are identified and quantified along the diffusion of tea tree oil using an electric diffuser and a 460 nebulizing diffuser. Concerning the electric diffuser, the three predominant carbonyls monitored 461 in the gas phase are acetone, methylglyoxal, and o-tolualdehyde. Their respective maximum 462 concentrations are 840 ± 55 , 600 ± 85 , and 175 ± 10 ppb; they are observed at 1.1 h for acetone 463 and 0.6 h for methylglyoxal and o-tolualdehyde. The nebulizing device is characterized by the 464 emission of the same major carbonyls with maximum concentrations at analogous times. The 465 maximum concentration levels are on the same order of magnitude, confirming that the emission 466 characteristics of electric and nebulizing diffusers are equivalent. In the literature, Chiang et al. 467 [41] indicated that the distillation of aromatic plants could induce the generation of 468 decomposition products such as acetone, methyl alcohol, low-molecular-weight fatty acids, and 469 470 phenols. Likewise, the monitored aldehydes and ketones might originate from the extraction process. Due to the heating system used in the electric diffuser, some OVOCs may originate 471 from a possible thermal degradation of terpenes. However, equivalent emission profiles of 472 aldehydes and ketone are evidenced irrespective of the diffusion mechanism; for example, with 473 heating (electric diffuser) or without heating (nebulization diffuser), the formation of OVOCs 474

475	cannot be attributed to any thermal decomposition by an electric device. Interestingly, it has been
476	evidenced in the literature that among 5 investigated essential oils, the sequence of carbonyl
477	VOC content is tea tree > lavender > rosemary > lemon = rose. [10], [11], [42]

479 3.3. Determination of TerVOC emission rates from tea tree essential oil using transient 480 diffusers

- 481
- 482 *3.3.1. Mass conservation equation*
- 483

According to the international standards ISO 16000-9, the emission rate of a source is 484 defined as the "product specific rate describing the mass of volatile organic compound emitted 485 from a product per time at a given time from the start of the emission". [21] It must be 486 highlighted that determining the source emission rate is important since (i) it provides key 487 488 information to understand and characterize the emission process of an indoor source of a pollutant, (ii) it is a representative parameter that can be extrapolated to real cases, thus allowing 489 490 the prediction of pollutant emissions in other scenarios, and (iii) it is required for the evaluation of human exposure and indoor quality control technologies. Indoor pollutant concentrations are 491 governed by various processes, including ventilation, emission sources, and pollutant 492 transformation, such as uptake rates or chemical interactions. Therefore, the fate of pollutants 493 494 must be understood considering the contribution of each process distinctively. In a typical indoor environment, the concentration variation of an individual VOC is driven by the mass 495 conservation equation reported in Eq. 1. 496



In controlled environments, such as the experimental chamber used for our experiments, several processes encompassed in *Eq. 1* can be ruled out. First, the concentration of one of the main oxidants in the experimental chamber is continuously monitored during the experiments; the ozone level remains lower than the detection limit of the ozone analyzer (0.4 ppb) for all experiments, suggesting that the contribution of ozone-induced homogeneous and heterogeneous reactivities can be neglected.

Harb et al. [43] and Haghighat and De Bellis [44] evidenced that stainless steel is the 505 most widely used chamber material in the reviewed publications due to its inert properties. 506 Indeed, the use of stainless steel avoids a surface reaction of deposited TerVOCs with the inner 507 material of the chamber. This is supported by the fact that no other terpenes than those monitored 508 509 in the liquid composition and no other carbonyls than that reported in the literature were detected in the gas phase of the experimental chamber. Therefore, surface reactivity on stainless steel is 510 511 disregarded. Additionally, desorption phenomena are endothermic processes. Then, in a temperature-controlled environment, the sorption processes of TerVOCs are suggested to be 512 irreversible, and desorption is considered negligible. 513

Finally, in our essential oil diffusion experiments, the resulting TerVOC concentrations in the experimental chamber are predominantly a result of (i) the air exchange, (ii) the emission rate of the pollutant sources, and (iii) the loss of pollutants on the inner walls of the chamber (k_D). Therefore, *Eq. 2* can be considered to describe the resulting pollutant concentration [X] in the experimental chamber. The determination of the TerVOC emission rates from their monitored concentration profiles requires separating the contribution of their respective air exchange ratesand deposition rates.

$$\frac{d[X]}{dt} = -\frac{d[X]_{Out}}{dt} + \frac{d[X]_E}{dt} - \frac{d[X]_{Dep}}{dt} \\
\frac{d[X]_{Dep}}{dt} - \frac{d[X]_{Dep}}{dt} \\
\frac{d[X]_{Depsilion on}}{surfaces}$$
Eq. 2

521

523 <u>Air exchange /</u> Air exchange induces the removal of species X by the ventilation system of the 524 chamber. It is characterized by the air exchange rate k_{AER} expressed in h⁻¹ and can be calculated 525 considering the ventilation flow and the volume of the chamber or experimentally determined 526 using a relevant tracer gas. Based on the inlet ventilation flow of our experimental chamber, k_{AER} 527 is set to 0.3 h⁻¹ for all experiments.

$$\left(-\frac{d[X]_{Out}}{dt}_{\frac{\text{Air Exchange}}{}}\right) = -k_{AER} \times [X]$$
Eq. 3

529

528

Emission rate / The emission rate of species X is determined by its release from an emissive item per unit of time, it is describe in the Eq. 4 as $\tau(t)$. In the case of essential oil diffusion, the mass emission rate is determined using *Eq. 4*, where m_p is the mass of tea tree oil used in the diffuser expressed in g and *V_{chamber}* corresponds to the volume of the experimental chamber in m³:

$$\frac{d[X]_E}{dt}_{\substack{\text{Pollutant}\\\text{source}}} = \frac{\tau(t) \times V_{chamber}}{m_p} Eq. 4$$

535

534

537 <u>Deposition on inner surfaces of the chamber /</u> This phenomenon corresponds to the uptake of gas 538 phase TerVOCs on the surface of the stainless steel chamber. The nonreactive uptake of 539 TerVOCs on indoor materials can be characterized by the deposition rate k_D expressed in h⁻¹. The 540 uptake is also driven by the concentration of the gas phase species X, as reported in *Eq. 5*. Note 541 that k_D depends on the nature of the material and on the VOC; it was assessed for each set of 542 experiments to provide a comprehensive evaluation of the process in the fate of emitted 543 TerVOCs and its impact on the resulting TerVOC concentrations in the gas phase.

$$\left(-\frac{d[X]_{Dep}}{dt}_{\text{Deposition on surfaces}}\right) = -k_D \times [X]$$
Eq. 5

544

As finite sources of TerVOCs, transient diffusers of essential oils may become depleted. 545 Thereafter, the drivers of the TerVOC concentrations in the experimental chamber are (i) the air 546 547 renewal at a known decay rate (k_{AER}) and (ii) the deposition on walls at a decay rate (k_D), which need to be calculated. The corresponding situation is described in Eq. 6 by the linearized and 548 simplified form of Eq. 2. The air renewal rate is set to 0.3 h^{-1} in our experimental chamber; 549 therefore, it can be taken into account. The methodology to determine KD can be illustrated 550 using the temporal profile of γ -terpinene emitted by the nebulization diffuser shown in Figure 7a. 551 After 3 hours of diffusion, the profile of γ -terpinene reveals that the emission peak is overcome 552 and the experimental data inside the square frame (Figure 7a) correspond to the decay of the γ -553 terpinene concentration due to air exchange and loss on the chamber walls. Based on Eq. 6, this 554 555 reduced data series is plotted in Figure 7b as $\ln ([\gamma-terpinene])$ as a function of time (h). The linear form attests of the pseudo-first order decay process. The slope of the straight line 556 displayed in Figure 7b is contributed by the sum of kAER and kD. Since kAER is a known 557

experimental constant, the deposition rate of γ -terpinene under our experimental conditions can be determined as k_D (γ -terpinene) = 0.25 h⁻¹.

560
$$\ln(X(t)) = -(k_{AER} + k_D) \times t + A$$
 (A = constant) Eq. 6

561

The deposition rate k_D of the 5 major emitted TerVOCs was experimentally determined 562 563 with the electric diffusion and nebulizing diffusion of tea tree oil. The results are reported in Table 4 for both diffusers. First, for a given terpene, the type of transient diffuser has no impact 564 on the TerVOC deposition rate. This process relies only on the VOC characteristics and on the 565 nature of the chamber walls. From one terpene to another, the deposition rates range from 0.23 to 566 0.38 h⁻¹. These values clearly support the fact that the deposition rates of TerVOCs on the 567 chamber walls must be determined to interpret the concentration profiles since they impact the 568 569 resulting concentrations by the same order of magnitude than the air exchange rate $(0.3 h^{-1})$. 570 Based on Table 4, it can be pointed out that α -pinene has the highest affinity for the chamber walls. Several studies have been carried out to evaluate the interactions of terpenes with indoor 571 materials. These investigations evidenced that the intensity of the uptake process can vary 572 depending on (i) the molecular structure of the considered species, (ii) the physical and chemical 573 properties of the solid substrate and (iii) the environmental conditions, mainly temperature and 574 575 humidity. [45]–[49] For instance, Springs et al. [50] showed that the number of moles of terpenes taken up per unit of surface area tends to decrease with relative humidity (RH), suggesting 576 577 competitive interactions with water molecules for uptake sites.




Figure 7. a) Evolution of γ -terpinene concentration (ppb) as a function of time during the diffusion of tea tree oil using the nebulizing diffuser (T = 23 °C, RH = 50 %, air renewal rate = 0.3 h⁻¹, chamber volume = 1m³, online monitoring using C-GC-FID is used for analysis); the data series in the square frame corresponds to γ -terpinene decay beyond the depletion of its source. b) Evolution of ln ([γ -terpinene]) as a function of time (h); NB: only the data series from the square frame is plotted.

585 <u>From concentration profiles to emission profiles /</u> Finally, the mass conservation equation under 586 our experimental conditions during essential oil emission using transient diffusers is described by 587 *Eq. 7, where* [X] is the concentration of species X, m_p is the applied mass of tea tree oil, $V_{chamber}$ 588 corresponds to the volume of the chamber (m³), and k_{AER} and k_D are the decay rates (h⁻¹) of the 589 species X related to air renewal and deposition, respectively.

$$\frac{d[X]}{dt}_{\text{Concentration}} = \frac{\tau(t) \times V_{chamber}}{m_p} - \frac{(k_D + k_{AER}) \times [X]}{(k_D + k_{AER})}$$

591

590

Eq. 7

Based on Eq. 7, the emission rate of a given TerVOC is obtained from its concentration 592 profile corrected by the air renewal rate and by the depletion rate. Figure 8 shows the temporal 593 evolution of γ -terpinene emitted from tea tree essential oil using the nebulizing diffuser. The 594 concentration of γ -terpinene directly monitored in the experimental chamber is reported using 595 596 black squares in Figure 8. First, this raw profile is corrected by the air renewal rate. This leads to the γ -terpinene profile that would have been monitored if no VOCs were extracted by ventilation 597 from the chamber (light grey squares in Figure 8). Second, the latter profile is corrected by the 598 deposition rate of γ -terpinene. This final profile corresponds to the concentration profile of γ -599 terpinene if no γ -terpinene were lost on the chamber walls and by air exchange (dark grey circles 600 601 in Figure 8). As a consequence, the resulting profile is based solely on γ -terpinene emission. Therefore, the time when γ -terpinene reaches a steady state indicates the end of γ -terpinene 602 603 emission from the diffused oil. Moreover, this final profile can be used to calculate the emission rate of γ -terpinene according to Eq. 8. 604

605
$$\tau(t) = \frac{V_{chamber}}{m_p} \times \frac{(C_{i+1} - C_i)}{(t_{i+1} - t_i)}$$
 Eq. 8




Figure 8. Evolution of the γ -terpinene monitored concentration (ppb), air exchange corrected concentration (ppb) and air exchange + deposition corrected concentration (ppb) as a function of time (h) during the diffusion of tea tree oil using a nebulizing device. (T = 23 °C, RH = 50 %, air renewal rate = 0.3 h⁻¹, chamber volume = 1m³).


607

613 *3.3.2. Emission rate profiles using transient diffusers*

614

Based on *Eq.* 8, the temporal evolution of the mass emission rates is calculated for each evaporation device and for each TerVOC emitted. The temporal evolution of the mass emission rates of the three major TerVOCs (γ -terpinene, α -terpinene and α -pinene) is presented in Figure 9. As reported in Figure 9, transient diffusers show equivalent temporal emission rate profiles. The temporal profiles of the emission rates allow the determination of (i) the time required to reach the maximum emission rate (ranging from 0.3 to 0.8 for α -pinene, α -terpinene and γ - terpinene), (ii) the value of the maximum emission rate (ranging from approximately 17 to approximately 82 for α -pinene, α -terpinene and γ -terpinene), and (iii) the time the emission source is exhausted (ranging from 1.3 to 2.8 hours for α -pinene, α -terpinene and γ -terpinene).

624



625

Figure 9. Evolution of the mass emission rates of (a) γ-terpinene, (b) α-terpinene and (c) αpinene as a function of time during the diffusion of tea tree oil by electric, nebulizing and capillarity diffusers (T = 23 °C, RH = 50 %, air renewal rate = 0.3 h⁻¹, chamber volume = 1 m³).

630 Noticeably, in the case of α -pinene, the emission process is exhausted 2.2 times faster 631 than that for γ -terpinene using the same nebulizing diffuser. These observations confirm that a faster emission dynamic process characterizes monoterpenes with a comparatively higher vapor pressure and lower molar weight. Nonetheless, regardless of the transient diffuser, for a given VOC, the emission rate profile is analogous to the other profiles. Additionally, Table 5 displays the experimentally determined maximum emission rates for the 5 major released terpenes. The first two data series refer to electric and nebulizing devices, respectively. Note that the predominantly emitted molecule for each device is written in bold.

Table 5. Comparison of mass emission rates (mg/h) per gram of tea tree oil diffused through (i)
an electric diffuser, (ii) a nebulizing diffuser, and (iii) a capillarity diffuser.

Tea tree oil - <i>Tested diffusion devices</i>						
	Maximum mass emission rate (mg/h) per g of product					
COMPOUND	ELECTRIC DIFFUSER	NEBULIZING DIFFUSER	CAPILLARITY DIFFUSER			
γ -Terpinene	81.8	66.0	3.8			
α -Terpinene	74.3	64.0	3.9			
α -Pinene	26.0	25.0	1.8			
α -Terpinolene	19.0	16.4	3.1			
Eucalyptol	20.7	17.3	1.0			

640

In the discussion, a complete assessment of the diffusion of tea tree oil by transient diffusers in a confined environment is accomplished including (i) the experimentally measured concentration profiles for the detected species, (ii) the calculation methodology for the evaluation of their mass emission rates and (ii) the quantitative fingerprint evolution of the gas phase during the diffusion of tea tree oil. In the next section, the same analysis is conducted in relation to the diffusion of essential oil by a long-term diffusion device.

647 648

3.4. Continuous diffuser: capillarity devices

Using a capillarity diffuser with tea tree oil in the experimental chamber, the same 12 649 terpenes (9 monoterpenes and 3 terpene alcohols) are detected. Figure 10 displays the total 650 TerVOC concentration profile as well as the concentration profiles of the four predominant 651 individual TerVOCs, namely, γ -terpinene, α -terpinene, 4-terpineol and α -pinene. Using the 652 capillary diffuser, all emission profiles, the total TerVOCs and individual TerVOCs, are 653 654 characterized by two main phases: (i) an increase in the gas concentration of TerVOCs and (ii) a steady-state concentration regime of gas phase TerVOCs inside the experimental chamber. The 655 656 steady-state regimes confirm that an equilibrium is reached among (i) the emissions from the diffusion device, (ii) the removal of diffused terpenes by air renewal and (iii) possible losses on 657 the inner walls of the experimental chamber. 658

700 Individual TerVOC Total TerVOC monitored concentration (ppb) 2500 2000 -0-0 0-0-0 400 monitored 1500 20000000000000000 200 d concentration (1000 ... Total TerVOC $\square \gamma - terpinene$ • α – terpinene Eucalyptol 500 □ 4 – terpineol (ppb) 0 0 30 0 10 20 40 50 60

Time (h)

659

Figure 10. Evolution of γ-terpinene, α-terpinene, eucalyptol, and 4-terpineol and total TerVOC concentrations as a function of time during the diffusion of tea tree oil using a capillarity diffuser. (T = 23 °C, RH = 50 %, air renewal rate = 0.3 h^{-1} , chamber volume = 1 m^3).

For the continuous diffuser, unlike transient diffusers, no peak concentration is observed, 663 but maximum concentrations can be defined from the steady-state regimes (Figure 10). 664 Noticeably, one order of magnitude difference is observed between the maximum concentrations 665 666 reported for transient diffusers and the steady-state concentrations observed using the continuous 667 diffuser. Another feature of the TerVOC profiles using the continuous diffuser (Figure 10) is that the mean time to achieve the steady-state regime can exceed 20 hours, while for transient 668 669 diffusers, the maximum concentrations are reached within only 1 to 4 hours, depending on the terpene molecule. 670

Once the steady-state diffusion regime is reached, the 4 major emitted TerVOCs are γ -671 672 terpinene, α -terpinene, eucalyptol and 4-terpineol. Their respective concentrations are 610 ± 5, 600 ± 20 , 340 ± 5 and 270 ± 10 ppb. At steady state, these concentration levels account for 23, 673 21, 16 and 12 % of the total emitted concentration for γ -terpinene, α -terpinene, and eucalyptol, 674 respectively. Indeed, at stable concentrations, these four predominant molecules account for 72 675 % of the total terpene concentration. Finally, irrespective of the diffuser, it can be observed that 676 the same two predominant terpenes are detected in the gas concentration, i.e., Υ -terpinene and α -677 terpinene. The predominance of γ -terpinene, α -terpinene, and eucalyptol can be explained by 678 three key factors: (i) their significant mass contribution in the composition of the liquid tea tree 679 oil, (ii) their volatility and (iii) their affinity to the diffuser stick. Nevertheless, a specific 680 behavior is observed for 4-terpineol. The selected tea tree oil primarily contains 4-terpineol at 681

42.6 % w/w; however, its steady-state concentration only accounts for 12 % of the total emitted
TerVOC concentration at the stabilization time.

The individual behavior of TerVOCs diffused by capillarity shows that the time to reach 684 the steady-state concentration strongly varies from one molecule to another. Indeed, the 685 stabilization times range from 4 hours for 4-terpineol to 27 hours for eucalyptol. For 4-terpineol, 686 this observation contrasts with its behavior when diffused by transient diffusers because it was 687 characterized by a delayed emission relative to that of the other TerVOCs. For the capillarity 688 diffuser, the first step of the emission process relies on the capillarity diffusion of liquid 689 TerVOCs in the fibrous beech wood stick. The specific behavior of 4-terpineol may be 690 691 associated with its capillarity diffusion ability in the fibrous stick. Once again, the individual physical and chemical properties of TerVOCs directly impact their diffusion and the resulting 692 693 gas phase concentrations depending on the diffusion mechanisms involved.

694

695 *3.4.1. Emission rates*

696

Based on the individual concentration profiles, the emission rate of each TerVOC is determined for the capillarity diffuser according to the methodology presented in section 2.3. The emission process associated with the use of the continuous diffuser in the experimental chamber is described by the mass conservation equation in Eq. 8, and the emission rates are calculated using previously determined parameters.

As reported in Figure 9, for the capillary diffuser, the emission rates achieve a steady state after 3, 2.5, and 1.7 hours of diffusion for γ -terpinene, α -terpinene and α -pinene, respectively. Moreover, in the steady-state regime, the emission rates reached an equivalent value of 4 mg/h for γ -terpinene and α -terpinene and approximately 2 mg/h for α -pinene. Additionally, long-term diffusion devices maintain a constant emission rate for several days. Indeed, the emission process might be solely limited by the liquid essential oil source itself. Thus, it can be assumed that constant emission rates for capillarity diffusers could be observed on time scales up to several days or weeks under stable environmental conditions, i.e., temperature and humidity, and until the source is exhausted.

To assess the duration of impact on indoor air quality from the diffusion of tea tree oil by a capillarity diffuser, several calculations were performed to extrapolate the time span of the emission process until the source is exhausted. Based on Eq. 9, the emitted mass E_{mass} in grams can be calculated by employing the determined emission rates (ERs) at the steady-state regime per individual terpene X (section 2.3) in grams per day and the time t in days.

716
$$E_{mass_X} = ER_X \times t$$
 Eq. 9

The total mass contained in the essential oil bottle is determined to establish the total boundary mass corresponding to the emission exhaust. This value is represented in Figure 11 by a dashed line. Subsequently, considering the chemical composition determined in section 2.1, this same boundary mass is now identified per individual terpene. These values are shown in Table 6. Note that when the source exhaust time is reached, the total emitted mass equals the sum of the individual boundary masses.

723 **Table 6.** The calculated mass boundary for individual and total TerVOCs contained in the tea

tree oil bottle.

Compound	Individual boundary mass (g)	Emission rate at steady state (g/day)	Source exhaust time (days)
γ –terpinene	2.98	0.09	32
α –terpinene	1.67	0.09	18

α –pinene	0.35	0.04	8
α –terpinolene	0.45	0.02	19
eucalyptol	0.48	0.07	7
other TerVOCs	7.07	0.12	61
TOTAL MASS IN THE TEA TREE OIL BOTTLE	13.01	-	-

⁷²⁵

The mass of individual terpenes emitted from the capillarity diffuser (E_{massX}) is calculated per day by employing *Eq. 9* until the cumulative emitted masses reach the boundary mass previously established from the liquid content of the essential oil bottle. The bar series in the histogram of Figure 11 shows the emitted mass of individual TerVOCs per day. Note that when the bar series in Fig. 11 turns from a solid color to stripes, the source of individual terpenes is considered to be exhausted.

732




Figure 11. The temporal evolution of the emitted mass per day during capillarity diffusion from
t=0 until the mass content is depleted in the bottle of tea tree oil.

As observed in Figure 11, the contribution of individual TerVOCs to the total emitted 736 mass per day might vary throughout the entire emission process. Indeed, α -pinene and eucalyptol 737 have higher emission rates than the other detected terpenes. Therefore, these molecules are 738 entirely emitted after only 8 and 9 days of diffusion, respectively. This observation is explained 739 740 by the acute volatility that characterizes these species, which is associated with the high vapor pressures of 599 and 260 Pa for α -pinene and eucalyptol, respectively. In contrast, the other 741 terpene molecules characterized by lower volatilities, such as γ -terpinene, are completely 742 transferred to the gas phase 30 days after the capillarity diffusion is initiated. Note that at this 743 same time of diffusion (30 days), the emissions of 4 out of 6 terpenes (α -pinene, eucalyptol, α -744 745 terpinene and α-terpinolene) presented in Figure 11 are no longer detected. Therefore, after 30 days of capillarity diffusion of tea tree oil, the gas phase composition is contributed only by terpene molecules that have the lowest vapor pressures, predominantly 4-terpineol. Finally, the total mass contained in the tea tree oil bottle is evidenced to be completely transferred to the gas phase after 62 days. Beyond this time period, concentration levels are evacuated from the room. Therefore, when diffusing essential oils in indoor environments through a capillary device, occupants might be exposed to terpene molecules at concentration levels reaching the ppm range and on a time span from several days to weeks.

753

4. Conclusions and perspectives

754

This study indicates that the use of essential oil diffusers in confined environments 755 represents a substantial source of indoor terpene VOCs. The emitted concentration levels 756 757 associated with essential oil diffusion potentially impact indoor air quality over a time span 758 ranging from 5 hours to 60 days for transient and continuous devices, respectively. On the one hand, regarding the exposure of consumers during the evaporation of essential oils in an indoor 759 environment, transient diffusers are associated with high emission rates, i.e., 100 mg/h per gram 760 of product, during a short period, typically in the hour range. Instead, continuous diffusion 761 releases a moderate concentration of terpenes, nearly 5 mg/h per gram of emitted product, but on 762 763 much longer time spans, exceeding tens of days. Therefore, transient diffusers can be associated 764 with acute exposures, while capillarity diffusers result in chronic exposure.

The results provided in this work provide the first quantitative insights into the assessment of human exposure associated with the use of essential oils in indoor environments. Further studies are required to (i) define risk scenarios, (ii) address human exposure to diffused essential oils and (ii) assess the representativeness of the results in the context of this work 769 compared to experiments conducted in a real size room under equivalent controlled conditions. 770 Furthermore, essential oil diffusion, as a source of indoor contaminants, deserves more attention because of its potential formation of formaldehyde and secondary organic aerosols as a 771 consequence of their high reactivity with indoor oxidants. 772

773

5. Conflict of interest

The authors declare that they have no conflict of interest 774

775

6. Acknowledgements

The authors acknowledge Agence de l'Environnement et de la Maîtrise de l'Energie (ADEME) 776 for the provided financial support of research project ESSENTIEL within the framework of the 777 CORTEA research program. In particular, Isabelle AUGEVEN-BOUR and Souad 778 BOUALLALA are acknowledged for their positive, benevolent and constructive care of the 779 780 project. Shadia ANGULO MILHEM thanks IMT Lille Douai and CSTB for the provided PhD grant. Above all, the authors are grateful to each other for the pleasure of working together on 781 782 the ESSENTIEL research project and beyond!

783 7. References

- [1] L. Harkat-Madouri *et al.*, « Chemical composition, antibacterial and antioxidant activities of
 essential oil of Eucalyptus globulus from Algeria », *Ind. Crops Prod.*, vol. 78, p. 148-153,
 déc. 2015, doi: 10.1016/j.indcrop.2015.10.015.
- [2] Z. Bey-Ould Si Said *et al.*, «Essential oils composition, antibacterial and antioxidant activities of hydrodistillated extract of Eucalyptus globulus fruits », *Ind. Crops Prod.*, vol. 89, p. 167-175, oct. 2016, doi: 10.1016/j.indcrop.2016.05.018.
- [3] B. Teixeira *et al.*, « Chemical composition and antibacterial and antioxidant properties of commercial essential oils », *Ind. Crops Prod.*, vol. 43, p. 587-595, mai 2013, doi: 10.1016/j.indcrop.2012.07.069.
- [4] C. Delmas *et al.*, «Mesure de la concentration aérienne de COV terpéniques (dont le limonène) selon plusieurs procédures lors de pulvérisations d'un mélange d'huiles essentielles », *Rev. Fr. Allergol.*, vol. 56, nº 4, p. 357-363, juin 2016, doi: 10.1016/j.reval.2016.02.005.
- [5] C. Lassen, S. Havelund, et S. Mikkelsen, «Health assessment of chemical substances in
 essential oils and fragrance oils », Danish Environmental Protection Agency (DEPA),
 Denmark, Survey 92 2008, 2008.
- [6] M. Zuzarte et L. Salgueiro, « Essential Oils Chemistry », in *Bioactive Essential Oils and Cancer*, D. P. de Sousa, Éd. Cham: Springer International Publishing, 2015, p. 19-61.
- [7] M. Trantallidi, C. Dimitroulopoulou, P. Wolkoff, S. Kephalopoulos, et P. Carrer, « EPHECT
 III: Health risk assessment of exposure to household consumer products », *Sci. Total Environ.*, vol. 536, p. 903-913, déc. 2015, doi: 10.1016/j.scitotenv.2015.05.123.
- [8] K. G. D. Babu, B. Singh, V. P. Joshi, et V. Singh, « Essential oil composition of Damask rose (Rosa damascena Mill.) distilled under different pressures and temperatures », *Flavour Fragr. J.*, vol. 17, nº 2, p. 136-140, mars 2002, doi: 10.1002/ffj.1052.
- [9] S. Inouye, T. Takizawa, et H. Yamaguchi, « Antibacterial activity of essential oils and their major constituents against respiratory tract pathogens by gaseous contact », *J. Antimicrob. Chemother.*, vol. 47, nº 5, p. 565-573, mai 2001, doi: 10.1093/jac/47.5.565.
- [10] S. Inouye, « Laboratory evaluation of gaseous essential oils (Part 2) », *Int. J. Aromather.*,
 vol. 13, nº 4, p. 173-184, janv. 2003, doi: 10.1016/S0962-4562(03)00082-1.
- [11] S. Inouye, S. Abe, H. Yamaguchi, et M. Asakura, « Comparative study of antimicrobial and cytotoxic effects of selected essential oils by gaseous and solution contacts », *Int. J. Aromather.*, vol. 13, nº 1, p. 33-41, janv. 2003, doi: 10.1016/S0962-4562(03)00057-2.
- [12] F. Bakkali, S. Averbeck, D. Averbeck, et M. Idaomar, « Biological effects of essential oils A review », *Food Chem. Toxicol.*, vol. 46, nº 2, p. 446-475, févr. 2008, doi: 10.1016/j.fct.2007.09.106.
- [13] P. H. Hart, C. Brand, C. F. Carson, T. V. Riley, R. H. Prager, et J. J. Finlay-Jones,
 « Terpinen-4-ol, the main component of the essential oil of Melaleuca alternifolia (tea tree oil), suppresses inflammatory mediator production by activated human monocytes », *Inflamm. Res.*, vol. 49, nº 11, p. 619-626, nov. 2000, doi: 10.1007/s000110050639.
- [14] W. L. Low, C. Martin, D. J. Hill, et M. A. Kenward, «Antimicrobial efficacy of
 liposome-encapsulated silver ions and tea tree oil against Pseudomonas aeruginosa,
 Staphylococcus aureus and Candida albicans », *Lett. Appl. Microbiol.*, vol. 57, nº 1, p. 33-39,
 juill. 2013, doi: 10.1111/lam.12082.

- [15] R. Sailer, T. Berger, J. Reichling, et M. Harkenthal, « Pharmaceutical and medicinal aspects of Australian tea tree oil », *Phytomedicine*, vol. 5, nº 6, p. 489-495, déc. 1998, doi: 10.1016/S0944-7113(98)80048-2.
- E. V. Usachev, O. V. Pyankov, O. V. Usacheva, et I. E. Agranovski, « Antiviral activity
 of tea tree and eucalyptus oil aerosol and vapour », *J. Aerosol Sci.*, vol. 59, p. 22-30, mai
 2013, doi: 10.1016/j.jaerosci.2013.01.004.
- [17] O. V. Pyankov, E. V. Usachev, O. Pyankova, et I. E. Agranovski, « Inactivation of Airborne Influenza Virus by Tea Tree and Eucalyptus Oils », *Aerosol Sci. Technol.*, vol. 46, nº 12, p. 1295-1302, déc. 2012, doi: 10.1080/02786826.2012.708948.
- [18] H.-J. Su, C.-J. Chao, H.-Y. Chang, et P.-C. Wu, « The effects of evaporating essential oils
 on indoor air quality », *Atmos. Environ.*, vol. 41, nº 6, p. 1230-1236, févr. 2007, doi:
 10.1016/j.atmosenv.2006.09.044.
- [19] C. Marlet et G. Lognay, « Les monoterpènes : sources et implications dans la qualité de l'air intérieur », *Biotechnol. Agron. Soc. Environ.*, vol. 15, nº 4, p. 611-622, févr. 2011.
- [20] C. S. Sell, A Fragrant Introduction to Terpenoids Chemistry. United Kingdom: The Royal
 Science of Chemistry, 2003.
- [21] S. Angulo Milhem, M. Verriele, M. Nicolas, F. Thevenet, « Does the ubiquitous use of essential oil-based products promote indoor air quality? A critical literature review », *Environmental Science and Pollution Research*, vol. 27, n° 13, p. 14365 14411, March 2020, doi: 10.1007/s11356-020-08150-3.
- [22] ISO 16000-9, «Indoor Air: Determination of the Emission of Volatile Organic
 Compounds from Building Products and Furnishing—Emission Test Chamber Method »,
 2006.
- 850 [23] S. Kirchner *et al.*, *Qualité d'air intérieur, qualité de vie. 10 ans de recherche pour mieux*851 *respirer.* Observatoire de la qualité de l'air intérieur, 2001.
- [24] J. P. Lucas, S. Kirhcner, et J. Ribéron, « Etat de la ventilation dans le parc de logement
 français », *Rapp. Détude CSTB OQAI*, 2009.
- ISO 16000-6, « Indoor air: Determination of volatile organic compounds in indoor and
 test chamber air by active sampling on Tenax TA sorbent, thermal desorption and gas
 chromatography using MS or MS-FID », 2011.
- ISO 16000-3, « Indoor Air: Determination of formaldehyde and other carbonyl
 compounds in indoor air and test chamber air Active sampling method », 2011.
- [27] C. F. Carson et T. V. Riley, « Safety, efficacy and provenance of tea tree (Melaleuca alternifolia) oil », *Contact Dermatitis*, vol. 45, nº 2, p. 65-67, août 2001, doi: 10.1034/j.1600-0536.2001.045002065.x.
- [28] H.-H. Chiu, H.-M. Chiang, C.-C. Lo, C.-Y. Chen, et H.-L. Chiang, « Constituents of volatile organic compounds of evaporating essential oil », *Atmos. Environ.*, vol. 43, nº 36, p.
 5743-5749, nov. 2009, doi: 10.1016/j.atmosenv.2009.08.002.
- [29] K. A. Hammer, C. F. Carson, T. V. Riley, et J. B. Nielsen, « A review of the toxicity of Melaleuca alternifolia (tea tree) oil », *Food Chem. Toxicol.*, vol. 44, nº 5, p. 616-625, mai 2006, doi: 10.1016/j.fct.2005.09.001.
- [30] S. F. Van Vuuren, Y. Docrat, G. P. P. Kamatou, et A. M. Viljoen, «Essential oil composition and antimicrobial interactions of understudied tea tree species », *South Afr. J. Bot.*, vol. 92, p. 7-14, mai 2014, doi: 10.1016/j.sajb.2014.01.005.
- [31] P. Umnahanant, A. Zafar, V. Kankala, et J. Chickos, « Vapor pressure and vaporization
 enthalpy studies of (+)-longifolene, (-)-isolongifolene and β-myrcene by correlation gas

- kromatography », J. Chem. Thermodyn., vol. 131, p. 583-591, avr. 2019, doi:
 10.1016/j.jct.2018.12.013.
- 875 [32] J. Li, E. M. Perdue, S. G. Pavlostathis, et R. Araujo, « Physicochemical properties of
- selected monoterpenes », *Environ. Int.*, vol. 24, nº 3, p. 353-358, avr. 1998, doi:
 10.1016/S0160-4120(98)00013-0.
- [33] V. Štejfa *et al.*, «Thermodynamic study of selected monoterpenes», *J. Chem. Thermodyn.*, vol. 60, n^o Supplement C, p. 117-125, mai 2013, doi: 10.1016/j.jct.2013.01.009.
- [34] M. A. Espinosa Díaz, T. Guetachew, P. Landy, J. Jose, et A. Voilley, « Experimental and estimated saturated vapour pressures of aroma compounds », *Fluid Phase Equilibria*, vol. 157, nº 2, p. 257-270, mars 1999, doi: 10.1016/S0378-3812(99)00016-3.
- [35] M. Hoskovec *et al.*, « Determining the vapour pressures of plant volatiles from gas
 chromatographic retention data », *J. Chromatogr. A*, vol. 1083, nº 1, p. 161-172, août 2005,
 doi: 10.1016/j.chroma.2005.06.006.
- [36] V. Štejfa, M. Fulem, K. Růžička, et C. Červinka, «Thermodynamic study of selected monoterpenes II », *J. Chem. Thermodyn.*, vol. 79, nº Supplement C, p. 272-279, déc. 2014, doi: 10.1016/j.jct.2013.12.012.
- [37] V. Štejfa, M. Fulem, K. Růžička, et C. Červinka, « Thermodynamic study of selected monoterpenes III », *J. Chem. Thermodyn.*, vol. 79, nº Supplement C, p. 280-289, déc. 2014, doi: 10.1016/j.jct.2014.04.022.
- [38] V. Štejfa, F. Dergal, I. Mokbel, M. Fulem, J. Jose, et K. Růžička, « Vapor pressures and
 thermophysical properties of selected monoterpenoids », *Fluid Phase Equilibria*, vol. 406, n°
 Supplement C, p. 124-133, nov. 2015, doi: 10.1016/j.fluid.2015.07.031.
- [39] C. Dimitroulopoulou *et al.*, « EPHECT I: European household survey on domestic use of
 consumer products and development of worst-case scenarios for daily use », *Sci. Total Environ.*, vol. 536, p. 880-889, déc. 2015, doi: 10.1016/j.scitotenv.2015.05.036.
- [40] C. Dimitroulopoulou, M. Trantallidi, P. Carrer, G. C. Efthimiou, et J. G. Bartzis,
 « EPHECT II: Exposure assessment to household consumer products », *Sci. Total Environ.*,
 vol. 536, p. 890-902, déc. 2015, doi: 10.1016/j.scitotenv.2015.05.138.
- 901 [41] H.-M. Chiang, H.-H. Chiu, Y.-M. Lai, C.-Y. Chen, et H.-L. Chiang, « Carbonyl species characteristics during the evaporation of essential oils », *Atmos. Environ.*, vol. 44, nº 18, p. 2240-2247, juin 2010, doi: 10.1016/j.atmosenv.2010.02.017.
- 904 [42] A. Cakir, S. Kordali, H. Kilic, et E. Kaya, «Antifungal properties of essential oil and
 905 crude extracts of Hypericum linarioides Bosse », *Biochem. Syst. Ecol.*, vol. 33, nº 3, p.
 906 245-256, mars 2005, doi: 10.1016/j.bse.2004.08.006.
- 907 [43] P. Harb, L. Sivachandiran, V. Gaudion, F. Thevenet, et N. Locoge, «The 40 m3
 908 Innovative experimental Room for INdoor Air studies (IRINA): Development and
 909 validations », *Chem. Eng. J.*, vol. 306, p. 568-578, déc. 2016, doi: 10.1016/j.cej.2016.07.102.
- 910 [44] F. Haghighat et L. De Bellis, « Material emission rates: Literature review, and the impact
 911 of indoor air temperature and relative humidity », *Build. Environ.*, vol. 33, nº 5, p. 261-277,
 912 sept. 1998, doi: 10.1016/S0360-1323(97)00060-7.
- [45] R. B. Jørgensen et O. Bjørseth, « Sorption behaviour of volatile organic compounds on material surfaces — The influence of combinations of compounds and materials compared to sorption of single compounds on single materials », *Environ. Int.*, vol. 25, nº 1, p. 17-27, janv. 1999, doi: 10.1016/S0160-4120(98)00090-7.

- [46] R. B. Jørgensen, O. Bjørseth, et B. Malvik, « Chamber Testing of Adsorption of Volatile
 Organic Compounds (VOCs) on Material Surfaces », *Indoor Air*, vol. 9, nº 1, p. 2-9, mars
 1999, doi: 10.1111/j.1600-0668.1999.t01-3-00002.x.
- [47] R. B. Jørgensen, H. N. Knudsen, et P. O. FANGER, « The influence on Indoor air quality
 of adsorption and desorption of organic compounds on materials », *Proceedings of Indoor Air*, Helsinki, Finland, p. 383-388, 1993.
- [48] R. Meininghaus, T. Salthammer, et H. Knöppel, « Interaction of volatile organic compounds with indoor materials—a small-scale screening method », *Atmos. Environ.*, vol. 33, nº 15, p. 2395-2401, juill. 1999, doi: 10.1016/S1352-2310(98)00367-7.
- [49] B. C. Singer, K. L. Revzan, T. Hotchi, A. T. Hodgson, et N. J. Brown, « Sorption of organic gases in a furnished room », *Atmos. Environ.*, vol. 38, nº 16, p. 2483-2494, mai 2004, doi: 10.1016/j.atmosenv.2004.02.003.
- 929 [50] M. Springs, J. R. Wells, et G. C. Morrison, « Reaction rates of ozone and terpenes adsorbed to model indoor surfaces », *Indoor Air*, vol. 21, nº 4, p. 319–327, 2011, doi: 10.1111/j.1600-0668.2010.00707.x.

