

# Caller resistance to perform cardio-pulmonary resuscitation in emergency calls for cardiac arrest

Marine Riou, Stephen Ball, Austin Whiteside, Sheryl Gallant, Alani Morgan, Paul Bailey, Judith Finn

# ▶ To cite this version:

Marine Riou, Stephen Ball, Austin Whiteside, Sheryl Gallant, Alani Morgan, et al.. Caller resistance to perform cardio-pulmonary resuscitation in emergency calls for cardiac arrest. Social Science & Medicine, 2020, 256, 10.1016/j.socscimed.2020.113045. hal-02954577

HAL Id: hal-02954577

https://hal.science/hal-02954577

Submitted on 22 Aug 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



**Article title:** Caller resistance to perform cardio-pulmonary resuscitation in emergency calls for cardiac arrest

#### **Authors:**

Marine Riou<sup>1,2</sup>, Stephen Ball<sup>2,3</sup>, Austin Whiteside<sup>3</sup>, Sheryl Gallant<sup>2</sup>, Alani Morgan<sup>2</sup>, Paul Bailey<sup>3</sup>, and Judith Finn<sup>2,3,4,5</sup>

#### **Author affiliations:**

<sup>1</sup>Centre de Recherche en Terminologie et Traduction (CRTT), Université Lumière Lyon 2, Lyon, 69007, France

<sup>2</sup>Prehospital, Resuscitation and Emergency Care Research Unit (PRECRU), School of Nursing, Midwifery and Paramedicine, Curtin University, Bentley, WA 6102, Australia

<sup>3</sup>St John Ambulance Western Australia, Belmont, WA 6104, Australia

<sup>4</sup>Emergency Medicine, The University of Western Australia, Crawley, WA 6009, Australia

#### **Corresponding author:**

Dr Marine Riou
Centre de Recherche en Terminologie et Traduction (CRTT)
Université Lumière Lyon 2
36 rue Pasteur
69007 Lyon
France
marine.riou@univ-lyon2.fr

<sup>&</sup>lt;sup>5</sup>Department of Epidemiology and Preventive Medicine, Monash University, Victoria 3004, Australia

Caller resistance to perform cardio-pulmonary resuscitation in emergency calls for cardiac arrest

#### Abstract

A key objective of an emergency call for cardiac arrest is to recruit a bystander to perform cardio-pulmonary resuscitation (CPR) until the ambulance arrives. Emergency medical services worldwide work towards increasing the rate of bystander-CPR, and existing research has identified a number of physical barriers to the provision of bystander-CPR. Yet, little is known about the specific ways in which emergency callers resist recruitment to perform basic first-aid, sometimes in the absence of any physical obstacle.

This study investigated 65 emergency calls for cardiac arrest received in Australia in 2014 and 2015, in which the callers initially resisted CPR. We used conversation analysis to examine callers' practices to resist recruitment and call-takers' practices to counter this resistance.

We found that callers who resisted CPR typically provided an account. When callers accounted for their resistance on deontic grounds, they expressed that CPR was not a possible course of action (e.g. "I can't do it"). When callers provided an epistemic account, their justification was based on their knowledge or opinion (e.g. "I think it's too late"). Our findings suggest that epistemic resistance can be a barrier to bystander-CPR. We identified two practices used by call-takers to address caller resistance based on epistemics. Providing more context on the purpose of CPR (e.g. "this is to help him in the meantime") seemed effective in persuading callers to perform CPR. By contrast, aligning with the caller's epistemic and deontic rights (e.g. "it's up to you") did not seem effective in persuading callers.

### Keywords

Australia; conversation analysis; emergency call; cardiac arrest; CPR, resistance; epistemics; accounts

#### Introduction

In everyday talk-in-interaction, participants recruit assistance from others through a continuum of methods (Kendrick and Drew, 2016) which includes explicit verbal methods, such as requests, and more implicit methods, such as hinting (Haugh, 2017). Participants also use non-verbal means to make requests (Rossi, 2014), or can merely display a difficulty, which then occasions an offer of assistance (Kendrick and Drew, 2016).

Emergency calls are instances of institutional talk (Heritage, 2005; Heritage and Drew, 1992), and as such, they critically differ from ordinary conversation, e.g. through reduction and specialization (Wakin and Zimmerman, 2010; Whalen and Zimmerman, 1987). A telephone call to an emergency number is interpreted by call-takers as a request for help "before the first word is spoken" (Zimmerman, 1992: 433). In addition to this institutional expectation that call-takers assist callers, call-takers recruit callers to perform a range of actions, such as unlocking the front door. When the call-taker recognises that the patient is in cardiac arrest, they try to recruit the caller's assistance in providing basic first aid while the ambulance is on the way. More specifically, the caller – or any other bystander present at the scene – needs to perform cardiopulmonary resuscitation (CPR).

In a previous study of medical emergency calls for cardiac arrest (Riou et al., 2018), we analyzed how call-takers try to get callers to perform CPR. We found that certain linguistic forms seemed more successful in obtaining caller agreement: expressing futurity (e.g. "we're gonna do CPR") or obligation (e.g. "you need to do CPR") was associated to 97% (199/206)

and 84% (46/55) caller agreement respectively, while opting for volition (e.g. "do you want to do CPR?") was associated to 43% (29/67) caller agreement. Overall, it was rare for callers to decline CPR (15% of callers in our data, 65/422 calls). However, this subset of declinations is of particular interest because of how critical CPR is for patient outcomes – it doubles the chance of survival (Riva et al., 2019).

Refusing, declining, and disagreeing are dispreferred responses in part because they threaten social solidarity. Life-and-death emergencies can be considered an extreme case scenario in which to observe the enactment of social preferences through talk-in-interaction. Members of society have a moral obligation to assist someone in danger, which some countries have formalized with a law (duty to rescue). Given the social weight of such a normative expectation, it is unlikely that many callers would refuse CPR plainly and directly, as Laforest and Rioux-Turcotte (2016) discussed in their data in Québec French. Rather, we expect callers to provide accounts, i.e. "a statement made by a social actor to explain unanticipated or untoward behavior" (Scott and Lyman, 1968: 46).

It is of critical importance to understand the specific ways in which callers resist CPR, as well as if and how they can be persuaded by call-takers. To this end, we analysed callers' initial resistance to the initiation of CPR, as well as the subsequent trajectory of calls where the provision of CPR was negotiated between caller and call-taker.

# **Background**

During cardiac arrest, the heart stops pumping entirely. The patient becomes unconscious and stops breathing – another term for it is "sudden death". When it happens outside of hospital, survival is very low: in 2017, only 9.1% of patients survived to hospital discharge in Western Australia (Bailey et al., 2018) – which corresponds to survival in Europe

(Gräsner et al., 2016) and the United States (Mozaffarian et al., 2016). Time is of the essence, as survival rate declines by approximately 10% (Valenzuela et al., 1997) for every minute without treatment, such as cardio-pulmonary resuscitation (CPR) or the use of an external automatic defibrillator (AED). Therefore, it is critical that basic first aid is provided to the patient by the emergency caller – or any other bystander present at the scene – while the ambulance is on the way. When performed by a bystander, CPR doubles the chance of survival (Riva et al., 2019). Bystander-CPR typically focuses on chest compressions (rather than rescue breaths), during which the bystander pushes down on the patient's chest at short and regular intervals in order to keep the blood flowing. Call-takers play an essential role in recruiting assistance from bystanders and providing them with step-by-step instructions (Bohm et al., 2011).

Given the low survival of out-of-hospital cardiac arrests, few patients recover even if they receive bystander-CPR. Some callers may be aware of these low odds, which in turn may impact how they receive offers and requests to perform first-aid. In our previous cohort study (Riou et al., 2018), we found that callers were more likely to resist CPR when they had already declared that the patient was dead. However, all patients had resuscitation attempted by paramedics and hence were considered by health professionals to be potentially 'viable.' In this paper, we explore the issue of caller resistance in more detail, and draw on the distinction between "active resistance" and "passive resistance" previously identified in medical interaction. In the context of advice given to new mothers by health visitors, Heritage and Sefi (1992) identified unmarked acknowledgment ("mm hm") as a form of passive resistance to advice-giving, in contrast with more active practices, such as assertions of competence. In her study of doctors' recommendations for non-antibiotic treatment of upper respiratory tract infections in children, Stivers (2005) defined active resistance as initiating a course of action

regarding the treatment (e.g. asking about its effectiveness) and passive resistance as failing to align with the doctor's recommendation.

In this paper, we conceptualize the provision of bystander-CPR during an emergency call as an interactional project pursued by the call-taker. This is based on Levinson's (2013) contrast between "actions" and "projects" in interaction, the latter being a superordinate category going beyond the turn-at-talk, and defined as "a course of action that at least one participant is pursuing" (Levinson, 2013: 122). Bystander-CPR involves a variety of sequences and courses of actions (obtaining the caller's agreement, positioning the patient flat on their back on the ground, doing the chest compressions, counting out loud, adjusting the pace of compressions, etc.). To carry out this interactional project, the call-taker needs to recruit the assistance of the caller. The specificity of the context (a telephone call) means that caller recruitment can only be verbal and explicit.

The study of what constitutes an action in interaction, and the relation between language and action, can be traced back to Austin's (1962) work on performatives and then illocutionary acts, and Searle's (1969) speech act theory – see Drew and Couper-Kuhlen (2014) for a review of this legacy. Action ascription has been studied extensively from a conversation analytical perspective (see Levinson, 2013 for a review), with a focus on contrasting social actions such as directives, requests, offers, suggestions, and proposals. Requests and directives have been compared on the basis of entitlement and contingency: while requests orient to the recipient's willingness and/or ability to perform the desired action (Curl and Drew, 2008), directives do not (Craven and Potter, 2010). Schegloff (2007: 84) argued that offers are preferred over requests, observing that participants prototypically decline offers but accept requests. This analysis was qualified by Kendrick and Drew (2014), who conceded

"a symbiotic relationship" between offering and requesting, but not a general preference for offers over requests.

Despite the rich literature on the topic, we did not choose a specific action term, such as "request" or "directive", to analyse the turns in which call-takers initiate bystander-CPR. Instead, we use the ad hoc term "CPR-opening", as in our previous study (Riou et al., 2018). This analytical choice resonates with Enfield and Sidnell's (2017) critique of what they call a "binning" approach of action. They argued that a speaker does not need to categorize an action (i.e. as a request, as a suggestion, etc.) to respond to it, and that it can be more fruitful for the analyst to focus on how participants respond to action, rather than attempting to categorize these actions. In addition, our data critically differs from the existing literature on talk-in-interaction in that we focus on one specific project throughout our dataset, i.e. the provision of bystander-CPR. The term "CPR-opening" allows us to investigate how a similar interactional project is negotiated, irrespective of linguistic design and interactional environment.

This study draws on the extensive literature on epistemics and deontics in interaction. The deontic domain has to do with ability, possibility, and necessity: "deontic authority relates to decisions and obligations and is concerned with who can set the rules about what should be done" (Kent, 2012: 713). The study of deontics has particularly focused on asymmetrical interaction, such as elderly care (Heinemann, 2006), disability care (Antaki and Kent, 2012) and parent-child interaction (Antaki and Kent, 2015; Craven and Potter, 2010). Speakers adapt the form of their requests depending on how much entitlement they claim and to what extent they acknowledge the contingencies of their co-participants. Emergency calls display a complex deontic landscape, as a range of actions, including CPR, are typically initiated by the call-taker but carried out by the caller.

The epistemic domain has to do with "the knowledge claims that interactants assert, contest and defend" (Heritage, 2013: 370). Speakers are acutely aware of knowledge imbalances (who knows what and who has a right to claim knowledge), which affects turn design and action ascription. For example, epistemic status is crucial to interpret a turn as a question vs. a statement (Heritage, 2013b, 2012). A variety of epistemic stance markers are mobilized, such as *I think* (Kärkkäinen, 2003), *I don't know* (Lindström et al., 2016; Weatherall, 2011), and turn-final *or* (Drake, 2015). Emergency calls are characterized by a twofold epistemic asymmetry: only the caller has sensory access to the patient, while it is typically the call-taker who has the greatest expertise in how to help them. To capture the complexity of this type of "knowledge gap" Grimen (2009), the emerging distinction between the epistemics of expertise vs. the epistemics of experience can be useful (Heritage, 2013a; Lindström and Weatherall, 2015).

# **Materials and Methods**

We used a subset of a corpus of 424 emergency calls collected for our previous retrospective cohort study on CPR negotiation (Riou et al., 2018). The SJA-WA OHCA database, maintained by the Prehospital, Resuscitation & Emergency Care Research Unit (PRECRU) at Curtin University, contains all cases of paramedic-verified out-of-hospital cardiac arrest in Western Australia since 1996. We used a pre-defined protocol for data collection, first identifying all the calls for out-of-hospital cardiac arrest received in Perth by St John Ambulance Western Australia between January 2014 and December 2015, then applying exclusion criteria. More details on data collection can be found in our previous study (Riou et al., 2018). For the purpose of the present paper, what most needs highlighting is that all 424 calls of the corpus correspond to cases where (1) the call-taker recognised cardiac arrest

during the call, (2) the paramedics confirmed cardiac arrest upon arrival, and (3) the paramedics attempted to resuscitate the patient.

We considered that callers initially agreed to perform CPR if they provided verbal confirmation or acknowledgement (e.g. "okay", "alright", "yeah I can try it"), or relevant embodied action (e.g. starting the chest compressions, as evidenced through audible signs). The present paper focuses on the subset of 65 calls in which the caller did not initially agree to perform CPR, irrespective of the ways in which this was expressed. In 24 calls, the call-taker eventually persuaded the caller to perform CPR, and in 20 of those, bystander-CPR actually occurred before the paramedics arrived.

We transcribed the calls following the system devised by Jefferson (2004) for conversation analysis, using normalised orthography and prosodic annotations inspired from Szczepek Reed (2011). The list of transcription symbols can be found in the appendix. The calls were discretely segmented in turn-constructional units (TCUs) following the guidelines presented in Selting (2000). Each numbered line in the transcripts corresponds to a TCU.

Approval for the study was granted by the Human Research Ethics Committee of Curtin University (HR128/2013) and the SJA-WA Research Advisory Group.

# **Accountability and resistance to CPR**

We found that explicit refusals to perform CPR were not very common, with 18/65 cases. Even rarer (2/65) were cases where the callers refused explicitly and did not provide at any point during the call an account for their refusal. An example is shown in (1), in which the false-starts and hesitations (I.2) contribute to display the caller's accountability (Robinson, 2016) for the inappropriateness of her response.

```
SJA106 (102-107)
185
           (1)
186
                Call-taker <<h> d- d:o you want to do CPR darling, >
187
188
           2
                Caller
                            个no- no I h .h h I-
189
           3
                Call-taker < <h> it's okay, >
190
           4
                           that's alright,
           5
                           %I'm right here with you,%
191
192
           6
                           it's okay Elther way darling.
193
       More typically, callers accounted for their explicit refusals, as in (2).
194
           (2)
                 SJA579 (54-60)
195
                Call-taker <<h>so have you just 个found him?>
           1
196
                           (..)
197
           2
                Caller
                           yea:h h
198
           3
                Call-taker %okay alright=%
199
           4
                           =is there a defibrillator available.
200
                           (.)
           5
                Caller
201
                           no [he's-he's ] gone.
                Call-taker
                                |%alright.% |
202
           6
           7
                           (..)
203
           8
204
                           okay.
           9
205
                           alright,
206
           10 Caller
                           [he's gone.]
           11 Call-taker
207
                           did
                                       (.) did- < <h> did you want to start CPR? >
208
                           (..)
209
           12 Caller
                           ((SIGHS))
210
                           [no ].
           13
211
           14 Call-taker
                           |t-|(un)til| the ambulance gets there \uparrow no?
212
           15 Caller
                           nope,
213
       \rightarrow 16
                           nah he's gone,
214
       In response to the CPR-opening I. 11 ("did you want to start CPR?"), the caller initially delivers
215
       a type-conforming answer ("no" l.13) (Raymond, 2003), though prefaced with marked delay
216
       and a loud sigh. He then he delivers an account ("he's gone" I.16) when the call-taker makes
217
       a second attempt (I.14). Interestingly, the same assessment of the patient's state was used
218
       just a few seconds earlier ("no he's- he's gone" I.5) in response to the call-taker's inquiry about
```

the availability of a defibrillator (I.4). The caller accounts for his negative response to two

possible courses of action (using a defibrillator if there is one, and performing CPR) by implying their irrelevance, as further suggested by his exasperated sigh (I.12).

Rather than explicitly refusing to perform CPR, callers more often display resistance in implicit ways, such as in example (3).

# (3) SJA310 (59-76)

222

223

224

242

243

244

245

246

247

248

249

250

251

```
225
           1
                Call-taker <<h> do you want to (.) try: anything? >
226
           2
                           o::r like tr- a- attempt CPR?
227
           3
                           < <f > °or anything that-° >
228
           4
                           .h try and see anything?
229
           5
                           we can do anything?
230
                           put- well I haven't TRIED that.
           6
                Caller
231
                Call-taker do you want to d- do you want to go ↓through that?
           7
232
           8
                Caller
                           .h well h I don't know whether I'm- I'm capable of DOing that,
       \rightarrow
233
           9
                           I'm eighty (.) .h [three and a ] half myself.
234
           10 Call-taker
                                            [okay:.
235
           11 Caller
                           I'm a bit shaken up at the moment.
236
           12 Call-taker okay.
237
           13
                           [alright sir. ]
238
           14 Caller
                           I'm sor
                                       |ry to 「个say that but.
                                             |< <h> no no no, > |
239
           15 Call-taker
240
                           th- it's- it's completely up to you sir.
           16
241
           17
                           #↑you know what you're capable of#.
```

The caller initially withholds a response to five consecutive attempts (I.1-5) from the call-taker to initiate CPR. Then, the caller delivers a *well*-prefaced transformative answer ("well I haven't TRIED that" I.6). With this type of response, a speaker retroactively adjusts the question posed to them (Stivers and Hayashi, 2010). Here, instead of providing a type-conforming answer (i.e. agreeing or not agreeing to do CPR), the caller responds that he has not tried CPR. When the call-taker makes another attempt ("do you want to d- do you want to go ↓through that?" I.7), the caller delivers another *well*-prefaced transformative answer ("well h I don't know whether I'm- I'm capable of DOing that" I.8), this time expressing his concern of not being able to perform CPR, for which he then provides two deontic accounts, one referring to his age ("I'm eighty (.) .h three and a half myself" I.9) and one to his emotional state ("I'm a bit

shaken up at the moment" I.11). Well-prefaces are routinely used in dispreferred responsive turns (Heritage, 2015; Schegloff and Lerner, 2009). As such, well-prefacing in the two transformative answers (I.6; 8) foregrounds the caller's resistance in the earliest possible slot of his turns. In sum, the caller passively resists CPR without ever explicitly refusing. The call-taker eventually aborts her interactional project and the caller immediately expresses his accountability to cooperate with an apology ("I'm sorry to say that but" I.14).

Accounts are a traditional feature of dispreferred responsive turns (Heritage, 1988; Pomerantz and Heritage, 2013) along with delays and prefaces (but see Kendrick and Torreira, 2015). With accounts, "second speakers invoke contingent knowledge of their own circumstances to account for the lack of a positive response" (Heritage, 1984: 272). For example, a speaker may provide an explanation or justification as to why they do not accept an offer. Following the call-taker's first CPR-opening, most (57/65) of the callers who initially declined CPR did so with an account. Two categories of meaning can be identified in callers' accounts to decline CPR: deontics and epistemics. The numeric results are summarized in Table 1 and discussed in the following section.

#### **Deontic resistance**

When a caller provides an account based on deontics, they express that they are unable to perform CPR. For example, the patient is lying on a bed, and they are too heavy for the caller to roll them onto their back on the floor. Out of the 57 callers who responded to the first CPR-opening with an account, 20 did so on deontic grounds, as in (4) and (5). Deontic accounts typically contained the contracted negative modal auxiliary "can't".

#### 273 **(4) SJA300 (149-150)**

- 274 1 Call-taker you need to do CPR until the ambulance gets [there. ]
- $275 \rightarrow 2$  Caller [but we ] ca:n't ge- we
- 276 can't MOVE him.

#### 277 **(5)** SJA386 (**79-81**)

- 278 1 Call-taker < <h> so do you want to attempt CPR? >
- 279 (..)

282

283

284

285

286

287

288

289

290

291

- 280  $\rightarrow$  2 Caller u::m look < <f> I've only got one hand. >
- 281  $\rightarrow$  3 so I can't really DO much.

The medical literature contains extensive research cataloguing the different types of physical barriers to CPR (Ho et al., 2016; Linderoth et al., 2015; Nuño et al., 2017 inter alia). A typical obstacle is when the patient cannot easily be positioned flat on their back on a hard surface. Call-takers are trained to suggest ways of overcoming such barriers, such as pulling at the sheets if the patient is on a bed, or calling a neighbour for help. It should be noted that the existence of a physical obstacle did not necessarily mean that the caller resisted CPR. For instance, in (6), the presence of a physical barrier is not presented as an impasse making CPR impossible, but rather as an obstacle which needs to be overcome as part of the interactional project.

#### (6) SJA085 (80-86)

- 292 1 Call-taker if you are- ARE able to get a neighbour to get him on the floor we can
- 293 help you with CPR:.
- 294 (.)
- 295 2 Caller .h #o:kay#.
- 296 (.)
- 297 3 Call-taker because it's TOO soft on the BED to do CPR=
- 298 = unless you can try and (.) pull him to get him on the floo:r.
- 299 5 Caller I'll TRY to.
- 300 6 just one second?
- In this paper, we only focus on cases where the caller resisted CPR, which in some instances
  was done on deontic grounds. CPR eventually occurred in 8 of the 20 calls with a deontic
  account. In 1 of these cases, what the caller presented as an obstacle was their absence of

CPR training, which could be easily resolved by the call-taker's reassurance that they would provide step-by-step instructions. In the 7 remaining cases, a major physical obstacle needed to be overcome to position the patient, who was either on a bed or a couch, or inside the toilet. Thus, even though CPR was presented as impossible in the caller's responsive turn, this was not always an interactional impasse. In (7), the caller initially presents the patient's position as a major obstacle (I.4; I.7), but then quickly and successfully overcomes this barrier.

304

305

306

307

308

309

#### 310 (7) SJA722 (162-198) 1 Call-taker what we need to do: i:s start (.) doing CPR= 311 < <f> = are you able to roll him on his back at all? > 312 2 313 (.) 314 3 Caller ((sighs)) 315 4 (.) .h he's so: h- I CA:N'T (.) get him (.) over. 5 316 Call-taker you can't? 317 6 %no:,% 318 (.) 319 7 Caller %I can't get him over.% Call-taker 320 8 ↑alright lovey. 321 9 I mean I can help you: it's: just you tell me what you're doing and the:n 322 I'll know what I can- I can give. 323 10 .h < <h> there's no way you can get on the bed and push him over onto 324 his back? > 325 (.) 11 Caller 326 I'm trying to pull him over. 12 Call-taker ↑yeah? 327 328 13 okay, 329 14 I'm just trying to help you. 330 15 ((5secs 300ms)) 331 16 Call-taker <<h> how big is your hubby love, > 332 333 17 Caller u::m h (.) .h one thirty- one forty kilos? 334 18 Call-taker o:kay. 335 19 < <h> no worries. > 336 20 .h alright. 337 21 .h (.) < <h> a:re we: at all- have you try- you tried to get him over= > =i- is he over or is he not. 338 22 339 (.) 340 23 Caller almost got it. 341 24 ((5secs)) 342 25 < <exp> got him on the FLOOR. > 343 26 Call-taker great.

```
27
344
                           that's great,
345
           28
                           is he on his back?
346
                           (..)
           29 Caller
347
                           yeah.
           30 Call-taker (.) a:lright
348
           31
                           now listen carefully I'm gonna tell you how to do resuscitation okay:?
349
350
           32 Caller
                           °veah°.
351
```

#### **Epistemic resistance**

When a caller provides an account based on epistemics, they make a claim based on what they know – or think they know. In our data, 28 callers accounted for their resistance on epistemic grounds, as in (8) and (9).

#### (8) SJA676 (76-78)

352

353

354

355

- 1 Call-taker would you like to attempt some CPR with your dad.
- $358 \rightarrow 2$  Caller no he's dead.
- 359  $\rightarrow$  3 I  $\uparrow$ know he's dead.
- **(9) SJA779 (359-360)**
- 361 1 Call-taker < <h> are you willing to do CPR? >
- 362 (...)
- 363  $\rightarrow$  2 Caller h darling  $\uparrow$ I think it's too LATE.
- In their epistemic accounts, callers expressed the view that it would be futile to attempt CPR,
- as they considered it was too late and the patient was already dead. Callers used an epistemic
- stance marker, such as "I think" (or "I don't think") and "I know", in 17/28 epistemic accounts.
- 367 It is important to reiterate here that paramedics attempted to resuscitate all the patients of
- the dataset, and so, none of them were considered to be obvious deaths.
- The practice of resisting CPR based on epistemic grounds is further evidenced by cases such as (10). The call comes from the car park of a shopping centre where a patient is unconscious in his car. The caller was attracted to the scene by the cries of the patient's wife.

```
372
           (10) SJA299 (206-218)
373
                Call-taker < <h> we're gonna do: resuscitation. >
374
           2
                           we're gonna [try and help him. ]
375
           3
                Caller
                                        lhe's uh he's-
                                                           I he's been here for hours apparently.
376
           4
                Call-taker
                           okay.
377
           5
                           < <h> do you believe that he's beyond any help? >
378
                           (..)
               Caller
                           I'd say I think so yea:h.
379
           6
380
                           (.)
381
           7
               Call-taker °o:kay°.
382
           8
                           (.) .h a:lright.
           9
               Caller
                           个okay.
383
                           (.) < f > okay okay. >
384
           10
                           we ? (.) < <h> have someone here who knows CPR [hang on.] >
385
           11
           12 Call-taker
                                                                               okay
386
                                                                                         alright.
387
       The caller initially resists CPR with an epistemic account on the patient's supposed viability
388
       ("he's been here for hours apparently" I.3). When the call-taker requests a confirmation ("do
       you believe that he's beyond any help?" I.5), the caller reiterates his claim ("I'd say I think so
389
390
       yeah" I.6), though downgraded with the contracted form of the modal auxiliary "would" and
391
       the stance marker "I think". However, when another bystander joins the interaction and it so
392
       happens that this person is trained in CPR, the caller does not seem to consider CPR as futile
393
       anymore. Cases like this suggest that refusal (or fear) to do CPR can be camouflaged as a belief
       that that patient is beyond help.
394
395
              Only 6 out of the 28 callers who provided an epistemic account eventually performed
396
       CPR. This suggests that the caller's perception of the patient's viability can be a barrier to
397
       bystander-CPR. We identified a call-taker practice which seemed to be effective to persuade
398
       callers who resisted CPR based on epistemic grounds. This is when call-takers provided more
399
       context on CPR, explaining that its purpose is to help the patient while the ambulance is on
400
       the way. When using this practice, call-takers typically resorted to expressions of simultaneity
```

you willing to do CPR sir" l.1; "would you like me to t:ry and give you some instructions to see

such as "in the meantime" and "while". In (11), the call-taker's attempt to initiate CPR ("are

401

if we can start CPR" I.10) are initially met with resistance from the caller, who delivers four turns (I.3;4;7;8) in which he expresses his belief that the patient is beyond help. However, the caller eventually agrees to perform CPR after the call-taker presents CPR as a course of action while waiting for the ambulance ("I can give you some instructions while the ambulance is on the way:." I.21).

# (11) SJA577 (82-110)

403

404

405

406

407

408

439

```
409
           1
               Call-taker <<h> are you willing to do CPR sir=>
           2
410
                          =I can give you [some instructions, ]
           3
               Caller
411
                                          Ino he- he- he-
                                                             he's- there's nothing there.
412
           4
                           [there's ↑nothing the:re.]
           5
413
               Call-taker [°o:kay°.
           6
                          < <h> do you believe that he's beyond any help? >
414
415
           7
               Caller
                          he- ↑he- there's nothing there,
           8
                          his eyes are wide open and there's nothing.
416
417
           9
               Call-taker o:kav.
418
           10
                          would you like me to t:ry and give you some instructions to see if we can
                          start CPR=
419
                          =or would you prefer not to.
420
           11
           12 Caller
421
                           .h I- I don't know what to DO:,
           13 Call-taker [I can give you so-]
422
423
           14 Caller
                           llike I- I don't
                                             | [know- I- I-
424
           15 Call-taker
                                              |what's your ↑name | sir.
425
                          (.)
426
           16 Caller
                           .h s:orry?
427
           17 Call-taker what's your ↑name.
428
                          (..)
429
           18 Caller
                          ((NAME)).
430
           19 Call-taker
                          ((NAME))?
                                      [yes,
431
           20 Caller
432
       → 21 Call-taker .h ((NAME)) | I can gi | ve you some instructions while the ambulance is on
433
                          the way:.
           22
                          < <h> would you like me to do that? >
434
           23 Caller
435
                                           [please please please.
           24 Call-taker <<h>or would- |do you believe he's beyond any- yeah? |>
436
437
           25
                           [okay. ]
438
           26 Caller
                          |please. |
```

In (12), the call-taker explains that CPR is something to do "until the ambulance crews come"

440 (I.4), but also corrects the caller's expectations that the patient would swiftly regain

consciousness from chest compressions alone (I.15;17), when the main objective of bystander-CPR is to maintain blood flow until more advanced resuscitation can be carried out by the paramedics.

# 444 **(12)** SJA259 (63-88)

441

442

443

468

469

470

471

472

473

474

475

```
445
               Call-taker u:h do you wanna do CPR?
446
447
           2
               Caller
                          I think it's too late.
448
                          (.)
449
           3
               Call-taker ? %okay,%
450
           4
                          w:ell I can help you until the ambulance crews come=
           5
451
                          =thev're on their way?
452
           6
                          < <h> do you wanna attempt [to do CPR? >
453
           7
               Caller
                                                        |yeah yeah just wait. |
           8
454
                          just wait.
                          yeah [just wait.]
455
           9
                                |unhunh?|
456
           10 Call-taker
457
                          ((46.4 \text{ seconds omitted while caller walks away from the phone and asks})
458
                          ANOTHER BYSTANDER TO PERFORM CPR))
459
           11 Caller
                          hello?
460
           12 Call-taker
                          unhunh?
                          yeah we're trying to do CPR nah but unfortunately it's not working I
461
           13 Caller
                           [don't think.]
462
463
           14 Call-taker
                          ly:ea:h.
                          you ↑have to (.) keep going?
           15
464
465
           16 Caller
           17 Call-taker <<h> |you can't | just do it [for a few minutes?>]
466
           18 Caller
467
                                                        lokay okay,
```

Among cases of epistemic resistance to CPR, callers were persuaded to do CPR in 4/7 calls where call-takers provided more context on CPR. By contrast, only 2 callers were persuaded to do CPR in the 21 calls where the practice was not used. When call-takers provide more context on CPR, as seen I.21 in (11) and I.4 in (12), they reframe the caller's understanding of CPR rather than directly addressing the caller's epistemic right in knowing that CPR would be futile. The call-taker counters an epistemic claim based on experience, by means of an epistemic claim based on expertise – while neither aligning nor disaligning with the caller's epistemic and deontic rights as the person who has physical and sensory access

to the patient. We argue that this call-taker practice can be persuasive precisely because it side-steps the caller's epistemic claim.

By contrast, in 12 of the 28 calls with epistemic resistance to CPR, call-takers used another practice, using phrases such as "it's up to you", "it's your choice", or "that's fine". An example can be seen in (13), where the project of bystander-CPR reaches an impasse quickly after the call-taker uses the practice in question.

#### (13) SJA171 (109-114)

```
Call-taker we need to do CPR.
483
484
485
           2
                Caller
                           I think you'd be wasting your time?
                           (..) he doesn't- he's not responding in any way.
486
           3
                Call-taker okay ma'am well it's up t- < <h> i- [it's up to] you? >
487
           4
           5
                Caller
488
                                                               XXX
           6
                           (.) .h (.) yeah,
489
```

Such a practice operates both on the epistemic and the deontic domains: the call-taker aligns with the caller's epistemic claim that the patient is not viable, and confirms their deontic right to withhold assistance. This practice does not seem to be an effective way to persuade callers. The caller was persuaded to do CPR in only 2/12 calls in which the call-taker used the practice of aligning with the callers' epistemic and deontic rights, while the caller was persuaded in 4/16 calls where the call-taker did not use it.

The two call-taker practices that we identified (providing more context on CPR; aligning with the caller's epistemic and deontic rights) are not mutually exclusive. They are both used in example (14), highlighting the complex epistemic and deontic negotiation which can occur when callers and call-takers discuss the provision of CPR. The caller has just found his relative lying unconscious inside the house, and he is calling from outside.

#### (14) SJA375 (101-119)

1 Call-taker < <h> do you want me to talk you through CPR? >

```
503
                           (.)
504
           2
                Caller
                            ↑u::m I think it's- ((sіднs))
505
           3
                           (..) ((SIGHS)) she's all cold and that I (.) she's cold eh like-
506
           4
                           < <h,f> I don't know, >
           5
507
                Call-taker I can talk you through and we can do it together until the crews turn up,
508
           6
                            and then they can make the decision what to do when we get there?
509
                           (..)
510
           7
                Caller
                           it really scares the shit out of me eh,
511
           8
                           I don't want to go in there.
512
           9
                Call-taker ↓alright,
                           okay no ↑I'm-
513
           10
                           < <h> it's your dec- it's your choice. >
514
           11
515
           12
                           okay?
                           < <exp,f> but I CAN help you if you want me to. >
516
           13
517
                           (...)
518
           14 Caller
                           I dunno I think-
519
           15
                           .h < <h> I just tried to check her pulse. >
520
           16
                           a:nd (.) XXX her whole arm's freezing cold and,
                           °and just-°
521
           17
522
           18 Call-taker .h (.) alright.
           The caller initially resists CPR on epistemic grounds, suggesting that it is too late for CPR
523
524
       because the patient is cold to touch. The call-taker counters this epistemic account with the
525
       practice identified above, i.e. providing additional context on CPR ("I can talk you through and
526
       we can do it together until the crews turn up" I.5). The caller then provides a different reason
527
       for resisting CPR: he is afraid to be in the same room as the patient ("it really scares the shit
       out of me eh, I don't want to go in there" I.7-8). The caller's change of justification
528
529
       retroactively strengthens the evidence that providing more context on CPR is an effective
530
       counter to epistemic accounts. When the epistemic account cannot be maintained anymore
531
       due to this call-taker practice, the caller verbalizes the real obstacle that he is facing. Only
       then does the call-taker use the second practice, aligning with his deontic rights ("it's your
532
       dec- it's your choice" I.11). The call-taker aborts the interactional project of bystander-CPR a
533
       few seconds later.
534
```

# Conclusion

In this study of 65 emergency calls for cardiac arrest, we described two ways in which callers resisted an interactional project initiated by the call-taker, namely, bystander-CPR. With deontic accounts (e.g. "I can't do it"), callers justified their resistance based on the presence of a physical or contextual obstacle. When callers gave an epistemic account (e.g. "I think he's dead"), they claimed access and rights to knowledge based on their sensory proximity to the patient, expressing their views that the patient was beyond help. We identified two practices used by call-takers to address resistance based on epistemic grounds. The first strategy consists in providing more context on CPR, i.e. saying that it is a procedure to help the patient while the ambulance is on the way (e.g. "this is to help him in the meantime"). Our findings suggest that this practice has the potential to persuade some callers to do CPR. This is not the case of the second strategy we identified in the data, by which call-takers align with the callers' epistemic and deontic rights (e.g. "it's up to you"). Instead of persuading callers, this second strategy seemed to halt bystander-CPR as an interactional project.

Emergency medical services worldwide work towards increasing the rate of bystander-CPR, and existing research has identified a number of physical barriers to the provision of bystander-CPR. Yet, little is known about the specific ways in which emergency callers express their refusal to perform CPR, sometimes in the absence of any physical obstacle. Future research is necessary to determine to what extent callers' assessments of the patient's viability is a barrier to bystander-CPR. By contrast with physical barriers, a barrier of this type can only be overcome through interaction. The combined contribution of this paper and our previous one (Riou et al., 2018) alludes to a domino effect. Callers who declare

that the patient is dead are more likely to decline CPR. In response to such statements, call-takers more commonly frame CPR in volitional terms (e.g. "do you want to do CPR?"), which in turn is associated with lower caller agreement than other linguistic modalities such as futurity and obligation. The perception of patient viability emerges as a central force bearing on the trajectory of calls. It is precisely this core issue which is targeted by the effective countering strategy identified in this paper (i.e. providing more context on CPR). Our aim was not to find ways to convince all callers to perform CPR against their wishes or beliefs, as ultimately, performing CPR remains the caller's prerogative. However, it is crucial to understand how CPR is negotiated and resisted, so that interactional roadblocks can be explicitly addressed, and resolved where appropriate. The complex dynamic of resistance and persuasion in emergency calls needs to be better understood before informed decisions can be made from medical and ethical perspectives.

Our study expands current knowledge on resistance in medical interaction through our focus on resistance displayed by bystanders rather than patients. Our findings consolidate Landmark et al.'s (2015) analysis of the negotiation of epistemic and deontic rights in secondary care consultations. More generally, our study contributes to the recent research investigating how speakers accomplish resistance and persuasion interactionally (Humă et al., 2019; Sikveland and Stokoe, 2016).

# **Appendix – Transcription conventions**

577	<u>Symbol</u>	<u>Definition</u>
578	$\rightarrow$	target line referred to in the text
579	(.)	micro pause
580	()	short/medium pause

581	()	longer pause
582	:	lengthening
583	=	latching
584	[]	overlap with following turn
585	[ ]	overlap with previous turn
586	$\uparrow$	pitch upstep
587	$\downarrow$	pitch downstep
588	< < > >	lower register level
589	< <h>&gt;</h>	higher register level
590	< <exp>&gt;</exp>	expanded register
591	< <f>&gt;</f>	faster tempo
592		unit-final falling contour
593	?	unit-final rising contour
594	,	unit-final contour slightly rising or falling
595	-	unit-final level contour or mid-unit truncated contour
596	.h	in-breath
597	h	out-breath
598	?	glottal stop
599	WORD	louder volume, shouting
600	°word°	lower volume, whispered segment
601	%word%	creaky segment
602	#word#	breathy
603	@word@	smiling or laughing voice
604	((LAUGHS))	non-linguistic sound or anonymised content

606

616

617 618

619

620

623

624

625 626

627

628

629

631

#### References

- 607 Antaki, C., Kent, A., 2015. Offering alternatives as a way of issuing directives to children: 608 the worse option last. Journal of **Pragmatics** 609 https://doi.org/10.1016/j.pragma.2015.01.004
- Antaki, C., Kent, A., 2012. Telling people what to do (and, sometimes, why): Contingency, 610 611 entitlement and explanation in staff requests to adults with intellectual impairments. 612 Journal of Pragmatics 44, 876–889. https://doi.org/10.1016/j.pragma.2012.03.014
- 613 Austin, J.L., 1962. How to Do Things with Words. Oxford University Press, New York.
- 614 Bailey, P., Ahern, T., Finn, J., 2018. Out-of-hospital Cardiac Arrest Report 2017. St John WA, 615 Belmont, Western Australia.
  - Bohm, K., Vaillancourt, C., Charette, M.L., Dunford, J., Castrén, M., 2011. In patients with outof-hospital cardiac arrest, does the provision of dispatch cardiopulmonary resuscitation instructions as opposed to no instructions improve outcome: A systematic review of the literature. Resuscitation 82, 1490-1495. https://doi.org/10.1016/j.resuscitation.2011.09.004
- 621 Craven, A., Potter, J., 2010. Directives: Entitlement and contingency in action. Discourse 622 Studies 12, 419-442. https://doi.org/10.1177/1461445610370126
  - Curl, T.S., Drew, P., 2008. Contingency and Action: A Comparison of Two Forms of Requesting. Research on Language and Social Interaction 41, 129-153. https://doi.org/10.1080/08351810802028613
  - Drake, V., 2015. Indexing Uncertainty: The Case of Turn-Final Or. Research on Language and Social Interaction 48, 301–318. https://doi.org/10.1080/08351813.2015.1058606
  - Drew, P., Couper-Kuhlen, E. (Eds.), 2014. Requesting in Social Interaction. John Benjamins, Amsterdam; Philadelphia.
- 630 Enfield, N., Sidnell, J., 2017. On the concept of action in the study of interaction. Discourse Studies 19, 515-535. https://doi.org/10.1177/1461445617730235
- 632 Gräsner, J.-T., Lefering, R., Koster, R.W., Masterson, S., Böttiger, B.W., Herlitz, J., Wnent, J., 633 Tjelmeland, I.B.M., Ortiz, F.R., Maurer, H., Baubin, M., Mols, P., Hadžibegovil., I., 634 Ioannides, M., Škulec, R., Wissenberg, M., Salo, A., Hubert, H., Nikolaou, N.I., Lóczi, G., Svavarsdóttir, H., Semeraro, F., Wright, P.J., Pijls, R., Cebula, G., Correia, V.G., 635 636 Cimpoesu, D., Raffay, V., Trenkler, S., Markota, A., Strömsöe, A., Maier, M., de Longueville, D., Preseau, T., Biarent, D., Melot, C., Mpotos, N., Monsieurs, K., Van de 637 Voorde, P., Vanhove, M., Lievens, P., Faniel, M., Keleuva, S., Lazarevic, M., Ujevic, R.M., 638 639 Devcic, M., Bardak, B., Barisic, F., Anticevic, S.H., Georgiou, M., Truhláf, A., Knor, J., Smržová, E., Sviták, R., Šín, R., Mokrejš, P., Lippert, F.K., Hallikainen, J., Hoikka, M., 640 641 lirola, T., Jama, T., Jäntti, H., Jokisalo, R., Jousi, M., Kirves, H., Kuisma, M., Laine, J., 642 Länkimäki, S., Loikas, P., Lund, V., Määttä, T., Nal, H., Niemelä, H., Portaankorva, P., 643 Pylkkänen, M., Sainio, M., Setälä, P., Tervo, J., Väyrynen, T., Jama, T., Murgue, D., 644 Champenois, A., Fournier, M., Meyran, D., Tabary, R., Avondo, A., Gelin, G., Simonnet, 645 B., Joly, M., Megy-Michoux, I., Paringaux, X., Duffait, Y., Vial, M., Segard, J., Narcisse, 646 S., Hamban, D., Hennache, J., Thiriez, S., Doukhan, M., Vanderstraeten, C., Morel, J.-647 C., Majour, G., Michenet, C., Tritsch, L., Dubesset, M., Peguet, O., Pinero, D., 648 Guillaumee, F., Fuster, P., Ciacala, J.-F., Jardel, B., Letarnec, J.-Y., Goes, F., Gosset, P.,

Vergne, M., Bar, C., Branche, F., Prineau, S., Lagadec, S., Cornaglia, C., Ursat, C., Bertrand, P., Agostinucci, J.-M., Nadiras, P., de Linares, G.G., Jacob, L., Revaux, F., Pernot, T., Roudiak, N., Ricard-Hibon, A., Villain-Coquet, L., Beckers, S., Hanff, T., Strickmann, B., Wiegand, N., Wilke, P., Sues, H., Bogatzki, S., Baumeier, W., Pohl, K., Werner, B., Fischer, H., Zeng, T., Popp, E., Günther, A., Hochberg, A., Lechleuthner, A., Schewe, J.-C., Lemke, H., Wranze-Bielefeld, E., Bohn, A., Roessler, M., Naujoks, F., Sensen, F., Esser, T., Fischer, M., Messelken, M., Rose, C., Schlüter, G., Lotz, W., Corzilius, M., Muth, C.-M., Diepenseifen, C., Tauchmann, B., Birkholz, T., Flemming, A., Herrmann, S., Kreimeier, U., Kill, C., Marx, F., Schröder, R., Lenz, W., Botini, G., Grigorios, B., Giannakoudakis, N., Zervopoulos, M., Papangelis, D., Petropoulou-Papanastasiou, S., Liaskos, T., Papanikolaou, S., Karabinis, A., Zentay, A., ÿorsteinsson, H., Gilsdóttir, A., Birgisson, S.A., Guðmundsson, F.F., Hreiðarsson, H., ÿrnason, B., Hermannsson, H., Björnsson, G., Friðriksson, B. ÿór, Baldursson, G., Höskuldsson, ÿrmann, Valgarðsdottir, J., ÿsmundardóttir, M., Guðmundsson, G., Kristjánsson, H., ÿórarinsson, E.R., Guðlaugsson, J., Skarphéðinsson, S., Peratoner, A., Santarelli, A., Sabetta, C., Gordini, G., Sesana, G., Giudici, R., Savastano, S., Pellis, T., Beissel, J., Uhrig, J., Manderscheid, T., Klop, M., Stammet, P., Koch, M., Welter, P., Schuman, R., Bruins, W., Amin, H., Braa, N., Bratland, S., Buanes, E.A., Draegni, T., Johnsen, K.R., Mathisen, W.T., Oedegaarden, T., Oppedal, M., Reksten, A.S.-N., Roedsand, M.E., Steen-Hansen, J.E., Dyrda, M., Frejlich, A., Macilig, S., Osadnik, S., Weryk, I., Freitas, C., Cruz, P., Caldeira, C., Barros, J., Vale, L., Brazão, A., Jardim, N., Rocha, F., Duarte, R., Fernandes, N., Ramos, P., Jardim, M., Reis, M., Ribeiro, R., Zenha, S., Fernandes, J., Francisco, J., Assis, D., Abreu, F., Freitas, D., Ribeiro, L., Azevedo, P., Calafatinho, D., Jardim, R., Pestana, A., Faria, R., Oprita, B., Grasu, A., Nedelea, P., Sovar, S., Agapi, F., Klil-kovil-, A., Lazil:, A., Nikolil:, B., Zivanovic, B., Martinovil:, B., Milenkovil:, D., Damir, H., Koprivica, J., Jakšil, K.H., Pajor, M., Milil, S., Vidovil, M., Glamoclija, R.P., Andjelic, S., Sladjana, V., Babil., Z., Fišer, Z., Androvic, P., Bajerovska, L., Chabron, M., Dobias, V., Havlikova, E., Horanova, B., Kratochvilova, R., Kubova, D., Murgas, J., Patras, J., Simak, L., Snarskij, V., Zaviaticova, Z., Zuffova, M., Roig, F.E., Santos, L.S., Sucunza, A.E., Cordero Torres, J.A., Muñoz, G.I., del Valle, M.M., Rozalen, I.C., Sánchez, E.M., Berlanga, M.V.R.C., Olalde, K.I., Ruiz Azpiazu, J.I., García-Ochoa, M.J., López-Navarro, R.Z., Adsuar Quesada, J.M., Cortés Ramas, J.A., Mellado Vergel, F.J., López Messa, J.B., del Valle, P.F., Anselmi, L., Benvenuti, B.C., Batey, N., Ambulance, Y., Booth, S., Bucher, P., Deakin, C.D., Duckett, J., Ji, C., Loughlin, N., Lumley-Holmes, J., Lynde, J., Mersom, F., Ramsey, C., Robinson, C., Spaight, R., Dosanjh, S., Whittington, A., Loughlin, N., Lumley-Holmes, J., Lynde, J., Mersom, F., Ramsey, C., Robinson, C., Spaight, R., Dosanjh, S., Virdi, G., Whittington, A., 2016. EuReCa ONE - 27 Nations, ONE Europe, ONE Registry: A prospective one month analysis of out-of-hospital cardiac arrest Resuscitation outcomes in 27 countries in Europe. 105, 188–195. https://doi.org/10.1016/j.resuscitation.2016.06.004

649

650

651

652

653

654

655

656 657

658

659

660

661

662

663

664

665 666

667

668 669

670

671

672

673 674

675

676

677

678 679

680

681

682

683

684

685

686 687

688

689

690

691

692 693 Grimen, H., 2009. Power, Trust, and Risk: Some Reflections on an Absent Issue. Medical Anthropology Quarterly 23, 16–33. https://doi.org/10.1111/j.1548-1387.2009.01035.x

Haugh, M., 2017. Prompting offers of assistance in interaction. Pragmatics and Society 8, 183–207. https://doi.org/10.1075/ps.8.2.02hau

- Heinemann, T., 2006. 'Will you or can't you?': Displaying entitlement in interrogative requests. Journal of Pragmatics 38, 1081–1104. https://doi.org/10.1016/j.pragma.2005.09.013
- Heritage, J., 2015. Well-prefaced turns in English conversation: A conversation analytic perspective. Journal of Pragmatics 88, 88–104.
- Heritage, J., 2013a. Epistemics in conversation, in: Sidnell, J., Stivers, T. (Eds.), The Handbook of Conversation Analysis. Wiley-Blackwell, Chichester, pp. 370–394.

701

702

703

704

705

706

707

708

715

716

717

718

719

720

721

722

723

724

725

726

- Heritage, J., 2013b. Action formation and its epistemic (and other) backgrounds. Discourse Studies 15, 551–578. https://doi.org/10.1177/1461445613501449
- Heritage, J., 2012. Epistemics in Action: Action Formation and Territories of Knowledge. Research on Language & Social Interaction 45, 1–29. https://doi.org/10.1080/08351813.2012.646684
- Heritage, J., 2005. Conversation analysis and institutional talk, in: Fitch, K.L., Sanders, R.E. (Eds.), Handbook of Language and Social Interaction. Lawrence Erlbaum Associates, Mahwah, NJ, pp. 103–147.
- Heritage, J., 1988. Explanations as Accounts: A Conversation Analytic Perspective, in: Antaki,
  C. (Ed.), Analyzing Lay Explanation: A Case Book of Methods. Sage, London, pp. 127–
  144.
- Heritage, J., 1984. Garfinkel and ethnomethodology. Polity Press, Cambridge; New York.
- Heritage, J., Drew, P. (Eds.), 1992. Talk at work. Interaction in institutional settings. Cambridge
  University Press, Cambridge.
  - Heritage, J., Sefi, S., 1992. Dilemmas of advice: aspects of the delivery and reception of advice in interactions between health visitors and first-time mothers, in: Drew, P., Heritage, J. (Eds.), Talk at Work. Interaction in Institutional Settings. Cambridge University Press, Cambridge, pp. 359–417.
  - Ho, A.F.W., Sim, Z.J., Shahidah, N., Hao, Y., Ng, Y.Y., Leong, B.S., Zarinah, S., Teo, W.K., Goh, G.S.Y., Jaafar, H., others, 2016. Barriers to dispatcher-assisted cardiopulmonary resuscitation in Singapore. Resuscitation 105, 149–155. https://doi.org/10.1016/j.resuscitation.2016.05.006
  - Humă, B., Stokoe, E., Sikveland, R.O., 2019. Persuasive Conduct: Alignment and Resistance in Prospecting "Cold" Calls. Journal of Language and Social Psychology 38, 33–60.
  - Jefferson, G., 2004. Glossary of Transcript Symbols with an Introduction, in: Lerner, G.H. (Ed.), Conversation Analysis: Studies from the First Generation. John Benjamins Publishing, Amsterdam; Philadelphia, pp. 13–31.
- Kärkkäinen, E., 2003. Epistemic stance in English conversation: A description of its interactional functions, with a focus on I think. John Benjamins, Amsterdam; Philadelphia.
- 731 Kendrick, K.H., Drew, P., 2016. Recruitment: Offers, Requests, and the Organization of 732 Assistance in Interaction. Research on Language and Social Interaction 49, 1–19. 733 https://doi.org/10.1080/08351813.2016.1126436
- Kendrick, K.H., Drew, P., 2014. The putative preference for offers over requests, in: Drew, P.,
  Couper-Kuhlen, E. (Eds.), Requesting in Social Interaction. John Benjamins,
  Amsterdam; Philadelphia, pp. 87–113.
- 737 Kendrick, K.H., Torreira, F., 2015. The timing and construction of preference: A quantitative 738 study. Discourse Processes 52, 255–289. 739 https://doi.org/10.1080/0163853X.2014.955997

740 Kent, A., 2012. Compliance, resistance and incipient compliance when responding to 741 directives. Discourse Studies 14, 711–730. https://doi.org/10.1177/1461445612457485

- Laforest, M., Rioux-Turcotte, J., 2016. La personne déclarée morte par l'appelant au service téléphonique d'urgence: une source de désalignement interactionnel. Reporting Death to 9-1-1 Emergency Service: A Source of Interactional Misalignment. Communiquer 18, 65–83. https://doi.org/10.4000/communiquer.2046
  - Landmark, A.M.D., Gulbrandsen, P., Svennevig, J., 2015. Whose decision? Negotiating epistemic and deontic rights in medical treatment decisions. Journal of Pragmatics 78, 54–69. https://doi.org/10.1016/j.pragma.2014.11.007
  - Levinson, S.C., 2013. Action Formation and Ascription, in: Sidnell, J., Stivers, T. (Eds.), The Handbook of Conversation Analysis. Wiley-Blackwell, Chichester, pp. 103–130.
  - Linderoth, G., Hallas, P., Lippert, F.K., Wibrandt, I., Loumann, S., Møller, T.P., Østergaard, D., 2015. Challenges in out-of-hospital cardiac arrest A study combining closed-circuit television (CCTV) and medical emergency calls. Resuscitation 96, 317–322. https://doi.org/10.1016/j.resuscitation.2015.06.003
  - Lindström, A., Weatherall, A., 2015. Orientations to epistemics and deontics in treatment discussions. Journal of Pragmatics 78, 39–53. https://doi.org/10.1016/j.pragma.2015.01.005
  - Lindström, J., Maschler, Y., Pekarek Doehler, S., 2016. A cross-linguistic perspective on grammar and negative epistemics in talk-in-interaction. Journal of Pragmatics 106, 72–79. https://doi.org/10.1016/j.pragma.2016.09.003
  - Mozaffarian, D., Benjamin, E.J., Go, A.S., Arnett, D.K., Blaha, Cushman, M., Das, S.R., de Ferranti, S., Després, J.-P., Heather J., Howard, V.J., Huffman Mark D., Isasi Carmen R., Jiménez Monik C., Judd Suzanne E., Kissela Brett M., Lichtman Judith H., Lisabeth Lynda D., Liu Simin, Mackey Rachel H., Magid David J., McGuire Darren K., Mohler Emile R., Moy Claudia S., Muntner Paul, Mussolino Michael E., Nasir Khurram, Neumar Robert W., Nichol Graham, Palaniappan Latha, Pandey Dilip K., Reeves Mathew J., Rodriguez Carlos J., Rosamond Wayne, Sorlie Paul D., Stein Joel, Towfighi Amytis, Turan Tanya N., Virani Salim S., Woo Daniel, Yeh Robert W., Turner, M.B., 2016. Heart Disease and Stroke Statistics—2016 Update. Circulation 133, e38–e360. https://doi.org/10.1161/CIR.00000000000000350
  - Nuño, T., Bobrow, B.J., Rogge-Miller, K.A., Panczyk, M., Mullins, T., Tormala, W., Estrada, A., Keim, S.M., Spaite, D.W., 2017. Disparities in telephone CPR access and timing during out-of-hospital cardiac arrest. Resuscitation 115, 11–16. https://doi.org/10.1016/j.resuscitation.2017.03.028
  - Pomerantz, A., Heritage, J., 2013. Preference, in: Sidnell, J., Stivers, T. (Eds.), The Handbook of Conversation Analysis. Wiley-Blackwell, Chichester, pp. 210–228.
  - Raymond, G., 2003. Grammar and social organization: Yes/no interrogatives and the structure of responding. American Sociological Review 68, 939–967.
  - Riou, M., Ball, S., Whiteside, A., Bray, J., Perkins, G.D., Smith, K., O'Halloran, K.L., Fatovich, D.M., Inoue, M., Bailey, P., Cameron, P., Brink, D., Finn, J., 2018. 'We're going to do CPR': a linguistic study of the words used to initiate dispatcher-assisted CPR and their association with caller agreement. Resuscitation 133, 95–100. https://doi.org/10.1016/j.resuscitation.2018.10.011
- Riva, G., Ringh, M., Jonsson, M., Svensson, L., Herlitz, Claesson Andreas, Djärv Therese,
  Nordberg Per, Forsberg Sune, Rubertsson Sten, Nord Anette, Rosenqvist Mårten,

- Hollenberg, J., 2019. Survival in Out-of-Hospital Cardiac Arrest After Standard Cardiopulmonary Resuscitation or Chest Compressions Only Before Arrival of Emergency Medical Services. Circulation 139, 2600–2609. https://doi.org/10.1161/CIRCULATIONAHA.118.038179
- 791 Robinson, J.D., 2016. Accountability in Social Interaction, in: Robinson, J.D. (Ed.), 792 Accountability in Social Interaction. Oxford University Press, New York, pp. 1–44.
  - Rossi, G., 2014. When do people not use language to make requests?, in: Drew, P., Couper-Kuhlen, E. (Eds.), Requesting in Social Interaction. John Benjamins, Amsterdam; Philadelphia, pp. 303–334.
- 796 Schegloff, E.A., 2007. Sequence organization in interaction. Volume 1, a primer in conversation analysis I. Cambridge University Press, Cambridge.
- Schegloff, E.A., Lerner, G.H., 2009. Beginning to Respond: Well-Prefaced Responses to Wh-Questions. Research on Language and Social Interaction 42, 91–115.
- Scott, M.B., Lyman, S.M., 1968. Accounts. American sociological review 33, 46–62.

793

794

795

801

802

803

804

805

806

807

808

809

810

811

812

815

816

817

818

819

820

- Searle, J.R., 1969. Speech acts: An essay in the philosophy of language. Cambridge University Press, Cambridge.
- Selting, M., 2000. The construction of units in conversational talk. Language in Society 29, 477–517.
  - Sikveland, R., Stokoe, E., 2016. Dealing with Resistance in Initial Intake and Inquiry Calls to Mediation: The Power of "Willing." Conflict Resolution Quarterly 33, 235–254. https://doi.org/10.1002/crq.21157
  - Stivers, T., 2005. Parent Resistance to Physicians' Treatment Recommendations: One Resource for Initiating a Negotiation of the Treatment Decision. Health Communication 18, 41–74. https://doi.org/10.1207/s15327027hc1801\_3
- Stivers, T., Hayashi, M., 2010. Transformative answers: One way to resist a question's constraints. Language in Society 39, 1–25.
- Szczepek Reed, B., 2011. Analysing conversation: an introduction to prosody. Palgrave Macmillan, Basingstoke; New York.
  - Valenzuela, T.D., Roe, D.J., Cretin, S., Spaite, D.W., Larsen, M.P., 1997. Estimating Effectiveness of Cardiac Arrest Interventions. A Logistic Regression Survival Model. Circulation 96, 3308–3313. https://doi.org/10.1161/01.CIR.96.10.3308
  - Wakin, M.A., Zimmerman, D.H., 2010. Reduction and Specialization in Emergency and Directory Assistance Calls. Research on Language and Social Interaction 32, 409–437. https://doi.org/10.1207/S15327973rls3204\_4
- Weatherall, A., 2011. I don't know as a Prepositioned Epistemic Hedge. Research on Language and Social Interaction 44, 317–337. https://doi.org/10.1080/08351813.2011.619310
- Whalen, M.R., Zimmerman, D.H., 1987. Sequential and Institutional Contexts in Calls for Help.
  Social Psychology Quarterly 50, 172–185. https://doi.org/10.2307/2786750
- Zimmerman, D.H., 1992. The interactional organization of calls for emergency assistance, in:

  Drew, P., Heritage, J. (Eds.), Talk at Work. Interaction in Institutional Settings.

  Cambridge University Press, Cambridge, pp. 418–469.

**Article title:** Caller resistance to perform cardio-pulmonary resuscitation in emergency calls for cardiac arrest

 Table 1: Caller turn design when initially declining CPR, by caller final response

	Caller	Caller not	Total
	persuaded	persuaded	
Deontic account	10	10	20
(e.g. "I can't do it")			
Epistemic account	7	21	28
(e.g. "I think it's too late")			
Call-taker strategy #1: providing more context on CPR	4	3	7
(e.g. "this is to help him in the meantime")			
• Call-taker strategy #2: aligning with the caller's deontic and	2	10	12
epistemic rights (e.g. "it's up to you")			
Neither strategy #1 nor strategy #2	3	18	21
No account in caller's turn	7	10	17
TOTAL	24	41	65