



Emerging organic electronics

Zuo-Quan Jiang, Cyril Poriel, Nicolas Leclerc

► To cite this version:

Zuo-Quan Jiang, Cyril Poriel, Nicolas Leclerc. Emerging organic electronics. Materials Chemistry Frontiers, 2020, 4 (9), pp.2497-2498. 10.1039/d0qm90038a . hal-02957513

HAL Id: hal-02957513

<https://hal.science/hal-02957513>

Submitted on 13 Nov 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Emerging Organic Electronics

Zuo-Quan Jiang^a, Cyril Poriel^b and Nicolas Leclerc^c

^a Jiangsu Key Laboratory for Carbon-Based Functional Materials & Devices, Institute of Functional Nano & Soft Materials (FUNSOM), Soochow University, Suzhou, Jiangsu, China; E-mail: zqjiang@suda.edu.cn

^b Univ Rennes, CNRS, ISCR-UMR 6226, F-35000 Rennes, France; E-mail: cyril.poriel@univ-rennes1.fr

^c ICPEES, UMR 7515, Université de Strasbourg, CNRS, 25 Rue Becquerel, 67087 Strasbourg Cedex 02, France ; E-mail: leclercn@unistra.fr

Smartphone and tablet displays, portable solar devices, curved TV screens, sensors, here are some examples of current industrial applications of organic electronics. Organic electronics consists of the application of organic (carbon-based) molecules and polymers with suitable optical and electronic properties in optoelectronic devices. Although these materials often have lower performance than competing inorganic derivatives, they exhibit unusual properties that make them really appealing candidates, such as:

- Flexibility thanks to their plastic mechanical properties,
- Low amount of material requirement due to high absorption and emissive properties,
- Low production costs due to their solution processability,
- Adaptability by the easy adjustment of their properties by chemistry,

In the short term, it is expected that these organic semiconductors will find new and additional applications in bioelectronics, wide-screen displays, waste heat recovery through thermoelectric devices, sensors for IoT, bioimaging, *etc.*

Given the complexity of the development of such applications, multidisciplinary appears to be a solid and necessary cornerstone. Indeed, the complementarity between chemistry and physics is at the origin of the emergence of organic electronic technologies. Its two pillars, molecular design and devices engineering, have allowed the community to reach more and more efficient electronic devices over the years.

This web theme collection focuses specifically on this complementarity.

Mario Leclerc and collaborators describe an example of chemical route optimization towards advanced fluorinated polymers for charge transport applications. Independently, Gregory C. Welch, Alex K.-Y. Jen, Derya Baran and their respective collaborators show how the design of non-fullerene small molecules could affect the organic photovoltaic device performances, through the adjustment of absorption properties, dipole moment and charge transport properties, respectively. Seth R. Marder *et al.* demonstrates the relationship between exciton energy and the width of the organic cation in a series of perovskites. Emissive organic materials are also well addressed through the development of extended multiple resonance TADF emitters by Eli Zysman-Colman and coworkers and through the investigation of exciplex systems by the Ken-Tsung Wong team and the Liang-Sheng Liao group, respectively. New applications of emissive materials are also demonstrated in the investigation of mechanochromic properties of complex molecules by Philippe Gerbier *et al.*

and of aggregation induced emission organic molecules from the Chuluo Yang's team. Optical properties are also investigated by Christian B. Nielsen *et al.* in a series of conjugated molecules for cation detection and by Christos L. Chochos and coworkers for bioimaging application of conjugated polymer nanoparticles. Anne Hébraud and coworkers rightly describe the state of the art of conjugated polymer nanoparticles elaboration for greener organic photovoltaic cell processes. Martin Brinkmann illustrates the strong relationship between polymer chemical structure and solid-state structure with an emphasis on highly oriented and crystalline thin films. Finally, Jean-Pierre Simonato *et al.* describe the fabrication of printed thermoelectric generators through an innovative spray-coated process.

We would like to express our sincere gratitude to all the authors for their valuable contribution to this themed collection. Please enjoy reading.

Biographies



Zuo-Quan Jiang

Zuo-Quan Jiang completed his PhD studies at Wuhan University in 2009, then he continued his postdoc research in University of Washington and City University of Hong-Kong for two years. He joined Soochow University, Institute of Functional Nano & Soft Materials (FUNSOM), as Associate Professor in 2011, and was promoted as full Professor in 2017. During 2015-2016, he was a visiting Professor at the Georgia Institute of Technology. His research focuses on new conjugated molecules and organic functional materials.



Cyril Poriel

Cyril Poriel is a CNRS Research Director at “Institut des Sciences Chimiques de Rennes” - UMR 6226 (Rennes 1 University, France). His main research interest deals with the design of π -conjugated molecular architectures for organic electronics. He is interested in the design of blue emitting fluorophores for organic light-emitting diodes (OLEDs), high triplet host materials for phosphorescent OLEDs, TADF OLEDs, electron-deficient semiconductors for n-type organic field-effect transistors and, more recently, in nanorings chemistry.



Nicolas Leclerc

Nicolas Leclerc received his PhD from the Pierre and Marie Curie University (Paris, France) in 2003. After completing his post-doctoral research at Laval University in Mario Leclerc's team (Canada), he joined the Institute of Chemistry and Processes for Energy, Environment and Health (ICPEES) of the University of Strasbourg (France) as a CNRS researcher in 2005. His research interests focus on the development of new molecular and macromolecular organic semiconductor materials and their applications in optoelectronics, mainly in the fields of photovoltaics and thermoelectrics.