



HAL
open science

Correction to: Chemical communication in springtails: a review of facts and perspectives

Sandrine S. Salmon, Sylvie Rebuffat, Soizic Prado, Michel Sablier, Cyrille D'haese, Jian-Sheng Sun, Jean-François Ponge

► To cite this version:

Sandrine S. Salmon, Sylvie Rebuffat, Soizic Prado, Michel Sablier, Cyrille D'haese, et al.. Correction to: Chemical communication in springtails: a review of facts and perspectives. *Biology and Fertility of Soils*, 2020, 56 (6), pp.877-877. 10.1007/s00374-020-01465-w . hal-02959784

HAL Id: hal-02959784

<https://hal.science/hal-02959784v1>

Submitted on 18 Sep 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Public Domain

Correction to: Chemical communication in springtails: a review of facts and perspectives

Sandrine Salmon¹ · Sylvie Rebuffat² · Soizic Prado² · Michel Sablier³ · Cyrille D'Haese¹ · Jian-Sheng Sun⁴ · Jean-François Ponge¹

Correction to: *Biology and Fertility of Soils* (2019) 55:425–438
<https://doi.org/10.1007/s00374-019-01365-8>

The authors regret that the original published version of the above article contained an error at the beginning of the subsection "Sex pheromones" (page 428 of the published version) within the section "The use of pheromones, allomones and kairomones by Collembola". The original two sentences, "Sex pheromones can be produced by females, conditioning the deposition of spermatophores by males (Waldorf 1974a). **They can be also produced by males, attracting females directly (Porco et al. 2009) or indirectly through their spermatophores (Zizzari et al. 2017).**" should be read as "Sex pheromones are produced by females, conditioning the deposition of spermatophores by males (Waldorf 1974a) **and attracting them (Porco et al. 2009) while spermatophores produced by males are also known to attract females (Zizzari et al. 2017).**" [Bold text used to highlight problem area]

The online version of the original article can be found at <https://doi.org/10.1007/s00374-019-01365-8>

✉ Jean-François Ponge
ponge@mnhn.fr

- ¹ Département Adaptations du Vivant, UMR 7179 MECADEV, Muséum National d'Histoire Naturelle, 4 avenue du Petit Château, Brunoy, 91800 Paris, France
- ² Département Adaptations du Vivant, UMR 7245 MCAM, Muséum National d'Histoire Naturelle, 57 rue Cuvier, CP 54, 75005 Paris, France
- ³ Département Origines et Évolution, Muséum National d'Histoire Naturelle, USR 3224 CRC, 57 rue Cuvier, CP 21, 75005 Paris, France
- ⁴ Département Adaptations du Vivant, Muséum National d'Histoire Naturelle, 57 rue Cuvier, CP 26, 75005 Paris, France