

Supplementary table 1. First round results	
Criteria	First round ruling
Clinical characteristics and disease course	
Respiratory rate	Relevant and major
Peripheral oxygen saturation	Relevant and major
Ability to talk without stopping for a breath	Relevant
Blood pressure	Relevant
Heart rate	No consensus
Confusion or impaired consciousness	Relevant
Clinically significant worsening within the last 24 hours.	Relevant
Days from the onset of initial symptoms and admission between 7 days to 10 days	Non-relevant
Comorbidities	
Age	No consensus
Cognitive disorder	No consensus
COPD	Threshold: stage III, IV
Respiratory failure with continuous oxygen therapy	No consensus
Asthma	No consensus
Chronic renal failure	No consensus
Cirrhosis	Non-relevant
Chronic heart failure	Threshold: NYHA III
Arterial hypertension	Non-relevant
Diabetes	Non-relevant
Neuro-vascular disease	Non-relevant
Coronary artery disease	Non-relevant
Personal history of VTE†	Non-relevant
Neoplasia	No consensus
Human Immunodeficiency Virus (HIV)	No consensus
Primary immunodeficiency	No consensus
Pregnancy	Non-relevant
ACE inhibitor or ARB	Non-relevant
Nonsteroidal anti-inflammatory drug	Non-relevant
Systemic glucocorticoid therapy	No consensus
Immunosuppressive drug	No consensus
Living conditions	
Inappropriate dwelling	No consensus
Lack of support person	No consensus
Home follow-up impossible	Relevant

Supplementary table 2. Second round results	
Criteria	Second round ruling
Clinical characteristics and disease course	
Respiratory rate	Relevant, major, no consensus on threshold value
Peripheral oxygen saturation	Relevant, major, no consensus on threshold value
Ability to talk without stopping for a breath	Relevant, major, no consensus on threshold value
Blood pressure	Relevant, major, no consensus on threshold value
Heart rate	No consensus
Confusion or impaired consciousness	Relevant, major
Clinically significant worsening within the last 24 hours.	Relevant, major
Days from the onset of initial symptoms and admission between 7 days	No consensus
Comorbidities	
Age	Non-relevant
Cognitive disorder	No consensus
Pool criteria: COPD, Respiratory failure with continuous oxygen therapy,	Validated as grouped
Chronic renal failure	Non-relevant
Chronic heart failure	Relevant, threshold: NYHA III
Pool criteria: primary immunodeficiency, uncontrolled HIV,	No consensus
Systemic glucocorticoid therapy	Non-relevant
Living conditions	
Inappropriate dwelling	Relevant and minor
Lack of support person	Relevant and minor
Home follow-up impossible	Relevant and minor

Supplementary table 3. Third round results	
Criteria	Third round ruling
Clinical characteristics and disease course	
Respiratory rate	Relevant, major, threshold value: $\geq 25/\text{min}$
Peripheral oxygen saturation	Relevant, major, threshold value: $\leq 94\%$
Ability to talk without stopping for a breath	Relevant, major, threshold value: 8 sec
Blood pressure	Relevant, major, threshold value: $\text{SBP} \leq 90\text{mmHg}$
Heart rate	Relevant, major, threshold value: $\geq 120 \text{ bpm}$
Confusion or impaired consciousness	Relevant, major
Clinically significant worsening within the last 24 hours.	Relevant, major
Days from the onset of initial symptoms and admission between 7 days to 10 days	Non-relevant
Comorbidities	
Cognitive disorder	Relevant, minor, threshold value: severe
Pool criteria: COPD, Respiratory failure with continuous oxygen therapy,	Validated as grouped, minor
Asthma	
Chronic heart failure	Relevant, minor, threshold: NYHA III
Pool criteria: primary immunodeficiency, uncontrolled HIV, immunosuppressive drug, chemotherapy	Validated as grouped, minor
Living conditions	
Inappropriate dwelling	Relevant and minor
Lack of support person	Relevant and minor
Home follow-up impossible	Relevant and minor