

Multivariate semi-blind deconvolution of fMRI time series

Hamza Cherkaoui, Thomas Moreau, Abderrahim Halimi, Claire Leroy, Philippe Ciuciu

▶ To cite this version:

Hamza Cherkaoui, Thomas Moreau, Abderrahim Halimi, Claire Leroy, Philippe Ciuciu. Multivariate semi-blind deconvolution of fMRI time series. NeuroImage, 2021, 10.1016/j.neuroimage.2021.118418 . hal-03005584v2

HAL Id: hal-03005584 https://hal.science/hal-03005584v2

Submitted on 2 Sep 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Multivariate semi-blind deconvolution of fMRI time series

Hamza Cherkaoui^{b,a,c}, Thomas Moreau^c, Abderrahim Halimi^d, Claire Leroy^b, and Philippe Ciuciu^{a,c,e}

^aCEA/NeuroSpin, Université Paris-Saclay, F-91191 Gif-sur-Yvette, France.
 ^bUniversité Paris-Saclay, CEA, CNRS, Inserm, BioMaps, Orsay, 91401, France.
 ^cParietal Team, Université Paris-Saclay, CEA, Inria, Gif-sur-Yvette, 91190, France.
 ^dSchool of Engineering and Physical Sciences, Heriot-Watt University, Edinburgh UK.
 ^eCorresponding author (philippe.ciuciu@cea.fr). Postal Address: CEA Saclay, NeuroSpin, Bat 145 - PC 156, F-91191 Gif-sur-Yvette cedex, France.

Abstract

Whole brain estimation of the haemodynamic response function (HRF) in functional magnetic resonance imaging (fMRI) is critical to get insight on the global status of the neurovascular coupling of an individual in healthy or pathological condition. Most of existing approaches in the literature works on task-fMRI data and relies on the experimental paradigm as a surrogate of neural activity, hence remaining inoperative on resting-stage fMRI (rs-fMRI) data. To cope with this issue, recent works have performed either a two-step analysis to detect large neural events and then characterize the HRF shape or a joint estimation of both the neural and haemodynamic components in an univariate fashion. In this work, we express the neural activity signals as a combination of piece-wise constant temporal atoms associated with sparse spatial maps and introduce an haemodynamic parcellation of the brain featuring a temporally dilated version of a given HRF model in each parcel with unknown dilation parameters. We formulate the joint estimation of the HRF shapes and spatio-temporal neural representations as a multivariate semi-blind deconvolution problem in a paradigm-free setting and introduce constraints inspired from the dictionary learning literature to ease its identifiability. A fast alternating minimization algorithm, along with its efficient implementation, is proposed and validated on both synthetic and real rs-fMRI data at the subject level. To demonstrate its significance at the population level, we apply this new framework to the UK Biobank data set, first for the discrimination of haemodynamic territories between balanced groups (n = 24 individuals in each) patients with an history of stroke and healthy controls and second, for the analysis of normal aging on the neurovascular coupling. Overall, we statistically demonstrate that a pathology like stroke or a condition like normal brain aging induce longer haemodynamic delays in certain brain areas (e.g. Willis polygon, occipital, temporal and frontal cortices) and that this haemodynamic feature may be predictive with an accuracy of 74 % of the individual's age in a supervised classification task performed on n = 459 subjects.

Keywords: BOLD signal, HRF, sparsity, low-rank decomposition, multivariate modeling, dictionary learning, UK Biobank

1. Introduction

1.1. Context

Functional magnetic resonance imaging (fMRI) non-invasively records brain activity by dynamically measuring the blood oxygenation level-dependent (BOLD) contrast. The latter reflects the local changes in the deoxyhemoglobin concentration in the brain (Ogawa et al., 1992) and thus indirectly measures neural activity through the neurovascular coupling. This coupling is usually characterized as a linear and time-invariant system and thus summarized by its impulse response, the so-called haemodynamic response function (HRF) (Bandettini et al., 1993; Boynton et al., 1996). The estimation of the response is of a primary interest: a change in the haemodynamic response could be linked to the pharmacological mechanism 11 of a drug (Do et al., 2020), the effect of healthy aging (West et al., 2019) or the consequence of a neuropathological process, for example Alzheimer's disease (Asemani et al., 2017). Thus, the HRF could be considered as a precious bio-marker 14 to investigate the neurovascular function of the brain in a healthy or pathological 15 condition. Moreover, its estimation also links the observed BOLD signal to the un-16 derlying neural activity, which can in turn be used to better understand cognitive 17 processes in the healthy brain or to uncover functional alteration in pathological 18 condition.

1.2. Related works

20

21

23

24

26

27

Several methods have been designed to estimate this haemodynamic response in the case of task-related fMRI (tfMRI). In this setup, the participant is engaged in an experimental paradigm (EP) during the imaging session, which alternates between rest and taskperiods (Friston et al., 1998; Ciuciu et al., 2003; Lindquist and Wager, 2007; Pedregosa et al., 2015). Commonly, supervised HRF estimation methods fit a model to explain the observed BOLD signal from the EP (Goutte et al., 2000; Ciuciu et al., 2003; Lindquist and Wager, 2007; Vincent et al., 2010; Chaari et al., 2012; Degras and Lindquist, 2014; Rosa et al., 2015; Pedregosa et al., 2015; Eickenberg et al., 2017). A limitation of these approaches is that the EP is used as a surrogate for the neural activity. Therefore they do not account for possible delays in the subject's responses compared to the task onsets, thus yielding a biased HRF estimate. Moreover, these methods cannot be used on resting-state fMRI data (rs-fMRI), where the participant is laying still in the MRI scanner and

where no EP is available to serve as surrogate for neural activity. A potential solution would consist in uncovering neural activity by thresholding large values in the BOLD signal and then constructing a sparse binary sequence (Wu et al., 2013) as an artificial EP to be subsequently used in supervised HRF estimation techniques. However, due to this two-step procedure, any error in neural activity detection tends to bias the recovery of HRF shape, especially in regard to the haemodynamic delay.

36

37

38

39

40

41

42

43

45

46

47

48

49

50

51

53

54

55

56

57

59

60

61

62

63

65

66

67

68

On the other hand, a long-standing literature on fMRI deconvolution methods has emerged since the late 90s to uncover the underlying activity-inducing signal at the fMRI timescale of seconds, see (Glover, 1999) for Wiener filtering and smooth estimation of activity-inducing signals and (Gitelman et al., 2003) for its generalization to study psychophysiologic interactions at the neuronal level. Importantly, within a temporal fMRI deconvolution framework, the neural activity signal was estimated by involving the ℓ_2 -norm regularization (Caballero-Gaudes et al., 2011). Interestingly, most recent works have relied on sparse regularization to recover a limited number of spike-like activations directly in the time domain (Hernandez-Garcia and Ulfarsson, 2011; Caballero-Gaudes et al., 2011, 2012, 2013, 2018) or imposing sparsity in the activelet-domain, which is a wavelet basis that is tailored to the haemodynamic properties (Khalidov et al., 2007, 2011). Next, a foundational work, called Total Activation (Karahanoğlu et al., 2013), has proposed a spatio-temporal model of the underlying activity-inducing signal including both temporal and spatial sparsity-based regularization. In doing so, the recovered neural activity profiles are used to define functional networks from deconvolved BOLD signals. Such approaches have thus revealed the existence of neurally-related events in the BOLD signal during periods of rest (Petridou et al., 2013; Karahanoğlu and Van De Ville, 2015; Gonzalez-Castillo et al., 2019). However, Total Activation (Karahanoğlu et al., 2013) suffers from a main limitations: The HRF shape in this model was fixed and kept constant throughout the brain, making this approach primarily suitable for normal populations. Without disentangling the neural and vascular components, but taking into consideration the spatial variability in the neurovascular coupling, Caballero-Gaudes et al. (2012) have proposed a voxelwise HRF modeling.

Alternatively some recent works have suggested either a separate or concurrent estimation of the neural activity and the HRF profile (Wu et al., 2013; Cherkaoui et al., 2019; Farouj et al., 2019). These approaches are often referred to as semiblind deconvolution schemes of the BOLD signal as they do not fully estimate an unknown HRF shape from scratch but instead try to uncover a transformation from a pre-existing HRF profile such as the canonical shape. Both (Cherkaoui et al., 2019) and (Farouj et al., 2019) rely on the hypothesis of a block-type property for the neural activation signal as initially proposed in (Karahanoğlu et al.,

⁷⁴ 2013) but are able to infer the haemodynamic profile for instance with a limited parameterization to deal with the magnitude and delay ambiguities between the neural input the haemodynamic filter.

1.3. Goals and contributions

77

78

79

81

84

85

86

87

90

91

92

93

94

97

98

99

100

101

102

103

106

This paper extends preliminary contributions (Cherkaoui et al., 2019) and offers a new algorithm that aims to fit a rich multivariate decomposition of the BOLD data using a semi-blind deconvolution and low-rank sparse decomposition. The model distinguishes two major parts in the BOLD signal: the neurovascular coupling and the neural activity signal. One of its main features is to tackle the intra-subject haemodynamic variability by introducing regionwise HRF profiles over a brain parcellation, encoding the spatial variations of the neurovascular coupling. Also, in regard to neural activity, we follow ideas developed in the convolutional dictionary learning literature to develop a low-rank approximation of a signal (Grosse et al., 2007; Dupré La Tour et al., 2018). We thus model the neural activation signals as a combination of a limited number of piece-wise constant temporal profiles associated with spatial maps that capture the magnitude of functional networks. As such, the neural input signals are represented with their own spatial representation that departs from the neurovascular parcellation. We of course present a scalable optimization algorithm that is able to fit all parameters of interest in the whole brain in a reasonable computing time.

The rest of the paper is organized as follows. Section 2 introduces our modeling of the BOLD data and presents our semi-blind blind deconvolution algorithm. Next, our technique is validated on simulated data and on real rs-fMRI data at the individual level in Section 3. In Section 4 we illustrate the proposed framework at the population level on the large UK Biobank database. Two main applications were targeted, namely the neurovascular discrimination of patients with stroke episodes as compared to healthy controls and the prediction of brain age. Section 5 discusses the potential impact of our method as well as its limitations. Conclusion and outlook are synthesized in Section 6.

2. Multivariate low-rank decomposition of the BOLD signal

In this section, we present our modeling of the BOLD signal and derive an efficient algorithm to estimate its parameters.

Notation

In what follows, y_i denotes the i^{th} entry in vector \boldsymbol{y} . Let $\widetilde{T} = T - L + 1$, the convolution of two signals $\boldsymbol{a} \in \mathbb{R}^{1 \times \widetilde{T}}$ and $\boldsymbol{v} \in \mathbb{R}^{1 \times L}$ is denoted by $\boldsymbol{v} * \boldsymbol{a} \in \mathbb{R}^{1 \times T}$.

For $\boldsymbol{A} \in \mathbb{R}^{P \times \widetilde{T}}$, $\boldsymbol{v} * \boldsymbol{A} \in \mathbb{R}^{P \times T}$ is obtained by convolving each line of \boldsymbol{A} with \boldsymbol{v} .

For $\boldsymbol{V} \in \mathbb{R}^{P \times L}$, $\boldsymbol{V} * \boldsymbol{A} \in \mathbb{R}^{P \times T}$ is obtained by convolving each line of \boldsymbol{A} with the




Figure 1: Illustration of the voxelwise BOLD signal modeling: \boldsymbol{a} is a time series encoding the neural activation signal, \boldsymbol{v} being the haemodynamic response function (HRF) and \boldsymbol{e} the additive white Gaussian noise. The measured fMRI signal is denoted \boldsymbol{y} and obtained via $\boldsymbol{a}*\boldsymbol{v}+\boldsymbol{e}$.

corresponding line of V. Let ∇ be the first-order difference operator such that $\forall \boldsymbol{x} \in \mathbb{R}^{\widetilde{T}}, \nabla \boldsymbol{x} \in \mathbb{R}^{\widetilde{T}-1}$ with $(\nabla \boldsymbol{x})_i = x_i - x_{i-1}, \forall i \in \{2, \dots, \widetilde{T}\}.$

2.1. Linear and time-invariant modeling

2.1.1. Univariate modeling

114

115

116

122

123

124

125

126

127

129

130

131

132

133

134

136

137


138

A common model for the multivariate (P voxels, T scans) BOLD data $\mathbf{Y} \in \mathbb{R}^{P \times T}$ with $\mathbf{Y} = (\mathbf{y}_j)_{j=1}^P$ is the linear and time-invariant model (LTI) (Boynton et al., 1996). This model is illustrated in Fig. 1. For each voxel, the measured time series, denoted by $\mathbf{y}_j \in \mathbb{R}^{1 \times T}$, is the convolution of a neural activation signal $\tilde{\mathbf{a}}_j \in \mathbb{R}^{1 \times \tilde{T}}$, with a given HRF, $\mathbf{v} \in \mathbb{R}^{1 \times L}$ and $\mathbf{e}_j \in \mathbb{R}^{1 \times T}$ refers to an additive white Gaussian noise, which leads to:

$$\boldsymbol{y}_j = \boldsymbol{v} * \widetilde{\boldsymbol{a}}_j + \boldsymbol{e}_j . \tag{1}$$

Although the noise that contaminates the BOLD effect is serially correlated in time (Woolrich et al., 2001), here for the sake of simplicity we assume that the noise corrupting the fMRI time series is white and Gaussian. As shown hereafter in Section 2.1.2, this assumption is tenable as our model will be flexible enough to capture and segregate noise-related components. However, for the sake of completeness, additional justification can be found in the supplementary material (cf. Section A.8). In the latter, we studied on simulations the impact of a first-order autoregressive Gaussian noise on the estimation accuracy and showed that for SNR ($\simeq -8$ dB) and autoregressive parameter ($\leqslant 0.3$) values met on real fMRI data, the reconstruction error due to the model mismatch remains quite low.

Typically, the HRF \boldsymbol{v} has a restricted support in time of about 20 s. The challenge with HRF modeling is to find a fair trade-off between a flexible model that is able to capture the true haemodynamic response in each brain area and a reliable one that limits overfitting by reducing the number of degrees of freedom (diminishing the variance). Since our approach estimates the neural activity along with the HRF, reducing the number of degrees of freedom is critical to avoid the aforementioned overfitting. In this paper, we assume M different HRF with \boldsymbol{v}_m being the HRF corresponding to the mth region $\boldsymbol{\Theta}_m$. Numerous approaches have



141

142

143

144

145

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

Figure 2: Illustration of two haemodynamic response functions (HRF) denoted h_1, h_2 with the full-width-at-half-maximum (FWHM) and the time-to-peak (TTP) (of h_1) depicted. Here we illustrate these two HRFs with different dilation parameters (δ_1, δ_2) such as $\delta_2 \leq \delta_1$, leading to TTP $(h_1) < \text{TTP}(h_2)$ and FWHM $(h_1) < \text{FWHM}(h_2)$.

been proposed to model this haemodynamic response v_m . The Finite Impulse Response (FIR) (Dale, 1999; Glover, 1999) model does not assume any particular shape for the HRF which make it very flexible but prone to data overfitting in the presence of noise. Regularization has thus been introduced to constrain the overall HRF shape in FIR models and limit their tendency to overfitting, see for instance penalization over the second-order derivative to end up with physiologically plausible smooth HRF estimates (Ciuciu et al., 2003; Casanova et al., 2008). Alternatively, the HRF has been modeled as a linear decomposition of predefined atoms such as B-splines (Zhang et al., 2007; Vakorin et al., 2007), wavelets (Khalidov et al., 2011), a sensitivity-selected set (Woolrich et al., 2004) or more physiologically informed patterns such as the canonical HRF and its derivatives in time and with respect to the dispersion parameter (Friston et al., 1998). All these methods intend to capture fluctuations in haemodynamic delay or shape with the minimum number of parameters. Last, to constrain even more the parameter values and reduce variance estimates, parametric models such as the inverse logit transform (Lindquist and Wager, 2007) have been proposed and successfully tested when benchmarking over multiple fMRI datasets (Lindquist et al., 2009). In this work, we propose the time dilation HRF model (Cherkaoui et al., 2019), which captures the haemodynamic delay by dilating a reference HRF pattern: $\mathbf{v}_{\delta} = \mathbf{v}_{ref}(\delta t)$ where v_{ref} is a reference temporal profile, here the canonical HRF. This approach is efficient while simple as it encodes delay fluctuations through a single scalar parameter δ (one degree of freedom). One limitation of this choice is that it leads to the simultaneously variation of the full width-at-half-maximum (FWHM) of the HRF and its time-to-peak (TTP) (see also Fig. 2). This coupling between TTP and FWHM partly alleviates time-shift ambiguities between the HRF and the neural activity signal during the blind deconvolution process. Although this model is quite simple, it remains attractive as it provides a low variance HRF estimate while capturing the main effects on the neurovascular coupling as described in Section 4. Our voxelwise model reads as follows:

$$\boldsymbol{y}_j = \boldsymbol{v}_{\delta} * \widetilde{\boldsymbol{a}}_j + \boldsymbol{e}_j . \tag{2}$$

2.1.2. Multivariate modeling

168

169

170

171

172

173

176

177

178

179

180

182

183

184

185

186

187

188

189

190

191

To better account for the spatial structure of the neurovascular system and the intrinsic organization of functional networks, we extend this model to the multivariate setting. Our multivariate model reads as follows:

$$Y = v_{\delta} * \widetilde{A} + E , \qquad (3)$$

where $\widetilde{A} = (\widetilde{a}_j)_{j=1}^P \in \mathbb{R}^{P \times \widetilde{T}}$ and $E = (e_j)_{j=1}^P \in \mathbb{R}^{P \times T}$. One limitation of this straightforward approach is that it constrains the haemodynamic response to be the same across the whole brain. As the HRF shape depends on the neurovascular coupling, its features vary in space over different brain areas and between individuals (Handwerker et al., 2004; Badillo et al., 2013). This suggests that, for a given subject, the HRF should be modeled locally in the brain. An appropriate approach for doing so is to rely on existing brain parcellation (Varoquaux and Craddock, 2013). Ideally to accurately fit the real haemodynamic response function in a subject, we would favor a large number of regions. However, the larger this number, the smaller the number of voxels per region, which could impair the stability of HRF estimation. In practice, using a minimum of 50 voxels per region leads to stable HRF estimates. In contrast, aggregating too many voxels (e.g. $> 10^3$) results in identical HRFs over the whole brain. Hence, in all our experiments, we used parcellations where each region consisted of a few hundred voxels. We refer the reader to (Vincent et al., 2008) for more information on this point. In this work, we rely on the Harvard-Oxford probabilistic brain atlas (Desikan et al., 2006). We threshold the probabilities to obtain a fine brain parcellation that offers enough flexibility to adapt to the true haemodynamic system. In what follows, we mathematically introduce a brain parcellation with M regions with $(\Theta_m)_{m=1}^M \in \{0,1\}^p$ 1 if the i^{th} voxel belongs to the m^{th} region and 0 if not. This allows us to extend Eq. (3) as follows:

$$\boldsymbol{Y} = \left(\sum_{m=1}^{M} \boldsymbol{\Theta}_{m}^{\top} \boldsymbol{v}_{\delta_{m}}\right) \dot{*} \widetilde{\boldsymbol{A}} + \boldsymbol{E} , \qquad (4)$$

The activation signals \hat{A} capture for each voxel the periods of time during which 193 any voxel is involved either in task performance or in spontaneous BOLD signal 194 fluctuations. This model remains univariate as P independent neural activation signals $(\widetilde{\boldsymbol{a}}_i)_{i=1}^P \in \mathbb{R}^{P \times \widetilde{T}}$ are estimated. 196 In our work, we rather introduce a low-rank constraint and learn both K temporal 197 atoms (with $K \ll P$) and corresponding spatial maps. These maps encode various 198 functional networks, each of them being summarized by specific neural activation 199 profile. Mathematically, this can be modeled by replacing each vector \tilde{a}_j in Eq. (4) 200 with a linear combination of neural activation patterns $\boldsymbol{Z} = (\boldsymbol{z}_k)_{k=1}^K \in \mathbb{R}^{K \times \widetilde{T}}$, with $\boldsymbol{z}_k \in \mathbb{R}^{1 \times \widetilde{T}}$, modulated in space by the spatial maps $\boldsymbol{U} = (\boldsymbol{u}_k)_{k=1}^K \in \mathbb{R}^{K \times P}$, with




Figure 3: Illustration of the low-rank multivariate BOLD signal model (the colors are here for illustrative purposes). \boldsymbol{Y} stands for the observed BOLD data, $\boldsymbol{v_m}$ the mth HRF, $\boldsymbol{\Theta_m}$ represents the predefined brain parcellation, $\boldsymbol{U} = (\boldsymbol{u_k})_{k=1}^K$ defines the K spatial components and $\boldsymbol{Z} = (\boldsymbol{z_k})_{k=1}^K$ the corresponding "neural" activation signals. Last, \boldsymbol{E} represents the additive white Gaussian noise.

 $u_k \in \mathbb{R}^{1 \times P}$, such that: $\widetilde{A} = \sum_{k=1}^K u_k^{\top} z_k$. In other words, the spatial configuration u_k encodes which voxels are linked to a given neural activation profile $z_k \in \mathbb{R}^{1 \times T}$. Note that a voxel may belong to different functional networks as overlapping can occur (Karahanoğlu et al., 2013; Najafi et al., 2016). Additionally, the sub-components of a functional network might also not activate simultaneously (Allan et al., 2015; Betzel et al., 2016) as they can belong to different spatial maps u_k . This is coherent with the fact that a voxel contains about one hundred thousands neurons for a typical spatial resolution (1.5 mm isotropic), and thus the underlying neural activation signals are combined with possibly different temporal fingerprints. Finally, our forward model for BOLD fMRI data is given by Eq. (5) (see also Fig. 3):

$$\boldsymbol{Y} = \left(\sum_{m=1}^{M} \boldsymbol{\Theta}_{m}^{\top} \boldsymbol{v}_{\delta_{m}}\right) \dot{*} \left(\sum_{k=1}^{K} \boldsymbol{u}_{k}^{\top} \boldsymbol{z}_{k}\right) + \boldsymbol{E} . \tag{5}$$

2.2. Prior information and regularizing constraints

The number of unknown parameters $\mathbf{Z} \in \mathbb{R}^{K \times \widetilde{T}}$, $\mathbf{U} \in \mathbb{R}^{K \times P}$ and $\boldsymbol{\delta} \in \mathbb{R}^{1 \times M}$ is lower than the number of available data \mathbf{Y} . Indeed, the observed fMRI data has P voxels of T scans while the proposed model has to infer K temporal components of \widetilde{T} entries, K spatial components of P voxels each, and M HRF dilation parameters. Hence, the number of unknown parameters to be set is $M + (K \times P) + (K \times \widetilde{T})$. Importantly, if the number of scans T is large enough and if we adequately choose M and K, then we get $P \times T \gg M + (K \times P) + (K \times \widetilde{T})$.

The forward model described in Eq. (5) is *trilinear* as it depends on both unknown spatial (\boldsymbol{U}) and temporal (\boldsymbol{Z}) inputs and unknown convolution filters ($\boldsymbol{v}_{\delta_m}$).

This means that any timing variation in neural activation signals Z can be symmetrically compensated by the opposite variation in the haemodynamic filter v_{δ_m} or that any sign or scale variation in U can be compensated by the inverse variation in Z or v_{δ_m} . To overcome these sign, scale and time-shift ambiguities, we introduce some regularizing constraints in the computation of the parameter estimates. First, to avoid any sign ambiguity in the convolution between the neural input signals and the haemodynamic filter, the HRF filter has a constant and positive maximal amplitude (see Fig. 2). Second, as there is an interplay between the spatial and temporal components in the input signals, we also impose a nonnegativity constraint over the entries of each spatial map u_k , i.e. $\forall j, k_{kj} \geq 0$. By doing this, we only allow the deactivation of a functional network to be encoded in the corresponding z_k . Third, to deal with the scale ambiguity, we impose $\|\boldsymbol{u}_k\|_1 = \eta, \forall k = 1, \dots, K$, where $\eta \in \mathbb{R}_+$ is a user-defined parameter that sets the magnitude of each spatial map. As our HRF model has a constant maximal amplitude, only the neural activity signals Z capture the observed BOLD signal fluctuations. Fourth, to deal with potential time-shift indeterminacy, recover plausible physiological HRF shape and make the optimization easier, we constrain the dilation parameters $\boldsymbol{\delta}$ in the HRF model to lie in [0.5, 2.0]. Complementary to these constraints, similar to (Karahanoğlu et al., 2013; Cherkaoui et al., 2019; Urunuela et al., 2020) we will assume the neural activation signals Z to be temporally piecewise constant or equivalently consider their first-order derivative $\nabla z_k, \forall k$ to be sparse. Practically speaking, we add a total variation (TV) regularization term to our model.

2.3. Optimization problem

225

226

227

228

229

230

231

232

233

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

253

254

255

257

In this section, we derive an algorithm for estimating the dilation parameters $\boldsymbol{\delta} = (\delta_m)_{m=1}^M$, the spatial maps \boldsymbol{U} and the neural activation signals \boldsymbol{Z} from the model depicted in Eq. (5) and the aforementioned regularizing constraints. The estimates for these parameters can be obtained by solving the following constrained minimization problem:

$$\underset{(\boldsymbol{U},\boldsymbol{Z},\boldsymbol{\delta})}{\operatorname{arg\,min}} \ \frac{1}{2} \left\| \boldsymbol{Y} - \left(\sum_{m=1}^{M} \boldsymbol{\Theta}_{m}^{\top} \boldsymbol{v}_{\delta_{m}} \right) \right\|_{F}^{2} + \lambda \sum_{k=1}^{K} \| \nabla \boldsymbol{z}_{k} \|_{1}, \quad (6)$$
subject to $\forall k, \| \boldsymbol{u}_{k} \|_{1} = \eta, \quad \forall j, u_{kj} \geq 0, \quad \forall m, \delta_{m} \in [0.5, 2.0].$

The white Gaussian noise hypothesis leads to a quadratic data fidelity term, to measure how well we reconstruct the observed fMRI signals. Moreover, in alignment with with Caballero-Gaudes et al. (2012); Karahanoğlu et al. (2013); Cherkaoui et al. (2019), we enforce the first-order derivative of the temporal atoms $(\nabla z_k)_{k=1}^K$ to be sparse in order to constrain each z_k to a piecewise constant signal. For that purpose, we use a TV regularization term, which corresponds to

the ℓ_1 norm of the gradient in time ∇z_k . Interestingly, the sparsity of the firstorder derivative of the temporal components $(Dz_k)_k$ tends to impose independence between these temporal components (Daubechies et al., 2009). This property is preserved by the discrete integration operator. Thus, the complete low-rank neural components should tend to be de-coupled due to the independence of the temporal processes $(z_k)_k$. Importantly, this modeling of the neural activation signals allows us to fully adapt to task-fMRI and rs-fMRI experiments and to perform paradigm-free fMRI data analyses (Deneux and Faugeras, 2010; Caballero-Gaudes et al., 2011). In the first case, as the task-related BOLD signal is classically modeled as the convolution of an input block signal, representing the experimental paradigm (the onsets of the stimulus trials) with a HRF filter, we can recover neural activation signals close to the experimental paradigm. The neural activation profiles by being inferred from the data, allows estimation of input signals corresponding either to block or event-related paradigms, the second scenario being seen as a single time point block. More interestingly, the proposed framework is even more appealing for processing rs-fMRI data and uncover spontaneous and time-varying fluctuations of brain activity as the block duration may change from one instance to the next (see also (Petridou et al., 2013; Karahanoğlu and Van De Ville, 2015)).

 Moving to the technical aspects for solving the constrained optimization problem (6), it is worth mentioning that it is not globally convex. However, when U and δ are fixed, problem (6) becomes convex in Z and similarly when Z and δ are fixed, it becomes convex in U. Our minimization strategy of Eq. (6) thus relies on a block-coordinate descent algorithm, where we alternate the minimization between the two convex problems in U and Z followed by the non-convex one involving V. Also, the non-negativity constraints are activated when solving for the spatial maps U and the boundary constraints over δ are handled in parallel for each m, i.e. each HRF pattern when solving for V. Algorithm 1 details these three main steps.

Algorithm 1: Multivariate deconvolution and low-rank decomposition of the BOLD signal.

Input: BOLD signal \boldsymbol{Y}, ϵ 1 initialization: $\forall k, \boldsymbol{z}_k^{(0)} = \mathbf{0}_{\widetilde{T}}, \boldsymbol{u}_k^{(0)} = \boldsymbol{u}_k^{(init)}, \delta^{(0)} = \delta^{(init)}, i = 1$;
2 repeat
3 Estimate the temporal atoms $\boldsymbol{Z}^{(i)}$ with fixed $\boldsymbol{U}^{(i-1)}$ and $\delta^{(i-1)}$: $(\boldsymbol{z}_k^{(i)})_k = \underset{(\boldsymbol{z}_k)_k}{\operatorname{arg min}} \frac{1}{2} \left\| \boldsymbol{Y} - \left(\sum_{m=1}^M \boldsymbol{\Theta}_m^\top \boldsymbol{v}_{\delta_m}^{(i-1)} \right) * \left(\sum_{k=1}^K \boldsymbol{u}_k^{(i-1)^\top} \boldsymbol{z}_k \right) \right\|_F^2 + \lambda \sum_{k=1}^K \| \nabla \boldsymbol{z}_k \|_1$ 4 Estimate the spatial maps $\boldsymbol{U}^{(i)}$ with fixed $\boldsymbol{Z}^{(i)}$ and $\boldsymbol{\delta}^{(i-1)}$: $(\boldsymbol{u}_k^{(i)})_k = \underset{(\boldsymbol{u}_k)_k}{\operatorname{arg min}} \frac{1}{2} \left\| \boldsymbol{Y} - \left(\sum_{m=1}^M \boldsymbol{\Theta}_m^\top \boldsymbol{v}_{\delta_m}^{(i-1)} \right) * \left(\sum_{k=1}^K \boldsymbol{u}_k^\top \boldsymbol{z}_k^{(i)} \right) \right\|_F^2 ,$ subject to $\{ \forall k, \ \| \boldsymbol{u}_k \|_1 = \eta \ \text{and} \ \forall j, \ \boldsymbol{u}_{kj} \geq 0 \} .$ Estimate the HRFs $\boldsymbol{\delta}^{(i)}$ with fixed $\boldsymbol{U}^{(i)}$ and $\boldsymbol{Z}^{(i)}$: $(\boldsymbol{v}_m^{(i)})_m = \underset{(\delta_m)_m}{\operatorname{arg min}} \frac{1}{2} \left\| \boldsymbol{Y} - \left(\sum_{m=1}^M \boldsymbol{\Theta}_m^\top \boldsymbol{v}_{\delta_m} \right) * \left(\sum_{k=1}^K \boldsymbol{u}_k^{(i-1)^\top} \boldsymbol{z}_k^{(i)} \right) \right\|_F^2 ,$ subject to $\delta_m \in [0.5, 2.0]$. $\boldsymbol{\delta}_m \in [0.5, 2.0] .$ 5 until $\frac{J((\boldsymbol{z}_k^{(i-1)})_k, (\boldsymbol{u}_k^{(i-1)})_k, (\boldsymbol{v}_m^{(i-1)})_m, (\boldsymbol{v}_m^{(i-1)})_m)}{J((\boldsymbol{z}_k^{(i-1)})_k, (\boldsymbol{u}_k^{(i-1)})_k, (\boldsymbol{v}_m^{(i-1)})_m)} \leq \epsilon;$

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

In regards to the $(z_k)_{k=1}^K$ step, we performed the minimization using an adaptiverestart accelerated forward-backward algorithm (O'Donoghue and Candes, 2015). In regards to the $(u_k)_{k=1}^K$ step, we noticed that it can be cast as a standard quadratic program of the form $\operatorname{arg\,min}_{\operatorname{vec}(\boldsymbol{U})} \operatorname{vec}(\boldsymbol{U})' \boldsymbol{A} \operatorname{vec}(\boldsymbol{U}) - 2 \operatorname{vec}(\boldsymbol{U})' \boldsymbol{b}$ with linear and non-negativity constraints on $\text{vec}(\boldsymbol{U})$, with $\text{vec}(\cdot)$ the usual matrixto-vector transformation. Although the matrix \mathbf{A} and constraints are sparse, the problem is high-dimensional (PK variables, K linear constraints) and may not be efficiently solvable by standard mathematical programming solvers. Consequently, we benchmarked various algorithms in the dictionary learning literature and selected the most efficient, namely the one used to update the dictionary in Mairal et al. (2009). Last, for the minimization with respect to $(\delta_m)_{m=1}^M$ we used the accelerated forward-backward algorithm (Beck and Teboulle, 2009; Bioucas-Dias and Figueiredo, 2007) after checking that it leads to a correct estimation of δ . The reader can find all details of the gradient computation w.r.t. $(z_k)_{k=1}^K$ and $(u_k)_{k=1}^K$ in Cherkaoui et al. (2019), for the gradient w.r.t. δ the computation is reported in the Supplementary Material, see Section A.1. For each step, we implemented the corresponding gradient (i.e. forward move) in an efficient manner to limit multiple computations over the iterations.

Critical steps for the efficiency of this algorithm are the computation of proxi-

mal operators for the non-smooth regularizers. In regards to the neural activation patterns (\mathbf{Z} step), as the minimization is sequentially performed over the K com-ponents, we only need to compute the proximal operator of the TV norm, i.e. $g_z(\boldsymbol{z}_k) = \lambda \|\nabla \boldsymbol{z}_k\|_1$. This remains a challenging issue as this operator is not closed form. A seminal contribution has been done in the literature for TV minimiza-tion (Chambolle, 2004). Here, we rather use the Taut-String algorithm proposed by Barbero and Sra (2018) for which we use an efficient Python implementation available in an open source package¹. In regards to the constraints on the spatial maps (U), we also proceed separately on the K components: the proximity oper-ator of $g_u(\boldsymbol{u}_k) = \mathbb{1}_{\|\boldsymbol{u}_k\|_1 = \eta} + \mathbb{1}_{u_{ki} \geq 0}$ where $\mathbb{1}$ stands for the indicator function², is given by:

$$prox g_u(\mathbf{u}_k) = [(u_{kj} - \mu)_+]_{1 \le j \le P}$$

$$\tag{7}$$

where μ is defined as $\sum_{j=1}^{P} \max\{0, u_{kj} - \mu\} = \eta$ and an efficient implementation has been proposed by (Condat, 2016). We propose to set λ as a fraction of λ_{\max} which is the minimal value of λ for which a constant \mathbf{Z} is solution of Eq. (6),we detail the computation of λ_{\max} in Supplementary Material, cf. Appendix A.2. For the rest of the paper, we will refer to λ as the fraction of λ_{\max} , such as $\lambda = \lambda_f \lambda_{\max}$, with $\lambda_f \in [0,1]$.

Algorithm 1 converges to a local minimizer Eq. (6) when each main iteration does not decrease sufficiently the cost function. In practice less than 50 iterations of the main loop are needed to converge. To initialize the spatial maps $(\boldsymbol{u}_k)_{k=1}^K$, we apply an Independent Component Analysis (ICA), implemented in scikit-learn (Pedregosa et al., 2011), on the BOLD signals \boldsymbol{Y} and retain the produced spatial maps, we initialize the $(\boldsymbol{z}_k)_{k=1...K}$ to zero and each entry of $(\delta_m)_{m\in\{1..M\}}$ to 1. As the current optimisation problem is non-convex, we investigated different initialization strategies to assess how much the recovered parameters depend on the initial values (see Supplementary Material, Section A.4).

For the sake of reproducibility of the current results and others not shown here, we offer an efficient software implementation of our fast algorithm and with numerous code optimizations. The underlying hemolearn Python package is open source³ and available to the neuroimaging community.

3. Model Validation

We first validate the proposed approach on numerical simulations to illustrate the gain achieved by jointly estimating the neural activity profile and the HRF

 $^{^1}$ https://pypi.org/project/prox_tv/

²This function is zero-valued inside the constraint set and equals infinity elsewhere.

 $^{^3{}m code}$ available at https://github.com/hemolearn/hemolearn.

shape compared to a single deconvolution scheme. Next, we will demonstrate the usefulness of the proposed framework on real rs-fMRI data at the individual level. In particular, we will highlight the impact of the hyper-parameter selection on the decomposition, describe the interpretation of its component and its stability. The usefulness of our method in the context of large cohorts will be investigated in Section 4.

3.1. Numerical simulations

3.1.1. Synthetic data

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

We generated two temporal Dirac signals of length $\tilde{T}=500$ with a fixed sparsity level. The first generated Dirac signal is composed of randomly drawn signed spikes, with location chosen uniformly in time and intensity drawn from a Gaussian distribution $\mathcal{N}(0,1)$ to simulate spontaneous (i.e. resting-state) neural activity fluctuations. To produce the second temporal atom, we generated 4 spikes (2 with positive amplitudes, 2 with negative amplitudes) to simulate a taskrelated response. To produce the corresponding block signals Z – shown in blue in Fig. 4[right panels] – we integrated over time these signals and convolved them with a predefined HRF v_{δ} to yield two corresponding pure BOLD time series. The chosen HRF has length L=25 and is shown in blue in Fig. 4[left panel]. For the sake of simplicity, we considered a single HRF profile (M=1) in this synthetic setting, so the haemodynamic properties were supposed constant in space. We then assigned these BOLD signals to spatial locations. Hence, we defined K=2corresponding 2D maps $U = (u_k)_{k=1}^2$ (20 × 20, i.e. P = 200). Each spatial map has a single activating squared region consisting of $4 \times 4 = 16$ pixels. Each active pixel has a randomly drawn non-negative magnitude, the other ones being set to zero. Then, we normalized each map by its ℓ_1 -norm. Finally we added white Gaussian random noise to produce observed, i.e. noisy BOLD signals Y of length T = T + L - 1 = 524 scans (TR = 1s) with a signal-to-noise-ratio (SNR) of -10 dB. The mean synthetic BOLD signals are reported in black traces in Fig. 4(a)-(b) for both activated regions (in bottom panels) while standard deviation across activated voxels is encoded by transparency around these mean curves. To make a comparison with respect to the state of the art, we deconvolved the observed signal using the method proposed in (Wu et al., 2013). This approach first detects the main neurally-related events by thresholding the observed BOLD signal. A binary sparse sequence associated with these spikes is thus constructed to be used as a proxy of a neural input signal. Then, for each voxel, the HRF profile is fitted to the data using this sequence of neural events. As a result, the BOLD signal can then be deconvolved voxelwise using the estimated HRF.

3.1.2. Numerical results

In a first step, we only estimated the pair (\mathbf{Z}, \mathbf{U}) from the synthetic fMRI time series \mathbf{Y} and kept the HRF profile \mathbf{v} constant. The results are reported in Fig. 4(a). The HRF shape used in this deconvolution process is shown in green in Fig. 4(a) and actually differs from the true shape used for simulating the data. Because of this discrepancy in terms of haemodynamic delay and peak magnitude, the neural activation signals are not properly recovered (orange traces in Fig. 4(a)). The magnitude of the estimates $\hat{\mathbf{Z}}$ is much larger than the true one. This is partly due to compensate for the smaller magnitude of the HRF (green trace in Fig. 4(a)) used for deconvolving the BOLD signals. Consequently, the residual mean square errors (RMSEs) computed on the neural activation signals are pretty large. However, we noticed that in both spatial maps, the non-negative magnitudes $\hat{\mathbf{U}}$ are very well estimated. This is a direct consequence of using non-overlapping activating regions for the two neural traces. Additionally, we report, using a dashed green line, the case where the HRF profile is set to the true shape. In this case, we observe that the neural temporal components are accurately recovered.

In a second step, on the same data set Y we jointly estimated (Z, U) and v using our full semi-blind deconvolution scheme. We kept the same initialization for the HRF shape for the sake of consistency. The results are reported in Fig. 4(b). The HRF estimate \hat{v} is shown in orange (dashed line) and actually matches the true curve. Consequently, the neural activation signals \hat{Z} are properly estimated both in time and in magnitude and the corresponding RMSEs are one order of magnitude smaller than those reported in the previous simulated results (see Fig. 4(a)). This second synthetic setting did not impact the spatial maps, which are still well estimated.

Finally, for comparison purposes, we report in Fig. 4(c), the estimates computed by (Wu et al., 2013). We noticed an average error of 3s on the haemodynamic delay estimate. Moreover, for a selected voxel localized in the first activated region, we display the estimated neural events as well as the deconvolved BOLD signal and compare it to the true first temporal atom, its first-order derivative and the observed noisy BOLD signal. It is worth noticing that Wu et al. (2013) provided a poor alignment of the estimated neural spikes with the true ones as compared to our approach.

These results on synthetic data confirmed the good expected behavior of the proposed method. From a computational viewpoint, the estimation with constant HRF ran in 0.5s while the full estimation took 1s approximately on a machine with 15 GB of RAM and an Intel processor i7-7600U (2 physical cores, 2.80 GHz).

3.2. Single-subject analysis on rs-fMRI data

3.2.1. Dataset and parameter setting

To illustrate the proposed semi-blind deconvolution algorithm, we analyzed a single subject extracted from the UKBB resting-state fMRI data set. More investigation on a larger cohort of this data set will be presented in Section 4. The rs-fMRI data was 6 min10s long with TR = 0.735s. The first ten seconds were discarded (dummy scans) so that we end up with T = 490 scans (6min). The data was collected on a 3T Skyra Siemens MAGNETOM MR system at an isotropic resolution of $2.4 \times 2.4 \times 2.4$ mm³ using the multi-band GRE sequence (mb = 8).⁴ Standard preprocessing steps were applied: motion correction using MCFLIRT Jenkinson et al. (2002); grand-mean intensity normalisation of the entire 4D data set by a single multiplicative factor; high-pass temporal filtering (Gaussian-weighted least-squares straight line fitting); EPI unwarping; gradient distortion correction unwarping. Structured artefacts are removed by ICA processing, see the documentation⁵ for a full description. Finally, we down-sampled the voxels to reduce the spatial dimension of our decomposition to 61,605 voxels to match the resolution of 2 mm isotropic of the Harvard-Oxford probabilistic atlas (Desikan et al., 2006).

In this subsection, we manually set the temporal regularization parameter to $\lambda_f = 0.8$ (remember $\lambda_f \in [0,1]$). This setting achieves a bias-variance trade-off between two extreme situations, namely data overfitting ($\lambda_f = 0$) on one hand and entirely sparse neural activation signals ($\lambda_f = 1$ as $\lambda = \lambda_{\text{max}}$) on the other hand. The question of the unsupervised tuning of λ_f is critical. It could be driven either from a statistical viewpoint (e.g. using the maximum likelihood criterion) that characterizes how likely the measured time series may be observed or using an external task and its corresponding metric such as classification performance (e.g. accuracy in prediction). Because the former approach does not admit a closed form solution, we explored in the Supplementary Material (see Section A) the impact of changing the temporal regularization (i.e. amount of sparsity in the activation neural signals) on the spatial map of haemodynamic delays. The spatial consistency we reported across regularization levels gave us confidence on the haemodynamic parameter estimates to be further used in subsequent classification tasks (see Section 4). In this setting, we implemented a cross-validation step with a leave-one-out loop to tune λ_{max} in an unsupervised way.

In regard to the number of spatio-temporal atoms K, we set it using the explained variance (or R^2 -score averaged over the time series) as target metric in a preliminary study. For this set of parameters, the model estimation took around

⁴Acquisition details can be found at https://www.fmrib.ox.ac.uk/ukbiobank/protocol/.

⁵Preprocessing details can be found at https://biobank.ctsu.ox.ac.uk/crystal/crystal/docs/brain_mri.pdf

1 minute on a machine with 15 GB of RAM and an Intel processor i7-7600U (2 physical cores, 2.80 GHz). 453

3.2.2. Results 454

463

464

465

466

467

468

469

470

471

472

473

474

475

476

478

479

480

481

482

484

485

487

488

Model selection. The first question we addressed on real rs-fMRI data was to 455 optimally set the number of spatio-temporal atoms K and to find the best compro-456 mise between model complexity and model accuracy. For this purpose, we looked 457 at two complementary criteria. The first one is standard and corresponds to the 458 R^2 score that quantifies the variance explained by model (5) over the total sum 459 of squares whereas the second one is given by the determinant of the correlation 460 matrix between the neural activation signals. 461 462

The R2-score is defined as follows: $R^2 = 1 - \frac{SS_{\text{res}}}{SS_{\text{tot}}}$ where SS_{tot} quantifies the variance of the data \boldsymbol{Y} and SS_{res} the variance of the residuals after fitting model (5) by minimizing the cost function described in Eq. (6). The R^2 -score may vary from $-\infty$ in pathological cases to 1 for a perfectly matching model. A good model is normally associated with $R^2 > 0$ and means that the L_2 norm of the residual is lower than the variance of the data. We therefore ran multiple model fitting for K in a range of $\{2,3,4,\ldots,10,15,20,\ldots,50\}$. The results are shown in Fig. 5(a) and illcrustrate that the model accuracy first increases as a function of K up to reaching a plateau around $R^2 \simeq 0.55$ for K = 20. So adding more spatio-temporal components no longer improves its ability to capture variability in the data while it becomes more complex.

The second information measure we used to help us select K was based on the determinant of the correlation matrix $\Sigma_K = (\mathbb{E}[(\boldsymbol{z}_k - \boldsymbol{m}_k)(\boldsymbol{z}_\ell - \boldsymbol{m}_\ell)^T/\sigma_k^2\sigma_\ell^2])_{k,\ell}$ between the temporal atoms $(z_k)_{k=1}^K$. The quantities σ_k^2 and σ_ℓ^2 define the variance of the neural activation signals z_k and z_ℓ . As Σ_K is semi-positive definite with entries between 0 and 1, its eigenvalues are positive or null and so its determinant 477 varies between 0 and 1: det $\Sigma_K = 1$ when matrix Σ_K defines a basis, which means that all atoms are orthogonal and decorrelated like in a PCA decomposition. In contrast, det $\Sigma_K = 0$ when matrix Σ_K is not of full rank so at least one atom could be obtained as a linear combination from the others. Therefore, as before we ran multiple model fitting for K in a range of $\{2, 3, 4, \ldots, 10, 15, 20, \ldots, 50\}$ and we plotted in Fig. 5(b) the evolution of the determinant of Σ_K as a function 483 of K. The results show us that beyond $K \geq 20$, we get a correlation matrix with $\det \Sigma_K \leq 10^{-10}$ which tends to zero. According to this criterion, from the we should therefore not exceed 20 temporal atoms. Thus, from the R2-score criterion 486 and this det Σ_K criterion, in our following experiments we will keep K=20.

Analysis of spatial decomposition. Fig. 6 shows the spatial maps of this spatio-temporal decomposition for this individual and Tab. 1 summarizes the list of functional networks retrieved in this setting. It is worth mentioning that the

Table 1: **Taxonomy of functional networks** involved in the spatio-temporal decomposition (5) with K = 20, whose spatial maps are shown in Fig. 6.

Networks	#Comp. id k
Default Mode	6, 11, 18, 20
Attention	5
Central executive	10, 12, 13
Salience	19
Sensori-motor	3, 7, 9, 15, 17
Auditory-language	2, 8, 14
Visual	1, 4, 16

sensory (visual, auditory and motor) and resting-state networks (RSN) are quite well retrieved by multiple components, localized respectively in the occipital (components 1, 4, 16) temporal (components 2, 8 and 14), fronto-parietal (components 5, 10, 11, 13, 17 and 20), frontal/fronto-polar (components 6, 12, 18 and 19) and sensori-motor (components 3, 7, 9 and 15) cortices. The maps associated with the motor network are split (3 and 9 lateralized on the left and right hemispheres, respectively. The different areas of the visual system are split too between the primary visual cortex (components 1 and 4) and the extrastriate cortex (components 16). The language system is also spread across several components (see Tab. 1). Part of the well known RNS (Menon, 2015) have been captured: The default mode network (DMN), which deactivates during cognitive tasks is represented in components 6, 11, 18 and 20, while the attention and salience networks by a single component (5 and 19, respectively). The central executive network (CEN) is spread over components 10, 12 and 13.

Spatio-temporal decomposition. To fully illustrate our method on real rs-fMRI data, we show the whole set of output features (neural activation signals, spatial maps, HRF shapes) in Fig. 7. We also depict a voxel-based denoised BOLD signal reconstructed and the convolution between the neural input and the HRF estimate. Fig. 7(a) represents together a neural activation signal in the primary visual cortex and the corresponding spatial map (component 1 in the above mentioned decomposition). The proposed axial views permit the identification of the primary visual cortex and the calcarine fissure. Fig. 7(b) depicts similar features in the DMN (component 11) and the Pearson correlation coefficient with the neural time course in the visual cortex. Its small negative value confirms a slight negative correlation between the task-positive and the DMN network. Both time courses actually present alternating periods of positive and negative activity but they are almost uncorrelated. Fig. 7(c)-(d) illustrate the fastest and slowest HRF time courses estimated in the regions of interest depicted in red. The

fastest haemodynamic response (FWHM_f = 5.1s) was found in the middle temporal gyrus while the slowest (FWHM_s = 8.0s) is localized in the frontal orbital cortex. Fig. 7(e) finally shows how well our approach is able to fit the rs-fMRI time course measured in voxel marked by the black cross in Fig. 7(c). The neural activation signal is piecewise constant and ahead in time compared to the BOLD time series. Once convolved with the HRF profile, the denoised BOLD signal appears as a smoother version of the measured BOLD time course: its magnitude is smaller and its fluctuations in time are slower. This is a direct consequence of the temporal regularization used to recover sparse input signals.

Analysis of correlation structure. Next, to go beyond the spatial analysis, Fig. 8 depicts the correlation matrix between the corresponding neural activation signals. It is then insightful to notice that the correlation between the multiple components in a given network are quite strong. For the visual network we observed a correlation coefficient varying between 0.31 and 0.48, the largest value being reached for areas located both in the extrastriate cortex. The same conclusion holds in the motor network with a correlation level varying between 0.1 and 0.36. In regard to the DMN, component 11 plays the role of a hub as it correlates with components 10 and 20 pretty strongly⁶ between 0.46 and 0.54. Overall, this analysis shows that the proposed approach does not separate RSN in single components. However, it still achieves a meaningful decomposition. Although we do not report here the spatial decomposition for $K \in \{5, 8, 10, 15, 30, 40, 50\}$, the latter can be easily obtained using the HemoLearn toolbox⁷. Interestingly, in such decomposition some RSNs are either not recovered or mixed together for small $K \leq 15$ whereas for large values of $K \in \{25, 30, \dots, 50\}$ each RSN is split in multiple components. Increasing the number of components extends the range of variation of the correlation coefficients in both positive and negative senses. This confirms that our approach does not have statistical independence guaranties like PCA and ICA do when decomposing the neural activity.

3.3. Single-subject analysis on task-fMRI data

3.3.1. Data set and parameter setting

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

540

541

542

543

545

547

548

550

551

552

553

554

To further illustrate the proposed semi-blind deconvolution algorithm, we analyzed a single subject extracted from the HCP (Van Essen et al., 2013) data set and focused on the motor task in the activation fMRI experiment. The fMRI run was 3min34s long with TR = 0.753s. The first ten seconds were discarded (dummy scans) so that we ended up with T = 284 scans collected by interleaved simultaneous multislice echo-planar images with a multi-band factor of 8 and a spatial

⁶no statistical test performed at the individual level

⁷https://github.com/hemolearn/hemolearn

resolution of $2 \times 2 \times 2$ mm³. The fMRI images were already preprocessed using a classical pipeline including realignment, coregistration, spatial normalization and smoothing (5mm isotropic)⁸. Additionally, we spatially down-sampled the fMRI images to reduce the spatial dimension of our decomposition to 61,605 voxels. The EP was divided in two sets of motor tasks, with 15s fixation blocks at the beginning, in the middle of the acquisition and at the end of the recording. Each task set was composed of 5 blocks of 12 s each, preceded by a 3s cue indicating the task to be performed by the participant. The latter corresponded to moving the tongue, tapping the left or right finger or contracting the left or right toes. In what follows, we only consider one participant even though our results are reproducible across individuals.

In this subsection, we manually set the temporal regularization parameter to $\lambda_f = 0.8$ as in the prior rs-fMRI analysis and the number of spatio-temporal atoms to K = 30 to offer a richer spatio-temporal decomposition with possibly more focal components, compared to resting-state analysis. We compared our approach to (Pedregosa et al., 2015) in which a voxelwise HRF estimate is yielded using a rank-1 GLM model. This permits a fair comparison of both haemodynamic delays and spatial activation maps corresponding to a given condition from the EP.

3.3.2. Results

For illustrative purposes, we focused on the *left-hand* motor task. Fig. 9(a) represents the 100 most activated voxels estimated by (Pedregosa et al., 2015) in response to this condition. These voxels were obtained by thresholding the regression coefficients of the model displayed in Fig. 9(c). From the K=30spatio-temporal components of our model, we manually chose the 22nd temporal component that offers the most correlated temporal pattern with the experimental block paradigm associated with the *left-hand* motor task. Fig. 9(b) represents the 100 most activated voxels, localized in the right motor cortex, obtained by thresholding the 22nd spatial map shown in Fig. 9(d). We notice a clear disagreement among the two approaches on the localization of the most activated regions in response to this experimental condition. Indeed, the activation of left part of the cerebellum found by (Pedregosa et al., 2015) is quite suspect as we expect the lefthand motor task to induce evoked activity in the right motor cortex. This result might be explained by the absence of a clear evoked activity in response to the second block of stimulation as shown in the average BOLD signal over the right motor cortex and the fact that Pedregosa et al. (2015)'s method is univariate, see Fig. 9(e). In contrast, the neural activity recovered by the proposed multivariate

⁸Acquisition details can be found at https://humanconnectome.org/storage/app/media/documentation/s1200/HCP_S1200_Release_Appendix_VI.pdf

method (cf. Fig. 9(e)) and associated with the voxels localized in the right motor cortex shows strong consistency in time with the onsets of the blocks of the motor task the participant has to undergo. For ease of legibility, this part of the experimental paradigm is displayed in light gray. Last, we compared the HRF profiles in the activated regions the two approaches provide (cf. Fig. 9(f)). Again, we notice a clear disagreement among the two competing methods on the haemodynamic delays, which is explained by the different voxel localization (shorter TTP for Pedregosa et al. (2015)'s method due to the recovered activity in the visual cortex vs longer TTP for our method that picks up the activation in the primary right motor cortex).

3.4. haemodynamic estimation stability over time

The shape of the HRF is controlled by the neurovascular coupling including both neural and non neural factors such as glial cell activity, cerebral energy metabolism, and the cerebral vasculature. Abnormalities in the local vascular system or cell communication due to pathological state or changes in cerebral blood flow upon psychoactive drugs could influence this haemodynamic response. As we expect the HRF estimate to be stable if none of those events took place, we propose to study the within-subject stability of HRF estimates over time, namely between consecutive time periods. For doing so, we compare the within-subject variability of the HRF whole brain dilation parameter vector δ to the inter-subject variability of the same quantity. We thus introduce two reference ℓ_2 distances, namely the within-subject distance $WS(\boldsymbol{\delta}_1^s, \boldsymbol{\delta}_2^s) = \|\boldsymbol{\delta}_1^s - \boldsymbol{\delta}_2^s\|_2^2$ where $(\boldsymbol{\delta}_1^s, \boldsymbol{\delta}_2^s)$ correspond to the vectors of spatially aggregated HRF dilation parameters that were estimated over two periods of time T_1 and T_2 in the same individual s. Similarly, for any pair of subjects (s_1, s_2) and a given period T, we measure the between-subject distance between $(\boldsymbol{\delta}_T^{s_1}, \boldsymbol{\delta}_T^{s_2})$ vectors as follows: $\mathrm{BS}(\boldsymbol{\delta}_T^{s_1}, \boldsymbol{\delta}_T^{s_2}) = \|\boldsymbol{\delta}_T^{s_1} - \boldsymbol{\delta}_T^{s_2}\|_2^2$. The goal is then to compare the within- and between-subject distances across individuals and show that the intra-subject variability is significantly lower than the inter-subject one over a sufficiently large population.

3.4.1. Data set and numerical analysis

We selected 100 healthy subjects from the Human Connectome Project (HCP) data set (Van Essen et al., 2013) at random. We used this data set because of the availability of a 12-min long rs-fMRI run with a short time of repetition (TR=0.753s), see Glasser et al. (2013) for a full description of the acquisition parameters and the pre-statistics processing steps. In this rs-fMRI run for each individual, we extracted two segments of 4 minutes each, denoted as T_1 and T_2 hereafter, the first and last parts of the recording. We then applied the proposed multivariate spatio-temporal decomposition to each segment using K = 8 spatio-temporal atoms $(z_k, u_k)_{k=1}^K$ and a brain atlas $\Theta = (\Theta_m)_{m=1}^M$ (Desikan et al.,

2006) composed of M=96 regions of interest (ROIs). This haemodynamic brain parcellation thus yields 96 HRF dilation parameters $\boldsymbol{\delta}=(\delta_m)_{m=1}^M$ for each individual. In practice, in the definition of WS (\cdot,\cdot) and BS (\cdot,\cdot) , the true vectors $\boldsymbol{\delta}_{T_j}^{s_i}$ ($i=1,\ldots,100,\ j=1,2$) have been replaced by their estimates $\hat{\boldsymbol{\delta}}_{T_j}^{s_i}$ computed by solving Eq. (6) for the two 4-min rs fMRI data sets (T_1 and T_2). To make sure that our conclusions hold for a large scale of temporal regularization parameters, we spanned the range $\lambda_f \in [0,1]$ and repeated the same procedure over 6 discrete values of λ_f within this interval.

3.4.2. Results

638

639

640

641

642

643 644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

660

661

662

663

664

665

In Fig. 10, the box plot in blue shows the within-subject distance WS($\hat{\delta}_{T_1}^{s_i}, \hat{\delta}_{T_2}^{s_i}$) between the two 4-min rs-fMRI segments for all individuals and across 6 values of λ_f covering the whole interval [0,1]. The orange and green box plots in Fig. 10 depict the between-subject distances computed over the first and second segments respectively, namely $\mathrm{BS}(\widehat{\boldsymbol{\delta}}_{T_1}^{s_i}, \widehat{\boldsymbol{\delta}}_{T_1}^{s_j})$ and $\mathrm{BS}(\widehat{\boldsymbol{\delta}}_{T_2}^{s_i}, \widehat{\boldsymbol{\delta}}_{T_2}^{s_j})$ with $i \neq j$. We observed that the within-subject (i.e. inter-segment) variability is systematically lower than the between-subject variability and that all metrics remain stable across regularization levels. To go further, we performed a statistical analysis (paired t-test) by comparing the mean of the WS and BS distributions and we obtained significant pvalues $(p < 10^{-8})$ showing that the within-subject haemodynamic variability is significantly lower than the between-subject fluctuations. In contrast, the statistical inter-individual comparison between the two segments is not significant ($p \simeq 10^{-2}$). These results are valid for all tested regularization levels indicating a minor impact of the regularization parameter onto the haemodynamic parameter estimate. In sum, this analysis demonstrates that the whole brain characterization of the vascular system remains stable in a given individual between two periods shortly spaced in time, compared to the same analysis between individuals and so that the haemodynamic response discriminates each subject from the others.

4. Clinical validation at the population level

In the previous section, the numerical experiments were devoted to demonstrate the meaningfulness and reliability of the proposed multivariate spatio-temporal within-subject decomposition of fMRI data, especially in resting-state experiments. In this section, our main objective is to showcase the application of this approach to clinical diagnosis. For this purpose, we leverage the functional features (haemodynamic delays, neural activation signals, etc.) output by our approach to first characterize patients with history of stroke compared to healthy controls and then to discriminate middle-age vs elderly subjects. In both analyses, we again used the 6-min long rs-fMRI data from the UK Biobank database.

4.1. Characterization of patients with an history of stroke

Stroke is a medical condition in which the blood supply to is interrupted or reduced in a brain area, resulting in ischemic brain tissue and neuronal damage. This pathology is considered as a major health issue nowadays (England, 2018). In this field, multiple studies (Min et al., 2018) have proposed approaches to better estimate the stroke risk for patients. However, in these attempts a major issue is the precise estimation of the brain damage that occurs in the neurovascular system during and after a stroke episode. To that purpose, we tested our approach to characterize the effect of stroke on the haemodynamic response in the brain.

We considered 24 patients of both genders and various ages who suffered from a stroke in the past from the UK Biobank database. For comparison purposes, we selected 24 healthy controls matched in age and gender from the same database. We applied the same decomposition $(K = 20, M = 96, \text{ same } \lambda_f)$ to each patient and healthy control. Fig. 11(a) and Fig. 11(b) show respectively the corresponding normalized maps of haemodynamic dilation parameters $(\boldsymbol{\delta}_m)_{m=1}^{96}$ in a healthy control and stroke patient, respectively. The normalization has been done by dividing all dilation parameter values by their within-subject average, namely $\bar{\delta}^{HC}$ and $\bar{\delta}^{SP}$ respectively. We first observed that the dilation parameters were larger in average in the healthy condition compared to stroke $(\bar{\delta}^{HC} > \bar{\delta}^{SP})$. This corresponds to shorter and more homogeneous TTPs in the brain in the healthy condition. The shortest TTP found in the healthy control was actually located in the primary visual cortex (axial slice, z=-2, left hemisphere), a result consistent with the literature on fastest haemodynamic responses often detected in visual areas (Handwerker et al., 2004; Badillo et al., 2013). In contrast, Fig. 11(b) illustrates that the haemodynamic dilation parameters $\boldsymbol{\delta}^{\mathrm{SP}}$ are smaller (so the TTPs longer) in the stroke patient Also, we found less variability in the healthy subject since the difference between the maximum and minimum TTPs were smaller ($\Delta_{\rm TTP}^{\rm HC}=1.25~{\rm s}$) compared to the stroke patient ($\Delta_{\rm TTP}^{\rm SP}=2.25~{\rm s}$). Importantly, Fig. 11(a) illustrates the relative symmetry of haemodynamic territories that exists in normal subjects between both hemispheres (Raemaekers et al., 2018).

On the contrary, Fig. 11(b) reveals a wider asymmetry between the two hemispheres in the stroke patient. Interestingly, in this patient we noticed the presence of larger TTPs in the middle left precentral gyrus and left motor cortex (resp. z=44 and z=60), namely the brain regions supposedly impacted by the stroke episode.

To go one step further, we quantified the spatial asymmetry of the haemodynamic structure within each individual. To this end, we computed the interhemispheric haemodynamic ℓ_2 distance (IHD) between the HRF dilation parameter vectors estimated over the left and right hemispheres in laterally matched brain regions, respectively denoted δ_L and δ_R . This normalized intra-subject distance is

707 defined as follows:

IHD
$$(\boldsymbol{\delta}_{\mathrm{R}}^{s}, \boldsymbol{\delta}_{\mathrm{L}}^{s}) = \frac{\|\boldsymbol{\delta}_{\mathrm{L}}^{s} - \boldsymbol{\delta}_{\mathrm{R}}^{s}\|_{2}}{\|\boldsymbol{\delta}_{\mathrm{L+R}}^{s}\|_{2}}, \quad \forall s = 1, \dots, 24.$$
 (8)

A zero-valued distance thus reflects a perfect symmetry of the estimated haemodynamic responses. In contrast, we expect to uncover asymmetry between haemodynamic territories respectively localized in the ischemic and normal hemispheres.

By pulling down the values of IHD across all individuals within each group (HC vs SP), we estimated the IHD distributions for the two populations of interest, as shown in Fig. 11(c). In the latter graph, we illustrate how different the two cohorts are in terms of neurovascular asymmetry. The group of 24 stroke patients exhibit larger haemodynamic differences between the ischemic and normal hemispheres. We statistically assessed such difference between the two distributions using a two-sample Kolmogorov-Smirnov test and found a significant p-value ($p = 9.1 \, 10^{-5}$). This quantification thus confirmed preliminary visual assessment. We report this p-value with a temporal regularization defined such as $\lambda_f = 0.001$. However, we obtain similar p-value results when using the 5 others levels of temporal regularization ($\lambda_f \in [0.001, 0.9]$).

In summary, this analysis has shown that the proposed framework is instrumental in discriminating healthy subjects from stroke patients, both at the individual and group-levels, using haemodynamic features and an neurovascular asymmetry index, which allowed us to localize pathological haemodynamic delays.

4.2. Middle-age vs elderly subjects classification

In the previous part, we performed group-level statistical analysis in the classical way. In this part, we intend to assess the prediction power of the proposed framework in order to classify middle-age vs elderly subjects using standard machine learning tools (Pedregosa et al., 2011). The reason for choosing this classification task between middle-age and elderly individuals lies first in the fact that multiple studies have pointed out the modification of the haemodynamic system with healthy aging (Ances et al., 2009; Li et al., 2018; West et al., 2019) and second in a regain of interest in the literature for brain age analysis using multiple neuroimaging techniques (Engemann et al., 2020). We thus intend to assess whether our approach is able to capture the effect of aging and if so, whether the haemodynamic features reflect more brain aging compared to the neural activity signals.

For that purpose, we still relied on the UK Biobank database as in the previous experiments as the short TR (TR=0.735 s) in the rs-fMRI data set (6 min long) provides a suitable setting to investigate the HRF evolution with aging. Here, we

selected 459 healthy subjects of both genders and divided them in two balanced groups: the middle-age (MA: 40-44 yo) and elderly (E: 64-70 yo) groups. We applied the decomposition (6) to each subject using 5 levels of temporal regularization ($\lambda_f \in [0.001, 0.9]$), K = 20 temporal components and we used the same brain parcellation of M = 96 ROIs as before to segregate the HRFs in space.

First, we analyzed the haemodynamic differences between the two populations by computing a two-sample t-test on the distributions of dilation parameters. We used the temporal regularization parameter $\lambda_f = 0.675$ which is the one selected through cross validation for our classification model in the subsequent paragraph. The results were first quantified with t-scores to compare the dilation parameters in each region. The results are presented in Fig. 12(a) and illustrate large differences between the two populations. More specifically, higher dilation parameters or shorter TTP were retrieved in middle-age subjects as the t-scores were mostly positive for the comparison $\bar{\delta}_m^{\mathrm{MA}} > \bar{\delta}_m^{\mathrm{E}}$. This is notably visible in the Willis Polygon, temporal cortices, angular gyri, the medial prefrontal cortices and the superior frontal cortices. To assess the statistical significance, we also computed the log-transformed p-values, i.e. $-\log_{10} p_{\text{val}}$ (shown in Fig. 12(b)), after correcting for multiple comparisons using the Bonferroni correction across the M=96 ROIs. We noticed first that a large majority of significant brain regions appear bilaterally indicating larger haemodynamic dilation parameters or shorter TTPs in younger individuals. Second, the negative t-values reported in the cerebellum are not statistically significant after correcting for multiple comparisons.

Then, in an attempt to be exhaustive we constructed three different logistic regression (LR) models based either on the individual (i) neural activity signals, (ii) HRF shapes and (iii) haemodynamic dilation parameters. We did not consider the spatial activity maps as input features in these models as they do not permit to perform dimension reduction. We trained these LR models using the Scikit-Learn software (Pedregosa et al., 2011) to predict the age label for each subject (1 for the elderly people, 0 for middle-aged people). A ℓ_2 -norm regularization was used in the estimation of the LR model parameters with an hyper-parameter $\beta > 0$. We grid-searched the temporal regularization parameter λ_f and the classifier hyper-parameter β (see Fig. E in Supplementary Materials for the stability of the setting). We chose the accuracy as the classification metric and cross-validated the score to provide an estimation of the generalization error with a 10 times repeated stratified 4-fold split.

Fig. 13(a) shows that the haemodynamic properties have an improved prediction power to discriminate the age compared to the neural activation signals (i.e. temporal components). The latter actually reaches an average accuracy score of 0.557, whereas the mean accuracy associated with the HRF shape and haemodynamic dilation parameter estimates respectively goes up to 0.741 and 0.743.

Also, the distribution of accuracy scores across trials is more concentrated for the HRF dilation parameters compared to the whole HRF shape. This is likely due to the dimension reduction operated to extract this parameter which fluctuates less than the complete profile of the haemodynamic response. This analysis thus demonstrates that our decomposition is able to capture the brain age based on neurovascular information. However, due to the large between-subject variability even within each class of age the neural activation signals do not define a good feature for the brain age prediction. Complementary to that, Fig. 13(b) illustrates the progression of the mean accuracy score with the number of individuals involved in the LR model and clearly depicts that a plateau is reached around 459 subjects (the total size of the sampled cohort) both for the haemodynamic dilation parameter. Also, one can see the rapid progression of the mean accuracy with the number of individuals for the LR model based on haemodynamic properties compared to the one constructed from the neural activation signals.

Overall, this experiment has permitted to demonstrate that haemodynamic features are a good biomarker of the normal aging, as already reported in the literature (Grady and Garrett, 2014; West et al., 2019). Moreover, it highlighted that the inter-hemispheric asymmetry in neurovascular coupling brings key information to discriminate middle-age from elderly people.

5. Discussion

Separating vascular and neuronal components on fMRI BOLD signals. Both neural and non neural factors such as glial cell activity, cerebral energy metabolism and the cerebral vasculature contribute independently and synergistically to the fMRI BOLD signal. A mis-estimation of individual and regional HRFs may lead to an interpretation that haemodynamic changes as neural variations could have considerable implications for the interpretability and reliability of findings in fMRI studies. Previous literature supports the notion that HRF variability corrupts fMRI data deconvolution (Gitelman et al., 2003; Roebroeck et al., 2011; Seth et al., 2013). Deconvolution-based approaches such as the one presented here allows discrimination of cerebrovascular components from neural activaty and minimizes the confound of HRF variability in the exploration of brain physiology, functional connectivity and cognitive processes.

In this work, we developed a new algorithm that proposed the joint estimation of the HRF and neural activation signal as a semi-blind deconvolution multivariate problem in a paradigm-free setting. Synthetic and real resting-state fMRI data allowed us to demonstrate that this approach is able to faithfully capture the individual's haemodynamic response function and intrinsic functional networks with low intra-subject variability and relative minimal impact of hyper-parameters on the reliability of HRF estimation. Aims of this paper were also to verify that

these methodological developments have practical impacts as related to detection and classification. Further demonstrations using well defined research protocols will be required to refine the tool for use in clinical applications.

Related works. Disentangling the neurovascular coupling from the neural activity 824 is well documented in the literature (Goutte et al., 2000; Ciuciu et al., 2003; 825 Handwerker et al., 2004; Lindquist and Wager, 2007; Vincent et al., 2010; Chaari 826 et al., 2012; Pedregosa et al., 2015), however many features present in our model are 827 pivotal to making a significant step forward. First, unlike the previous works our 828 approach is paradigm-free and can be applied to both task-related and resting-state 829 fMRI data. As such, the proposed methodology is not restricted to a few brain 830 regions (e.g. visual, auditory and sensorimotor cortices) that are typically involved 831 in a specific activation. Second, in contrast to (Wu et al., 2013; Farouj et al., 2019; 832 Cherkaoui et al., 2019) we propose a multivariate approach to reliably summarize 833 the neurovascular coupling and the neural activity over the whole brain. Third, to 834 the best of knowledge, the proposed semi-blind deconvolution approach is the first 835 to perform such an extensive experimental validation including i) simulation-based 836 numerical experiments for model validation, ii) performance assessment on task-837 related and resting-state fMRI data at the individual level, including comparisons 838 to (Wu et al., 2013; Pedregosa et al., 2015), and iii) two meaningful cohort-level 839 evaluations in different clinical settings. It is worth mentioning that we used 840 a common brain parcellation – the Harvard-Oxford probabilistic atlas (Desikan 841 et al., 2006) – across all individuals, to ensure group-level analysis and facilitate 842 between-group comparisons. Hence, our main findings on the asymmetries in 843 haemodynamic features between stroke patients and healthy controls on one hand, 844 and the differences related to normal aging on the other hand, are dependent on 845 this atlas and could slightly differ with another parcellation. This question is left 846 for future research. 847

Interest in identifying the vascular component for clinical applications. Non-invasive imaging modalities are of undeniable relevance for the diagnostic and prognostic work-up in patients and this present study constitutes a proof of concept in terms of the interest and feasibility of the proposed approach. This type of analysis was made possible due to the fast convergence of our algorithm and the numerous optimizations on the implementation side. By making the HemoLearn Python package open source, we offer a unique tool to the neuroimaging community that will permit complementary investigation in other clinical contexts.

848

849

850

851

852

853

854

855

856

857

858

859

The current challenge for diagnostic imaging methods is to find metrics that capture relevant information including biomarkers and the present work on haemodynamic blind deconvolution might help uncover these measurable indicators. In that context, in agreement with various imaging studies on aging (Bangen et al.,

2009; Shafto et al., 2014), our algorithm, tested on a large cohort of UK BioBank rs-fMRI data sets (459 subjects) has proven its sensitivity to classify middle-age vs elderly individuals with respect to the estimated neurovascular coupling. Vascular aging, as characterized by progressive deterioration in the cellular structure of the blood vessel wall (Handwerker et al., 2004; Havlicek and Uludağ, 2020), undoubtedly impacts both resting-state cerebral blood flow and the ability to modulate it during neuronal activity. Our study confirmed a regional variability in the HRF features with a significantly slower neurovascular coupling in elderly people. Importantly, we demonstrated that the dilation parameter δ , tightly coupled to the haemodynamic delay, achieves better accuracy scores (0.74) compared to the neural activation signals (0.56, just above chance level), suggesting a causal role of cerebral micro-vascular dysregulation due to cognitive aging.

Based on the proposed haemodynamic asymmetry index, our analysis tested in patients with a history of stroke has also proven its utility to individually detect very slow haemodynamic delays in a restricted brain territory probably related to local ischemic tissue consecutive to stroke. This finding is perfectly consistent with the literature (Altamura et al., 2009) showing that the delay in peak latency that arises as patients advance from the acute to the subacute stroke phase is related to the deterioration of cerebral haemodynamics. Diffusion-weighted MRI and perfusion imaging (e.g. ASL) remain the reference imaging modalities as a noninvasive method to perform the diagnosis in the acute episode of stroke. However, in the post-acute period, rs-fMRI acquisition which does not require the patient's engagement would be extremely valuable to measure the re-establishment of haemodynamic response function in stroke patients as a prediction of subsequent recovery of cerebral function.

Assessment of cerebrovascular function through approaches that employ haemodynamic deconvolution — as presented in this paper — bring new opportunities for the exploration of brain plasticity and pathogenesis. For example, modeling the haemodynamic response function improves sensitivity of fMRI data to delineate epileptogenic area (Storti et al., 2013). Introducing some flexibility in the HRF shape is of undeniable benefit to consider 'silent' vascular risk factors in the pathogenesis or exacerbation of neurological diseases (D'Esposito et al., 2003; Ogaki et al., 2020) or in pharmacological fMRI studies (phMRI) where drugs, used as stimuli, do not always elicit predictable changes in neurovascular coupling (Cherkaoui et al., 2021).

Limitations and extensions. Some limitations of our tool do exist. First, there are free parameters in the proposed modeling (K, λ_f, M) that need to be set in an appropriate manner. We explored two model selection criteria for setting K, namely the R^2 score and the determinant of the correlation matrix between the neural activation signals. Based on these metrics, we found a fair compromise

between accuracy and model complexity for K=20. We thus constantly used this value hereafter in the individual decomposition. Of course, other model selection approaches might be envisaged to optimize K and λ_f using for instance a (widely) Bayesian information criterion (Neath and Cavanaugh, 2012; Watanabe, 2013), or the log-likelihood in the standard classical framework. The selected model would thus be the one associated with the lowest BIC value or largest log-likelihood. More recently, the concept of bi-level optimization (Bennett et al., 2006) has emerged to set hyper-parameters. In this case, an upper-level cost function (e.g. a supervised training score on the features of the decomposition) has to be minimized with respect to the unknown hyper-parameters while staying intrinsically connected to the lower-level problem, namely the multivariate decomposition. Because of the extra-computation cost required by these approaches, such aspects are beyond the scope of this paper. Second, the proposed regional analysis is conditioned by the parcellation atlas (and the value of M). It would be interesting to deepen this research by testing the reproducibility of the tool with some atlas variations and the creation of an atlas using subject-specific assessment of the cerebral vasculature.

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

931

932

933

934

935

936

937

938

Third, to recover more structured spatial maps, an advanced regularization model based on TV-elastic net (de Pierrefeu et al., 2017) or structured sparsity (Jenatton et al., 2012; Baldassarre et al., 2012) could be used in space while keeping the same algorithmic structure. Recent progress in solving the TV proximity operator (Cherkaoui et al., 2020) for instance could also be directly plugged into the current algorithm. Fourth, as in standard multivariate data-driven methods, the inter-subject comparison of spatial maps is currently difficult in the proposed formulation. In the same spirit as group-ICA (Calhoun et al., 2009), canonical ICA (Varoquaux et al., 2010) or multi-subject dictionary learning (Varoquaux et al., 2011), the current within-subject decomposition could be extended to the group-level to become more stable. One possibility would be to impose the same spatial maps across all individuals like in Calhoun et al. (2009) while another more flexible approach would permit spatial variations around a group-level spatial template Varoquaux et al. (2011). In this context, the neural activation signals could remain subject-specific with large fluctuations both in timings and magnitudes. This kind of extension will be investigated in the near future.

Fifth, we experimentally observed both on numerical simulations and real fMRI data (ADHD cohort (Milham et al., 2012)) that a TR larger than 1 s may be detrimental to a precise estimation of the haemodynamic dilation parameter. For that reason, all analyses were performed on fMRI acquisitions with short TR. This type of data is usually collected using simultaneous multi-slice imaging (Feinberg and Setsompop, 2013; Hesamoddin et al., 2019) to keep this parameter below 1s.

Sixth, because the proposed HRF model relies solely on a time dilation parameter, its magnitude is fixed and the fluctuations of the BOLD signal across

the brain are thus captured through the neural activity atoms $(z_k)_{k=1}^K$ on one hand and the spatial maps $(u_k)_{k=1}^K$ on the other hand. However, the norm 941 of the spatial maps being constrained, the real BOLD signal amplitude is cap-942 tured by the neural activation signals. A recent work Tsvetanov et al. (2019) 943 has shown that the resting-state fluctuation amplitude is crucial to predict brain 944 age in healthy subjects. One possible enhancement of the current model would 945 be to add a magnitude parameter to each HRF. In that case, we should fix the 946 scale ambiguity issue by setting the amplitude of the temporal atoms $(z_k)_{k=1}^K$. 947 This modification would significantly increase the computational complexity due 948 to the calculation of the proximal operator associated with the new regulariza-949 tion term $g_z((\boldsymbol{z}_k)_k) = \lambda \sum_{k=1}^K (\|\boldsymbol{\nabla} \boldsymbol{z}_k\|_1 + I_{\|\boldsymbol{z}_k\|_{\infty} = \alpha})$. Last, thus far we have used the canonical HRF as the reference shape in \boldsymbol{v}_{ref} . This setting could be easily 950 951 updated to perform investigations in specific populations (e.g. newborns) where 952 the true haemodynamic response function is known to deviate from the canonical 953 shape (Arichi et al., 2012). 954

955 6. Conclusion

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

In this paper, we have presented a semi-blind deconvolution approach to jointly estimate the haemodynamic response function and the neural activity signals across the whole brain. As the proposed methodology is paradigm-free, it enables the analysis of resting-state fMRI data in an semi-supervised manner as the regularization parameters (K, λ_f) may be tuned using a trade-off between model accuracy and complexity. Beyond the model validation on synthetic and real fMRI data, we have demonstrated the interest of the proposed approach in two applications in neuroscience. Both aimed at characterizing cerebral haemodynamic delays in specific populations, namely stroke patients and elderly people by contrasting them with healthy and younger controls. Most importantly, we proposed an haemodynamic asymmetry index to lateralize the stroke episode while confirming the presence of a prolonged haemodynamic delay in these patients. We also demonstrated that haemodynamic properties are predictable of brain age. Finally, this new framework opens the door to new research avenues for functional connectivity analysis based on the neural input signals instead of the BOLD signal themselves. In contrast to existing techniques (Wu et al., 2013), our approach would be less biased by a constant haemodynamic response shape across the whole brain.

974 Acknowledgment

This work was supported by a CEA PhD scholarship, the UK Royal Academy of Engineering under the RF/201718/17128 grant and the SRPe PECRE 1718/15

Award. We would like to thank our colleagues Bertrand Thirion, Kamalaker Reddy Dadi and Thomas Bazeille from Inria for fruitful discussions that helped us investigate the proposed data analyses. Finally we are grateful to Cécilia Garrec (CEA/DRF-Dir) for her comments and suggestions that have significantly improved the manuscript.

982 References

- S. Ogawa, D. W. Tank, R. Menon, J. M. Ellerman, S. G. Kim, H. Merkle,
 K. Ugurbil, Intrinsic signal changes accompanying sensory stimulation: functional brain mapping with magnetic resonance imaging., Proceedings of the
 National Academy of Sciences 89 (1992) 5951–5955.
- P. A. Bandettini, A. Jesmanowicz, E. C. Wong, J. S. Hyde, Processing strategies
 for time-course data sets in functional MRI of the human brain., Magnetic
 resonance in medicine 30 (1993) 161–173.
- G. M. Boynton, S. A. Engel, G. H. Glover, D. J. Heeger, Linear systems anlaysis of
 functional magnetic resonance imaging in human V1., Journal of Neuroscience
 16 (1996) 4207–4221.
- C.-T. Do, Z.-M. Manjaly, J. Heinzle, D. Schöbi, L. Kasper, K. P. Pruessmann,
 K. E. Stephan, S. Frässle, Hemodynamic modeling of aspirin effects on bold
 responses at 7t., medRxiv (2020).
- K. L. West, M. D. Zuppichini, M. P. Turner, D. K. Sivakolundu, Y. Zhao, D. Abdelkarim, J. S. Spence, B. Rypma, BOLD hemodynamic response function changes significantly with healthy aging., Neuroimage 188 (2019) 198–207.
- D. Asemani, H. Morsheddost, M. A. Shalchy, Effects of ageing and alzheimer disease on haemodynamic response function: a challenge for event-related fMRI., Healthcare Technology Letters 4 (2017) 109–114.
- K. J. Friston, P. Fletcher, O. Josephs, A. Holmes, M. D. Rugg, R. Turner, Event related fMRI: characterizing differential responses., Neuroimage 7 (1998) 30–40.
- P. Ciuciu, J.-B. Poline, G. Marrelec, J. Idier, C. Pallier, H. Benali, Unsupervised robust nonparametric estimation of the hemodynamic response function for any fMRI experiment., IEEE transactions on Medical Imaging 22 (2003) 35–51.
- M. A. Lindquist, T. D. Wager, Validity and power in hemodynamic response modeling: a comparison study and a new approach., Humain brain mapping 28 (2007) 764–784.

- F. Pedregosa, M. Eickenberg, P. Ciuciu, B. Thirion, A. Gramfort, Data-driven HRF estimation for encoding and decoding models., NeuroImage (2015) 209–220.
- C. Goutte, F. A. Nielsen, L. K. Hansen, Modeling the haemodynamic response in fMRI using smooth FIR filters., IEEE transactions on Medical Imaging 19 (2000) 1188–1201.
- T. Vincent, T. Rissern, P. Ciuciu, Spatially adaptive mixture modeling for analysis of fMRI time series, IEEE transactions on Medical Imaging 29 (2010) 59–74.
- L. Chaari, L. Forbes, T. Vincent, P. Ciuciu, Hemodynamic-informed parcellation of fMRI data in a joint detection estimation framework, proceedings of International Conference on Medical Image Computing and Computer-Assisted Intervention 15 (2012) 180–188.
- D. Degras, M. Lindquist, A hierarchical model for simultaneous detection and estimation in multi-subject fMRI studies, NeuroImage 98 (2014).
- P. N. Rosa, P. Figueiredo, C. J. Silvestre, On the distinguishability of hrf models in fMRI, Frontiers in Computational Neuroscience 9 (2015) 54.
- M. Eickenberg, A. Frau-Pascual, A. Hoyos-Idrobo, Gaussian processes for hrf estimation for bold fmri, arXiv: Applications (2017).
- G. R. Wu, W. Liao, S. Stramaglia, J. R. Ding, H. Chen, D. Marinazzo, A blind deconvolution approach to recover effective connectivity brain networks from resting state fMRI data., Medical Image Analysis 17 (2013) 365–374.
- G. H. Glover, Deconvolution of impulse response in event-related bold fMRI., Neuroimage 9 (1999) 416–429.
- D. R. Gitelman, W. D. Penny, J. Ashburner, K. J. Friston, Modeling regional and psychophysiologic interactions in fMRI: the importance of hemodynamic deconvolution., Neuroimage 19 (2003) 200–207.
- C. Caballero-Gaudes, N. Petridou, I. L. Dryden, L. Bai, S. T. Francis, P. A. Gowland, Detection and characterization of single-trial fMRI bold responses:
 Paradigm free mapping, Human brain mapping 32 (2011) 1400–1418.
- L. Hernandez-Garcia, M. O. Ulfarsson, Neuronal event detection in fMRI time series using iterative deconvolution techniques., Magnetic resonance imaging 29 (2011) 353–364.

- C. Caballero-Gaudes, D. Van de Ville, N. Petridou, F. Lazeyras, P. Gowland,
 Paradigm-free mapping with morphological component analysis: getting most
 out of fMRI data, Optical Engineering + Applications (2011).
- C. Caballero-Gaudes, F. I. Karahanoglu, F. Lazeyras, D. Van De Ville, Structured sparse deconvolution for paradigm free mapping of functional MRI data., International Symposium on Biomedical Imaging 9 (2012) 322–325.
- C. Caballero-Gaudes, N. Petridou, S. T. Francis, I. L. Dryden, P. A. Gowland, Paradigm free mapping with sparse regression automatically detects single-trial functional magnetic resonance imaging blood oxygenation level dependent responses, Human Brain Mapping 34 (2013) 501–518.
- C. Caballero-Gaudes, P. Bandettini, J. Gonzalez-Castillo, A temporal deconvolution algorithm for multiecho functional MRI, International Symposium on Biomedical Imaging (2018) 608–611.
- I. Khalidov, D. Van De Ville, J. Fadili, M. Unser, Activelets and sparsity: a new
 way to detect brain activation from fmri data., International Society for Optics
 and Photonics 6701 (2007).
- I. Khalidov, J. Fadili, F. Lazeyras, D. Van De Ville, M. Unser, Activelets: Wavelets
 for sparse representation of hemodynamic responses., Signal processing 91 (2011)
 2810–2821.
- F. I. Karahanoğlu, C. Caballero-Gaudes, F. Lazeyras, D. Van De Ville, Total activation: fMRI deconvolution through spatio-temporal regularization., NeuroImage 73 (2013) 121–134.
- N. Petridou, C. Caballero-Gaudes, I. L. Dryden, F. S. T., P. Gowland, Periods of rest in fMRI contain individual spontaneous events which are related to slowly fluctuating spontaneous activity., Hum Brain Mapp (2013) 1319–1329.
- F. I. Karahanoğlu, D. Van De Ville, Transient brain activity disentangles fmri resting-state dynamics in terms of spatially and temporally overlapping networks., Nat Commun 6 (2015) 7751.
- J. Gonzalez-Castillo, C. Caballero-Gaudes, N. Topolski, D. Handwerker, F. Pereira, P. Bandettini, Imaging the spontaneous flow of thought: Distinct periods of cognition contribute to dynamic functional connectivity during rest, NeuroImage 202 (2019).
- H. Cherkaoui, T. Moreau, A. Halimi, P. Ciuciu, Sparsity-based Semi-Blind Deconvolution of Neural Activation Signal in fMRI., IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP) (2019) 1323–1327.

- Y. Farouj, F. I. Karahanoğlu, D. Van de Ville, Bold signal deconvolution under uncertain haemodynamics: A semi-blind approach., International Symposium on Biomedical Imaging (2019) 1792–1796.
- H. Cherkaoui, T. Moreau, A. Halimi, P. Ciuciu, fMRI BOLD signal decomposition using a multivariate low-rank model., European Signal Processing Conference (EUSIPCO) (2019) 1–5.
- R. Grosse, R. Raina, H. Kwong, Y. N. Andrew, Shift-invariant sparse coding for audio classification., proceedings of Uncertainty in Artificial Intelligence 23 (2007) 149–158.
- T. Dupré La Tour, T. Moreau, M. Jas, A. Gramfort, Multivariate convolutional sparse coding for electromagnetic brain signals., Advances in Neural Information Processing System (NeurIPS) (2018) 3292–3302.
- M. W. Woolrich, B. D. Ripley, M. Brady, S. M. Smith, Temporal autocorrelation in univariate linear modeling of fMRI data., Neuroimage 14 (2001) 1370–1386.
- A. M. Dale, Optimal experimental design for event-related fMRI, Human Brain Mapping 2 (1999) 109–114.
- R. Casanova, S. Ryali, J. Serences, L. Yang, R. Kraft, P. J. Laurienti, J. A. Maldjian, The impact of temporal regularization on estimates of the bold hemodynamic response function: a comparative analysis., NeuroImage 40 (2008) 1606–1618.
- C. M. Zhang, Y. Jiang, T. Yu, A comparative study of one-level and two-level semiparametric estimation of hemodynamic response function for fMRI data.,

 Statistics in medicine 26 (2007) 3845–3861.
- V. A. Vakorin, R. Borowsky, G. E. Sarty, Characterizing the functional MRI response using tikhonov regularization., Statistics in medicine 26 (2007) 3830–3844.
- M. W. Woolrich, T. E. J. Behrens, S. M. Smith, Constrained linear basis sets for hrf modelling using variational bayes., NeuroImage 21 (2004) 1748–1761.
- M. A. Lindquist, J. Meng Loh, L. Y. Atlas, T. D. Wager, Modeling the hemodynamic response function in fMRI: efficiency, bias and mis-modeling., NeuroImage 45 (2009) S187–S198.
- D. A. Handwerker, J. M. Ollinger, M. D'Esposito, Variation of bold hemodynamic responses across subjects and brain regions and their effects on statistical analyses., Neuroimage 21 (2004) 1639–1651.

- S. Badillo, T. Vincent, P. Ciuciu, Group-level impacts of within-and betweensubject hemodynamic variability in fMRI., Neuroimage 82 (2013) 433–448.
- G. Varoquaux, R. C. Craddock, Learning and comparing functional connectomes across subjects., NeuroImage 80 (2013) 405–415.
- T. Vincent, P. Ciuciu, B. Thirion, Sensitivity analysis of parcellation in the joint detection-estimation of brain activity in fMRI, International Symposium on Biomedical Imaging (2008) 568–571.
- R. S. Desikan, F. Segonne, B. Fischl, B. T. Quinn, B. C. Dickerson, D. Blacker, R. L. Buckner, A. M. Dale, R. P. Maguire, B. T. Hyman, M. S. Albert, R. J. Killiany, An automated labeling system for subdividing the human cerebral cortex on MRI scans into gyral based regions of interest., Neuroimage 31 (2006) 968–980.
- M. Najafi, B. W. McMenamin, J. Z. Simon, L. Pessoa, Overlapping communities reveal rich structure in large-scale brain networks during rest and task conditions., Neuroimage 135 (2016) 92–106.
- T. W. Allan, S. T. Francis, C. Caballero-Gaudes, P. G. Morris, E. B. Liddle, P. F. Liddle, ..., P. A. Gowland, Functional connectivity in MRI is driven by spontaneous BOLD events., PloS one 10 (2015).
- R. F. Betzel, M. Fukushima, Y. He, X. N. Zuo, O. Sporns, Dynamic fluctuations coincide with periods of high and low modularity in resting-state functional brain networks., NeuroImage 127 (2016) 287–297.
- E. Urunuela, S. Jones, A. Crawford, W. Shin, S. Oh, M. Lowe, C. Caballero-Gaudes, Stability-based sparse paradigm free mapping algorithm for deconvolution of functional MRI data., Eng Med Biol Soc (2020) 1092–1095.
- I. Daubechies, E. Roussos, S. Takerkart, M. Benharrosh, C. Golden, K. D'Ardenne,
 W. Richter, J. D. Cohen, J. Haxby, Independent component analysis for brain
 fMRI does not select for independence, Proceedings of the National Academy
 of Sciences 106 (2009) 10415–10422.
- T. Deneux, O. Faugeras, EEG-fMRI fusion of paradigm-free activity using kalman filtering, Neural Computation 22 (2010) 906–948.
- B. O'Donoghue, E. Candes, Adaptive restart for accelerated gradient schemes., Foundations of Computational Mathematics 15 (2015) 715–732.
- J. Mairal, F. Bach, J. Ponce, G. Sapiro, Online dictionary learning for sparse coding., International Conference on Machine Learning 26 (2009) 689–696.

- A. Beck, M. Teboulle, A Fast Iterative Shrinkage-Thresholding Algorithm for Linear Inverse Problems., SIAM Journal on Imaging Sciences 2 (2009) 183–202.
- J. M. Bioucas-Dias, M. A. Figueiredo, A new TwIST: Two-step iterative shrinkage/thresholding algorithms for image restoration, IEEE Transactions on Image processing 16 (2007) 2992–3004.
- A. Chambolle, An Algorithm for Total Variation Minimization and Applications., Journal of Mathematical Imaging and Vision 20 (2004) 89–97.
- A. Barbero, S. Sra, Modular proximal optimization for multidimensional totalvariation regularization., Journal of Machine Learning Research 19 (2018) 1–89.
- L. Condat, Fast projection onto the simplex and the l1 ball., Mathematical Programming Series A 158 (2016) 575–585.
- F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel,
 M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, J. Vanderplas, A. Passos,
 D. Cournapeau, M. Brucher, M. Perrot, E. Duchesnay, Scikit-learn: Machine
 learning in Python., Journal of Machine Learning Research 12 (2011) 2825–2830.
- M. Jenkinson, P. Bannister, M. Brady, S. Smith, Improved optimization for the
 robust and accurate linear registration and motion correction of brain images.,
 NeuroImage 17 (2002) 825–41.
- V. Menon, Large-scale functional brain organization., Brain mapping: An encyclopedic reference 2 (2015) 449–459.
- D. C. Van Essen, S. M. Smith, D. M. Barch, T. E. J. Behrens, E. Yacoub, K. Ugurbil, The wu-minn Human Connectome Project: An overview., NeuroImage 80 (2013) 62–79.
- M. Glasser, S. Sotiropoulos, J. Wilson, T. Coalson, B. Fischl, J. Andersson, J. Xu,
 S. Jbabdi, M. Webster, J. Polimeni, V. DC, M. Jenkinson, The minimal pre processing pipelines for the human connectome project, NeuroImage 80 (2013)
 105.
- P. H. England, Briefing document: First incidence of stroke estimates for england 2007 to 2016., Public Health England publication (2018).
- S. N. Min, S. J. Park, D. J. Kim, M. Subramaniyam, K. S. Lee, Development of an algorithm for stroke prediction: A national health insurance database study in korea., European Neurology 79 (2018) 214–220.

- M. Raemaekers, W. Schellekens, N. Petridou, N. F. Ramsey, Knowing left from right: asymmetric functional connectivity during resting state., Brain Structure and Function 223 (2018) 1909–1922.
- B. M. Ances, C. L. Liang, O. Leontiev, J. E. Perthen, A. S. Fleisher, A. E. Lansing, R. B. Buxton, Effects of aging on cerebral blood flow, oxygen metabolism, and blood oxygenation level dependent responses to visual information stimulation., Human Brain Mapping 30 (2009) 1120–1132.
- Y. Li, W. J. Choi, W. Wei, S. Song, Q. Zhang, J. Liu, R. K. Wang, Aging-associated changes in cerebral vasculature and blood flow as determined by quantitative optical coherence tomography angiography., Neurobiol Aging 70 (2018) 148–159.
- D. A. Engemann, O. Kozynets, D. Sabbagh, G. Lemaître, G. Varoquaux, F. Liem,
 A. Gramfort, Combining magnetoencephalography with magnetic resonance
 imaging enhances learning of surrogate-biomarkers., Elife 9 (2020).
- C. L. Grady, D. D. Garrett, Understanding variability in the bold signal and why it matters for aging., Brain Imaging Behaviour 8 (2014) 274–283.
- A. Roebroeck, E. Formisano, R. Goebel, The identification of interacting networks in the brain using fMRI: model selection, causality and deconvolution., Neuroimage 58 (2011) 296–302.
- A. K. Seth, P. Chorley, L. C. Barnett, Granger causality analysis of fMRI BOLD signals is invariant to hemodynamic convolution but not downsampling., Neuroimage 65 (2013) 540–555.
- 1199 K. J. Bangen, K. Restom, T. T. Liu, A. J. Jak, C. E. Wierenga, D. P. Salmon,
 1200 M. W. Bondi, Differential age effects on cerebral blood flow and BOLD response
 1201 to encoding: associations with cognition and stroke risk., Neurobiology of aging
 1202 30 (2009) 1276–1287.
- M. A. Shafto, L. K. Tyler, M. Dixon, J. R. Taylor, J. B. Rowe, R. Cusack, A. J. Calder, W. D. Marslen-Wilson, J. Duncan, T. Dalgleish, et al., The cambridge centre for ageing and neuroscience (Cam-CAN) study protocol: a cross-sectional, lifespan, multidisciplinary examination of healthy cognitive ageing., BMC neurology 14 (2014) 204.
- M. Havlicek, K. Uludağ, A dynamical model of the laminar BOLD response., NeuroImage 204 (2020) 116–209.

- C. Altamura, M. Reinhard, M.-S. Vry, C. P. Kaller, F. Hamzei, F. Vernieri, P. M. Rossini, A. Hetzel, C. Weiller, D. Saur, The longitudinal changes of BOLD response and cerebral hemodynamics from acute to subacute stroke. A fMRI and TCD study., BMC neuroscience 10 (2009) 151.
- S. F. Storti, E. Formaggio, A. Bertoldo, P. Manganotti, A. Fiaschi, G. M. Toffolo, Modelling hemodynamic response function in epilepsy., Clinical Neurophysiology 124 (2013) 2108–2118.
- M. D'Esposito, L. Y. Deouell, A. Gazzaley, Alterations in the BOLD fMRI signal with ageing and disease: a challenge for neuroimaging., Nature Reviews Neuroscience 4 (2003) 863–872.
- A. Ogaki, Y. Ikegaya, R. Koyama, Vascular abnormalities and the role of vascular endothelial growth factor in the epileptic brain, Frontiers in Pharmacology 11 (2020).
- H. Cherkaoui, T. Moreau, P. Ciuciu, B. Fernandez, M. Bottlaender, N. Tournier, C. Leroy, Characterization of the haemodynamic response function after a buprenorphine challenge study in human healthy volunteer, in: 27th, Virtual.
- A. A. Neath, J. E. Cavanaugh, The Bayesian information criterion: background, derivation, and applications., Wiley Interdisciplinary Reviews: Computational Statistics 4 (2012) 199–203.
- S. Watanabe, A widely applicable Bayesian information criterion., Journal of Machine Learning Research 14 (2013) 867–897.
- K. P. Bennett, J. Hu, X. Ji, G. Kunapuli, J.-S. Pang, Model selection via bilevel optimization., The 2006 IEEE International Joint Conference on Neural Network Proceedings (2006) 1922–1929.
- A. de Pierrefeu, T. Löfstedt, F. Hadj-Selem, M. Dubois, R. Jardri, T. Fovet, P. Ciuciu, V. Frouin, E. Duchesnay, Structured sparse principal components analysis with the TV-elastic net penalty., IEEE transactions on medical imaging 37 (2017) 396–407.
- R. Jenatton, A. Gramfort, V. Michel, G. Obozinski, E. Eger, F. Bach, B. Thirion, Multiscale mining of fMRI data with hierarchical structured sparsity., SIAM Journal on Imaging Sciences 5 (2012) 835–856.
- L. Baldassarre, J. Mourao-Miranda, M. Pontil, Structured sparsity models for brain decoding from fMRI data., 2012 Second International Workshop on Pattern Recognition in NeuroImaging (2012) 5–8.

- H. Cherkaoui, J. Sulam, T. Moreau, Learning to solve tv regularised problems with unrolled algorithms., 34th Conference and Workshop on Neural Information Processing Systems (NeurIPS) (2020) 1–21.
- V. D. Calhoun, J. Liu, T. Adalı, A review of group ICA for fMRI data and ICA for joint inference of imaging, genetic, and erp data., Neuroimage 45 (2009) S163–S172.
- G. Varoquaux, S. Sadaghiani, P. Pinel, A. Kleinschmidt, J. B. Poline, B. Thirion, A group model for stable multi-subject ICA on fMRI datasets., NeuroImage 51 (2010) 288–299.
- G. Varoquaux, A. Gramfort, F. Pedregosa, V. Michel, B. Thirion, Multi-subject dictionary learning to segment an atlas of brain spontaneous activity., Biennial International Conference on information processing in medical imaging (2011) 562–573.
- M. Milham, D. Fair, M. Mennes, S. Mostofsky, The adhd-200 consortium: a model to advance the translational potential of neuroimaging in clinical neuroscience., Frontiers in Systems Neuroscience 6 (2012) 62.
- D. A. Feinberg, K. Setsompop, Ultra-fast MRI of the human brain with simultaneous multi-slice imaging., Journal of magnetic resonance 229 (2013) 90–100.
- J. Hesamoddin, S. Holdsworth, T. Christen, H. Wu, K. Zhu, A. B. Kerr, M. J. Middione, R. F. Dougherty, M. Moseley, G. Zaharchuk, Advantages of short repetition time resting-state functional MRI enabled by simultaneous multi-slice imaging., Journal of Neuroscience Methods 311 (2019) 122–132.
- K. Tsvetanov, R. N. A. Henson, P. S. Jones, H. J. Mutsaerts, D. Fuhrmann, L. K. Tyler, , J. B. Rowe, The effects of age on resting-state bold signal variability is explained by cardiovascular and neurovascular factors., preprint bioRxiv (2019).
- T. Arichi, G. Fagiolo, M. Varela, A. Melendez-Calderon, A. Allievi, N. Merchant,
 N. Tusor, S. J. Counsell, E. Burdet, C. F. Beckmann, et al., Development
 of BOLD signal hemodynamic responses in the human brain., Neuroimage 63
 (2012) 663–673.




Figure 4: Comparison to (Wu et al., 2013) on synthetic data: (a): Firstly, we consider the case when the HRF is set to a different shape than the one used for simulating the data. (b): Secondly, we learn the HRF along with the spatio-temporal components (a/b)-top: The yellow-purple maps define the spatial activation patterns. (a/b)-bottom-left: The blue curve represents the true HRF, the green trace corresponds to the initialization and the dashed orange shape corresponds to the HRF used to deconvolve the observed BOLD signal. (a/b)bottom-right: The observed BOLD signal in the associated activation region is depicted in black, whereas the true and recovered temporal atoms are plotted in blue and orange, respectively. (a)-bottom-right: We add, in dashed green, the estimate of the temporal atoms if we choose the true HRF as the initialization. The standard deviation across voxels is encoded by transparency around mean curves. (c): We report the result of the blind-deconvolution of (Wu et al., 2013) for comparison. (c)-bottom-left: We display in green the histogram of the haemodynamic delays estimated with this concurrent approach for the activated voxels and reports the associated average delay using a green vertical line. The true haemodynamic delay in plotted in blue while the one estimated by our approach is shown in orange. (c)-bottom-right: For the voxel localized in the yellow-purple map (bottom - far right) we display the true neural activation signal in blue and the one estimated by our approach in orange along with the deconvolved BOLD signal obtained with (Wu et al., 2013) (bottom). On top of that panel, in order to quantify how accurate in time the localization of neural events is, we plot the first-order derivative of the true neural activation signal and our estanate with the same color code along with the detected events from Wu et al. (2013)'s method in green.




Figure 5: Model selection: compromise between model complexity and accuracy. (a): Evolution of the R^2 score as a function of the number of spatio-temporal atoms K in model (5) ranging from 2 to 50. (b): Evolution of the determinant of the correlation matrix Σ_K between neural activation signals as a function of K ranging in the same interval as mentioned earlier.




Figure 6: Spatial decomposition of rs-fMRI data for K=20. From top to bottom and left to right, the twenty labeled spatial maps are shown using the three orthogonal views (coronal on the left, sagittal in the middle and axial on the right). The labeling is arbitrary and the coordinates are given in the MNI space.




Figure 7: Single subject results from rs-fMRI semi-blind deconvolution analysis. Top Row (a): Neural activation signal \hat{z}_1 (left) and corresponding spatial map (axial view) \hat{u}_1 (right), mostly involving activated voxels in the visual cortex. Second row (b): Neural activation signal \hat{z}_{11} (left) and corresponding spatial map (axial view) \hat{u}_{11} (right), mostly involving activated voxels in the default mode network (DMN). Third row, left (c): Fastest haemodynamic region. Fastest HRF estimate \hat{v}_{δ_f} (left) localized in the middle temporal gyrus as shown on the parcel mask Θ_f (right). Third row, right (d): Slowest haemodynamic region. Slowest HRF estimate \hat{v}_{δ_g} (left) localized in the frontal orbital cortex as shown on the parcel mask Θ_s (right). (Bottom row (e): Voxelwise time courses. Estimate of the neural activation signal (in blue), superimposed on the denoised BOLD signal (in orange) computed as the convolution with the local HRF estimate. The observed BOLD time course in shown in black.




Figure 8: Correlation matrix between neural activation signals for K = 20. Triangular inferior view of the semi-definite positive matrix Σ_K for K = 20. All entries vary between -1 and +1 as they reflect correlation coefficients.




Figure 9: Comparison to (Pedregosa et al., 2015) on task-fMRI data: We consider the experimental condition of the left-hand motor action. Top (a)-(b): We localize the 100 most activated voxels w.r.t. the condition. (a) corresponds to the activated voxels estimated from the thresholded regression coefficients as done in (Pedregosa et al., 2015) and (b) corresponds to the activated voxels in our approach obtained by thresholding the spatial map and keeping the largest values. Center (c)-(d): We depict the axial slices of the corresponding activation maps for each approach ((c) refers to our competitor, (d) to our method). We observe that Pedregosa et al. (2015) mainly identify the activation in the cerebellum whereas our approach localizes the activation in the right motor cortex. Bottom (e): We display the neural activation time courses estimated by our approach in orange for the selected voxels. The standard deviation across voxels is encoded by transparency around the mean curve. Similarly, we report the observed BOLD signal in blue and display the temporal profile of the motor task in light gray. Bottom (f): We display the HRF estimates for each method. The green HRF corresponds to (Pedregosa et al., 2015) with the between-voxel standard deviation encoded by transparency around the mean curve. Similarly, we depict our HRF estimate in orange. We notice larger haemodynamic delays estimated by our method.




Figure 10: Within- vs between-subject analysis of the haemodynamic variability. The box plots show respectively in blue, orange and green the distribution of $\mathrm{WS}(\widehat{\boldsymbol{\delta}}_{T_1}^{s_i}, \widehat{\boldsymbol{\delta}}_{T_2}^{s_i})$ for all subjects $(i=1,\ldots,100)$, $\mathrm{BS}(\widehat{\boldsymbol{\delta}}_{T_1}^{s_i}, \widehat{\boldsymbol{\delta}}_{T_1}^{s_j})$ and $\mathrm{BS}(\widehat{\boldsymbol{\delta}}_{T_2}^{s_i}, \widehat{\boldsymbol{\delta}}_{T_2}^{s_j})$ with $i\neq j$. These distributions are assessed for 6 levels of temporal regularization $(\lambda_f \in \{10^{-6}, 10^{-3}, 10^{-2}, 10^{-1}, 5 \, 10^{-1}, 1 - 10^{-6}\})$ and remain stable. Statistical analysis (paired t-test) was conducted to assess the significance of the difference between the mean of the within- and between-subject ℓ_2^2 norm distributions. Significant differences are marked with a *.




Figure 11: Haemodynamic discrimination between stroke patients (SP) and healthy controls (HC). Top (a)- Middle (b): Normalized haemodynamic dilation parameter maps in a healthy control (top row) and stroke patient (bottom row), respectively. The maps have been respectively normalized by the within-subject mean value ($\bar{\delta}^s = \frac{1}{M} \sum_{m=1}^{96} \hat{\delta}_m^s$) computed for each subject $s \in \{\text{HC, SP}\}$. Larger haemodynamic dilation parameters and thus shorter TTPs are retrieved in healthy condition ($\bar{\delta}^{\text{HC}} = 0.87 > \bar{\delta}^{\text{SP}} = 0.77$). Bottom (c): Histograms of the normalized inter-hemispheric haemodynamic distance (NIHD) between dilation parameters computed over the left and right hemispheres (i.e. $\hat{\delta}_{\text{L}}$ and $\hat{\delta}_{\text{R}}$, respectively) in HC (blue) and SP (red), respectively. The significant reported p-value ($p = 9.1 \, 10^{-5}$), which is associated with a two-sample Kolmogorov-Smirnov test between the two distributions, demonstrates that the neurovascular asymmetry in SP, quantified by NIHD, is significantly different and actually larger than the one observed in HC.




Figure 12: Statistical analysis of the haemodynamic differences between middle-age (MA) and elderly (E) subjects. (a): T-scores associated with the two-sample t-test between the distributions of haemodynamic dilation parameters in middle-age (MA) and elderly (E) subjects (null hypothesis $H_0: \bar{\delta}_m^{\rm MA} = \bar{\delta}_m^{\rm E}, \forall m=1,\ldots,M$). Note that most of the T-values are positive meaning that $\bar{\delta}_m^{\rm MA} > \bar{\delta}_m^{\rm E}$ most often. (b): Thresholded statistical map $(-\log_{10}p_{\rm val})$ associated with a two-sample t-test performed to assess the mean difference in terms of haemodynamic dilation parameter between the middle-age and elderly subjects. The p-values were Bonferonni corrected for multiple comparisons performed across all ROIs (M=96). The map (axial slices) was thresholded at a significance level of $\alpha=0.05$ corresponding to $p_{\rm val}=1.65$ on the color bar.




Figure 13: Accuracy score for classifying middle-age vs. elderly subjects (459 individuals sampled from the UK Biobank database). (a): The prediction was performed by pulling individual features either based on (i) the estimated neural activation signals $(\hat{z}_k)_{k=1}^{20}$, (ii) HRF shape estimates $(\hat{v}_{\delta_m})_{m=1}^{96}$ or (iii) the haemodynamic dilation parameters $(\hat{\delta})_{m=1}^{96}$. From top to bottom, the distribution of the classification scores is shown from for the predictive features (i)-(iii), respectively. The best accuracy scores (average 0.74) are reached using the haemodynamic parameters and the smallest variability in the prediction using specifically the dilation parameter estimates. (b): Learning curve of accuracy scores as a function of the number of individuals (middle-age vs elderly subjects) used for the training stage both for the haemodynamic dilation parameter (blue curve) and the temporal components (orange curve). As a plateau is reached for 459 people, we presented the corresponding performances in panel (a).