

Fig.1




Fig.2




Fig.3




Fig.4






Fig.6



(position on next page?)

Fig. 7



(Continued on next page)

Table 1Common species between the Zuodeng ostracod fauna and other PTBM ostracod faunas around the Paleo-Tethys. X, same species; cf., *conformis* species.

Species	Jinya/Wall (Crasquin-Soleau et al., 2006)	Dajiang (Forel, 2012)	Chongyang (Liu et al., 2010)	Çürtik Dağ (Forel, 2015)	Bulla (Crasquin et al., 2008)	Elikah River (Forel et al., 2015)	Bákvány North (Forel et al., 2013)
<i>Luzhinia ananyanensis</i> Crasquin-Soleau, 2004	X	X		X	X		
<i>Paracypris gaetanii</i> Crasquin-Soleau, 2006	X	X	X	X			
<i>Bairdia wuflensis</i> Crasquin-Soleau, 2006	X			X		X	X
<i>Bairdia jeromei</i> Forel, 2012		X					
<i>Bairdiacypris omanensis</i> Crasquin-Soleau, 2004		X	cf.	X			
<i>Bairdia</i> sp.5 sensu Forel, 2012		X					
<i>Bairdia beedei</i> Ulrich & Bassler, 1906			cf.				
<i>Bairdiacypris? caeca</i> Shi, 1987			X				
<i>Bairdia? kemerensis</i> Crasquin-Soleau, 2004				X			
<i>Luzhinia guangxiensis</i> Crasquin-Soleau, 2006				cf.			

Table1