



**HAL**  
open science

## **New Insights into Pb Isotope Fingerprinting of U-Mine Material Dissemination in the Environment: Pb Isotopes as a Memory Dissemination Tracer**

Alkiviadis Gourgiotis, Arnaud Mangeret, Gérard Manhès, Pascale Blanchart, Lucie Stetten, Guillaume Morin, Pierre Le Pape, Pierre Lefebvre, Mathieu Le Coz, Charlotte Cazala

### ► To cite this version:

Alkiviadis Gourgiotis, Arnaud Mangeret, Gérard Manhès, Pascale Blanchart, Lucie Stetten, et al.. New Insights into Pb Isotope Fingerprinting of U-Mine Material Dissemination in the Environment: Pb Isotopes as a Memory Dissemination Tracer. *Environmental Science and Technology*, 2019, 54 (2), pp.797-806. 10.1021/acs.est.9b04828 . hal-03041326

**HAL Id: hal-03041326**

**<https://hal.science/hal-03041326>**

Submitted on 4 Dec 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1 **New insights into Pb isotope fingerprinting of U-mine**  
2 **material dissemination in the environment: Pb isotopes as a**  
3 **memory dissemination tracer.**

4

5 A. Gourgiotis<sup>1\*</sup>, A. Mangeret<sup>1</sup>, G. Manhès<sup>2</sup>, P. Blanchart<sup>3</sup>, L. Stetten<sup>1,4,5</sup>, G. Morin<sup>4</sup>, P. Le  
6 Pape<sup>4</sup>, P. Lefebvre<sup>4</sup>, M. Le Coz<sup>1</sup>, C. Cazala<sup>1</sup>

7

8 <sup>1</sup>Institut de Radioprotection et de Sûreté Nucléaire - PSE/ENV - SEDRE/LELI, Fontenay-aux-  
9 Roses, 92262, France.

10 <sup>2</sup>Institut de Physique du Globe de Paris, Sorbonne Paris Cité, Université Paris-Diderot, UMR  
11 CNRS 7154, 1 rue Jussieu, 75238 Paris Cedex, France.

12 <sup>3</sup>Institut de Radioprotection et de Sûreté Nucléaire - PSE/ENV - SEDRE/USDR, Fontenay-aux-  
13 Roses, 92262, France.

14 <sup>4</sup>Institut de Minéralogie, de Physique des Matériaux et de Cosmochimie (IMPMC), UMR 7590  
15 CNRS-Sorbonne Université IRD-MNHN, case 115, 4 place Jussieu, 75252 Paris Cedex 5,  
16 France.

17 <sup>5</sup>Centre for Microbiology and Environmental Systems Science, University of Vienna,  
18 Althanstraße 14, UZA II, 1090 Vienna, Austria


19

20 \*corresponding author: [alkiviadis.gourgiotis@irsn.fr](mailto:alkiviadis.gourgiotis@irsn.fr)

21

22

23



24

25

26

27

28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

**Abstract**

Stable Pb isotope ratios were measured and compared to U distributions in three soil cores located in a wetland highly impacted by water discharge of a former U-mine. Pb isotope ratios showed notable alignments in binary mixing plots demonstrating the dissemination of radioactive-enriched material from the U-mine. Thanks to these alignments and to the measurement of  $^{204}\text{Pb}$  isotope, a precise characterization of the Pb isotope composition of the U-ore was performed without the use of U-ore samples. The well-defined end-members with the help of a reevaluated isotope mixing model allowed the accurate determination of the radiogenic Pb percentages in the cores that were overall found to be >50%. Non-correlated distributions of radiogenic  $^{206}\text{Pb}$  and U are observed in several of the wetland soil samples studied. They reveal post-depositional U redistribution explained by major U speciation changes due to redox cycling in the wetland. On the contrary, the radiogenic  $^{206}\text{Pb}$  showed no or small post-depositional mobility and thus can be considered to be a memory tracer of the dissemination of U-rich radioactive material: even after an important U loss, the radiogenic  $^{206}\text{Pb}$  is able to reveal past contamination by U-rich materials.