

How far have we come? A review of MPA network performance indicators in reaching qualitative elements of Aichi Target 11

Mairi C Meehan, Natalie C Ban, Rodolphe Devillers, Gerald Singh, Joachim Claudet

► To cite this version:

Mairi C Meehan, Natalie C Ban, Rodolphe Devillers, Gerald Singh, Joachim Claudet. How far have we come? A review of MPA network performance indicators in reaching qualitative elements of Aichi Target 11. Conservation Letters, 2020, 13 (6), 10.1111/conl.12746. hal-03087070v2

HAL Id: hal-03087070 https://hal.science/hal-03087070v2

Submitted on 23 Dec 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

- 1 How far have we come? A review of MPA network performance indicators in
- 2 reaching qualitative elements of Aichi Target 11
- 3
- 4 Short title: Review of MPA network effectiveness indicators
- 5 Mairi C. Meehan^{1,2}, Natalie C. Ban², Rodolphe Devillers^{3,1}, Gerald Singh¹, Joachim Claudet⁴
- 6 1 Department of Geography, Memorial University of Newfoundland, 232 Elizabeth Avenue, St.
 7 John's, NL, A1B3X9, Canada
- 8 2 School of Environmental Studies, University of Victoria, PO Box 1700 STN CSC, Victoria, BC V8W
 9 2Y2, Canada
- 10 3 Espace-Dev, UMR 228, Institut de Recherche pour le Développement (IRD), Maison de la
- 11 Télédétection, 500 rue Jean-François Breton, 34093 Montpellier, France

4 - National Center for Scientific Research, PSL Université Paris, CRIOBE, USR 3278 CNRS-EPHE-UPVD, Maison des Océans, 195 rue Saint-Jacques, 75005 Paris, France

Abstract

Effective networks of marine protected areas (MPAs) are explicitly recognized and called for in international biodiversity conservation strategies such as Aichi Target 11. While various indicators have been proposed to assess effectiveness of individual MPAs, no comprehensive set of indicators exists for MPA networks, particularly for qualitative targets. The qualitative elements recognize the value of social, economic, governance, and ecological factors in achieving effective biodiversity conservation. Here, we used a systematic literature review to identify indicators of MPA network effectiveness. We reviewed 64 publications and identified 48 indicators that could be aligned with the qualitative elements of Aichi Target 11. Results showed that assessments of MPA network effectiveness predominantly focused on effective management while neglecting equitable management, and integration into the wider land and seascape. Indicators tended to focus on ecological characteristics, overlooking the social, cultural and governance dimensions. Key challenges in addressing these gaps include identifying conflicting priorities and objectives in adjacent marine and land areas that interfere with cooperation and knowledge sharing, and ensuring representation from diverse areas with distinct social and ecological contexts. This study provides the first review of indicators for assessing MPA networks and should help assessing whether current and future targets are met.

12 Introduction

- 13 The protection of global marine and coastal ecosystems has garnered increased scientific
- 14 and political interest in the last decade, driven by international targets such as the

15 Convention on Biological Diversity's (CBD) Aichi Target 11 (CBD 2011; Sala et al. 2018). 16 Aichi Target 11 calls for "...at least 17 per cent of terrestrial and inland water areas, and 10 17 per cent of coastal and marine areas of particular importance for biodiversity and ecosystem services [to be conserved through] effectively and equitably managed, 18 ecologically representative, well-connected systems of protected areas and other effective 19 20 area-based conservation measures, and integrated into the wider landscape and seascape" 21 (CBD 2011). The amount of area each country sets aside for terrestrial and marine 22 protected areas is the principal indicator for determining effectiveness of this approach 23 (Gannon et al. 2017; Adams et al. 2019). While focusing on the area alone makes it more 24 straightforward to assess and may help bolster political will, such a simple measure falls short as a proxy for protected area effectiveness (DeSanto 2013; Devillers et al. 2015; 25 26 Zupan et al. 2018; Coad et al. 2019; Claudet et al. 2020). The six qualitative elements of 27 Aichi Target 11 (hereafter qualitative elements; 'areas of importance for biodiversity 28 conservation and ecosystem services', 'ecological connectivity', 'equitable management', 29 'effective management', 'integration into the wider land and seascape' and 'ecological 30 representation') are designed to ensure that established protected areas are effective 31 beyond consideration of the quantitative target by providing a conceptualization of how 32 MPA networks should attain biodiversity conservation (Rees et al. 2018; Geldmann et al.

33 2020).

34 contributes to a growing awareness that conservation strategies need to move beyond

protecting individual, isolated areas (CBD 2011; Adams et al. 2019). This is particularly

36 relevant for marine systems, which is the focus of this research. Marine Protected Areas

37 (MPAs) are established to safeguard threatened marine ecosystems and species from

destructive human activity (CBD 2011, 2018). A collection of individual MPAs intentionally
 arranged into an organized group is considered an MPA network. MPAs within a network

40 thereby operate in a cooperative and synergistic manner (IUCN-WCPA 2008). As a result,

41 an MPA network is thought to be more than the sum of its parts (Grorud-Colvert et al.

42 2014). MPA networks are essential biodiversity conservation tools designed to improve

43 marine biodiversity protection by encompassing spatial scales that better reflect species'

44 life history distributions (Green et al. 2007). They can help mitigate the impact of climate

45 change through the application of network design elements such as replication,

46 representation, and connectivity (McLeod et al. 2009). MPA networks may also enable cost

47 sharing and collaboration among communities and conflict relief in high-use areas (White

48 et al. 2005). Target 11 also promotes conservation beyond geopolitical boundaries by

49 recognizing the crucial role of governance, economic, social and ecological factors working

in concert to influence ecological outcomes (Jones 2014; Hill et al. 2016; Gill et al. 2017;
Rees et al. 2018; Yates et al. 2019). Implementing effective MPA networks requires careful

52 consideration of these factors, also known as dimensions, that underlie the social and

53 ecological links within the ecosystem (McGinnis & Ostrom 2014). Therefore, here, we

54 define effectiveness as the degree to which MPA networks demonstrate characteristics

related to the six qualitative elements (Woodley et al. 2012; Gannon et al. 2017).

56 Monitoring and evaluation is an important step in deciphering whether a conservation 57 approach is reaching its objective(s) (Heink & Kowarik 2010; Conservation Measures 58 Partnership 2016). This process makes use of indicators to track progress of the project 59 and understand the impacts of the intervention and whether objectives are being attained 60 (Conservation Measures Partnership 2016). An indicator is a variable used to describe or measure the status of a particular characteristic of a system over time, such as change in 61 abundance of a species (Hockings et al. 2000; Pomeroy et al. 2004; Claudet & Guidetti 2010; 62 63 Woodcock et al. 2017). Evaluations of MPA effectiveness exist for a range of objectives, 64 from effectiveness of community management on livelihoods, fisheries or agricultural practices to the benefits provided by MPAs for ecosystem health and biodiversity (Coad et 65 66 al. 2013). Evaluating the effectiveness of MPA networks will require assessing individual 67 MPA contributions, as well as those specifically associated with networks. For instance, the 68 well-established ecological benefits of individual [fully protected] MPAs (Lester & Halpern 69 2008; Sala & Giakoumi 2017) and the factors such as size, age, socioeconomics and 70 governance that influence effectiveness across various scales (Charles & Wilson 2008: 71 Claudet et al. 2008; Corrigan et al. 2017; Hargreaves-Allen et al. 2017; Mizrahi et al. 2018) 72 have been validated in MPA networks (Lowry et al. 2009; Grorud-Colvert et al. 2014). As

- such, individual MPAs may provide relevant insights for MPA networks (IUCN-WCPA
- 74 2008).
- 75 While many studies propose indicators that can help assess the effectiveness of individual
- 76 MPAs (Woodcock et al. 2017), indicators for measuring network-specific elements (e.g.
- connectivity, representativeness) are infrequently used in practice (Gannon et al. 2017;
- Geldmann et al. 2020). Furthermore, a synthesis of indicators that can be used for
- 79 evaluating effectiveness of MPA networks in achieving (e.g. equity, land-sea integration)
- are still needed (Geldmann et al. 2020). Here, we draw upon several existing MPA
- 81 evaluation frameworks to organize indicators and ensure a practical connection to existing
- 82 evaluation initiatives (Pomeroy et al. 2004; Leverington et al. 2010; Gannon et al. 2017).
- 83 These frameworks were developed over time, in consultation with global participants; as
- 84 such, they provide a context and structure for indicator organization. Furthermore, these
- 85 frameworks apply guidance for assessing management effectiveness which details six
- 86 management stages that outline the iterative process inherent in effective protected area
- 87 management (Hockings et al. 2000). Finally, the frameworks provide a categorisation of
 88 indicators based on the social, ecological, economic, and governance dimensions previously
- bo indicators based on the social, ecological, economic, and governance dimensions previously
- 89 discussed.
- 90 The purpose of our literature review was to identify existing indicators from the MPA
- 91 network evaluation literature, then characterize the use of these indicators in evaluating
- 92 MPA network effectiveness toward achieving Target 11. MPA networks are multi-faceted,
- 93 and demonstrate complex social and ecological relationships influencing, and being
- influenced by, these conservation measures (Corrigan et al. 2017; Rees et al. 2018). We
- 95 explored how indicators are used to measure each qualitative element, including the
- dimensions (social, ecological, economic, and governance) and six management stages
 (context, planning, process, input, output, and outcome) they are associated with. We
- 97 (context, planning, process, input, output, and outcome) they are associated with. We
 98 identified the gaps in the types of indicators used to evaluate MPA networks and their


- 99 diversity and distribution in evaluating the qualitative elements. The gaps identified
- 100 through this review will enable further inquiry into the best approach to evaluate networks
- 101 of MPAs.
- 102 Methods
- 103 We conducted a systematic literature review to identify indicators used to assess MPA
- 104 network effectiveness in achieving the qualitative elements of (Moher et al. 2009). We
- searched peer-reviewed publications using Web of Science core collection database (1900
- to April 2019) and Elsevier's Scopus database (1995 to April 2019) (see Table S1 for the
- 107 search terms used). In addition, we used the citation tracing method (i.e., reviewing
- 108 citations within selected publications) for relevant publications that were not captured in
- 109 the original literature search. For all selected publications, we reviewed titles and abstracts
- 110 to ensure that studies evaluated or discussed the effectiveness of some aspects of an MPA
- 111 network or system of MPAs. To avoid the introduction of subjective error through
- 112 interpretation, we accepted what each study identified as an MPA network, not further
- 113 evaluating whether if fit our definition.
- 114 Publications that discussed MPA network design or the status of an area prior to MPA
- 115 network implementation were excluded (Fig 1) as we wanted studies that specifically
- assessed the network after implementation. For each of the final publications selected, we
- recorded: (1) geographic location of the study; 2) the qualitative elements evaluated, (3)
- the management stages of each MPA network being evaluated, (4) the dimensions of each
- evaluation, and (5) the variables used to measure impact of MPA network on the
- 120 qualitative elements.
- 121 We coded each paper for one or more of the six qualitative elements assessed (Table 1, Fig
- 122 2). We then identified and coded each paper for the dimensions covered by the research
- 123 (ecological, social, economic, or governance; Table 2). Finally, we coded the paper with its
- 124 respective stage in the process of evaluation for effective management (i.e., context,
- 125 planning, inputs, process, and outputs) as proposed in Hocking et al.'s (2000) framework
- 126 for the assessment of protected area management effectiveness.
- 127Table 1. Description of the six Aichi Target 11 qualitative elements used in this review; abbreviations used in some figures128are in parentheses.

Aichi Target 11 qualitative element	Description		
Areas of particular	Areas of importance are considered "geographically or oceanographically		
importance for	discrete areas that provide important [biodiversity and ecosystem] services to		
biodiversity and	one or more species/ populations of an ecosystem or to the ecosystem as a		
ecosystem services	whole, compared to other surrounding areas or areas of similar ecological		
	characteristics, or otherwise meet the criteria as identified in annex I to decision		
(Areas of Importance)	IX/20" (CBD 2008).		
Effectively managed	Effective management describes the extent to which management achieves goals and objectives designated for a particular area (Hockings et al. 2006). This includes design issues relating to both individual sites and protected area systems; adequacy and appropriateness of management systems and processes;		

	effective public participation and social policy processes, and delivery of
	protected area objectives (Woodley et al. 2012).
Equitably managed	Equitable management highlights the impact and benefit of conservation actions
	on human wellbeing and social systems, including: the fair distribution of
(Equity)	economic benefits and livelihood opportunities (distributional equity); the
	process for involvement and inclusion of stakeholders in planning,
	implementing and administering (procedural equity); and the process of
	acknowledging and accepting the legitimacy of rights, values, interests, and
	priorities of different actors and respecting their human dignity (recognitional
	equity) (Juffe-Bignoli et al. 2014; Schreckenberg et al. 2016).
Ecologically	Representativeness is considered the inclusion of areas that represent the entire
representative	suite of "different biogeographical subdivisions of the global oceans and regional
	seas that reasonably reflect the full range of ecosystems, including the biotic and
(Representative)	habitat diversity of these marine ecosystems" (CBD 2008). Representative
	includes the element of replication to ensure risk is minimized in the event of
	unforeseen or catastrophic events (Rees et al. 2018).
Well-connected	Connectivity in relation to MPA networks concerns the "linkages whereby
	protected sites benefit from larval and/or species exchanges, and functional
(Connectivity)	linkages from other network sites" (CBD 2008).
Integrated into wider	In recognition that Protected Areas cannot work in isolation, this element
landscape and	identifies the importance of integrating MPAs with other conservation and
seascape	management tools, such as fisheries management or land use plans for land-
I	based sources of pollution. Other considerations for this element include
(Integrated)	potential cumulative impacts stemming from climate change, ocean acidification,
lincelacu	ocean noise, and pollution (Juffe-Bignoli et al. 2014; Rees et al. 2018).



Papers coded for the evaluation of one or more Aichi Target 11 qualitative elements



- 130 recorded the variable(s) used to evaluate each element of the MPA network (Table S2). We
- 131 consider a variable as a factor, trait, or condition that noticeably responds to a management
- 132 action and can therefore be used to measure the effect of that action. The distribution of

- 133 pink sea fans in southwest UK waters (Pikesley et al. 2016), for example, is considered a
- 134 variable for assessing MPA network connectivity. Although variables may or may not be
- 135 explicitly identified as such in the publications, we considered each measurement of a
- 136 qualitative element as a variable (Pelletier et al. 2005). We organized each variable
- 137 identified in a study into indicators, noting that some variables were already indicators, for
- example variable "distribution of pink sea fans" was organised into the indicator "species
- 139 distribution" (See Table S2 for categorization). This classification was based on existing
- 140 frameworks designed to assess individual MPAs (Pomeroy et al. 2004; Leverington et al.
- 141 2010) and MPA networks (Gannon et al. 2017).
- 142 Table 2. Description of the terminology used in this paper.

Term	Description		
Variable	An observed (quantifiable) factor, trait, or condition that responds to a local change such as implementation of a management action (Pelletier et al. 2005).		
Indicator	An indicator is a suite of one or more qualitative or quantitative variables (social, environmental, etc.) used to measure the status or change over time of a particular characteristic of interest in an ecosystem (Pomeroy et al. 2004).		
Dimension	 Dimensions are the ecological, governance, social and economic factors inherent in social-ecological systems that influence and are influenced by a management action (Pomeroy et al. 2004). The ecological dimension is important to understand the state of the system, the species or habitats of interest so that an intervention can proceed in an appropriate manner suitable to the needs of the species. The governance dimension includes aspects that help maintain or influence legislation, management and decision-making. The social dimension includes aspects of compliance, perceptions, and participation and engagement in resource management. The economic dimension includes financial resources and capital necessary to implement and achieve conservation initiatives. 		
Management stage	 Six management stages are considered important in the progress toward effective management of MPAs. They outline an adaptive process inherent in effective protected areas (context, planning, process, input, output, and outcome) design, implementation and management (Hockings et al. 2006). Context refers to the underlying conditions associated with a protected area, including status and threats, and target species; the needs, abilities, and desires of the stakeholders. Planning refers to establishing a clear objective, and issues of design, including preferred strategies or approaches to achieve the objective(s). Input refers to the resources (financial, personnel, material) needed for the project to come to fruition. Process relates to how the actions undertaken to achieve results- the adequacy of approaches in relation to the management objectives. Output pertains to the goods and services produced to realize the MPA objectives. Outcome relates to the highest level of results in relation to long term objectives-fully achieving Aichi Target 11. 		

143 We counted the number of times each element was assessed, the indicators used to assess

144 it, and the dimensions and management stages associated with each indicator. Finally, we

identified gaps in indicators used in the literature [to date] by evaluating the composition

- 146 of the indicators, specifically the dimensions and management stages associated with each
- 147 indicator. We then developed a flow diagram (SankeyMATIC, Bogart 2016) to show the
- 148 structure and distribution of the suite of indicators measuring the qualitative elements of
- 149 . This diagram reflects the frequency each indicator is linked to the management stages,150 dimensions, and qualitative elements.


151 To support our general findings on the suite of indicators and to help highlight gaps in how 152 indicators are used to measure effectiveness, we calculated Shannon (H') diversity and 153 evenness (E). These metrics are commonly used in community ecology to characterize species diversity, which we adapted to look at the diversity of indicators across qualitative 154 155 elements. Shannon diversity incorporates total number and distribution of individuals and 156 is sensitive to rare species, which is necessary to capture the rare presence of indicators for 157 some dimensions. To calculate Shannon's diversity, we used the formula: $H'=-\sum n_i/N * \ln n_i$ (n_i/N) , where n_i is the number of indicators used to evaluate each individual quantitative 158 159 element *i* and where N is the total number of indicators used across all qualitative 160 elements. A high diversity score means that many different indicators are used to evaluate 161 a specific qualitative element, while a low score means that one or a few indicators are 162 used to evaluate an element. We also calculated Shannon Evenness (E) to quantify the 163 distribution of indicators used to measure each qualitative element, as E = H'/ln(S), where S 164 refers to the indicator richness, the number of different indicators used to measure a 165 qualitative element (Verberk 2011). A higher evenness score indicates that a given 166 qualitative element is assessed by a wide variety of indicators, with no indicator

- 167 dominating the evaluations. A low evenness score means that few (or one) indicator is used
- 168 predominantly to evaluate this element. These matrices show how the indicators were
- 169 distributed across each qualitative element. All analyses and figures (unless specified
- 170 otherwise) were done using R (R Core Team 2019; version 3.6.1) with package vegan 2.5-6
- 171 (Oksanen et al. 2019) and ggplot2 version 2_3.3.2 (Wickham 2016).

172 **Results**

- 173 Our review identified 64 papers that discussed the effectiveness of an MPA network or
- system of MPAs in reaching one or more qualitative elements. Our analysis of those papers
- identified 223 variables, organized into 48 headline indicators that can help assess the
- 176 effectiveness of MPA networks in achieving qualitative elements. Each indicator identified
- 177 from the literature matches one or more qualitative elements. We found an uneven
- distribution in the assessment of qualitative elements in the literature. MPA networks were
- 179 predominantly evaluated for management effectiveness. Ecological indicators identified in
- 180 our study are closely aligned with those of individual MPAs (Pomeroy et al. 2004;
- 181 Leverington et al. 2010) and with indicators previously identified for MPA networks
- 182 (Gannon et al. 2019). Publications reviewed focused on 34 MPA networks from 15

- 183 countries (Fig 3, Table S3), and four regions including the Mediterranean Sea (n=5),
- 184 Northeast Atlantic (n=2), Western Pacific (n=1), Persian/Arabian Gulf (n=1), and three



Number of times an MPA network was assessed in the literature

	3	8 - D		3 1	E.	
0	1	2-3	4	5	6	7-15

Figure 3. Exclusive economic zones (EEZs) of countries and regions that have MPA networks evaluated in our literature review. Color grades represent the number of times an MPA network was studied in the countries associated with the EEZ; OSPAR area beyond national jurisdiction (ABNJ) is also depicted, having been assessed once.

- 185 studies located in an area beyond national jurisdiction (ABNJ), the OSPAR network. Several
- 186 studies were global in scope (n=5). We found that MPA networks in Australia were
- assessed most often (n=14), followed by the USA (n=11) (Fig 3). Several networks were
- 188 assessed multiple times by various researchers, including the Great Barrier Reef and the
- 189 Hawai'ian MPA networks (see Table S3 for list).
- 190




Figure 4. Proportion of indicators used to assess each Aichi Target 11 qualitative element. The blue line represents the proportion of times each qualitative element was evaluated in the studies reviewed. Qualitative elements were assessed a total of 223 times; this corresponds to the number of variables identified in the papers we reviewed. The orange line represents the proportion of indicators used to assess each qualitative element. A total of 48 headline indicators were identified.

191

192 Aichi Target 11 qualitative elements

- 193 'Effective management' was the qualitative element assessed most thoroughly. This
- element was assessed 153 times, in 69% of all papers we reviewed with 65% of all
- 195 indicators (Fig 4). Indicators used to evaluate effective management were associated with
- all dimensions and all management stages though disproportionately assessed ecological
- and governance dimensions (48% and 40% respectively) over social and economic
- dimensions (7% and 5% respectively; Fig. 5a). Output and process- associated indicators
- made up half of indicators used in evaluating effective management (31% and 21%,
- 200 respectively), while outcome, context, planning and input made up the remainder (16%,
- 201 14%,10% and 8% respectively, Fig 5b).




Figure 5. Proportion of indicators associated with the different dimensions (a) and management stages (b) used to measure each qualitative element. The various dimensions are represented in panel (a), the management stages are represented in panel (b).

- 202 Evaluations of 'Equitable management' were limited. 'Equitable management' was
- 203 evaluated twice, with two indicators (in less than one per cent of all papers evaluated, Fig
- 204 4). The indicators were used to assess the social and governance dimensions of this
- element (Fig 5a), with a focus on the context and outcome stages of management (Fig 5b).
- 206 The social indicator "Perception of MPA effects on livelihood" measured the context of
- 207 fishers' satisfaction with the process of implementing an MPA network (distributional
- 208 equity). The governance indicator "Level of stakeholder support and satisfaction in




Figure 6. Flow diagram describing the use of indicators in evaluating the Aichi Target 11 qualitative elements with their associated dimensions and management stages. For definitions of the Aichi elements, see Table 1. The colors are a visual aid to decipher the Target 11 qualitative elements, dimensions, management stages and indicators, and correspond with color scheme in figures 5 and 7. Each node, represented by a rectangle, represents a qualitative element, dimension, management stage or indicator, as described in the diagram. The thickness of each line and node is proportional to the number of times (number in parentheses) an indicator was used to assess this component. Dimensions describe the governance, social, economic, and ecological factors that influence MPA networks. Management stages describe where in the process of MPA network implementation the indicators are being used (for definitions, see Table 2). The colors on the indicator nodes represent the Aichi Target 11 qualitative elements that each indicator was used to measure.

- 210 management" assessed perceptions of stakeholders about the effect of MPA network
- 211 implementation in California (recognitional equity) (Fig 6, Table S2). Indicators used to
- assess procedural equity and other aspects, such as equitable distribution of benefits,
- 213 human wellbeing were missing in this review.
- 214 'Areas of importance for biodiversity conservation' was assessed 10 times using five
- 215 indicators (Fig 4). All of the indicators were used to assess the ecological dimension of this
- element (Fig 5a). These indicators also most commonly focused on outputs (80% of the
- 217 indicators for this element; Fig. 5b) to evaluate effectiveness of MPAs in covering key
- species and biodiversity areas. Indicators measured ecological outcomes (10%) for species
- 219 richness in areas of importance covered by an MPA. Indicators measuring ecological
- context (10%) focused on distribution patterns of focal species in order to make decisions
- on appropriateness of spatial arrangements (Péron et al. 2013).
- 222 'Ecological connectivity' was evaluated 19 times, in less than 9% of all papers we reviewed.
- All five indicators (Fig 4) used to evaluate this element focused in the ecological dimension
- (Fig 5a). Output (53%), context (37%) and Outcome (11%) were the management stages
- evaluated (Fig 5b). Ecological connectivity indicators focused on species and habitat
- distribution and dispersal, and spatial arrangement of protected areas in a network (Fig 6;
- 227 Table S2).
- 228 'Ecological representation' was assessed 36 times using four indicators (Fig 4). These
- indicators were used to measure output (67%), outcome (17%), and context (17%) stages
- of implementation solely within the ecological dimension (Fig 5). The indicator "Number of
- replicate habitats" was not previously associated with indicators from existing frameworks.
- This indicator was used to evaluate the effectiveness of a representative system in
- 233 minimising risk of negative impacts (Fernandes et al. 2005).
- 234 Integration into the wider landscape and seascape' was assessed three times (Fig 4). One
- ecological indicator was used to evaluate the influence of terrestrial sediments on an MPA.
- 236 Two governance indicators were used to measure planning and process stages of
- 237 integrated and transboundary management (Fig 6; Table S2), "Level of regional
- 238 cooperation and coordination" and "Existence of integrated management measures in
- 239 management plans". The indicators used to evaluate integration were not identified in
- 240 existing frameworks. Indicators used to assess integrated practices regarding the land-sea
- connection, and those to assess social aspects of integration such as community cohesion
- 242 or knowledge sharing are largely missing.
- 243 Indicator dimensions and management stages
- 244 Indicators were primarily associated with ecological and governance dimensions (20
- 245 indicators each), while indicators associated with economic and social dimensions were
- 246 more limited (4 and 6 indicators, respectively; Fig 6). Governance indicators were used in
- 247 the evaluation of every management stage. Social indicators were used to assess context,
- 248 input, process, and output stages of effective management and equitable management,

- 249 while economic indicators were used to assess context, input, and output stages of effective
- 250 management. Output was the most commonly assessed management stage in MPA network
- evaluations. Outputs and outcomes were predominantly evaluated with ecological
- indicators. Input was the management stage assessed the least, evaluated in terms of
- 253 governance and economics of effective management. Context was evaluated predominantly
- with ecological indicators representing all six qualitative elements (Fig 6). Planning and
- 255 process stages were primarily evaluated with governance and social indicators.
- 256 Indicator diversity
- 257 Results from measuring diversity of each suite of indicators that represent a qualitative
- element (Table 3) allowed us to quantify how the indicators were distributed across each
- 259 qualitative element (Table 3, Fig 7). Shannon diversity (H') confirmed that 'effective
- 260 management', which was evaluated the most, had the greatest abundance and largest
- 261 diversity of indicators (H' = 3.3). In contrast 'equitable management' was evaluated the
- least and had the lowest diversity of indicators (H' = 0.69). Diversity of indicators used to
- assess 'representativeness' was also low (H' = 0.85; Table 3). Diversity of indicators used to
- assess 'connectivity', 'areas of importance', and 'integration' were moderate with respect to
- the suite of indicators used to evaluate the qualitative elements (H' = 1.5, 1.4, and 1.1
- respectively). Evenness scores range between 0.6 and 1. The small sample sizes, however,
- 267 reduces the reliability of these findings.

268	Table 3. Shannon diversity and evenness of indicators for each qualitative element assessed	
-----	---	--

Qualitative	S	N	H'	Е
element	Indicator	Indicator	Shannon	Shannon
	Richness	Abundance	Diversity	Evenness
Areas of Interest	5	12	1.42	0.88
Well Connected	5	19	1.49	0.93
Effective	35	153	3.29	0.92
Management				
Equitable	2	2	0.69	1
Management				
Integration	3	3	1.10	1
Representative	4	36	0.85	0.61

269

- 270 Unique indicators
- 271 Several studies used indicators not yet recognized in the MPA evaluation frameworks we 272 used (Pomeroy et al. 2004; Leverington et al. 2010; Gannon et al. 2019). Three of these 273 indicators relate to the element of integration: "Existence of integrated management 274 measures", "Level of regional cooperation and coordination", and "Level of terrestrial 275 sediment influence". One indicator relates to ecological representation: the "Number of 276 replicate habitats" and one relates to the social dimension of effective management: "Level 277 of compliance". "Level of compliance" was used three times to asses the influence of MPA 278 networks on changing levels of compliance and poaching and, conversely how levels of

- 279 compliance influence effectiveness of MPA networks. Finally, 18 indicators used in the
- referenced frameworks were not mentioned in the literature we reviewed (see Table S5).
- 281 These missing indicators include community social, cultural, economic and governance
- 282 indicators as well as indicators measuring ecosystem services.

283 Leading indicators

The indicators most commonly used could form the basis of a core suite of indicators to

- evaluate MPA networks effectiveness (Table 4). Chief among these was "Coverage of
- ecoregions" used 23 times to evaluate representativeness. Another indicator for
 representativeness that was used more often than others was "Proportion of species
- representativeness that was used more often than others was "Proportion of species
 distributions covered by MPAs" (Table 4). "Focal species abundance" and Focal species
- 289 population structure" were the principal indicators for effective management (used 15 and
- 290 13 times, respectively), followed by "Area under no or reduced impact" and "Extent and
- severity of threats" (used 10 and 11 times, respectively). Principal connectivity indicators
- include "Species distribution", "Size and spatial arrangement of PAs" and "Species
- dispersal" (used 6, 5, and 4 times, respectively). "Coverage of species richness hotspots"
- and "Coverage of Key Biodiversity areas" were the principal indicators for Areas of
- 295 Importance, used 4 and 3 times each, respectively. Indicators for Equitable management
- and Integration were limited; each used once (Table 4).

Qualitative element	Indicators	Count
Equitable	Level of stakeholder support and satisfaction in management	1
Management	Perception MPA effects on livelihood	1
Integrated	Existence of integrated management measures in management plans	1
	Level of regional cooperation and coordination	1
	Terrestrial sediment influence	1
Areas of	Coverage of key biodiversity areas	3
Importance	Coverage of species richness hotspots	4
Well Connected	Size and spatial arrangement of MPAs	5
	Species distribution	6
	Species dispersal	4
Representative	Coverage of ecoregions	23
	Proportion of species distributions covered by MPAs	11
Effective	Focal species abundance	15
Management	Focal species population structure	13
	Extent and severity of threats	11
	Area under no or reduced impact	10

297 Table 4. Most commonly used indicators identified from this review.

298

299 **Discussion**

- 300 Despite the recent progress in designing and implementing MPA networks (Abecasis et al.
- 301 2017; Gannon et al. 2019), marine ecosystem health continues to decline (Diaz et al. 2019).
- 302 Assessing whether MPA networks are effective tools for biodiversity conservation is of

303 fundamental importance to help guide future conservation strategies (Grorud-Colvert et al.

- 304 2014). In addition to the 10% aerial target, the qualitative elements provide guidance on
- 305 how to safeguard marine biodiversity and ecosystem services. These qualitative elements
- 306 shift the narrative of conservation success from an ecological focus toward the
- 307 incorporation of human dimensions by acknowledging the relationship between the
- 308 protection of biodiversity and human wellbeing (Campbell & Vainio-Mattila 2016; Corrigan
- et al. 2017; Rees et al. 2018; Adams et al. 2019; Brueckner-Irwin et al. 2019). Our review of
 peer-reviewed publications found strong evidence of an uneven evaluation of effectiveness
- 311 across the qualitative elements, with many MPA network evaluations not addressing most
- 312 elements. While we should not expect an even distribution of indicators across those
- 313 elements, focus on the assessment of one element raises the risk of MPA networks not
- 314 meeting their expected goals. Such narrow focus may also distract from recognising
- 315 politically motivated implementation or infringements to social justice, which lead to
- distrust, conflict and violations (DeSanto 2013; Dehens & Fanning 2018), and other
- 317 unintended consequences (Weeks et al. 2014; Geldmann et al. 2020).
- 318 In our study, we found effective management as being the most wholly assessed qualitative
- 319 element (Fig. 6). Indeed, effective management has generally become the most evaluated
- 320 qualitative element in conservation (Pelletier 2011), for which there are numerous
- 321 frameworks used throughout the world (Leverington et al. 2010). Effective management
- provides a means to encourage transparency and accountability (Pelletier 2011), and can
- help reduce the risk of creating 'paper parks' (Mascia et al. 2014; Gill et al. 2017). However,
- an area that is effectively managed may not be effective at conserving biodiversity if, for
- example, it has limited biological significance to start with (Devillers et al. 2015), is not
- 326 connected to one another in a functionally coherent manner (Woodley et al. 2012), is
- biologically connected to an area with conflicting objectives (Sayles & Baggio 2017;
- 328 Mackelworth et al. 2019), or lacks adequate personnel or financial capacity to ensure goals
- and objectives are able to be met into the future (Coad et al. 2015).
- 330 Gaps and challenges
- 331 We showed here that while evaluations of management effectiveness are complex and
- 332 contain a myriad of indicators, they still poorly incorporate social and economic
- dimensions (see Fig. 6). Missing these factors may enhance the risks of creating MPA
- networks that underperform relative to their promise (Coad et al. 2015; Corrigan et al.
- 2017; Di Minin & Toivonen 2017). In working toward the post-2020 agenda, the
- 336 conservation community will benefit from knowing how MPA networks are being
- 337 measured toward this (holistic) target. Our review found that indicators used to evaluate
- input and planning toward MPA network implementation are limited. Input-related
- indicators reflect capacity, including personnel and funding for management. Planning-
- 340 related indicators reflect how the mechanisms to achieve management occurs (Hockings et
- al. 2000), such as design, and legislation or policy that enables the process to move forward
- in a clear and transparent manner. Appropriate input and planning–related indicators are
- 343 imperative to successful conservation initiatives.

344 Effective management of MPA networks will also benefit from improved economic and

- social indicators (See Fig. 5). Indeed shortage in capacity and financial resources have been
- identified as critical impediments to attaining the post 2020 conservation goals (Coad et al.
- 2015; Gill et al. 2017). We found four indicators evaluating economic factors among MPA
- 348 networks covering a range of spatial scales, just one evaluated the adequacy of funding to
- 349 implement a national system of MPAs (Gerhardinger et al. 2011). Evaluations considering
- 350 both market and non-market values need to be mainstreamed into MPA network
- 351 effectiveness evaluations (Davis et al. 2019). Furthermore, while social dimensions such as
- 352 wellbeing, equity, cultural contexts, and indigenous engagement are enjoying increased
- attention, means to measure the impact of MPA networks on these elements and their
- influence on MPA success is yet underrepresented (Corrigan et al. 2017). Incorporating
 these dimensions onto a cohesive monitoring and evaluation framework, albeit daunting,
- 356 will be necessary to achieve a post 2020 agenda (Addison et al. 2018).
- Equitable management has been receiving increased attention (Hill et al. 2016; Dawson et al. 2018; Law et al. 2018; Rees et al. 2018) including the development of indicators to evaluate this element (Schreckenberg et al. 2016; Zafra-Calvo et al. 2017; Campbell & Gray 2018; Moreaux et al. 2018). We, however, found only two evaluations of equity. These two instances focused on procedural and recognitional equity of stakeholder support and participation in concentration of the state of the indicator of
- participation in conservation actions (See Table 1 for definitions). The indicator of
 recognition "Level of stakeholder support and satisfaction in management" does not
- 364 specifically address potential discrimination, inclusion, and respect for human rights, as
- 365 equity frameworks would suggest (Schreckenberg et al. 2016). The other indicator used to
- assess distributional equity in MPA networks, "Perception of MPA effects on livelihood",
- 367 assessed the perception of MPA effects on livelihood, but not the sharing of benefits among
- actors, or mitigation of potential impacts as called for in equity frameworks (Franks &
- 369 Small 2016; Schreckenberg et al. 2016). Our results corroborate those of Moreaux et al.
- 370 (2018) who found that the existing assessment tools cannot adequately evaluate equity in 371 protected areas as they do not capture the complex underlying relationships fundamental
- 371 protected areas as they do not capture the complex underlying relationships fundamental
 372 to this element. Evaluation of equity is resource intensive and cumbersome, and often
- 373 results cannot be comparable across sites within a network (Moreaux et al. 2018).
- 374 It is well known that protected areas managed in isolation without consideration of issues 375 happening in surrounding areas such as pollution, habitat destruction and overfishing 376 reduces success of the protected area (Agardy et al. 2011). There has been a surge in 377 funding allocated to integrating and mainstreaming protected areas with agricultural 378 sectors (Bacon et al. 2019). The increased commitments by countries toward this element 379 have been met with major limitations (Maxwell et al. 2020). Conflicting priorities, 380 contradictory objectives, and competing interests across different sectors and adjacent regions (Jones 2001; Álvarez-Romero et al. 2011; Gannon et al. 2019) as well as the lack of 381 382 indicators for assessing the integration of protected areas into the wider landscape and 383 seascape challenge the realisation of this element (Bacon et al. 2019). We identified three
- indicators used to evaluate integration (Fig 6). These unique indicators focused on

- 385 governance and land-sea interactions, yet they did not consider measures of integrated
- 386 practices, community cohesion, knowledge sharing, or distribution of land-based impacts
- 387 (Partelow et al. 2015; Jupiter et al. 2017).
- 388 Another challenge is identifying a suite of indicators that addresses areas of particular
- 389 importance for ecosystem services. We identified several indicators that captured aspects
- 390 of areas of importance for biodiversity conservation, while indicators used to evaluate
- ecosystem services were absent from the literature we reviewed. The gap in assessments
- 392 may be due to the lack of a generally accepted approach to measure the suite of services
- provided by an ecosystem (Gannon et al. 2019). Many ecosystem services do not have a
 comprehensive suite of indicators to measure them. Indicators that do exist are often
- inadequate to fully represent the complexity of benefits provided to, and used by, society
- 396 (McMichael et al. 2005; Brown et al. 2014), especially in the marine realm (Townsend et al.
- 397 2018).
- 398 We identified several leading indicators used to evaluate MPA networks, but recognize that
- 399 these are unlikely to be comprehensive and will require further refinement. We recognise
- 400 the indicators missing or under-represented in this review (Table S5) may characterize
- 401 fundamental components of terrestrial and marine protected area networks and hence
- 402 help assess whether or not these networks are fulfilling their objectives. In particular,
- 403 recent initiatives identifying indicators for equitable management (Zafra-calvo et al. 2017)
- 404 and integration (Bacon et al. 2019) will help identify priority indicators for evaluation of
- 405 MPA networks against the qualitative elements (Geldmann et al. 2020). Our findings can
- also be complemented in the future by using other sources, such as grey literature (e.g.
- 407 technical reports), local management plans, regional strategies, national action plans, and
- 408 expert opinions, to identify and categorise a core suite of headline indicators to evaluate
- 409 MPA networks effectiveness.
- 410 General implications and future work
- 411 Our study adds to the growing literature looking at MPA networks effectiveness. Other
- 412 reviews of MPA networks have focused on site specific objectives (Sciberras et al. 2013;
- 413 Davis et al. 2014) or on planning and design (Abesamis et al. 2006). Evaluating
- 414 effectiveness in the way we did has both advantages and limitations. Each qualitative
- element was treated independently, allowing for targeted evaluation of progress and may
- 416 provide insight into the individual contributions of these elements to the whole. In reality,
- 417 the qualitative elements should work interdependently to successfully conserve
- 418 biodiversity. The complex and dynamic relationships inherent in protected area networks
- 419 warrants a holistic, system-level approach to fully appreciate the interactions between the
- 420 various elements that influence success (Marshall et al. 2016; Mahajan et al. 2019).
- 421 Assessing the independent and combined contributions of each element and their
- 422 associated dimensions as a system will have implications for both management and policy.
- 423 Future work will also benefit from resolving the geographic imbalance in MPA networks
- 424 identified for this review. Including the management stages that indicators are associated

- 425 with helps to identify the underlying mechanisms of effectiveness how and why an MPA
- 426 network is effective. Knowing the management stages associated with indicators can
- 427 provide insight to identify entry points for targeted interventions, thereby improving
- 428 successful outcomes for future iterations of the intervention. This adaptive approach is
- 429 essential to ensure MPA networks are delivering successful conservation outcomes
- 430 (Hockings et al. 2000; Geldmann et al. 2020). The various perspectives regarding
- 431 ecological, economic and social contexts, and matters of governance from different
- 432 geographic provinces will ultimately provide insight into the factors that influence MPA
- network success (Di Marco et al. 2017; Venter et al. 2018). Indeed countries appear to be
 shifting away from quantiative aerial commitments in favor of the qualitative elements
- 435 (Adams et al. 2019; Bacon et al. 2019), which acknowledges the relationship between the
- 436 protection of biodiversity and human wellbeing (Rees et al. 2018). This is likely to come
- 437 through implementation and integration of other effective area-based conservation
- 438 measures (OECMs; CBD 2018). While we did not include OECMs in this review. We note the
- 439 importance of these measures for conservation, particularly with respect to governance
- 440 and social dimensions in attaining an effective, representative, and equitable global
- 441 protected area estate (Corrigan et al. 2017; Bacon et al. 2019).
- 442 Conclusion
- 443 It is not surprising that ecological outputs are most often assessed to determine MPA
- 444 network effectiveness since MPAs are meant to protect biodiversity and ecological
- 445 processes. However, achieving ecological outcomes often depends on an array of social,
- economic and governance factors (Ban et al. 2019; Brueckner-Irwin et al. 2019; Hockings et
- al. 2019; Yates et al. 2019). Evaluating these factors may help understand root causes of
- stakeholder cooperation and acceptance, and improve concerns of legitimacy (Dehens &
- Fanning 2018) and equitable sharing of benefits (White et al. 2005; Franks & Small 2016).
- 450 Indeed, linked social and ecological dynamics were recognized as influencing conservation
- 451 effectiveness in some of the literature reviewed (e.g. Van Lavieren & Klaus 2013).
- 452 Our review highlighted an imbalance in the assessment of protected areas' effectiveness in
- 453 conserving and protecting areas of high biodiversity importance in a sustainable manner.
- 454 Here, we provided, to the best of our knowledge, the first systematic review of indicators
- 455 used to assess MPA networks. This is a first step towards providing guidance for assessing
- 456 MPA networks on a global scale. We found that current assessments of MPA networks are
- 457 largely built on assessments used for individual MPAs. This is perhaps unsurprising as
- 458 individual MPAs contribute to MPA networks and MPA network assessments have
- 459 developed from the assessment of individual MPAs. However, MPA networks were
- 460 envisioned to recognize the larger systems in which individual MPAs exist. This may
- 461 require assessment criteria that includes structure for interacting systems that does not
- 462 treat MPA networks as a form of individual MPAs or a collection of independent MPAs. Our
- 463 results indicate that the monitoring and evaluation of MPA networks largely overlook the
- 464 qualitative elements of equity in management and how MPA networks are integrated into
- the wider land and seascape. Additionally important social and economic attributes are

- seldom measured in MPA networks performance evaluations. Assessment of MPA network
- 467 performance using a more suitable and balanced suite of indicators will be key to ensure
- that MPA networks can help protect marine ecosystems more effectively.
- 469 Acknowledgements
- 470 This research is sponsored by the NSERC Canadian Healthy Oceans Network and its
- 471 Partners: Department of Fisheries and Oceans Canada and INREST (representing the Port
- 472 of Sept-Îles and City of Sept-Îles). NCB was supported by the University of Victoria's
- 473 Lansdowne Scholar award. JC acknowledges the support of BiodivERsA (METRODIVER
- 474 project) and Fondation de France (MakeItWork project).

475 **References**

- Abecasis, D., Afonso, P. & Erzini, K. (2017). An ecological framework for the development of
 a national MPA network. *Aquat. Living Resour.*, 30, 14.
- Abesamis, N.P., Corrigan, C., Drew, M., Campbell, S. & Samonte, G. (2006). Social Resilience: A *literature review on building resilience into human marine communities in and around MPA networks. MPA Networks Learn. Partnership, Glob. Conserv. Progr.*
- Adams, V.M., Iacona, G.D. & Possingham, H.P. (2019). Weighing the benefits of expanding
 protected areas versus managing existing ones. *Nat. Sustain.*, 2, 404–411.
- Addison, P.F.E., Collins, D.J., Trebilco, R., Howe, S., Bax, N., Hedge, P., Jones, G., Miloslavich, P.,
 Roelfsema, C., Sams, M., Stuart-Smith, R.D., Scanes, P., Von Baumgarten, P. &
 McQuatters-Gollop, A. (2018). A new wave of marine evidence-based management:
 Emerging challenges and solutions to transform monitoring, evaluating, and reporting. *ICES J. Mar. Sci.*, 75, 941–952.
- 488 Agardy, T., Davis, J. & Sherwood, K. (2011). *Taking Steps toward Marine and Coastal*489 *Management: An Introductory Guide. UNEP Reg. Seas Rep. Stud.*
- Álvarez-Romero, J.G., Pressey, R.L., Ban, N.C., Vance-Borland, K., Willer, C., Klein, C.J. &
 Gaines, S.D. (2011). Integrated Land-Sea Conservation Planning: The Missing Links. *Annu. Rev. Ecol. Evol. Syst.*, 42, 381–409.
- Bacon, E., Gannon, P., Stephen, S., Seyoum-Edjigu, E., Schmidt, M., Lang, B., Sandwith, T., Xin,
 J., Arora, S., Adham, K.N., Espinoza, A.J.R., Qwathekana, M., Prates, A.P.L., Shestakov, A.,
 Cooper, D., Ervin, J., Dias, B.F. de S., Leles, B., Attallah, M., Mulongoy, J. & Gidda, S.B.
 (2019). Aichi Biodiversity Target 11 in the like-minded megadiverse countries. *J. Nat. Conserv.*, 51, 125723.
- Ban, N.C., Gurney, G.G., Marshall, N.A., Whitney, C.K., Mills, M., Gelcich, S., Bennett, N.J.,
 Meehan, M.C., Butler, C., Ban, S., Tran, T.C., Cox, M.E. & Breslow, S.J. (2019). Well-being
 outcomes of marine protected areas. *Nat. Sustain.*, 2, 524–532.
- Brown, C., Reyers, B., Ingwall-King, L., Mapendembe, A., Nel, J., O'Farrell, P., Dixon, M. &
 Bowles-Newark, N.J. (2014). *Measuring Ecosystem Services: Guidance on developing ecosystem service indicators. Unep-Wcmc.* Cambridge, UK.
- Brueckner-Irwin, I., Armitage, D. & Courtenay, S. (2019). Applying a social-ecological wellbeing approach to enhance opportunities for marine protected area governance. *Ecol. Soc.*, 24, art7.
- 507 Campbell, L.M. & Gray, N.J. (2018). Area expansion versus effective and equitable
 508 management in international marine protected areas goals and targets. *Mar. Policy*,
 509 100, 192–199.
- Campbell, L.M. & Vainio-Mattila, A. (2016). Participatory Development and Community Based Conservation : Opportunities Missed for Lessons Learned ? Author (s): Lisa M.
 Campbell and Arja Vainio-Mattila Published by : Springer Stable URL :
- 513 http://www.jstor.org/stable/4603483 Accessed : 13-04-2016. Hum. Ecol., 31, 417-

- 514 437.
- 515 CBD. (2008). Decision adopted by the Conference Of the Parties to the Convention on
 516 Biological Diversity at its ninth meeting ix/20. Marine and coastal biodiversity.
 517 UNEP/CBD/COP/DEC/IX/20. Bonn.
- 518 CBD. (2011). Strategic plan for biodiversity 2011-2020: provisional technical rationale,
 519 possible indicators and suggested milestones for the Aichi Biodiversity Targets. Nagoua,
 520 Japan.
- 521 CBD. (2018). Decision Adopted by the Conference of the Parties to the Convention on
 522 Biological Diversity "14/8. Protected areas and other effective area-based
 523 conservation measures." Conf. Parties to Conv. Biol. Divers. Fourteeth Meet. Agenda item
 524 24 CBD/COP/DEC/14/8 30 Novemb. 2018, 1–19.
- 525 Charles, A. & Wilson, L. (2008). Human dimensions of marine protected areas. *ICES J. Mar.*526 *Sci. J. du Cons.*, 66, 6–15.
- 527 Claudet, J. & Guidetti, P. (2010). Improving assessments of marine protected areas. *Aquat.* 528 *Conserv. Mar. Fresh water Ecosyst.*, 20, 239–242.
- 529 Claudet, J., Loiseau, C., Sostres, M., Zupan, M., Claudet, J., Loiseau, C., Sostres, M. & Zupan, M.
 530 (2020). Article Underprotected Marine Protected Areas in a Global Biodiversity
 531 Hotspot Il Underprotected Marine Protected Areas in a Global Biodiversity Hotspot.
 532 One Earth, 2, 380–384.
- Claudet, J., Osenberg, C.W., Benedetti-Cecchi, L., Domenici, P., García-Charton, J.A., PérezRuzafa, Á., Badalamenti, F., Bayle-Sempere, J., Brito, A., Bulleri, F., Culioli, J.M., Dimech,
 M., Falcón, J.M., Guala, I., Milazzo, M., Sánchez-Meca, J., Somerfield, P.J., Stobart, B.,
 Vandeperre, F., Valle, C. & Planes, S. (2008). Marine reserves: Size and age do matter. *Ecol. Lett.*, 11, 481–489.
- Coad, L., Leverington, F., Burgess, N.D., Cuadros, I.C., Geldmann, J., Marthews, T.R., Mee, J.,
 Nolte, C., Stoll-kleemann, S., Vansteelant, N., Zamora, C. & Hockings, M. (2013).
 Progress Towards the Cbd Protected Area Management Effectiveness Targets. *Park. J.*,
 19, 13–24.
- Coad, L., Leverington, F., Knights, K., Geldmann, J., Eassom, A., Kapos, V., Kingston, N., Lima,
 M. De, Zamora, C., Cuardros, I., Nolte, C., Burgess, N.D., Hockings, M., Kapos, V., de Lima,
 M., Zamora, C., Cuardros, I., Nolte, C., Burgess, N.D., Hockings, M., Lima, M. De, Zamora,
 C., Cuardros, I., Nolte, C., Burgess, N.D., Hockings, M. & Kapos, V. (2015). Measuring
 impact of protected area management interventions : current and future use of the
 Global Database of Protected Area Management Effectiveness. *Philos. Trans. R. Soc. B Biol. Sci.*, 370, 20140281.
- 549 Coad, L., Watson, J.E.M., Geldmann, J., Burgess, N.D., Leverington, F., Hockings, M., Knights,
 550 K. & Di Marco, M. (2019). Widespread shortfalls in protected area resourcing
 551 undermine efforts to conserve biodiversity. *Front. Ecol. Environ.*, 17, 259–264.
- 552 Conservation Measures Partnership. (2016). Classification of Conservation Actions and

- 553 Threats. *Classif. Conserv. Actions Threat. Version 2.0*, 2016.
- 554 Corrigan, C., J. Robinson, C., Burgess, N.D., Kingston, N. & Hockings, M. (2017). Global
 555 Review of Social Indicators used in Protected Area Management Evaluation. *Conserv.*556 *Lett.*, 11, 1–9.
- Davis, K.J., Vianna, G.M.S., Meeuwig, J.J., Meekan, M.G. & Pannell, D.J. (2019). Estimating the
 economic benefits and costs of highly-protected marine protected areas. *Ecosphere*, 10.
- Davis, M., Naumann, S., McFarland, K., Graf, A. & Evans, D. (2014). *Literature Review, the ecological effectiveness of the Natura 2000 Network. ETC/BD Rep. to EEA*. Paris.
- 561 Dawson, N., Martin, A. & Danielsen, F. (2018). Assessing Equity in Protected Area
 562 Governance: Approaches to Promote Just and Effective Conservation. *Conserv. Lett.*, 11,
 563 1–8.
- Dehens, L.A. & Fanning, L.M. (2018). What counts in making marine protected areas (MPAs)
 count? The role of legitimacy in MPA success in Canada. *Ecol. Indic.*, 86, 45–57.
- DeSanto, E.M. (2013). Missing marine protected area (MPA) targets: How the push for
 quantity over quality undermines sustainability and social justice. *J. Environ. Manage.*,
 124, 137–146.
- Devillers, R., Pressey, R.L., Grech, A., Kittinger, J.N., Edgar, G.J., Ward, T. & Watson, R. (2015).
 Reinventing residual reserves in the sea: Are we favouring ease of establishment over
 need for protection? *Aquat. Conserv. Mar. Freshw. Ecosyst.*, 25, 480–504.
- Diaz, S., Settele, J., Brondizio, E., Ngo, H.T., Gueze, M., Agard, J., Arneth, A., Balvanera, P.,
 Brauman, K., Butchart, S., Chan, K., Garibaldi, L., Ichii, K., Liu, J., Subramanian, S.M.,
 Midgley, G., Miloslavich, P., Molnar, Z., Obura, D., Pfaff, A., Polasky, S., Purvis, A.,
 Razzaque, J., Reyers, B., Chowdhury, R.R., Shin, Y.-J., Visseren-Hamakers, I., Willis, K. &
- 576 Zayas, C. (2019). Summary for policymakers of the global assessment report on
 577 biodiversity and ecosystem services. Intergov. Sci. Platf. Biodivers. Ecosyst. Serv. Adv.
 578 Unedited Version.
- Fernandes, L., Day, J., Lewis, A., Slegers, S., Kerrigan, B., Breen, D., Cameron, D., Jago, B., Hall,
 J., Lowe, D., Innes, J., Tanzer, J., Chadwick, V., Thompson, L., Gorman, K., Simmons, M.,
 Barnett, B., Samp, K., Slater, D., Stapleton, K., Sampson, K., De'ath, G., Mapstone, B.,
 Marsh, H., Possingham, H., Ball, I., Ward, T., Dobbs, K., Aumend, J., Slater, D. & Stapleton,
 K. (2005). Establishing Representative No-Take Areas in the Great Barrier Reef: LargeScale Implementation of Theory on Marine Protected Areas. *Conserv. Biol.*, 19, 1733–
- 585 1744.
- Franks, P. & Small, R. (2016). Understanding the social impacts of protected areas : a *community perspective*. IIED Research Report. IIED, London.
- Gannon, P., Dubois, G., Dudley, N., Ervin, J., Ferrier, S., Gidda, S., Mackinnon, K., Richardson,
 K., Schmidt, M., Edjigu, E.S. & Shestakov, A. (2019). Editorial Essay: An update on
 progress towards Aichi biodiversity Target 11. *Parks*, 25, 7–18.
- Gannon, P., Seyoum-Edjigu, E., Cooper, D., Sandwith, T., Souza Dias, B.F. de, Palmer, C.P.,

- Lang, B., Ervin, J. & Gidda, S. (2017). Status and pro spects for achieving aichi
- biodiversity target 11: Implications of national commitments and priority actions. *Parks*, 23, 13–26.
- Geldmann, A.J., Deguignet, M., Balmford, A., Burgess, N.D., Dudley, N., Hockings, M.,
 Kingston, N., Klimmek, H., Lewis, A.H., Rahbek, C., Stolton, S., Vincent, C., Wells, S.,
 Woodley, S. & Watson, J.E.M. (2020). Essential indicators for measuring area-based
 conservation effectiveness in the post-2020 global biodiversity framework. *Preprints*,
 1–8.
- 600 Gerhardinger, L.C., Godoy, E.A.S., Jones, P.J.S., Sales, G. & Ferreira, B.P. (2011). Marine
 601 protected dramas: The flaws of the Brazilian national system of marine protected
 602 areas. *Environ. Manage.*, 47, 630–643.
- Gill, D.A., Mascia, M.B., Ahmadia, G.N., Glew, L., Lester, S.E., Barnes, M., Craigie, I., Darling,
 E.S., Free, C.M., Geldmann, J., Holst, S., Jensen, O.P., White, A.T., Basurto, X., Coad, L.,
 Gates, R.D., Guannel, G., Mumby, P.J., Thomas, H., Whitmee, S., Woodley, S. & Fox, H.E.
 (2017). Capacity shortfalls hinder the performance of marine protected areas globally. *Nature*, 543, 665–669.
- 608 Green, A., Smith, S.E., Lipsett-Moore, G., Groves, C., Peterson, N., Sheppard, S., Lokani, P.,
 609 Hamilton, R., Almany, J., Aitsi, J. & Bualia, L. (2007). *Designing a resilient network of*610 *marine protected areas for Kimbe Bay, Papua New Guinea. Nat. Conserv. Pacific Isl.*611 *Ctries. Rep.*
- Grorud-Colvert, K., Claudet, J., Tissot, B.N., Caselle, J.E., Carr, M.H., Day, J.C., Friedlander,
 A.M., Lester, S.E., Loma, T.L. De, Malone, D., Walsh, W.J., De Loma, T.L., Malone, D.,
 Walsh, W.J., Loma, T.L. De, Malone, D., Walsh, W.J., De Loma, T.L., Malone, D., Walsh,
 W.J., Loma, T.L. De, Malone, D. & Walsh, W.J. (2014). Marine protected area networks:
 Assessing whether the whole is greater than the sum of its parts. *PLoS One*, 9, 1–7.
- Hargreaves-Allen, V.A., Mourato, S. & Milner-Gulland, E.J. (2017). Drivers of coral reef
 marine protected area performance. *PLoS One*, 12, 1–21.
- Heink, U. & Kowarik, I. (2010). What are indicators? On the definition of indicators in
 ecology and environmental planning. *Ecol. Indic.*, 10, 584–593.
- Hill, L.S., Johnson, J.A. & Adamowski, J. (2016). Meeting Aichi Target 11: Equity
 considerations in Marine Protected Areas design. *Ocean Coast. Manag.*, 134, 112–119.
- Hockings, M., Hardcastle, J., Woodley, S., Sandwith, T., Wilson, J., Bammert, M., Valenzuela,
 S., Chataigner, B., Lefebvre, T., Leverington, F., Lopoukhine, N., Mackinnon, K. &
 Londoño, J.M. (2019). The IUCN green list of protected and conserved areas: Setting
 the standard for effective area-based conservation. *Parks*, 25, 57–66.
- Hockings, M.M., Stolton, S., Leverington, F., Dudley, N., Courrau, J., Valentine, P., Editor, S.,
 Leverington, F., Dudley, N., Courrau, J., Editor, S., Nigel, D., Phillips, A. & Leverington, F.
 (2006). Evaluating Effectiveness A framework for assessing management effectiveness of
 protected areas 2 Edition. Practice. 2nd edn. IUCN, Gland, Switzerland and Cambridge,
 UK.

632 633 634 635 636	 Hockings, M.M.M., Stolton, S., Leverington, F., Dudley, N., Courrau, J., Valentine, P., Editor, S., Leverington, F., Dudley, N., Courrau, J., Editor, S., Nigel, D., Phillips, A. & Leverington, F. (2000). Evaluating Effectiveness A framework for assessing management effectiveness of protected areas 2 Edition. Practice. 2nd edn. IUCN, Gland, Switzerland and Cambridge, UK.
637	IUCN-WCPA. (2008). Establishing Resilient Marine Protected Area Networks — Making It
638	Happen.
639 640	Jones, P.J.S. (2001). Marine protected area strategies: Issues divergences and the search for middle ground. <i>Rev. Fish Biol. Fish.</i> , 11, 197–216.
641	Jones, P.J.S. (2014). <i>Governing Marine Protected Areas: Resilience through Diversity</i> .
642	Routledge, London.
643	Juffe-Bignoli, D., Burgess, N.D., Bingham, H., Belle, E.M.S., de Lima, M.G., Deguignet, M.,
644	Bertzky, B., Milam, a N., Martinez-Lopez, J., Lewis, E., Eassom, A., Wicander, S.,
645	Geldmann, J., van Soesbergen, A., Arnell, a P., O'Connor, B., Park, S., Shi, Y.N., Danks,
646	F.S., MacSharry, B. & Kingston, N. (2014). Protected Planet Report 2014. Prot. Planet
647	Rep.
648	Jupiter, S.D., Wenger, A., Klein, C.J., Albert, S., Mangubhai, S., Nelson, J., Teneva, L., Tulloch,
649	V.J., White, A.T. & Watson, J.E.M. (2017). Opportunities and constraints for
650	implementing integrated land-sea management on Islands. <i>Environ. Conserv.</i> , 44, 254–
651	266.
652	Van Lavieren, H. & Klaus, R. (2013). An effective regional Marine Protected Area network
653	for the ROPME Sea Area: Unrealistic vision or realistic possibility? <i>Mar. Pollut. Bull.</i> , 72,
654	389–405.
655	Law, E.A., Bennett, N.J., Ives, C.D., Friedman, R., Davis, K.J., Archibald, C. & Wilson, K.A.
656	(2018). Equity trade-offs in conservation decision making. <i>Conserv. Biol.</i> , 32, 294–303.
657 658	Lester, S.E. & Halpern, B.S. (2008). Biological responses in marine no-take reserves versus partially protected areas. <i>Mar. Ecol. Prog. Ser.</i> , 367, 49–56.
659	 Leverington, F., Costa, K.L., Courrau, J., Pavese, H., Nolte, C., Marr, M., Coad, L., Burgess, N.,
660	Bomhard, B., Hockings, M., Lisle, A., Hockings, M., Courrau, J., Pavese, H., Nolte, C., Marr,
661	M., Coad, L., Burgess, N., Bomhard, B. & Hockings, M. (2010). <i>Management effectiveness</i>
662	<i>evaluation in protected areas – a global study. Second edition 2010</i> . The University of
663	Queensland, Brisbane, Australia.
664 665 666	Lowry, G.K., White, A.T. & Christie, P. (2009). Scaling up to networks of marine protected areas in the Philippines: Biophysical, legal, institutional, and social considerations. <i>Coast. Manag.</i> , 37, 274–290.
667 668 669 670	 Mackelworth, P.C., Teff Seker, Y., Vega Fernández, T., Marques, M., Alves, F.L., D'Anna, G., Fa, D.A., Goldborough, D., Kyriazi, Z., Pita, C., Portman, M.E., Rumes, B., Warr, S.J. & Holcer, D. (2019). Geopolitics and Marine Conservation: Synergies and Conflicts. <i>Front. Mar. Sci.</i>, 6, 1–17.

- Mahajan, S.L., Glew, L., Rieder, E., Ahmadia, G., Darling, E., Fox, H.E., Mascia, M.B. &
 McKinnon, M. (2019). Systems thinking for planning and evaluating conservation
 interventions. *Conserv. Sci. Pract.*, 1, 1–8.
- Di Marco, M., Chapman, S., Althor, G., Kearney, S., Besancon, C., Butt, N., Maina, J.M.,
 Possingham, H.P., Bieberstein, K.R. von, Venter, O. & Watson, J.E.M. (2017). Changing
 trends and persisting biases in three decades of conservation science. *Glob. Ecol. Conserv.*, 10, 32–42.
- Marshall, N.A., Bohensky, E., Curnock, M., Goldberg, J., Gooch, M., Nicotra, B., Pert, P., Scherl,
 L.M., Stone-Jovicich, S. & Tobin, R.C. (2016). Advances in monitoring the human
 dimension of natural resource systems: An example from the Great Barrier Reef. *Environ. Res. Lett.*, 11.
- Mascia, M.B., Pailler, S., Thieme, M.L., Rowe, A., Bottrill, M.C., Danielsen, F., Geldmann, J.,
 Naidoo, R., Pullin, A.S. & Burgess, N.D. (2014). Commonalities and complementarities
 among approaches to conservation monitoring and evaluation. *Biol. Conserv.*, 169,
 258–267.
- Maxwell, S.L., Cazalis, V., Dudley, N., Hoffmann, M., Ana, S.L., Stolton, S., Visconti, P.,
 Woodley, S., Maron, M., Strassburg, B.B.N., Wenger, A., Jonas, H.D., Venter, O. & Watson,
 J.E.M. (2020). Area-based conservation in the 21 st century. *Preprints*, 1–42.
- McGinnis, M.D. & Ostrom, E. (2014). Social-ecological system framework: Initial changes
 and continuing challenges. *Ecol. Soc.*, 19.
- McLeod, E., Salm, R., Green, A. & Almany, J. (2009). Designing marine protected area
 networks to address the impacts of climate change. *Front. Ecol. Environ.*, 7, 362–370.
- McMichael, A., Scholes, R., Hefny, M., Pereira, E., Palm, C. & Foale, S. (2005). Ecosystem
 Services and human well-being. In: *Ecosyst. Hum. Wellbeing A Framew. Assess.* (eds.
 Gallopin, G., Kasperson, R., Munasinghe, M., Olivé, L., Padoch, C., Romm, J. & Vessuri,
 H.). Island Press, Washington, D.C, pp. 113–194.
- Di Minin, E. & Toivonen, T. (2017). Global Protected Area Expansion : Creating More than
 Paper Parks. *Bioscience*, 65, 637–638.
- Mizrahi, M., Diedrich, A., Weeks, R. & Pressey, R.L. (2018). A Systematic Review of the
 Socioeconomic Factors that Influence How Marine Protected Areas Impact on
 Ecosystems and Livelihoods. *Soc. Nat. Resour.*, 1920, 4–20.
- Moher, D., Liberati, A., Tetzlaff, J., Altman, D.G., Altman, D., Antes, G., Atkins, D., Barbour, V.,
 Barrowman, N., Berlin, J.A., Clark, J., Clarke, M., Cook, D., D'Amico, R., Deeks, J.J.,
 Devereaux, P.J., Dickersin, K., Egger, M., Ernst, E., Gøtzsche, P.C., Grimshaw, J., Guyatt, G.,
 Higgins, J., Ioannidis, J.P.A., Kleijnen, J., Lang, T., Magrini, N., McNamee, D., Moja, L.,
- 706 Mulrow, C., Napoli, M., Oxman, A., Pham, B., Rennie, D., Sampson, M., Schulz, K.F.,
- 707 Shekelle, P.G., Tovey, D. & Tugwell, P. (2009). Preferred reporting items for systematic
- reviews and meta-analyses: The PRISMA statement. *PLoS Med.*, 6.
- 709 Moreaux, C., Zafra-Calvo, N., Vansteelant, N.G., Wicander, S. & Burgess, N.D. (2018). Can

- existing assessment tools be used to track equity in protected area management under
 Aichi Target 11 ? *Biol. Conserv.*, 224, 242–247.
- Oksanen, J., Blanchet, F.G., Friendly, M., Kindt, R., Legendre, P., Mcglinn, D., Minchin, P.R.,
 O'hara, R.B., Simpson, G.L., Solymos, P., Henry, M., Stevens, H., Szoecs, E. & Maintainer,
 H.W. (2019). Package "vegan" Title Community Ecology Package. *Community Ecol.*
- 715 *Packag.*, 2, 1–297.
- Partelow, S., von Wehrden, H. & Horn, O. (2015). Pollution exposure on marine protected
 areas: A global assessment. *Mar. Pollut. Bull.*, 100, 352–358.
- Pelletier, D. (2011). Indicators_ Constructing and validating indicators of the effectiveness
 of marine protected areas. In: *Mar. Prot. areas a Multidiscip. approach*. pp. 247–290.
- Pelletier, D., García-Charton, J.A., Ferraris, J., David, G., Thébaud, O., Letourneur, Y., Claudet,
 J., Amand, M., Kulbicki, M. & Galzin, R. (2005). Designing indicators for assessing the
 effects of marine protected areas on coral reef ecosystems: A multidisciplinary
 standpoint. *Aquat. Living Resour.*, 18, 15–33.
- Péron, C., Grémillet, D., Prudor, A., Pettex, E., Saraux, C., Soriano-Redondo, A., Authier, M. &
 Fort, J.Ô. (2013). Importance of coastal Marine Protected Areas for the conservation of
 pelagic seabirds: The case of Vulnerable yelkouan shearwaters in the Mediterranean
 Sea. *Biol. Conserv.*, 168, 210–221.
- Pikesley, S.K., Godley, B.J., Latham, H., Richardson, P.B., Robson, L.M., Solandt, J.L., Trundle,
 C., Wood, C. & Witt, M.J. (2016). Pink sea fans (Eunicella verrucosa) as indicators of the
 spatial efficacy of Marine Protected Areas in southwest UK coastal waters. *Mar. Policy*,
 64, 38–45.
- Pomeroy, R.S., Parks, J.E. & Watson, L.M. (2004). *How Is Your MPA Doing? A Guidebook of Natural and Social Indicators for Evaluating Marine Protected Area Management Effectiveness. lucn.* Gland, Switzerland and Cambridge, UK.
- Rees, S.E., Foster, N.L., Langmead, O., Pittman, S. & Johnson, D.E. (2018). Defining the
 qualitative elements of Aichi Biodiversity Target 11 with regard to the marine and
 coastal environment in order to strengthen global efforts for marine biodiversity
 conservation outlined in the United Nations Sustainable Development Goal 14. *Mar. Policy*, 93, 241–250.
- Sala, E. & Giakoumi, S. (2017). No-take marine reserves are the most effective protected
 areas in the ocean. *ICES J. Mar. Sci.*, 1–3.
- Sala, E., Lubchenco, J., Grorud-Colvert, K., Novelli, C., Roberts, C. & Sumaila, U.R. (2018).
 Assessing real progress towards effective ocean protection. *Mar. Policy*, 91, 11–13.
- Sayles, J.S. & Baggio, J.A. (2017). Social-ecological network analysis of scale mismatches in
 estuary watershed restoration. *Proc. Natl. Acad. Sci. U. S. A.*, 114, E1776–E1785.
- Schreckenberg, K., Franks, P., Martin, A. & Lang, B. (2016). Unpacking equity for protected
 area conservation. *Parks*, 22, 11–28.

- Sciberras, M., Rodríguez-Rodríguez, D., Ponge, B. & Jackson, E. (2013). *Criteria for assessing ecological coherence of MPA networks : A review.* Report prepared by the Marine
- 750 Institute and the Agence des Marines Protegees for the Protected Area Network Across
- the Channel Ecosystem (PANACHE) project. INTERREG programme France (Channel)
 England (2007 2013) funded project.
- Venter, O., Magrach, A., Outram, N., Klein, C.J., Possingham, H.P., Di Marco, M. & Watson,
 J.E.M. (2018). Bias in protected-area location and its effects on long-term aspirations of
 biodiversity conventions. *Conserv. Biol.*, 32, 127–134.
- Verberk, W. (2011). Explaining General Patterns in Species Abundance and Distributions.
 Nat. Educ. Knowl., 3.
- Weeks, R., Pressey, R.L., Wilson, J.R., Knight, M., Horigue, V., Abesamis, R.A., Acosta, R. &
 Jompa, J. (2014). Ten things to get right for marine conservation planning in the Coral
 Triangle. *F1000Research*, 1–20.
- White, A.T., Alino, P.M. & Meneses, A.T. (2005). *Creating and Managing Marine Protected Areas in the Philippines*. Fisheries Improved for Sustainable Harvest Project, Coastal
 Conservation and Education Foundation, Inc. and University of the Philippines Marine
 Science Institute, Cebu City, Philippines.
- Woodcock, P., O'Leary, B.C., Kaiser, M.J., Pullin, A.S., Leary, B.C.O., Kaiser, M.J. & Pullin, A.S.
 (2017). Your evidence or mine? Systematic evaluation of reviews of marine protected area effectiveness. *Fish Fish.*, 18, 668–681.
- Woodley, S., Bertzky, B., Crawhall, N., Dudley, N., Londoño, J.M., MacKinnon, K., Redford, K.
 & Sandwi, T. (2012). Meeting Aichi Target 11: What Does Success Look Like For
 Protected Area Systems? *Parks*.
- Yates, K.L., Clarke, B. & Thurstan, R.H. (2019). Purpose vs performance: What does marine
 protected area success look like? *Environ. Sci. Policy*, 92, 76–86.
- Zafra-calvo, N., Pascual, U., Brockington, D., Coolsaet, B., Cortes-vazquez, J.A., Gross-Camp,
 N., Palomo, I. & Burgess, N.D. (2017). Towards an indicator system to assess equitable
 management in protected areas. *Biol. Conserv.*, 211, 134–141.
- Zafra-Calvo, N., Pascual, U., Brockington, D., Coolsaet, B., Cortes-Vazquez, J.A., Gross-Camp,
 N., Palomo, I. & Burgess, N.D. (2017). Towards an indicator system to assess equitable
 management in protected areas. *Biol. Conserv.*, 211, 134–141.
- Zupan, M., Fragkopoulou, E., Claudet, J., Erzini, K., Horta e Costa, B. & Gonçalves, E.J. (2018).
 Marine partially protected areas: drivers of ecological effectiveness. *Front. Ecol. Environ.*, 16, 381–387.
- 782