

# Probabilistic estimation of postures during human-robot collaboration: an ergonomics perspective

Lorenzo Vianello, Jean-Baptiste Mouret, Eloïse Dalin, Alexis Aubry, Serena

Ivaldi

## ▶ To cite this version:

Lorenzo Vianello, Jean-Baptiste Mouret, Eloïse Dalin, Alexis Aubry, Serena Ivaldi. Probabilistic estimation of postures during human-robot collaboration: an ergonomics perspective. 12th International Conference on Applied Human Factors and Ergonomics, AHFE 2021, Jul 2021, New York, United States. hal-03115202

## HAL Id: hal-03115202 https://hal.science/hal-03115202

Submitted on 19 Jan 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Probabilistic estimation of postures during human-robot collaboration: an ergonomics perspective

#### Lorenzo Vianello<sup>1,2</sup>, Jean-Baptiste Mouret<sup>1</sup>, Eloïse Dalin<sup>1</sup>, Alexis Aubry<sup>2</sup>, Serena Ivaldi<sup>1</sup>

Université de Lorraine, CNRS, Inria, Loria, F-54000, France.
Université de Lorraine, CNRS, CRAN, F-54000, France.\*

### Objective

When a human is interacting physically with a robot (cobot or exoskeleton), his/her posture is inevitably influenced by the robot movement when the two accomplish a task. Among the possible movements that the human could do to follow the robot's end-effector movement, some could be risky from an ergonomics point of view, and the robot should be able to predict those before executing a movement. The question is: how can the robot predict what will be the human posture corresponding to a given robot trajectory? Since the human is not controllable, an active robot imposing a trajectory during collaboration should predict the human joint state and evaluate the ergonomics risk associated to the predicted posture before deciding about its movement.

We propose a method to estimate in probabilistic terms the human postures during human-robot collaboration, providing as well a probabilistic evaluation of the associated ergonomics scores.

#### Significance

Human Robot Collaboration (HRC) has the potential to improve the working conditions of operators by optimizing the robot movements for both the task performance and the human ergonomics, thus reducing the risk of muscleskeletal diseases. Our method enables a more appropriate evaluation of the impact of robot collaborators for humans from the point of view of ergonomics:

<sup>\*\*</sup>This work was partially supported by the European Union Horizon 2020 Research and Innovation Program under Grant Agreement No. 731540 (project AnDy),the CHIST-ERA project HEAP, the European FEDER in the context of the CPER Sciarat and the Lorraine University of Excellence (LUE) project C-Shift.

a probabilistic approach for computing human postures during robot collaboration is necessary to have a more realistic estimation of the ergonomics risk for these postures. This ergonomics prediction must be also personalized for different human operators. Our method impacts the design of user-specific robotic workstations and robot controllers that take into account human factors.

### Methods

The probabilistic estimation of the human posture is formalized as an estimation of the human joint velocity  $\dot{q}$  given the current joint configuration q and the end-effector velocity  $\dot{x}$ . This problem could be solved by applying inverse kinematics, but previous approaches do not consider the redundancy of the human model and do not allow to integrate past experiences. Data-driven approaches could enable to integrate past experience, but the main limitation of previous approaches is that they could not guarantee the non-violation of the kinematic constraints imposed by the end-effector position. We propose is a data-driven approach that: (1) solves the redundancy of the human model by returning a distribution of the joint velocities (2) which satisfy the kinematic constraint imposed by the end-effector velocity. The key idea of our algorithm is to learn a distribution over null-space movements, i.e. the movements which do not change the end-effector position but do change in the joint space because of the intrinsic human body redundancy. To do that we applied the combination of a Gaussian Process a gradient-free method for the optimization of the parameters.

## **Results and discussion**

We tested our method for predicting the human joint velocities in a HRC scenarios where a human collaborates with a Franka robot in a pick & place task. We compared our method with model-based inverse kinematics, state-of-the-art data-driven approaches (Gaussian Processes) which directly execute regression on the original space of the joint velocities and with a sampling based method. The results show that our method is more accurate in the prediction of the human joints while satisfying the kinematic constraints and human-robot coupling constraints. The prediction of the ergonomics scores is thus also more accurate and informs better a robot for designing appropriate trajectories.