



Toward to "Lighting 4.0" era The "Right Smart Lighting" Challenge



January 13th, 2021

Prof. Georges ZISSIS georges.zissis@laplace.univ-tlse.fr









Today, artificial light is everywhere

UMR 5213

Multiples Usages:

Monument Lighting
Street Lighting
Indoor Lighting
Signage & displays
Vehicles & transport
Non-lighting Applications



Multiples Functions:

- ► See & be seen
- Locate
- Identify

- Make secure
- Make feel secure
- Communicate

- Appreciate
- Enhance & fancy
- Create ambiance









Some global figures

JMR 5213

13-14%

2 900 TWh of annual electricity worldproduction for generating artificial light

~2%

2% of world annual energy primary resources used

1 150 000 000 metric tons CO_2 5% of the world CO_2 annual emissions = 230 million people CO_2 emissions

30 000 000 000

More than 30 billion electric lamps operate everyday worldwide


40-45%

LED market revenue share

\$120 000 000 000

Lighting industry annual turnover US\$ 120 billion and still growing.

Artificial lighting has a large impact on energy, environment but also on every day's life and world's economy











Situation today

JMR 5213

≥ 2 900 TWh electricity consumed per annum (16.5% of the world's production)







- 1 150 million tonnes of CO₂ per year
- ▶ 80 tonnes Hg-contaminated wastes collected in France every week
- Light pollution of skies












The way forward to Lighting 4.0 era







What is a smart lighting system?

UMR 5213

A smart lighting system principal function is to produce, at any moment, the right light: where it is needed and when it is necessary. It should adapt the quantity and quality of light to enhance visual performance in agreement with the type of executed tasks. It must guarantee well-being, health and safety of the end-users. It should not squander passively the resources of our planet and limit actively the effects of light pollution on the biotope, or, any other impacts on the environment. Ideally, the system could offer additional services (geolocalisation, data connectivity...) to the end-users through Visual Light Communication protocols.

Functions

Lighting

Smart



"I installed an awesome smart light. It turns off when my parents enter my room so they can't see the mess."

- Adapt dynamically the light quantity, light distribution in space and light quality (CCT, IRC, spectrum...) to optimise visual performance and respect any normative requirements
- Avoiding any visual disturbance (glare, light flicker, strobe effects, shadows...) that can compromise enduser's security and well-being at any moment.
- Always reduce energy consumption of the installation without compromising the above conditions
- Actively limit the effects of light pollution on the ecosystem and biotope, respecting that new skyprotection legislations/standards.
- If necessary, relay information via VLC methods (eg. provide glocalization reference) .







Human Centric Lighting

JMR 5213

- Human Centric Lighting (HCL) is becoming the next big step in lighting. Biologically effective lighting represents lighting systems that are appropriate to stimulate the biological organism, thus improving cognitive performance.
- Emotionally effective lighting systems are designed to create emotionally stimulating environments and appealing atmospheres. Visual cues in design of a space aid us in our interactions with our surroundings. Using natural and electric lighting to illuminate objects in a space while minimizing negative effects such as glare and low contrast is beneficial.
- Lighting systems can provide the best lighting conditions to elder or/and visually impaired persons in order to facilitate the every-days actions and life offering them the feeling of larger autonomy and security.



Sun at zenith:

A lot of light

High colour temperature

Uniform light


Sunset:

Less light

Low colour temperature

Shadows

Light quantity and colour change during daytime












Smart Lighting for Smart Cities

UMR 5213

In smart cities, so-called smart urban objects can be used in public areas to increase the sense of security of people. Safety in everyday life is improved by overcoming barriers such as dark areas at night without being in obligation to squander energy for illuminating empty spaces. For instance elder people, which can enhance their participation in public life.



SMART URBAN COMMUNICATION NETWORK



Connected smart lighting can reduce vulnerabilities as it can recognize social alarms, hazardous citations, accidents and broadcast information to vulnerable public space users (i.e. elder or disable people).













Additional services


JMR 5213


▶ A communicating lighting system can be used to regulate traffic. VLC/LiFi can used for communicating from car to car or/and from city to car. Information can be used to adjust trajectories, reduce speed, prevent collisions. Transfer signals information to cars (traffic lights, speed limits...).





A communicating lighting system can reducing car roaming for parking. Locate a parking spot in a city is time consuming and polluting action. Smart lighting poles can locate available parking spots and broadcast information to driver's mobile phones or direct to smart cars.













Lighting, an IoT system's component...

UMR 5213

- ▶ A connected lighting system can be used as basis for connecting communicating objects thanks to visual light communication (VLC) and LiFi functionalities. Objects can communicate between them or/and a central system. VLC/LiFi offer a large band-pass to allow large data flows. A lighting network forms a dense mesh that can be used s for various applications & services
- ▶ Illumination will become a sub-function of a more complex ICT (Information Communication Technology) system, which will be a sub-system in the Internet-of-Things (IoT) global system. Light will be the vector of new services and carrier of dataflows that will spawn additional products
- ▶ According to market research, Li-Fi and in general VLC are expected to garner US\$ 115 billion by 2022, registering a CAGR of 116,8% during the forecast period 2016 2022. US host important national lighting and ICT related industries that smart lighting technologies development will contribute in consolidating world leader position in that segments














The ideal Configuration

UMR 5213












Smart Lighting Technology status - the Hype Cycle











The ultimate solution:

the "right human-centric smart lighting" concept

UMR 5213




Illuminate doesn't mean "flood" objects, people or buildings with light!

Light-up smart, where it is needed, when it is necessary and as best as possible!

Smart Lighting development contributes to several world's grand challenges

- Contribute to Energy savings
- Contribute to Healthy working environments and high task performance
- Contribute to Silver Economy
- Contribute to Lighting and IT industry rise








Laplace

To achieve that objective crossdiscipline efforts are required

UMR 5213







Thank you!

UMR 5213



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 857061.















November 8th-10th, 2021 Université Toulouse III - Paul Sabatier Toulouse, France



Website:

https://eedal-ls21.sciencesconf.org/



















I \$17 important dates*

December 15 th 2020	Second announcement and call for papers
January 22 nd 2021	Opening of contributed paper online submission
April 23 th 2021	Deadline for online contributed paper submission
May 31 th 2021	Notification of paper acceptance
June 1st 2021	Opening of registration
September 15 th 2021	Deadline for early registration
November 8 th - 10 th 2021	LS17 & EEDAL in Toulouse

^{*}Dates are subjected to change according sanitary conditions







