



**HAL**  
open science

## Toward the optimization of the ballast gluing process for track lateral resistance enhancement

Félix Laboup, Mathieu Renouf, Jean-François Ferrellec, Michel Wone

### ► To cite this version:

Félix Laboup, Mathieu Renouf, Jean-François Ferrellec, Michel Wone. Toward the optimization of the ballast gluing process for track lateral resistance enhancement. 12th World Congress on Railway Research, Oct 2019, Tokyo, Japan. . hal-03170766

**HAL Id: hal-03170766**

**<https://hal.science/hal-03170766v1>**

Submitted on 16 Mar 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.


L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Toward the optimization of the ballast gluing process for track resistance lateral enhancement

Félix LABOUP<sup>1,2</sup>, Mathieu RENOUF<sup>1</sup>, Jean-François FERELLEC<sup>2</sup>, Michel WONE<sup>2</sup>

<sup>1</sup> LMGC, UM, CNRS, Montpellier, France, <sup>2</sup> SNCF Réseau, Saint-Denis, France

Cifre Support by ANRT Project 2017/1101



### Microscopic scale (grain)

- Characterization of glued contact in traction
- Grain surfaces conserved
- Controlled contact typology (point/face, edge/face and face/face contacts)
- Minimum of 15 repetitions

**Main conclusions :**

- Tensile strength depends on adhesive surface contact
- Contact topology influences tensile strength
- Displacement at maximum tensile strength independant of glued surface

**Interaction law A Maugis-Dugdale model**

$\gamma$  cohesive force  
 $g$  contact gap  
 $r_n$  normal contact force

$g \geq 0, \quad r_n + \gamma = 0$   
 $g \cdot (r_n + \gamma) = 0$

### Mesoscopic scale (REV)

Glue repartition ? Glue bound volume ?

**Gluing experiment :**

- Box dimension : 40x60x60 cm
- Ballast density : 1543 kg.m<sup>-3</sup>
- Glue quantity : 1,25 L.m<sup>-2</sup>

**Main conclusions :**

- Number of glued grains decrease with depth
- Volume of glued contact independant of its position

### Macroscopic scale (Railway section)

#### lateral resistance tests

Experimental Part      Numerical Part

**Gluing Configurations**

**Main conclusions :**

- Numerical model requires ajustements
- Similar tendencies