

Sonoporation: the hurdles that need to be surpassed

Spiros Kotopoulis, Ragnhild Haugse, Michiel Postema

▶ To cite this version:

Spiros Kotopoulis, Ragnhild Haugse, Michiel Postema. Sonoporation: the hurdles that need to be surpassed. MedViz Conference 2013, MedViz; Haukeland University Hospital; University of Bergen; Christian Michelsen Research, Jan 2013, Bergen, Norway. pp.41-42. hal-03200855

HAL Id: hal-03200855 https://hal.science/hal-03200855

Submitted on 16 Apr 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Sonoporation: The hurdles that need to be surpassed.

Spiros Kotopoulis^{1,3}, Ragnhild Haugse², Michiel Postema³

¹ National Centre for Ultrasound in Gastroenterology, Haukeland University Hospital, Bergen, Norway

² Institute of Medicine, Section for Haematology, University of Bergen, Bergen, Norway

³ Department of Physics and Technology, University of Bergen, Bergen, Norway

Sonoporation, the transient formation of pores in cellular membranes is being investigated for multiple purposes such as enhanced localised drug or gene delivery.

The concept of sonoporation dates back to the early 80's ^[1] but has yet to see the light in common day clinical practice. This is partially due to the lack of understanding of how sonoporation truly occurs and in consequence how we can improve its efficacy. There have been numerous studies ^[2-6] investigating the mechanisms behind sonoporation but there is still a lot to be understood. These mechanisms are shown in Figure 1.

A large majority of studies simply investigate if sonoporation is possible and rarely try to understand the underlying mechanisms and the variance of efficacy when translating into a clinical setting.




Figure 1- Sonoporation mechanisms.

We hypothesis that different acoustic conditions and microbubbles are necessary depending on the cell line that we desire to sonoporate. Our studies aim at understanding the ideal acoustic settings for a variety of cell lines, translating this into preclinical tests and finally moving into clinical trials. In order to investigate such a broad range of conditions we have designed a modular sonication chamber that allows bulk evaluation cell sonoporation. This design is shown in Figure 2.




Figure 2 – Modular custom-made sonoporation evaluation chamber.

A further setup will be to design custom microbubbles designed to enhance sonoporation. To be able to accurately manufacture monodispersed microbubbles with a narrow band property distribution we will attempt to manufacture flow focusing microbubble generation chambers using E-beam technology with nanometre accuracy.

- 1. Fechheimer M, Boylan JF, Parker S, Sisken JE, Patel GL, Zimmer SG. Transfection of mammalian cells with plasmid DNA by scrape loading and sonication loading. Proc Natl Acad Sci U S A 1987;84(23):8463-7.
- 2. Postema M, van Wamel A, ten Cate FJ, de Jong N. High-speed photography during ultrasound illustrates potential therapeutic applications of microbubbles. Med. Phys. 2005;32(12):3707-3711.
- 3. Prentice P, Cuschieri A, Dholakia K, Prausnitz M, Campbell P. Membrane disruption by optically controlled microbubble cavitation. Nature Phys. 2005;1:107-110.
- 4. Delalande A, Kotopoulis S, Rovers T, Pichon C, Postema M. Sonoporation at a low mechanical index. Bub. Sci. Eng. Tech. 2011;3(1):3-11.

- 5. Krasovitski B, Frenkel V, Shoham S, Kimmel E. Subcellular sonophores: ultrasound induced intramembrane cavitation. Proc. Nat. Acad. Sci. 2011;108(8):3258-3263.
- 6. Marmottant P, Hilgenfeldt S. Controlled vesicle deformation and lysis by single oscillating bubbles. Nature 2003;423:153-156.