



**HAL**  
open science

## Editorial for Special Issue “Rare Earth Deposits and Challenges of World REE Demand for High-Tech and Green-Tech at the Beginning of the 3rd Millennium”

Jindřich Kynický, Martin Smith, Stefano Salvi

### ► To cite this version:

Jindřich Kynický, Martin Smith, Stefano Salvi. Editorial for Special Issue “Rare Earth Deposits and Challenges of World REE Demand for High-Tech and Green-Tech at the Beginning of the 3rd Millennium”. *Minerals*, 2021, 11, 10.3390/min11040378 . hal-03204537

**HAL Id: hal-03204537**

**<https://hal.science/hal-03204537>**

Submitted on 21 Apr 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Editorial

# Editorial for Special Issue “Rare Earth Deposits and Challenges of World REE Demand for High-Tech and Green-Tech at the Beginning of the 3rd Millennium”

Jindřich Kynický <sup>1</sup>, Martin Smith <sup>2,\*</sup> and Stefano Salvi <sup>3</sup>

<sup>1</sup> Department of Geology and Pedology, Mendel University in Brno, 61300 Brno, Czech Republic; jindrak@email.cz

<sup>2</sup> School of Applied Sciences, University of Brighton, Lewes Road, Brighton BN2 4AT, UK

<sup>3</sup> Géosciences Environnement Toulouse (GET), CNRS, IRD, CNES, University of Toulouse, 31400 Toulouse, France; stefano.salvi@get.omp.eu

\* Correspondence: martin.smith@brighton.ac.uk



**Citation:** Kynický, J.; Smith, M.; Salvi, S. Editorial for Special Issue “Rare Earth Deposits and Challenges of World REE Demand for High-Tech and Green-Tech at the Beginning of the 3rd Millennium”. *Minerals* **2021**, *11*, 378. <https://doi.org/10.3390/min11040378>

Received: 23 March 2021

Accepted: 29 March 2021

Published: 2 April 2021

**Publisher’s Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

We are living in a time of unprecedented technological innovation. This is tied to the relentless development of micro computing and related applications on the one hand, and to the global efforts to develop alternatives to fossil fuels on the other. From smartphones and laptops to electric cars and renewable energy infrastructure, modern technologies use a wider variety of chemical elements than ever before. The consequence is that the demand for primary resources has never been this high. This is particularly true for those known as high-technology metals, which are fundamental in the manufacturing of both high- and green-technologies. Among these, most high field-strength elements, especially the rare earth elements (REE), are essential in many of these new applications and play a particularly strategic role [1,2].

However, despite their necessity, these elements are needed in much smaller quantities than many other metals. As a result, only a few mines are required to meet the demand, leading to a lack of diversity in the production chain, thus increasing the risk of supply of these elements, which is the case for the REE [3,4]. China’s increasing demand and dominance as a producer, refiner, and user of REE has raised international concern about the security of the supply of these elements [5,6], leading them to be identified as critical raw materials and strategic resources by many organisations around the world [7–9]. This has led many countries to diversify their sources of supply and initiate work to discover new deposits [10].

The huge growth in research and exploration into REE deposits outside of China ultimately needs to support new REE supply chains if the growing demand for the REE is to be met in the coming decades. Jaroni and co-workers [11] provide this context to a volume otherwise focused on the mineralogy and petrology of REE deposits. They evaluate advanced exploration projects outside of China in terms of required investment, operating cost, and potential revenues, alongside the consideration of risk in each host nation. Global growth in REE supply also needs understanding of the potential distribution of resources on a nation-by-nation basis. A case study of this approach is provided by Al-Ani et al. [12] for the example of Finland. This contribution focuses on the occurrence and mineralogy of carbonatite and granite pegmatite-related REE mineral occurrences, and evaluates them in terms of REE pattern both as a discriminant of deposit type, and as an indicator of how igneous fractionation processes may produce deposits of variable economic REE distribution.

Carbonatites, being amongst the most REE enriched rocks types, coupled with well-established mineral processing streams, remain a core focus of research and exploration efforts for REE resources. Three papers included in this volume all focus on the origin and evolution of REE mineralisation in carbonatites, stressing the importance of both

magmatic and hydrothermal effects. Kzolov et al. [13] tracks carbonatite evolution from the magmatic to metasomatic stage in the Petyayan-Vara carbonatites, with a particular focus on the role of sulphate. Chikanda et al. [14] investigate the Kangankunde Complex, in Malawi, making use of novel ( $\delta^{56}\text{Fe}$ ) as well as traditional stable isotope systems to track the influence of post-magmatic fluids on REE mineralisation. Jia and Liu [15] present research on the origins of grade variation in the Weishan REE deposits, China, noting the importance of both magmatic evolution and post-magmatic, fracture controlled, fluid flow, in producing high REE grades and in controlling the REE pattern.

Alkaline igneous-related REE mineralisation potentially hosts reserves of the REE as large as or larger than carbonatite-hosted deposits. However, the association of the REE with zirconosilicate minerals in these systems means that there are significant processing issues before they can contribute global supply. The processing issues mean that detailed understanding of mineralogy in these deposits is critical for their future development. No and Park [16] investigate the origin of zircon–allanite–magnetite bands in alkaline rocks intruding the Chungju Unit, South Korea, and develop hypotheses for the role of crystal settling during magmatic crystallisation. Van de Ven and co-workers [17] examine the processes of hydrothermal alteration of eudialyte from the Illimaussaq complex, Greenland, resulting in the formation of HREE and LREE-enriched phases, and discuss the potential for the targeted processing of alteration minerals. Guastoni et al. [18] present the results of studies of Nb–Y–F bearing pegmatites in the Italian Alps, including both their genesis and the detailed crystallography of Nb and REE-bearing phases.

Sedimentary-hosted REE accumulations offer potential for greater ease of extraction, but may be lower in concentration than bedrock hosted deposits, or face issues of radioactivity when derived from the weathering of granitic protoliths. Deady et al. [19] investigated these issues in relation to volcanic derived placers at Aksu Diamas, Turkey, finding that a range of REE and REE-bearing minerals are concentrated with Quaternary sediments derived from weathering of alkaline igneous rocks. Rudmin et al. [20] extend the study of sedimentary deposits to those produced by authigenesis, identifying processes for the formation of REE phosphates in ooidal ironstones and discussing the implications for potential future processing.

This volume closes with a study related to the resource lifecycle of the REE by Romero-Freire et al. [21]. The biogeochemical cycling of the REE is critical in understanding the potential impacts of increased REE production and the resulting waste streams. Their paper presents data on the distribution of the REE in soil, freshwater and plants around the Montviel ferrocarbonatite, Canada, drawing conclusions about the REE bio-geochemical cycle. Such studies, alongside investigations of actinide behaviour, are needed if the understudied environmental impact of REE extraction is to be constrained and controlled.

Overall, the papers in this volume provide a snapshot of REE resources currently under investigation and demonstrate some of the integrating studies that are necessary to understand the influence of geology and mineralogy on the future supply of the REE. Such studies, when coupled to work in resource recovery by recycling, will contribute to the future use of these metals in high technology and low- $\text{CO}_2$  energy production. Further work is required to establish the environmental impact of REE extraction and use which will underpin the legacy of the growth in usage going forward from the early 21st century.

**Author Contributions:** All authors contributed equally to the preparation of this editorial. All authors have read and agreed to the published version of the manuscript.

**Funding:** This research received no external funding.

**Conflicts of Interest:** The authors declare no conflict of interest.

## References

1. Chakmouradian, A.R.; Wall, F. Rare earth elements: Minerals, mines, magnets (and more). *Elements* **2012**, *8*, 333–340. [[CrossRef](#)]
2. Verplanck, P.L.; Hitzman, M.W. Introduction: Rare Earth and Critical Elements in Ore Deposits. In *Rare Earth and Critical Elements in Ore Deposits*; Verplanck, P.L., Hitzman, M.W., Eds.; Society of Economic Geologists: Littleton, CO, USA, 2016. [[CrossRef](#)]

3. Wall, F.; Rollat, A.; Pell, R.S. Responsible Sourcing of Critical Metals. *Elements* **2017**, *13*, 313–318. [[CrossRef](#)]
4. Goodenough, K.M.; Wall, F.; Merriman, D. The rare earth elements: Demand, global resources, and challenges for resourcing future generations. *Nat. Resour. Res.* **2018**, *27*, 201–216. [[CrossRef](#)]
5. Weng, Z.; Jowitt, S.M.; Mudd, G.M.; Haque, N. A detailed assessment of global rare earth element resources: Opportunities and challenges. *Econ. Geol.* **2015**, *110*, 1925–1952. [[CrossRef](#)]
6. Hou, W.; Liu, H.; Wang, H.; Wu, F. Structure and patterns of the international rare earths trade: A complex network analysis. *Resour. Policy* **2018**, *55*, 133–142. [[CrossRef](#)]
7. European Commission (EC). *Critical Raw Materials Resilience: Charting a Path towards Greater Security and Sustainability*; COM 474 Final; European Commission: Brussels, Belgium, 2020.
8. US Department of Defence. *Strategic and Critical Materials 2013 Report on Stockpile Requirements*; Office of the Under Secretary of Defence; US Department of Defence: Arlington, VA, USA, 2013; 189p.
9. UK House of Commons. *Strategically Important Metals*; House of Commons: London, UK, 2011; 146p.
10. Mariano, A.N.; Mariano, A. Rare earth mining and exploration in North America. *Elements* **2012**, *8*, 369–376. [[CrossRef](#)]
11. Jaroni, M.S.; Friedrich, B.; Letmathe, P. Economical Feasibility of Rare Earth Mining outside China. *Minerals* **2019**, *9*, 576. [[CrossRef](#)]
12. Al-Ani, T.; Molnár, F.; Lintinen, P.; Leinonen, S. Geology and Mineralogy of Rare Earth Elements Deposits and Occurrences in Finland. *Minerals* **2018**, *8*, 356. [[CrossRef](#)]
13. Kozlov, E.; Fomina, E.; Sidorov, M.; Shilovskikh, V.; Bocharov, V.; Chernyavsky, A.; Huber, M. The Petyayan-Vara Carbonatite-Hosted Rare Earth Deposit (Vuoriyarvi, NW Russia): Mineralogy and Geochemistry. *Minerals* **2020**, *10*, 73. [[CrossRef](#)]
14. Chikanda, F.; Otake, T.; Ohtomo, Y.; Ito, A.; Yokoyama, T.D.; Sato, T. Magmatic-Hydrothermal Processes Associated with Rare Earth Element Enrichment in the Kangankunde Carbonatite Complex, Malawi. *Minerals* **2019**, *9*, 442. [[CrossRef](#)]
15. Jia, Y.-h.; Liu, Y. REE Enrichment during Magmatic–Hydrothermal Processes in Carbonatite-Related REE Deposits: A Case Study of the Weishan REE Deposit, China. *Minerals* **2020**, *10*, 25. [[CrossRef](#)]
16. No, S.-G.; Park, M.-E. Bands of Zircon, Allanite and Magnetite in Paleozoic Alkali Granite in the Chungju Unit, South Korea, and Origin of REE Mineralizations. *Minerals* **2019**, *9*, 566. [[CrossRef](#)]
17. van de Ven, M.A.J.; Borst, A.M.; Davies, G.R.; Hunt, E.J.; Finch, A.A. Hydrothermal Alteration of Eudialyte-Hosted Critical Metal Deposits: Fluid Source and Implications for Deposit Grade. *Minerals* **2019**, *9*, 422. [[CrossRef](#)]
18. Guastoni, A.; Secco, L.; Škoda, R.; Nestola, F.; Schiazza, M.; Novák, M.; Pennacchioni, G. Non-Metamict Aeschnite-(Y), Polycrase-(Y), and Samarskite-(Y) in NYF Pegmatites from Arvogno, Vigizzo Valley (Central Alps, Italy). *Minerals* **2019**, *9*, 313. [[CrossRef](#)]
19. Deady, E.; Lacinska, A.; Goodenough, K.M.; Shaw, R.A.; Roberts, N.M.W. Volcanic-Derived Placers as a Potential Resource of Rare Earth Elements: The Aksu Diamas Case Study, Turkey. *Minerals* **2019**, *9*, 208. [[CrossRef](#)]
20. Rudmin, M.; Reva, I.; Sokol, E.; Abdullayev, E.; Ruban, A.; Kudryavtsev, A.; Tolkachev, O.; Mazurov, A. Minerals of Rare Earth Elements in High-Phosphorus Ooidal Ironstones of the Western Siberia and Turgai Depression. *Minerals* **2020**, *10*, 11. [[CrossRef](#)]
21. Romero-Freire, A.; Turlin, F.; André-Mayer, A.-S.; Pelletier, M.; Cayer, A.; Giamberini, L. Biogeochemical Cycle of Lanthanides in a Light Rare Earth Element-Enriched Geological Area (Quebec, Canada). *Minerals* **2019**, *9*, 573. [[CrossRef](#)]