

Avoidance and personal and occupational quality of life in French people with driving anxiety

Alexandra Fort, Boris Collette, Myriam Evennou, Christophe Jallais, Barbara Charbotel, A.N Stephens, Antonio R. Hidalgo-Munoz

▶ To cite this version:

Alexandra Fort, Boris Collette, Myriam Evennou, Christophe Jallais, Barbara Charbotel, et al.. Avoidance and personal and occupational quality of life in French people with driving anxiety. Transportation Research Part F: Traffic Psychology and Behaviour, 2021, 80, pp 49-60. 10.1016/j.trf.2021.03.019. hal-03209193

HAL Id: hal-03209193 https://hal.science/hal-03209193v1

Submitted on 9 May 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Version of Record: https://www.sciencedirect.com/science/article/pii/S1369847821000735 Manuscript_a3c76f4495c6d74e4e83e7d96111bbd7

DRIVING ANXIETY

1	
2	
3	
4	Avoidance and personal and occupational quality of life in French people with
5	driving anxiety
6	
7	Fort, A.*a, Collette, B.a,b,c, Evennou, M.a, Jallais, C.a, Charbotel, B.b, Stephens, A. N.d
8	and Hidalgo-Muñoz, A. ^{a1}
9	
10	^a TS2-LESCOT, Univ Gustave Eiffel, IFSTTAR, Univ Lyon, F-69675 Lyon, France
11	^b Univ Lyon, Univ Eiffel, Univ Lyon 1, IFSTTAR, CRPPE Centre Hospitalier Lyon
12	Sud, UMRESTTE, UMR_T9405, F-69373, Lyon, France
13	^c Service Interdisciplinaire Douleur Soins Palliatifs et de Support, Médecine
14	intégrative (UIC22); CHU de Nantes ; Laboratoire de thérapeutique (EA 3826)
15	^d Monash University Accident Research Centre, Clayton, Victoria, Australia,
16	
17	
18	*Corresponding author:
19	Alexandra Fort
20	Cité des mobilités
21	Université Gustave Eiffel
22	25 avenue François Mitterrand
23	69675 BRON Cedex
24	France
25	+33 4 72 14 25 80
26	alexandra.fort@univ-eiffel.fr
27	
28	

¹ Present address: University of Toulouse, CLLE, UMR-CNRS 5263, Toulouse, France.

29 Abstract

30

31 Driving anxiety can have a significant impact on one's quality of life, particularly for those 32 who experience intense levels. However, to date there are limited data about the perceived 33 impact of driving anxiety on occupational life, and driving anxiety remains under-researched 34 in France. To address this gap, an online survey assessing self-reported driving anxiety, how 35 it manifests and its links with some aspects of personal and occupational life was designed. 36 The survey was administered in France to respondents who identified as experiencing driving 37 anxiety. Responses were obtained from 304 people aged 18 years or older. In the sample, 38 32.2%, 44.7% and 23% respectively reported mild, moderate and extreme levels of driving 39 anxiety. In the extremely anxious group, males were under-represented, whereas people aged 35-44 and unlicensed drivers were over-represented. People who were unemployed 40 (excluding students and retired people), reported that their anxiety had been a barrier to 41 getting a job and a high percentage of these respondents had also previously considered 42 43 leaving a position because of their anxiety. Respondents also reported their anxiety had a 44 negative impact on their perceived quality of life in general. People who categorised as 45 extremely anxious reported a negative impact four times higher than those in the mildly anxious group. 46 The results highlight for the first time the perceived impact of driving anxiety on daily and 47 48 occupational life in a French population. Further, the results demonstrate the importance of 49 distinguishing between moderately and extremely anxious drivers as the intensity level has 50 differential impacts on personal and work life quality.

51

52 Keywords:

53 driving anxiety, avoidance, automobile, cognition, well-being

54 55

Avoidance and personal and occupational quality of life in French people with driving anxiety

56

58

57 **1. Introduction**

59 Driving anxiety is a phenomenon that can manifest in a variety of ways. This ranges 60 from apprehension of specific driving situations, or of general driving, to a phobia of driving 61 either as a driver or as a passenger. Driving anxiety was first examined from a clinical 62 perspective, understanding the longer term consequences of motor vehicle crash involvement 63 (for example, Hickling & Blanchard, 1992; Taylor & Koch, 1995). In these studies, post-64 traumatic stress disorder was examined and driving phobia was assessed through the 65 Diagnostic and Statistical Manual criteria of mental disorders for specific phobia (DSM4, APA, 1994). This research has considerably improved the understanding of the psychological 66 consequences of road crashes. However, researchers have now shown that it is not necessary 67 68 to have been involved in a crash to develop a level of driving anxiety that can impact daily 69 life (Taylor & Deane, 2000). Some individuals experiencing driving anxiety report a panic 70 attack as the source of their anxiety. For others, it can be the fear of being judged and some 71 have no memory of a specific event triggering this anxiety (Ehlers, Taylor, Ehring, Hofmann, 72 Deane, Roth et al., 2007). Thus, people who have never been involved in a motor vehicle 73 crash, neither as a driver nor a passenger, may report levels of driving anxiety such that they 74 avoid driving in specific situations or completely avoid driving or riding in a car (Taylor & Deane, 2000). 75

76 Driving anxiety can vary in its intensity. In a population study conducted in New-Zealand, Taylor (2018) asked people to estimate the intensity of their driving anxiety on a 77 78 scale from 0 to 10. Half of the population reported experiencing mild driving anxiety (scoring 79 between 2 and 4) and a sixth reported moderate to severe anxiety (scoring between 5 and 10). 80 However, people who tend to higher levels of driving anxiety also tend to have lower levels 81 of mental health and quality of life (Hempel, Taylor, Connolly, Alpass & Stephens, 2017). 82 The diversity of sources from which anxiety can originate and the different intensity levels 83 one can experience suggest that the consequences of driving anxiety could vary across 84 individuals.

In addition, specific driving concerns also differ across individuals and their anxiety 85 86 levels. Three main types of concerns have been identified for anxious drivers: panic related 87 concerns, crash related concerns and social concerns (Ehlers, Hofmann, Herda & Roth, 88 1994). Drivers with higher anxiety levels tend to have a higher frequency of these concerns 89 (Stephens, Collette, Hidalgo-Munoz, Fort, Evennou & Jallais, 2020; Taylor, 2018). 90 Therefore, it is important to investigate how these concerns differ from one person to another, 91 to understand how to address them. For instance, a recent Australian study suggested that 92 individuals with extreme driving anxiety are more concerned by the potential for crash 93 involvement when compared to individuals with mild or moderate anxiety (Stephens et al., 94 2020). Thus, targeting crash-related worries may be more effective for more anxious drivers 95 compared to those with only mild anxiety.

96 Another key consequence of driving anxiety is avoidance (Stewart & St Peter, 2004). 97 This may be partial avoidance, when only specific driving situations are avoided, like dense traffic or highways, or total avoidance when driving is completely avoided. Higher levels of 98 99 driving anxiety are associated with greater avoidance (Ehlers et al., 2007; Stephens et al., 100 2020; Taylor, 2018). Even if some alternatives to driving may exist (public transport, home 101 service, cycling, etc.), avoidance can be very detrimental in particular in areas with poor or 102 no public transport services (Marottoli, de Leon, Glass, Williams, Cooney & Berkman, 2000). This restriction on mobility can have a significant impact extending beyond mobility. 103 104 This impact not only makes it more difficult for social interactions, or potential caring 105 responsibilities, but, at the professional level, it also makes it difficult to carry out certain 106 work-related activities (Costa, Carvalho, Cantini, Freire & Nardi, 2014). While previous research has investigated the impacts on quality of life for those experiencing driving anxiety, 107 108 the potential impacts on work, and perceived quality of work life, have scarcely been studied. 109 However, there is evidence to suggest these relationships exist. For example, Taylor, Alpass, Stephens & Towers (2011) reported that within a population of "young older" drivers (55-72 110 years old), 2.4% claimed that their usual activities or work had been affected due to driving 111 112 anxiety for, at least, one day in the previous month.

Thus, while driving anxiety may affect mobility, and in-turn influence one's decisions regarding occupation, there are only limited data about the link between driving anxiety and work. In addition, it is known that anxiety traits can affect all areas of life: decision making (Hartley & Phelps, 2012), procrastination (Zhang, Chen, Xu & Zhang, 2020), work (Nordahl

& Wells, 2019). Likewise, driving anxiety may have repercussions outside the drivingactivity itself, in daily life, and potentially in occupational life as well.

119 These potential outcomes of driving anxiety are under-researched in France. In 120 addition, and as mentioned above, limited data are available concerning the potential 121 repercussions of driving anxiety in the occupational domain. To address these gaps, we 122 designed an online survey to determine the manifestations of driving anxiety in terms of 123 concerns, avoidance and some aspect of personal and occupational life, in a French 124 population. The survey focussed on individuals experiencing driving anxiety across varying 125 intensities, from mild to extreme anxiety. Information was sought regarding driving history 126 and the perceived consequences of driving anxiety on personal and occupational life. Two 127 questionnaires were also used: a French translation of the Driving Cognitions Questionnaire, 128 to collect information about what drivers feel and think while driving; and a French 129 translation of the Driving and Riding Avoidance Scale designed to understand avoidance 130 behaviours related to driving anxiety.

131

132

133 **2. Method**

134

135 2.1 Participants

136

137 A large advertising campaign was conducted to recruit participants experiencing driving anxiety through social networks and associations dealing with driving education or 138 139 with driving anxiety. Potential participants were approached through the following 140 advertisement: "Are you anxious when you drive a car? Are you worried about finding 141 yourself in certain driving situations? You do not drive or almost not drive because of this 142 anxiety? Although there are relatively few data available on this discomfort while driving, 143 which can range from simple discomfort to a real phobia (sometimes referred to as 144 amaxophobia), it seems to be quite common and affects a large number of people. We are interested in your opinion, even if you do not have a driver's license or you never drive." 145 146 Participants were eligible to take part in the study if they were 18 years or older, currently 147 resided in France and experienced driving anxiety.

148

149 2.2 Procedure

150

151 Ethical approval was obtained from IFSTTAR Ethics committee. The online survey was hosted using *Limesurvey* online platform (www.limesurvey.org). The first three 152 153 questions asked for age, country of residence and consent to participate to the survey. If all 154 three inclusion criteria were met, then the survey could start. The survey took approximately 155 30 minutes to complete.

- 156
- 157 2.3 Measures
- 158

159 2.3.1 Demographic information. Questions about demographic information included 160 year of birth, gender, French residence district, driver's licence status, annual mileage and 161 whether participants lived in an urban area or rural area. Participants also provided 162 information regarding their occupation, distance living from work and method of commuting 163 to and from work.

164

165 2.3.2 Driving Cognitions Questionnaire (DCQ). The DCQ measures the frequency 166 of anxiety related thoughts that drivers may experience while driving (Ehlers et al., 1994, 167 2007). The original DCQ includes 20-items that can be classified in three categories: panic-168 related items (e.g. I will not be able to think clearly), crash related items (e.g. I will be 169 injured), thoughts and social concerns items (e.g. People I care about will criticise me), with 170 internal consistencies assessed through Cronbach's coefficient α of .93, .92 and .89, 171 respectively (Ehlers et al., 2007). Participants respond to each item on a 5-point Likert scale 172 from 0 (Never) to 4 (Always) indicating the frequency of each thought while driving. Scores for each item are averaged across each factor. Higher scores indicate a higher frequency of 173 174 concern. To our knowledge, this was the first time this questionnaire was used in a French study. Therefore, we translated the questionnaire into French. We also conducted a Principal 175 176 Component Analysis (PCA) in order to test for the replicability of the three-factor structure. 177

2.3.3 Driving and Riding Avoidance Scale (DRAS). The DRAS (Stewart and St 178 179 Peter, 2004) is a questionnaire used to measure avoidance behaviours for driving or riding in 180 a vehicle. It contains 20-items describing various driving and riding situations. Participants indicate how often they have avoided each situation due to anxiety over the past seven days 181

(Sullman & Taylor, 2010). Participants respond using a four-point Likert scale from 0 (avoid rarely or none of the time) to 3 (most or all of the time). Stewart & St Peter (2004) identified four factors in this questionnaire: general avoidance, traffic avoidance, weather avoidance and riding avoidance, with internal consistencies (Cronbach's coefficient α) of.82, .85, .86, .82, respectively. Scores are summed for each factor. Higher scores indicate higher avoidance level. The DRAS was translated into French² and a PCA was used in order to test the fourfactor structure.

189

190 2.3.4 Anxiety level and relationship with quality of life and work. Participants 191 rated their level of driving anxiety on an 11-point scale (from 0 = none to 10 = extreme) as 192 done in previous studies (Taylor et al., 2011; Taylor, 2018). Participants also reported on an 193 11-point scale (from 0 = not at all to 10 = very much) the extent to which their driving 194 anxiety has: 1) determined the choice of their place of residence; 2) affected their daily activities and 3) affected their quality of life in the last month. Quality of life was defined as 195 196 "your sense of physical and psychological well-being, your autonomy, your social 197 relationships and your relationships at work and with your family and friends". To determine 198 the importance of the social part of driving anxiety, participants also reported how ashamed 199 they are of their driving anxiety on an 11-point scale (0 = not at all; 10 = very strongly). 200 Regarding their occupation, participants reported 1) how much their career choice was

determined by driving anxiety (from 0 = not at all to 10 = very much); 2) whether driver
anxiety has been a barrier to getting a job (Yes/No); 3), if they had ever considered leaving a
position due to this anxiety (Yes/No); and 4) if they had ever been late to work, or absent
from work due to driving anxiety (Yes/No; number if any).

205

206 2.4 Data analysis

207

208The self-reported intensity of driving anxiety was categorised across three levels: mild209(1-5), moderate (6-8) and extreme (9-10) (Collette, 2019). This segmentation into three levels

² Note that because of a technical issue, one item is missing in our survey ("I avoided driving in a car on a motorway"). Consequently, the total score is 57 instead of 60.

8

210 was chosen to bring precision to the analysis conducted about the perceived impact of driving 211 anxiety according to its intensity. Indeed, apart from its statistical relevance in terms of group 212 size, this categorisation allowed separating the extremely anxious people (9-10) from the 213 moderately anxious ones (6-8) which previously have been grouped together (for instance 214 Taylor et al., 2011; Taylor, 2018 but see also Collette, 2019 and Stephens et al. 2020 for same 215 classification). This classification is expected to highlight the likely differences between the 216 two higher levels of anxiety on driving avoidance and performance. Cases with 0 on this 217 scale were removed from the analysis (37 cases). Age was categorised into six groups: 18-24; 218 25-34; 35-44; 45-54; 55-64; 65+. 219 Data analyses were conducted with SPSS v.26 for Windows. Relationships for 220 categorical data were examined using Chi-Square independence tests. In cases where there 221 were 20% of the cells with an expected count less than five (e.g. gender) Fisher's Exact Test 222 p value was reported. Effect sizes were interpreted using Cramer's V (φc) with values up to 0.10, 0.30 and 0.50 indicating small, medium and large effects respectively (Cohen, 1988). 223 224 One-way ANOVAs were conducted to assess relationships between anxiety group and 225 continuous variables. Bonferroni post hoc tests were used to determine significant differences 226 between each group while adjusting for multiple comparisons. As mentioned, two Principal 227 Component Analyses (PCA) were conducted on the scores of DCQ and DRAS respectively and Varimax rotations were used. For each PCA adequacy of the factorial solution was given 228 229 by the Kaiser-Meyer-Olkin index (Results are given in supplementary materials). In addition,

the mean scores for each item were examined for the entire sample and then, separately foreach anxiety group.

232

3. Results

234

235 3.1 Final dataset

236

A total of 2,879 persons visited the survey website. Participants were included in the dataset if they met the following criteria: i) three inclusion criteria; ii) level of anxiety superior or equal to 1; and iii) all items of the questionnaire completed. Eventually, responses from 304 participants were included in the final dataset for analysis (see Table 1, first column). The majority of participants were women (79.9%; males = 20.1%). They ranged in age from 18 to 77 years (M = 36.96; ± 13.56). Most of them held a driver's licence (92%).

Among those not holding a licence, 37.5% indicated they were currently learning to drive.

The mean anxiety intensity score was 6.45 (±2.63) on the 11-point scale.

245

246 3.2 Sample characteristics according to three levels of driving anxiety

247

The sample distribution according to three levels of anxiety (mild from 1 to 5, moderate from 6 to 8, and extreme from 9 to 10) is shown in Table 1: 32.2% of the sample were classified as mildly anxious, 44.7% were moderately anxious and 23% were extremely anxious.

A significant difference in the levels of driving anxiety was observed according to gender (χ^2 (2) = 10.90, *p* = .0043, φ_c =.189), due to an over-representation of males among the mildly anxious, and an under-representation among extremely anxious drivers. A significant difference was also found across age group (χ^2 (8) = 37.38, *p* < .0001, φ_c = .248), due to an over-representation of the 18-24 years old and an under-representation of the 35-44 years old among the mildly anxious group as well as an under-representation of the 18-24 years old and an over-representation of the 35-44 years old among the extremely anxious.

Holding a driver's licence or not was significantly related to anxiety level (χ^2 (2) = 9.82, p < .007, $\varphi_c = .180$): those without a licence were under-represented in the mildly anxious group and over-represented in both other groups. Finally, there was a significant relationship between place of residence (urban or rural) and level of anxiety (χ^2 (2) = 8.01, p= .0182, $\varphi_c = .162$). People living in rural areas were over-represented within the mildly anxious group and under-represented within the extremely anxious group.

- 265
- 266 Table 1.

267 Repartition of the sample according to age, gender, licence, place of residence and according268 to driving anxiety.

	Total	Mild	Moderate	Extreme
	(<i>N</i> = 304)	(<i>n</i> = 98)	(<i>n</i> = 136)	(<i>n</i> = 70)
	%	%	%	%
Sample	100	32.2	44.7	23.0
Sex**				
Males	20.1	30.6	16.9	11.4
Females	79.9	69.4	83.1	88.6

Age (years)***				
18 – 24	20.4	34.7	17.7	5.7
25 - 34	28.3	21.4	31.6	31.4
35 - 44	23.0	10.2	24.3	38.6
45 - 54	14.8	17.4	12.5	15.7
+ 55	13.5	16.3	14.0	8.6
Licence**				
Yes	92.1	99	89.7	87.1
No	7.9	1	10.3	12.9
Place of residence*				
Urban	74	66.3	73.5	85.7
Rural	26	33.7	26.5	14.3

269 *Note.* Significant relationship between driving anxiety level and the variables at *p < .05; **p< .01; ***p < .001. Anxiety group columns sum to 100% for each variable. Value in bold 270 271 represents the ones, which make the largest contribution to the overall chi-square statistic. 272

273

3.3 Driving Cognitions Questionnaire results: Negative thoughts while driving 274

275 The main negative thoughts linked to driving were assessed through the Driving 276 Cognitions Questionnaire. This questionnaire was only administered to the participants who 277 reporting driving (n = 250), excluding people without their drivers licence and those who did 278 not drive anymore.

279 The PCA conducted on DCQ scores resulted in four factors (eigenvalues greater than 280 1) and a cumulative explained variance percentage of 71.8% (see supplementary material for 281 further details). Two of these factors corresponded to the panic-related and to the social 282 concern items identified by Ehlers et al. (1994, 2007). The two last factors corresponded to 283 the crash related items but split into two categories depending on whether it is a fear for 284 oneself (e.g. I will be injured) or for others (e.g. I will injure someone). The Kaiser-Meyer-285 Olkin measure of sampling adequacy was 0.911, indicating suitability of the data for this 286 analysis. In addition, the questionnaire demonstrated good internal consistency ($\alpha = 0.94$) for 287 the total score and for each of these four factors (See Table 2 for Cronbach alphas). 288 289 Table 2.

290 DCQ mean score (SD) for each of the four factors identified by the PCA in all respondents 291 who reporting driving (n = 250) and across anxiety groups.

All	Mild	Moderate	Extreme

	(n = 250)	(n = 97)	(n = 117)	(n = 36)
Panic-related items ($\alpha = .92$)	0.96 (1.04)	0.34 (.41)	1.04 (.95)	2.36 (1.07)
Social concerns items ($\alpha = .88$)	1.32 (1.11)	0.78 (.74)	1.44 (1.09)	2.43 (1.11)
Crash related items: fear for oneself ($\alpha = .78$)	1.35 (1.04)	0.90 (.69)	1.45 (1.03)	2.27 (1.20)
Crash related items: fear for others ($\alpha = .82$)	1.40 (.99)	0.82 (.61)	1.60 (.94)	2.32 (1.07)

292 *Note*. α = Cronbach coefficient alpha on the current data

293

294 As illustrated in Table 2, significant statistical differences were observed among the 295 mildly, moderately and extremely anxious groups regarding each of the four factors: panic 296 (F(2,247) = 83.48, p < .001); social concerns (F(2,247) = 39.94, p < .001); fear for oneself $(F(2,247) = 28.82, p \le .001)$ and fear for others $(F(2,247) = 47.07, p \le .001)$. Post-hoc 297 analysis revealed that for each factor, scores of the extremely anxious group were 298 significantly higher than those of the moderately and mildly anxious groups ($p \le .001$), and 299 300 scores of the moderately anxious group were significantly higher than those of the mildly 301 anxious group (p < .001).

302 To better understand the respondents' main concerns while driving s, the scores for 303 each item were examined (see Table 3) for the entire sample and for each anxiety group. In 304 the whole sample, the four most common thoughts were: 1) "I cannot control whether other cars will hit me"; 2) "I will hold up traffic / people will be angry"; 3) "I will not react fast 305 306 enough" and 4) "People will think I am a bad driver". The three most common for whole 307 sample were also the most commonly reported by the mildly and moderately anxious groups. 308 The fourth most common thought for the mildly anxious group was "People I care about will criticise me" and for the moderately anxious group was "I will cause an accident". 309

The four most common thoughts while driving differed for the extremely anxious group. For this group, the main concern was "I will lose control of myself and act stupidly or dangerously", followed by "I will hold up traffic / people will be angry" and "I will not be able to think clearly". With the same score, the fourth most frequent thought of this group was "People will think I am a bad driver" and "I will tremble and not be able to steer". In particular, this last concern was very specific to the extremely anxious group as it only emerged in the 17th position for mildly and moderately anxious groups.

317

318 Table 3.

319 DCQ mean item scores (SD) in all respondents who reporting driving (n = 250) and

320 separately for each anxiety groups.

		All	Mild	Moderate	Extreme
	Items	(n = 250)	(n = 97)	(n = 117)	(n = 36)
4	I cannot control whether other cars will hit me	2.91 (1.37)	2.47 (1.15)	3.03 (1.40)	3.67 (1.45)
15	I will hold up traffic / people will be angry	2.57 (1.45)	1.98 (1.05)	2.67 (1.51)	3.86 (1.25)
1	I will not react fast enough	2.56 (1.17)	2.09 (0.78)	2.70 (1.19)	3.39 (1.42)
8	People will think I am a bad driver	2.50 (1.36)	1.87 (0.87)	2.63 (1.39)	3.75 (1.38)
13	I will cause an accident	2.44 (1.28)	1.73 (0.73)	2.71 (1.29)	3.50 (1.34)
9	I will injure someone	2.41 (1.25)	1.78 (0.88)	2.60 (1.22)	3.50 (1.30)
20	I will lose control of myself and will act stupidly or dangerously	2.38 (1.42)	1.58 (0.83)	2.58 (1.40)	3.89 (1.30)
2	People I care about will criticise me	2.26 (1.21)	2.05 (1.00)	2.26 (1.24)	2.83 (1.46)
5	Other people will notice that I am anxious	2.22 (1.25)	1.46 (0.76)	2.44 (1.33)	3.56 (1.36)
10	I will not be able to think clearly	2.21 (1.36)	1.45 (0.80)	2.34 (1.27)	3.83 (1.30)
19	People riding with me will be hurt	2.19 (1.23)	1.68 (0.91)	2.38 (1.22)	2.92 (1.44)
14	I will be stranded	2.18 (1.34)	1.60 (0.87)	2.23 (1.33)	3.56 (1.42)
11	I will die in an accident	2.12 (1.26)	1.61 (0.73)	2.24 (1.34)	3.08 (1.48)
17	People will laugh at me	2.07 (1.33)	1.54 (0.94)	2.18 (1.40)	3.14 (1.31)
12	I will be trapped	2.06 (1.37)	1.41 (0.69)	2.12 (1.40)	3.61 (1.42)
7	I will be injured	2.04 (1.12)	1.62 (0.80)	2.08 (1.04)	3.06 (1.39)
6	I will tremble and not be able to steer	1.94 (1.34)	1.24 (0.54)	1.97 (1.28)	3.75 (1.34)
18	I will be unable to move	1.74 (1.27)	1.14 (0.38)	1.76 (1.22)	3.25 (1.65)
3	I will be unable to catch my breath	1.63 (1.04)	1.23 (0.57)	1.69 (1.00)	2.53 (1.50)
16	My heart will stop beating	1.54 (1.12)	1.10 (0.31)	1.61 (1.19)	2.50 (1.58)
	Mean	1.20 (0.87)	0.63 (0.43)	1.31 (0.75)	2.36 (0.82)

Note. In each column, the values in bold correspond to the four items with the highest scores.

323 3.4 Avoidance of driving or riding by anxiety groups 324 325 Avoidance related to driving anxiety was explored through total avoidance and the 326 DRAS factors representing different situations avoided. 327 328 **3.4.1 Total avoidance.** Among licenced drivers (n = 280), 10.7% (n = 30) reported 329 never driving because of driving anxiety. Among unlicensed drivers (n = 24), 58.3% (n = 14)330 reported this was due to driving anxiety. Of the 44 people who never drive, none were classified as the mildly anxious, 14 (31.8%) were moderately anxious (which corresponds to 331 332 10.3% of the group) and 30 (68.2%) were extremely anxious (which corresponds to 42.9% of 333 this group). 334 3.4.2 Main avoided situations. Similar to the DCQ, the DRAS results were obtained 335 336 only from driving licence holders (n = 280). The PCA showed a 4-factor solution: general 337 avoidance, traffic avoidance, weather/darkness avoidance and riding avoidance (Table 4; see

338 supplementary material for further details). The Kaiser-Meyer-Olkin test was 0.924,

demonstrating good suitability of the data for the PCA. The questionnaire demonstrated good internal consistency ($\alpha = 0.93$) for the total score and for each of the four factors (See Table 4

- 341 for Cronbach alphas).
- 342

343 Table 4.

344 DRAS mean scores (SD) for each of the four factors identified through the PCA, for all the

345 licenced drivers (n = 280) and separately for each anxiety group.

	All	Mild	Moderate	Extreme
	(n = 280)	(n = 97)	(n = 122)	(n = 61)
General avoidance ($\alpha = .88$)	1.03 (1.0)	0.40 (.54)	1.11 (.91)	1.87 (1.07)
Traffic avoidance ($\alpha = .90$)	0.82 (.98)	0.37 (.55)	0.78 (.87)	1.63 (1.20)
Weather/darkness avoidance ($\alpha = .88$)	0.76 (.97)	0.44 (.69)	0.69 (.89)	1.41 (1.19)
Riding avoidance ($\alpha = .89$)	0.36 (.68)	0.21 (.46)	0.28 (.51)	0.77 (1.03)

- 346 *Note*. α = Cronbach coefficient alpha.
- 347

348	As illustrated in Table 4, there were some significant differences in the scores
349	obtained for the four factors across anxiety groups: general avoidance ($F(2,277) = 57.31, p < 100$
350	.0001, $\eta^2 = 0.293$), traffic avoidance (<i>F</i> (2,277) = 39.57, <i>p</i> < .0001, $\eta^2 = 0.222$),
351	weather/darkness avoidance ($F(2,277) = 21.94, p \le .0001, \eta^2 = 0.137$) and riding avoidance
352	$(F(2,277) = 15.93, p < .0001, \eta^2 = 0.103)$. Extremely anxious people reported higher levels of
353	all four avoidance types, across the past seven days, which were almost twice as high as
354	moderately anxious people ($p \le .001$). In addition, moderately anxious people reported more
355	general avoidance ($p \le .001$) and traffic avoidance ($p \le .002$) than mildly anxious people.
356	Table 5 shows the mean scores for each DRAS item across anxiety groups. The four
357	main avoidance behaviours are reported for the whole sample and also for each group. The
358	same two behaviours were rated as most frequent across all groups. These were: 1) "avoiding
359	driving a car "and 2) "riding a bus to avoid driving in the car". The mildly anxious group
360	reported more "rescheduling making a drive in the car to avoid traffic", and "avoiding driving
361	the car because the weather was bad (e.g., fog, rain, or ice)"; the moderately anxious group
362	reported more "avoiding driving on busy city streets" and "avoiding activities that required
363	using a car"; and the extremely anxious group also reported more "rescheduling making a
364	drive in the car to avoid traffic" and "avoided activities that required using a car".
265	

- 365
- 366 Table 5.

367 DRAS mean item scores (SD) across all the licenced drivers (n = 280) and separately for each

368 anxiety group.

DR	AS Items	All	Mild	Moderate	Extreme
		(n = 280)	(n = 97)	(n = 122)	(n = 61)
3	I avoided driving a car if I could	1.36 (1.25)	0.69 (0.95)	1.46 (1.19)	2.23 (1.20)
19	I chose to ride a bus someplace to avoid driving in the car	1.17 (1.27)	0.57 (0.92)	1.26 (1.25)	1.92 (1.32)
6	I avoided driving on busy city streets	1.02 (1.24)	0.49 (0.88)	1.01 (1.17)	1.87 (1.41)
9	I rescheduled making a drive in the car to avoid traffic	0.98 (1.22)	0.54 (0.90)	0.85 (1.12)	1.93 (1.34)
2	I chose to walk or ride a bicycle someplace to avoid driving in the car	0.93 (1.19)	08 (0.74)	0.98 (1.17)	1.72 (1.34)
20	I avoided activities that required using a car	0.93 (1.20)	0.18 (0.50)	1.02 (1.14)	1.95 (1.29)
11	I avoided driving the car after dark	0.88 (1.16)	0.46 (0.79)	0.83 (1.10)	1.62 (1.39)

	Mean	0.72 (0.75)	0.34 (0.45)	0.69 (0.60)	1.39 (0.94)
4	I avoided riding in a car if I could	0.31 (0.79)	0.20 (0.60)	0.19 (0.63)	0.72 (1.14)
18	I put off a brief trip or errand that required riding in a car	0.33 (0.81)	0.13 (0.49)	0.28 (0.73)	0.75 (1.16)
13	I avoided riding in a car after dark	0.35 (0.81)	0.19 (0.60)	0.28 (0.71)	0.74 (1.12)
14	I avoided riding in a car if I knew the traffic was heavy	0.38 (0.85)	0.24 (0.64)	0.31 (0.76)	0.74 (1.15)
12	I avoided riding in a car because the weather was bad (e.g., fog, rain, or ice)	0.39 (0.86)	0.15 (0.36)	0.26 (0.68)	0.79 (1.23)
16	I avoided riding in a car on a motorway	0.43 (0.96)	0.23 (0.63)	0.35 (0.92)	0.90 (1.26)
5	I avoided driving on residential streets	0.46 (0.96)	0.13 (0.42)	0.39 (0.88)	1.15 (1.35)
17	I rescheduled making a drive in the car to avoid bad weather (e.g., fog, rain, or ice)	0.58 (0.98)	0.36 (0.72)	0.54 (0.92)	1.00 (1.28)
1	I put off a brief trip or errand that required driving the car	0.75 (1.14)	0.19 (0.50)	0.83 (1.17)	1.48 (1.34)
8	I avoided driving through busy intersections	0.80 (1.16)	0.36 (0.78)	0.74 (1.09)	1.64 (1.38)
10	I avoided driving the car because the weather was bad (e.g., fog, rain, or ice)	0.83 (1.10)	0.51 (0.79)	0.70 (0.99)	1.61 (1.35)
7	I travelled a longer distance to avoid driving through heavy traffic or busy streets	0.85 (1.16)	0.33 (0.67)	0.93 (1.16)	1.54 (1.38)

369 *Note*. In each column, the values in bold correspond to the four items with the highest scores.

370

371 3.5 Reported impact of driving anxiety on general quality of life

372

To further explore the perceived impact of driving anxiety, we investigated the perceived consequences on different aspects of personal and occupational life.

375

376 **3.5.1 Driving anxiety and personal life.** The self-reported impact of driving anxiety 377 was assessed on four aspects of personal life and revealed significant differences on choice of 378 residence (F(2,301) = 56.26, p < .0001), daily activities (F(2,301) = 63.97, p < .0001), overall 379 quality of life (F(2,301) = 65.29, p < .0001) and level of associated shame (See Table 6). 380 (F(2,301) = 64.66, p < .0001). The more severe the driving anxiety, the more perceived 381 impact across all four aspects. Post-hoc analysis revealed that for each aspect of daily life, the 382 scores were significantly higher for moderately and extremely anxious drivers than for the

- mildly anxious group ($p \le .001$ for both comparisons). Further, extremely anxious drivers
- scored significantly higher than the moderately anxious group ($p \le .001$).
- 385 Table 6.
- 386 Mean (SD) of the self-reported impact on four aspects of personal life (10-points scale) across
- 387 whole sample (N = 304) and separately for each anxiety group.

	Total	Mild	Moderate	Extreme
	(N = 304)	(n = 98)	(n = 136)	(n = 70)
Influence on choice of residence's place	3.01 (3.72)	0.95 (1.88)	2.84 (3.46)	6.21 (3.98)
Negative impact on daily life activities	3.71 (3.41)	1.28 (1.88)	4.18 (3.20)	6.21 (3.29)
Impact on quality of life	3.65 (3.38)	1.14 (1.64)	4.27 (3.22)	5.97 (3.30)
Associated level of shame	3.89 (3.45)	1.37 (2.04)	4.47 (3.13)	6.31 (3.38)

³⁸⁸

389 **3.5.2 Driving anxiety and occupational life.** A significant difference in classification 390 among the three levels of driving anxiety according to work status was (χ^2 (10) = 26.65, *p* = 391 .0029, $\varphi_c = .209$) (see Table 7). This corresponded to an under-representation in the mildly 392 anxious group and an over-representation in the extremely anxious group of people reporting 393 working in intermediate profession and employees. In addition, there was an over 394 representation of unemployed (others than students and retired people) among the extremely 395 anxious group.

396

397 Table 7.

398 Repartition of the sample according to driving anxiety and French socio-professional

399 categories.

French socio-professional categories	Total % (<i>n</i>)	Mild %	Moderate %	Extreme %
Self-employed and farm operator	33.9 (103)	30.6	35.3	35.7
Managerial and highly qualified worker	9.2 (28)	13.3	7.4	7.1
Intermediate profession, employees and factory workers	20.7 (63)	12.2	22.1	30
Retired	4.3 (13)	5.1	5.2	1.4
Students	24.7 (75)	34.7	24.3	11.4
Other unemployed	7.2 (22)	4.1	5.9	14.3

400 *Note.* Anxiety group columns sum to 100%. The values in bold correspond to the ones which401 make the largest contribution to the overall chi-square statistic.

402

403 Table 8 shows the self-reported impact of driving anxiety on occupational factors, 404 across anxiety intensity. This was only for the respondents who were currently employed or 405 had been employed (n = 290) and did not include people who have never been employed. As 406 expected, greater levels of anxiety were associated with higher negatively perceived impacts 407 on occupation. Statistical analysis revealed significant differences on the three aspects: occupational orientation (F(2,287) = 25.51, $p \le .001$), work performance (F(2,287) = 24.56, p408 409 < .0001) and quality of work (F(2,287) = 25.48, p < .0001) according to intensity of anxiety. 410 Post-hoc analysis also revealed significantly higher scores for moderately than for mildly 411 anxious group (p < .01) and for extremely than for moderately anxious group at each stage (p < .01)412 < .001; see Table 8). Thus, individuals with higher anxiety levels tended to report greater impacts of their anxiety across all three aspects of work, with mean scores doubling between 413 414 moderately and extremely anxious groups. 415

416 Table 8.

417 Mean scores (SD) of driving anxiety impact on career choice, quality of work life and

418 performance for all the respondents who were currently employed or had been employed (n =

419 290) and separately for each anxiety group.

	All (<i>n</i> = 290)	Mild (<i>n</i> = 93)	Moderate (<i>n</i> = 128)	Extreme (<i>n</i> = 69)
Impact on career direction	1.61 (3.09)	0.32 (1.27)	1.5 (3.00)	3.55 (3.92)
Negative impact on work performance	1.57 (2.85)	0.37 (1.1)	1.48 (2.72)	3.35 (3.73)
Impact on quality of work life	1.90 (3.07)	0.53 (1.3)	1.94 (3.03)	3.70 (3.86)
	Impact on career direction Negative impact on work performance Impact on quality of work life	All (n = 290)Impact on career direction1.61 (3.09)Negative impact on work1.57 (2.85)performance1.90 (3.07)	All $(n = 290)$ Mild $(n = 93)$ Impact on career direction1.61 (3.09) $0.32 (1.27)$ Negative impact on work $1.57 (2.85)$ $0.37 (1.1)$ performanceImpact on quality of work life $1.90 (3.07)$ $0.53 (1.3)$	All $(n = 290)$ Mild $(n = 93)$ Moderate $(n = 128)$ Impact on career direction $1.61 (3.09)$ $0.32 (1.27)$ $1.5 (3.00)$ Negative impact on work $1.57 (2.85)$ $0.37 (1.1)$ $1.48 (2.72)$ performanceImpact on quality of work life $1.90 (3.07)$ $0.53 (1.3)$ $1.94 (3.03)$

420

To further understand the perceived impact of driving anxiety on work, respondents
who were employed or had been employed (*n* = 290) reported whether their driving anxiety
1) had ever been a barrier to getting a position, 2) led them to ever consider leaving a
position, 3) meant they ever missed or 4) were ever late to work (Table 9). A strong impact of
driving anxiety intensity was observed with an over-representation of people reporting that

- 426 their anxiety has been a barrier to getting a position in the extremely anxious group and an
- 427 under-representation in the mildly anxious group. The same pattern was observed for people
- 428 reporting having ever considered leaving a position because of their anxiety.
- 429
- 430 Table 9.
- 431 Relationships between anxiety group and work issue, for all the respondents who were

432 currently employed or had been employed (n = 290) and separately for each anxiety group.

	All (n = 290) %	Mild (<i>n</i> = 93) %	Moderate (<i>n</i> = 128) %	Extreme (<i>n</i> = 69) %	χ ² (2)	р	φc
Has your driving anxiety ever been a barrier to get a position you were interested in?							
Yes	28.6	6.5	28.1	59.4			
No	71.4	93.6	71.9	40.6	54.43	< .0001	0.433
Have you e	ever considere	d leaving a p	osition becaus	e you had to	drive?		
Yes	11.4	0	13.3	23.2			
No	88.6	100	86.7	76.8	21.94	< .0001	0.275
Has drivin	g anxiety ever	caused you	to miss work?				
Yes	21.7	21.5	19.5	26.1			
No	78.3	78.5	80.5	73.9	1.14	ns	
Has drivin	g anxiety ever	caused you	to be late for w	ork?			
Yes	11.0	3.2	14.1	15.9			
No	89	96.8	85.9	84.1	8.67	0.013	0.173

433 *Note*. The values in **bold** are the ones, which make the largest contribution to the overall chi-

434 square statistic.

435 **4. Discussion**

436

The aim of this study was to examine the manifestation of driving anxiety in a French population experiencing driving anxiety (not restricted to motor vehicle crash victims), and to explore the extent of its perceived impact on daily life and work according to its intensity. To achieve this aim, an online survey was conducted in France, recruiting people who had

- 441 experienced anxiety over driving. Therefore, this was not a prevalence study as 1)
- 442 participants were not selected to be representative of the French population and 2) we focused

19

only on people reporting some level of driving anxiety. However, this study provides a better 443 444 understanding of the characteristics of participants experiencing driving anxiety in France, of 445 how anxiety manifests and the perceived influence on other aspects of their life beyond 446 mobility. Not surprisingly, the results of this survey are in agreement with those obtained in 447 other countries: the greater the intensity of driving anxiety, the greater the perceived impact 448 on avoidance and quality of life (Costa et al., 2014; Ehlers et al., 1994; Hempel et al., 2017; 449 Stephens et al., 2020; Taylor, 2018). Considering our whole sample, the mean reported level 450 of driving anxiety was 6.45 (±2.63) on the 11-point scale. This level is similar to that reported 451 by Taylor, Deane & Podd (2007) in their survey focusing on fearful driver women in New 452 Zealand (6.98, ±1.94).

453 The study builds on previous research in the area by including a classification for 454 extreme anxiety. For example, in previous surveys using the same 0 to 10 point scale to rate 455 driving anxiety, only two categories have been used: scores between 2 and 4 were considered 456 as mild anxiety and scores between 5 and 10 were considered as moderate to extreme anxiety 457 (Hempel et al., 2017; Taylor et al., 2007). Here, as in the study by Stephens and colleagues 458 (2020), we discriminated three levels of driving anxiety: mild (from 1 to 5), moderate (from 6 459 to 8) and extreme (from 9 to 10). The distribution of anxiety was similar in both countries 460 with respectively in the Australian survey and in the French survey: 32% and 32% of mildly anxious respondents, 55% and 45% moderately anxious and 14% and 23% extremely 461 462 anxious. This finer categorisation has proven to be relevant insofar as we have observed strong statistical differences in the impact of driving anxiety between the moderately and 463 464 extremely anxious groups, which might not be apparent using a less sensitive classification. 465 These results are discussed in the next sections.

466

467 4.1 Characteristics of our sample by level of anxiety

468 Our results revealed a significant proportion of those aged 35-44 years in the 469 extremely anxious group whereas the 18-24 years old people were the least represented in the 470 same group. This last result could be explained by a reduced need to use a car by younger 471 people. As a result, they are less exposed to driving and would experience less anxiety. 472 However, this relationship has not been clearly demonstrated in the literature on driving 473 anxiety (see for instance Stephens et al., 2020) and further studies are needed to better 474 understand this possible relationship between age and driving anxiety. In our sample, as in Stephens et al. (2020), the most anxious people were overrepresented among unlicensed drivers. Some people may choose not to learn how to drive
due to their anxiety, while others may fail their driving test because of their anxiety during
the driving examination (Fairclough, Tattersall & Houston, 2006).

479 People with extreme driving anxiety were under-represented in the population living 480 in rural areas. It would be interesting to investigate this point further. At least two hypotheses 481 could be proposed. People with more severe anxiety may relocate to urban areas to find some 482 alternatives to car driving, or where traffic density is lower and therefore perceived risk of 483 crash is also lower. Another explanation is that living in rural areas may protect against 484 anxiety in general and driving related anxiety. While, individual factors such as personality 485 and transportation needs are important factors, it is known that city life and mental wellbeing 486 are interconnected (Lecic-Tosevski, 2019). This issue is beyond the scope of this discussion, 487 however, these should all be evaluated and considered when working with, and supporting, 488 individuals with their driving anxiety.

489 How driving anxiety manifests can be examined using the Driving Cognitions 490 Questionnaire. Considering the whole sample, the three reported main concerns were: "I 491 cannot control whether other cars will hit me", "I will not react fast enough" and "I will hold 492 up traffic / people will be angry". These are the same main concerns as those reported by 493 Taylor et al. (2007) and Ehlers et al. (1994). In addition, and as expected, the scores for the 494 four types of concerns (panic, social and crash risks with fear for others or for oneself) were 495 higher for extremely anxious drivers than for those with lower anxiety (both mild and 496 moderate). As it has also been observed by Stephens et al. (2020), the type of main concerns 497 strongly depended on driving anxiety intensity. If concerns were similar between mildly and 498 moderately anxious groups, they strongly differed with those of the extremely anxious group. 499 The predominant concern in this group was the fear of losing control. That is, they were not 500 confident in their own capabilities to manage the situation. In contrast, the predominant 501 concern in the other two groups was the fear of being hit by others. This difference may be 502 due to a weaker self-confidence and/or self-esteem of the most anxious individuals at least on 503 their driving performances or capabilities. Literature on general anxiety shows that low self-504 esteem and high trait anxiety are associated (Danielsson & Bengtsson, 2016). This highlights 505 the fact that the level of self-confidence and level of trust in others should be assessed in 506 order to understand the mechanisms of driving anxiety at an individual level.

20

507

508 4.2 Avoidance, quality of life and quality of work and driving anxiety

509 Driving anxiety often leads to avoidance, which may be partial or total. Avoidance 510 can have a strong impact on mobility and autonomy particularly for people who do not have 511 easy access to public transport services. To fully examine this, our sample included 512 unlicensed drivers. This allowed consideration of the impact of driving anxiety at the early 513 stages of driving history, e.g. prior to learning. It also allowed inclusion of people who may 514 have once driven, but have now surrendered their licence due to anxiety, either of their own violation or through medical advice. Not surprisingly, in terms of avoidance, the more intense 515 the anxiety, the stronger the avoidance, both total and partial. 516

517 To assess avoidance, we used a French translated version of the driving and riding avoidance scale (DRAS). Factor analyses revealed a strong consistency with data from 518 519 Steward & St Peter (2004) by replicating the four same dimensions: general avoidance, traffic avoidance, weather/darkness avoidance and riding avoidance. Only one item ("18-I put off a 520 521 brief trip or errand that required riding in a car") classified in "general avoidance" in the original paper of Stewart and St Peter (2004), has been classified in "Riding avoidance" in 522 523 our case. In addition, our results are consistent with those from previous international studies 524 using this scale (Blachnio Przepiórka, Sullman & Taylor, 2013; Stewart & St Peter, 2004; 525 Taylor et al., 2020), with the main situation avoided for the three groups being "I avoided driving a car if I could". However, there was a strong quantitative difference between the 526 527 scores according to driving anxiety intensity. Similar to previous research using the DRAS, 528 the scores were significantly higher in the four dimensions (general avoidance, traffic 529 avoidance, weather/darkness avoidance and riding avoidance) for the extremely anxious group than the other two groups (Stephens et al. 2020). 530

531 Our data are also in agreement with previous research showing that driving anxiety was associated with poorer perceived quality of life (Costa et al., 2014; Hempel et al., 2017). 532 533 This was most evident with the extremely anxious group, who rated higher negative impacts 534 on all aspects of daily life (place of residence, daily activities, overall quality of life and 535 shame related to driving anxiety) than the moderately (and mildly) anxious group. The notion 536 of shame is clearly important to consider in the context of the quality of life as it can have 537 strong psychological impact in terms of self-esteem (Velotti, Garofalo, Bottazzi & Caretti, 538 2017).

539 Regarding work, as described by Stephens et al. (2020) the reported impact of anxiety 540 on work was lower when compared to the reported impact on general quality of life. 541 However, people with extreme driving anxiety reported a strong impact of this anxiety on their occupational life, indicating negative impacts on quality of work life, performance and 542 543 career direction. Driving anxiety may impede access to a job and our findings provide 544 evidence of this. For example, unemployed people were over-represented in the extreme 545 anxious group and two-thirds of the extremely anxious group reported that driving anxiety 546 has already been a barrier to getting a position. Those in the extremely anxious group were 547 also likely to leave a position as a result of their anxiety. Thus, we observed that people with 548 extreme driving anxiety have concerns about their driving skills (DCQ: "People will think I 549 am a bad driver") and perceive that this anxiety has significant negative impacts on their 550 quality of daily life and work. It is known that quality of daily life and occupational life 551 interact with stress and general anxiety, which are linked to well-being. Therefore, it is 552 plausible that driving anxiety may play a detrimental role in general well-being. All these 553 aspects are interconnected and should be considered collectively to better understand how to 554 improve well-being for those with anxiety over driving.

555

556 557

5. Limitations and further research

558 We used two questionnaires in the framework of this survey: the DCQ and the DRAS. 559 Both were translated to French for the purpose of this study. French validated versions of 560 these questionnaires did not exist, and the sample used here did not allow such validation. 561 Therefore, analyses were conducted to confirm the most appropriate factor structure for the scales prior to use. This follows previous examples using the DCQ (Taylor, Stephens & 562 Sullman, 2021) and DRAS (Taylor, Sullman & Stephens, 2020) where the original factors 563 564 structures could not be replicated, and new structures were proposed. The analyses of the 565 French data showed similar structures as reported previously (Blachnio et al., 2013; Stephens et al., 2020; Taylor et al., 2020). Therefore, there is evidence to suggest the scales were 566 567 robust to translation.

568 The data reported here showed that the impact of driving anxiety extends to 569 occupational life in a detrimental way. However, our sample was not representative of the 570 entire French population, in particular in terms of occupational status. Consequently, these

23

571 first results about the occupational life of people experiencing driving anxiety warrant further572 exploration and replication using a more representative sample.

573 Our sample was also comprised mainly of women. This has been the case in several 574 studies on this topic (Munjack, 1984; Taylor 2018; see also Taylor, Deane & Podd, 2002 for 575 a review). However, this does not necessarily indicate that women experience more driving 576 anxiety than men. Indeed, it seems that women are more prone to participate to online 577 surveys than men (Smith, 2008), which can at least partly explain the rate of women in our 578 study and other international studies. The relationship between gender and intensity of 579 driving anxiety (with men over-represented and under-represented in mildly and extremely 580 anxious group, respectively) should also be interpreted with caution. Indeed, some gender 581 stereotypes associated with driving can have an impact on the expression of driving anxiety in men and women. Women are generally perceived as having poorer driving skills and lack 582 583 of self-control despite being considered as prudent, whereas men are generally perceived as 584 more skilled and self-controlled although careless (Degraeve, Granié, Pravossoudovitch & Lo 585 Monaco, 2015; Granié & Papafava, 2011). These gender stereotypes may influence the way 586 men and women talk about their driving weaknesses, with men being less likely than women 587 to confess their fear of driving and the intensity of this fear.

It is not currently clear whether driving anxiety is a specific anxiety or if it is a component of a general anxiety trait, which may be expressed when driving, or when considering driving. Driving as a whole may be considered as a stressful activity because of the associated inherent risk (Bowen, Budden & Smith, 2020). This may lead to a greater manifestation of anxiety as a driver or passenger. Future research in this area, should consider personality traits and perceived skills (measured objectively and subjectively).

595 **6.** Conclusion

596

597 To conclude, this survey is the first study addressing driving anxiety in a French 598 sample. The results are consistent with the international literature on the topic about 1) 599 concerns about driving, 2) anxiety related avoidance, 3) quality of life. In addition, our 600 results, bring highlight for the first time the perceived impact of driving anxiety on 601 occupational life in people with driving anxiety in France. The use of three levels of driving 602 anxiety intensity also demonstrates the need to distinguish between moderate and extreme

- anxiety in future research. Further research is required to elucidate the extent of driving
- anxiety in our modern societies and to better assess any gender effect.
- 605

606 Acknowledgments

- 607 The authors would like to acknowledge Achot Khalafian for his support using
- 608 *limesurvey* software as well as Joanne Taylor for her feedbacks during the design of the
- 609 questionnaire. This research did not receive any specific grant from funding agencies in the
- 610 public, commercial, or not-for-profit sectors.
- 611
- 612

613 References 614 615 American Psychiatric Association (1994), Diagnostic and statistical manual of mental 616 disorders, (4th ed.), Washington, DC. 617 Blachnio, A., Przepiórka, A., Sullman, M., & Taylor, J. (2013). Polish adaptation of the 618 driving and riding avoidance scale. Polish Psychological Bulletin, 44(2), 185-192. 619 https://doi.org/10.2478/ppb-2013-0021 620 Bowen, L., Budden, S. L., & Smith, A. P. (2020). Factors underpinning unsafe driving: A 621 systematic literature review of car drivers. Transportation Research Part F: Traffic 622 Psychology and Behaviour, 72, 184-210. https://doi.org/10.1016/j.trf.2020.04.008 623 Cohen, J. (1988). Statistical Power Analysis for the Behavioral Sciences (Second). Hillsdale, 624 NJ: Lawrence Erlbaum Associates. 625 Collette, B. (2019). Caractérisation par questionnaire de la population française touchée par 626 l'anxiété de la conduite, identification de la gêne et de ses répercussions 627 socioprofessionnelles [Thèse de Médecine]. Université Claude Bernard Lyon 1. 628 Costa, R. T. da, Carvalho, M. R. de, Cantini, J., Freire, R. C. da R., & Nardi, A. E. (2014). 629 Demographics, clinical characteristics and quality of life of Brazilian women with driving phobia. Comprehensive Psychiatry, 55(2), 374-379. 630 https://doi.org/10.1016/j.comppsych.2013.08.003 631 632 Danielsson, M., & Bengtsson, H. (2016). Global self-esteem and the processing of positive 633 information about the self. Personality and Individual Differences, 99, 325-330. 634 https://doi.org/10.1016/j.paid.2016.05.014 635 Degraeve, B., Granié, M.-A., Pravossoudovitch, K., & Lo Monaco, G. (2015). Social 636 representations associated with men and women drivers among French adolescents 637 and adults. Effects of the perceiver's age, sex, and socioeconomic status.

- 638 *Transportation Research Part F: Traffic Psychology and Behaviour*, 34, 1-17.
- 639 https://doi.org/10.1016/j.trf.2015.07.019
- Ehlers, A., Hofmann, S. G., Herda, C. A., & Roth, W. T. (1994). Clinical characteristics of
 driving phobia. *Journal of Anxiety Disorders*, 8(4), 323-339.
- 642 https://doi.org/10.1016/0887-6185(94)00021-2
- Ehlers, A., Taylor, J. E., Ehring, T., Hofmann, S. G., Deane, F. P., Roth, W. T., & Podd, J. V.
- 644 (2007). The Driving Cognitions Questionnaire: Development and preliminary
- 645 psychometric properties. *Journal of Anxiety Disorders*, 21(4), 493-509.
- 646 https://doi.org/10.1016/j.janxdis.2006.08.002
- 647 Fairclough, S. H., Tattersall, A. J., & Houston, K. (2006). Anxiety and performance in the
- 648 British driving test. *Transportation Research Part F: Traffic Psychology and*

649 *Behaviour*, 9(1), 43-52. https://doi.org/10.1016/j.trf.2005.08.004

- 650 Granié, M.-A., & Papafava, E. (2011). Gender stereotypes associated with vehicle driving
- among French preadolescents and adolescents. *Transportation Research Part F:*
- 652 *Traffic Psychology and Behaviour*, *14*(5), 341-353.
- 653 https://doi.org/10.1016/j.trf.2011.04.002
- Hartley, C. A., & Phelps, E. A. (2012). Anxiety and decision-making. *Biological Psychiatry*,
- 655 72(2), 113-118. https://doi.org/10.1016/j.biopsych.2011.12.027
- Hempel, M. E., Taylor, J. E., Connolly, M. J., Alpass, F. M., & Stephens, C. V. (2017).
- 657 Scared behind the wheel: What impact does driving anxiety have on the health and
- 658 well-being of young older adults? *International Psychogeriatrics*, 29(6), 1027-1034.
- 659 https://doi.org/10.1017/S1041610216002271

- Hickling, E. J., & Blanchard, E. B. (1992). Post-traumatic stress disorder and motor vehicle
 accidents. *Journal of Anxiety Disorders*, 6(3), 285-291. https://doi.org/10.1016/08876185(92)90040-E
- 663 Lecic-Tosevski, D. (2019). Is urban living good for mental health? *Current Opinion in*
- 664 *Psychiatry*, 32(3), 204-209. https://doi.org/10.1097/YCO.00000000000489
- 665 Marottoli, R. A., de Leon, C. F. M., Glass, T. A., Williams, C. S., Cooney, L. M., &
- Berkman, L. F. (2000). Consequences of driving cessation decreased out-of-home
 activity levels. *The Journals of Gerontology: Series B*, 55(6), \$334-\$340.
- 668 https://doi.org/10.1093/geronb/55.6.S334
- 669 Nordahl, H., & Wells, A. (2019). In or out of work: A preliminary investigation of mental
- health, trait anxiety and metacognitive beliefs as predictors of work status. *Clinical Psychologist*, 23(1), 79-84. https://doi.org/10.1111/cp.12153
- 672 Smith, W. G. (2008). Does gender influence online survey participation? : A record-linkage
- 673 *analysis of university faculty online survey response behavior.*
- 674 https://files.eric.ed.gov/fulltext/ED501717.pdf
- 675 Stephens, A. N., Collette, B., Hidalgo-Munoz, A., Fort, A., Evennou, M., & Jallais, C.
- 676 (2020). The impacts of anxiety over driving on self-reported driving avoidance, work
- 677 performance and quality of life. *Journal of Transport & Health*, *19*, 100929.
- 678 https://doi.org/10.1016/j.jth.2020.100929
- 679 Stewart, A. E., & St Peter, C. C. (2004). Driving and riding avoidance following motor
- 680 vehicle crashes in a non-clinical sample: Psychometric properties of a new measure.
- 681 Behaviour Research and Therapy, 42(8), 859-879. https://doi.org/10.1016/S0005-
- 682 7967(03)00203-1

683	Sullman, M. J. M., & Taylor, J. E. (2010). Social desirability and self-reported driving
684	behaviours: Should we be worried? Transportation Research Part F: Traffic
685	Psychology and Behaviour, 13(3), 215-221. https://doi.org/10.1016/j.trf.2010.04.004
686	Taylor, J. E. (2018). The extent and characteristics of driving anxiety. Transportation
687	Research Part F: Traffic Psychology and Behaviour, 58, 70-79.
688	https://doi.org/10.1016/j.trf.2018.05.031
689	Taylor, J. E., & Deane, F. P. (2000). Comparison and characteristics of motor vehicle
690	accident (MVA) and non-MVA driving fears. Journal of Anxiety Disorders, 14(3),
691	281-298. https://doi.org/10.1016/s0887-6185(99)00040-7
692	Taylor, J. E., Deane, F. P., & Podd, J. (2002). Driving-related fear: A review. Clinical
693	Psychology Review, 22(5), 631-645. https://doi.org/10.1016/s0272-7358(01)00114-3
694	Taylor, J. E., Deane, F. P., & Podd, J. (2007). Diagnostic features, symptom severity, and
695	help-seeking in a media-recruited sample of women with driving fear. Journal of
696	Psychopathology and Behavioral Assessment, 29(2), 81-91.
697	https://doi.org/10.1007/s10862-006-9032-y
698	Taylor, J. E., Stephens, A. N., & Sullman, M. J. M. (2021). Psychometric properties of the
699	Driving Cognitions Questionnaire, Driving Situations Questionnaire, and Driving
700	Behavior Survey. Transportation Research Part F: Traffic Psychology and
701	Behaviour, 76, 202-214. https://doi.org/10.1016/j.trf.2020.11.010
702	Taylor, J. E., Sullman, M. J. M., & Stephens, A. N. (2020). Measuring anxiety-related
703	avoidance with the Driving and Riding Avoidance Scale (DRAS). European Journal
704	of Psychological Assessment, 36(1), 114-122. https://doi.org/10.1027/1015-

705 5759/a000502

Taylor, S., & Koch, W. J. (1995). Anxiety disorders due to motor vehicle accidents: Nature
and treatment. *Clinical Psychology Review*, *15*(8), 721-738.

708 https://doi.org/10.1016/0272-7358(95)00043-7

- 709 Velotti, P., Garofalo, C., Bottazzi, F., & Caretti, V. (2017). Faces of shame: Implications for
- self-esteem, emotion regulation, aggression, and well-being. *The Journal of*
- 711 Psychology, 151(2), 171-184. https://doi.org/10.1080/00223980.2016.1248809
- 712 Zhang, R., Chen, Z., Xu, T., Zhang, L., & Feng, T. (2020). The overlapping region in right
- 713 hippocampus accounting for the link between trait anxiety and procrastination.
- 714 *Neuropsychologia*, *146*, 107571.
- 715 https://doi.org/10.1016/j.neuropsychologia.2020.107571

716

- 717
- 718