

How preadolescents and adults remember and experience virtual reality: The role of avatar incarnation, emotion, and sense of presence.

Lénaïc Brigitte Cadet, Hanna Chainay

▶ To cite this version:

Lénaïc Brigitte Cadet, Hanna Chainay. How preadolescents and adults remember and experience virtual reality: The role of avatar incarnation, emotion, and sense of presence.. International Journal of Child-Computer Interaction, 2021. hal-03227712

HAL Id: hal-03227712 https://hal.science/hal-03227712v1

Submitted on 9 May 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



1 2 3 How preadolescents and adults remember and experience virtual reality: the role of avatar incarnation, emotion, and sense of presence 4 5 6 Lénaïc B. Cadet, & Hanna Chainay 7 8 Laboratoire d'Etude des Mécanismes Cognitifs, Université Lyon 2, France 9 10 **Corresponding author:** 11 12 Lénaïc B. CADET 13 Laboratoire EMC, Université Lyon 2, 5 avenue Pierre Mendès France 14 69676 Bron, France 15 16 lenaic.cadet@ univ-lyon2.fr 17 18 **Other Authors:** 19 20 Hanna CHAINAY 21 Laboratoire EMC, Université Lyon 2, 22 5 avenue Pierre Mendès France 23 69676 Bron, France 24 hanna.chainay@ univ-lyon2.fr 25 Word count: **7800** (without abstract) 26 27

1. Introduction

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

Embodied cognition has given the body a central role in cognitive processes (e.g., memory, attention, emotion, action). More specifically, Barsalou [1] proposed that the state of the body, the situation of the action, and the modality of the simulation govern cognition. Evidence of embodied cognition has been demonstrated in children too, with empirical studies demonstrating that cognition emerges from sensorimotor interactions of the child with the environment [2–4].

In a virtual reality (VR) context, it is possible to create a fully virtual sensorimotor environment that the user can explore, and in which he or she has the possibility of embodying an avatar (i.e., a virtual body). It is critical for research on the child and adolescent population to understand the effect of embodying an avatar due to their early exposure to multiple virtual representations of themselves in different medias (e.g., picture on mobile phone, digital camera, handheld game console [5]), despite the ongoing development of the self. VR is a specific media that allows users to embody virtual avatars and to evolve in a virtual environment in the firstperson view, especially with a head-mounted display (HMD), allowing visuomotor synchronicity. Research on adults has shown that VR is indeed an effective device to create feelings of embodiment [6] or to explore the embodied nature of memory [7]. However, only a few studies have investigated this point in preadolescents (i.e. middle school pupils, e.g., [8,9]). Thus, in order to ensure respectful use of VR in this population whose access to this media will potentially grow in the comings years, more studies are necessary to explore the effects of embodying an avatar in VR on cognition. The purpose of the present study is to compare adult and preadolescents, middle school pupils (MSP) with regard to the effects of embodying a virtual avatar during a VR experience on different aspects of cognition assumed to be linked to self-representation: memory, emotion, and sense of presence.

1.1. Avatar: effects on memory and presence

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

Presence is defined as the perception of *being there* in a physical or virtual environment [10]. On one hand, research on adults has revealed that the incarnation of a virtual body (i.e., an avatar) can enhance presence [11], and memory [7]. On the other hand, some studies on preadolescents MSP have shown the same positive impact of avatar incarnation on presence [8,9]. Some studies have investigated this in adults (e.g., [12–14]), however concerning younger populations research on avatar incarnation has predominantly focused on children or adolescents with neurodevelopment disorders (e.g., autism disorder [15]).

First, concerning the relationship between presence and embodiment in an avatar, for MSP, development could have a critical role. In fact, research on adults has, at least partially, attributed the state of presence to the virtual implication of the self [16]. Bailey and Bailenson [5] discussed the development of the self by pointing out that, even if a child is able to recognize themselves in a mirror (mirror task) at the age of 3-4 years, it does not mean that the self is fully mature. In fact, Suddendorf and Butler [17] argued that children who succeeded in the mirror task were not always able to recognize themselves in a video. With older children (6-7 years), Segovia and Bailenson [18] found that when children saw a virtual version of themselves swimming with orcas, they confused it with reality, and later recalled that it had happened in real life. However, Calvert et al. [19] have shown that preadolescent's behavior (mean age of 10 years and 11 month) was not affected by incarnating an avatar having the opposite sex that their own sex. Thus, the self is a complex mechanism allowing us to recognize ourselves in the present, but also at different points of time and space. Attention was drawn on the fact that VR is a peculiar context that could be challenging for the self, even for adults [5]. In VR contexts, the virtual self can diverge from the user's self in terms of looks and attitudes. Thus, because of the different levels of maturation of the self, embodying an avatar in VR could have different impacts on emotion or on sense of presence in MSP than in adults.

Second, concerning the link between embodiment and memory, studies have shown positive effects of virtual embodiment on episodic memory performance in young adults (see for review, [20]). A possible explanation can be found in neurodevelopmental observations that functional episodic memory is linked to the development of locomotion, and the alignment of hippocampal place cells and grid cells with the environment [21]. Moreover, the enactment effect has already demonstrated that a possible action of the body on an object, even imaginary, can impact the memory of this object. As an example, Dutriaux and Gyselinck [22] showed that better memory performances for a list of manipulatable objects were obtained when the participants' hands were free during encoding, compared to when they had to keep their hands crossed behind their back. In a VR context, it is possible that embodying an avatar in the firstperson view (with full-body functioning), compared to seeing nothing, enhances possible actions on the virtual environment, and thus enhances the memory thereof. Ratan [16] mentioned that the effects of embodying a virtual body on cognitive functions could depend on the level of self-presence, in other words, how much the user feels connected to their virtual self-representation on different levels (body, emotion, identity). Moreover, it has been pointed out for many years that self-reference could positively influence encoding and retrieval in memory processes [23]. So, it is possible that this effect is stronger in adults than in MSP, in view of the still-maturing body schema and self in the latter population. In order to explore such a possibility, in this study, we manipulated the embodiment by exposing participants to virtual environments through an avatar seen in the first-person view, or through a non-body condition, where the participant could only see the two VR controllers.

98

99

100

101

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

1.2. Emotional nature of the virtual environment: effects on memory and presence

Research on adults found that presence can be impacted by emotion [24–26]. Some empirical findings support that emotion can enhance presence in child populations too [27,28].

However, because emotional responses and regulation are still developing during childhood and adolescence [29], it is possible that the strength of the link and the relationship between emotion and presence is not the same for preadolescents and adults. In order to explore these relationships, we manipulated emotion systematically by presenting positive, negative, and neutral stimuli in the virtual environment. In order to measure emotional responses precisely, we used self-assessed questionnaires (Self-assessment Manikin, [30]) administered immediately after exposure to the virtual environment, which we coupled with physiological measures during exposure, as previous studies did in their VR protocols [25,31].

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

The enhancing impact of emotion on memory is a well-known phenomenon in the literature on adult [32] and child populations [29–31], but in the context of virtual reality, more studies are necessary to describe the respective effects of emotion and presence on memory performances. Makowski et al. suggested that the impact of emotion on memory depends on presence [33]. In their study, with young adults population, they measured emotion and memory in relation to scenes from a movie. Thus, the emotion was not methodically manipulated, and did not depend exclusively on the nature of the stimulus recalled later. To our knowledge there is no study that investigated effect of emotion on memory in VR with preadolescents. Thus, in our study, we asked participants to recall as many stimuli as possible, and the emotional stimulation during our protocol mostly stemmed from the stimuli themselves. In addition, the narrative point of view during the film (third-person view) did not allow participants to develop presence in the same way that a first-person view could. Riva et al. [34] described three levels of presence: proto presence, or the capacity to set perception and movements together and discern the internal and the external environment; core presence, the capacity to focus sensorial processes on the current task; extended presence, the capacity to select previous experiences as relevant for the self. In view of this proposition, a first-person view, especially with a full-body avatar, provides the best conditions for enhancing presence.

In our study, we should be able to explore the combined effects of the emotional nature of the virtual environment and the embodiment of an avatar, not only on memory, but on sense of presence, and emotional subjective and physiological responses.

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

127

128

129

1.3. Aim of the study

To summarize, the first goal of this study is to explore the respective roles of three factors (i.e., avatar embodiment, emotional responses, and sense of presence) on memory performances in preadolescents, and to compare these results to adults' ones. To do so, we used two conditions of embodiment: a full-body avatar in the first-person view *versus* only the view of the two controllers at their actual location (i.e., avatar versus no-avatar). We hypothesized that emotional enhancement of memory (EEM) would be stronger in preadolescents than in adults, and that embodying an avatar would enhance this effect, especially in preadolescents. The secondary objective of this study is to investigate the impact of avatar embodiment, age, and the emotional nature of the virtual experience on sense of presence and emotional responses (subjective, behavioral, and physiological). To achieve this secondary objective, we used different measures provided by the HMD (head position and rotation), and additional material (collecting heart rate and pupillary dilation during the task). We predicted that visiting a place with emotional stimuli through an avatar would elicit a more heightened sense of presence, emotional responses, and memory performances than visiting it with no avatar. We also expected these same effects of avatar for the places with neutral stimuli, but these effects would be decreased compared to the environments with emotional stimuli.

148

2. Method

2.1. Participants

Seventy-two participants divided into two age-groups took part in the experiment:
thirty-two preadolescent MSP ($M_{age} = 12.1$ years, range = 10-14 years; 19 girls and 13 boys)
and forty young adults, students at Lyon 2 University ($M_{age} = 20.39$ years, range = 18-28 years;
20 women and 20 men). There were four experimental groups: preadolescents with avatars in
the virtual environment (N=16), preadolescents with no avatar (N=16), young adults with
avatars (N=20), and young adults with no avatar (N=20). All preadolescents were pupils
attending middle school in Lyon and Clohars-Carnoët. All participants (and/or their legal
representatives) gave their written informed consent in accordance with the Helsinki
declaration, and had declared having good hearing and vision. The research was approved by
Ethics Committee (Comité de Protection des Personnes, Ile de France, Nr. 2018 A01669-46).
Our target sample size was determined using an a-priori power analysis (G*Power [35]), using
$\eta^2_{\rm p}$ from previous studies investigating memory and sense of presence for virtual reality
environments. For example, previous studies [36,37] found that η^2_p ranged from .038 to .219
for memory and from .038 to .538 for sense of presence. Using a $\eta^2_p = .16$, our study design with
two between-participants factors (age and avatar condition) and one repeated factor (valence).
could achieve 80% power with 16 young adults and 16 preadolescent participants per group.
To achieve larger power we have planned to include 20 participants per group but we succeed
in doing so only for young adults groups

Before the experiment, all participants answered questionnaires about anxiety and depression - HADS [38], mood - PANAS [39], and immersive tendencies - QIT [40]. A one-way ANOVA was conducted to compare anxiety (HADS-A), depression (HADS-D), positive and negative affect (PANAS-PA and PANAS-NA respectively), and immersive tendencies (IT)

between the four experimental groups. No significant difference was found for all of the questionnaires. Moreover, children obtained scores within normal performances in two subtests (Matrix Reasoning and Similarities) of the Weschler Intelligence Scale for preadolescents: WISC V, French version.

2.2. Materials and stimuli

2.2.1. Apparatus

We used the HTC Vive headset (first generation) with a spatial resolution of 1080 x 1200 pixels per eye, and 90 Hz refresh rate. To run the experiment, the PC we used had the following specifications: an Intel® CoreTM i8-7700HQ CPU with 2 x 3.60GHz, DDR 4 2 x 32 GB RAM, and a Geforce® GTX 1080, running Microsoft Windows 10. We used the crossplatform game engine Unity to create the experiment, and sounds were played through the HTC Vive headphones. We implemented the Pupil Labs add-on for eye tracking to our HTC Vive headset in order to measure pupillary dilation. The HTC Vive HMD features an accelerometer, a gyroscope, and laser position sensor, making it possible to track head and controller rotation and position (see *Supplementary Material* for detailed description of recording and processing of these data). We also used an Arduino system to measure heart rate with an ear clip pulse sensor.

2.2.2. Stimuli

The stimuli used in the experiment were fifty-eight 3D assets (i.e., 3D models of objects or animals, animated or not, with or without sound) from a larger set of 110 assets, previously pre-tested for valence and arousal by 31 students from Lyon 2 University (see supplementary material and Cadet & Chainay [36] for more detailed information concerning the stimuli) .

These assets were split into 12 sets of stimuli. Half of these sets were displayed in a virtual Island environment (in one of the following places: a forest, a beach or a desert), with 3 sets of negative stimuli with high arousal (2 sets of 5, and 1 set of 4), and 3 sets of neutral stimuli (2 sets of 5, and 1 set of 4). The other half was included in a virtual City environment (in places representing different coffee shop terraces, 2 sets of 5 negative stimuli with medium arousal, 2 sets of 5 neutral stimuli, and 2 sets of 5 positive stimuli with medium arousal). We have chosen these two environments and the six places in each environment to be able to coherently present each set of the stimuli (i.e., each set in one of the 6 specific places in Island and the same in City environment). The sets of stimuli were created such that the sets including the stimuli of the same valence (i.e., negative, positive or neutral) are of a similar level of valence and arousal. The mean scores, ranges and standard deviation for valence and arousal for each set are available in the supplementary material in Table 1.

2.2.3. Procedure

Participants were seated in an armchair. After setting up the VR HMD, the headphones, and ear clip pulse sensor, the participants were asked to give the signal when they were ready to start the experiment. We first proceeded with eye-tracking calibration. After this calibration, the experiment settings menu appeared, and a computer-synthetized voice explained the aim of the experiment, then the participants were asked to stay still and calm for one minute in order to calculate their resting heart rate. Following this, and before starting to visit the environments, for the Avatar condition, participants were asked to choose the color of their futuristic suit by pointing it through the controller's raycast and pressing the controller's trigger. As previously reported [41], this personalization was supposed to help the illusion of virtual body ownership. A mirror was placed in front of them for 30s before the selection of the Island or the City environment and they had to move their arms and head in order to see their avatar moving with

them. The mirror appeared also for 5 s before visiting each place. The arms and body of the avatar in the first-person view (i.e., like a person could see his/her own body in real life) was visible for the participants throughout the experiment, hand tracking was carried out by the two controllers, but there was no leg tracking(participants were asked to move their legs as little as possible). For the no-Avatar condition, participants were able to see the controllers instead of their hands in the virtual experience. They started to visit environments straight after recording the resting heart rate.

Irrespective of the Avatar condition, participants were asked to complete a visit of two environments: City and Island, each containing six places. The order in which the environments and places within each environment were visited was selected by the participants. When the participants had selected an environment, they had to visit the six places of the currently explored environment before visiting the second one (see Figure 1). In each place, stimuli were presented one by one during 5s each and with 7s of interval between stimuli, in random order, and always within 180° of the space in front of them. The total time of presentation per place was 60s except 2 places in Island environment (48s). A spatialized sound was played before the stimulus in order to help participants to located it, and they were asked to point out each stimulus before it disappeared.

Insert Figure 1 here

At the end of the visit of each place, the participants answered questions displayed in the HMD and played using synthetized speech. First, they rated, on a 9-point illustrated scale, the level of valence (from "very unpleasant" to "very pleasant"), and arousal (from "weakly arousing" to "very arousing") (SAM test, [30]) in respect of the visited place. Then, they answered the following questions, on a 7-point scale (from "not at all" to "absolutely"): How present did you feel in the environment? (general sense of presence); How much of an

impression did you have of being able to visit the environment? (sense of presence relative to their ability to visit the place); How much capable did you feel of touching things? (sense of presence relative to the ability to touch things); How focused did you feel on the task that you were asked to do? (attentional focus), and; How motivated did you feel to do the task that you were asked to do? (motivation). These five questions were selected because they fit with the subscales usually included in extended questionnaires measuring presence (e.g., ITC-SOPI, [42]). For the Avatar condition, the mirror appeared briefly (5s) after the questionnaire, and before selecting a new place to visit; for the no-Avatar condition, nothing occurred during these 5s. To select environments, places and answers in the questionnaires, the controller's raycast pointing accompanied with trigger pression was used for both avatar and no-Avatar conditions.

Once the participant had visited the six places of the first environment, the HMD was removed and they were asked to respond to a French version of the ITC-SOPI questionnaire (composed by four factors: spatial presence, engagement, ecological validity / naturalness, negative effects), and then to recall all stimuli that they had seen in the places just seen ((in Island (28 stimuli) or City (30 stimuli) environment depending on the order of visit that participant has chosen)). Responses were written by the investigator. At the end of the recall, the investigator could ask for details about an ambiguous response; if the participant's answers did not allow the item recalled to be identified, it was counted as an incorrect response. Then, the same procedure was repeated for the remaining environment.

2.2.4. Statistical analysis

Separate statistical analyses of ANOVA for the Island and City environments were conducted. We performed the 2 x 2 x 2 ANOVAs for Island and 3 x 2 x 2 ANOVAs ((Emotion)x(Avatar)x(Age)) with Emotion (for Island – negative vs. neutral; for City - positive vs. negative vs. neutral) as within-subject factor, and Avatar (avatar vs. no-avatar) and Age

(Adults vs. Preadolescents) as between-subject factors. If necessary, to better understand the significant effects, planned comparisons were performed. These analysis were conducted on scores of correct free recalls (item memory for virtual stimuli), on the mean sense of presence (score based on the responses to five questions for each place), and emotional valence and arousal (SAM test). Each mean was obtained using scores for places presenting stimuli of the same emotional valence (Island – negative and neutral; City – positive, negative, and neutral).

In addition, an ANOVA was conducted on the four ITC-SOPI factors with Environment (Island vs. City) as within-subject factor, Avatar (avatar vs no-avatar), and Age (Adults vs Preadolescents) as between-subject factors.

Preliminary analyses were performed to check for sphericity (Mauchly's test), and homogeneity of variances (Levene's test). If a violation was found, corrected scores (Greenhouse-Geisser) were used.

The correlation and regression analyses were also performed to determine which of the subjective and objective measures of emotion and presence are linked to the recall performance and could explain this performance.

The results are presented in the following order: (1) recall performance, (2) self-reported measures for sense of presence, arousal, and valence, and (3) correlations and regression analysis.

3. Results

First, we resume in Table 1 the results of the ANOVAs analysis in the Island and City environment with Emotion as within-subject factor, and with Age and Avatar as between-subject factors.

297 Insert Table 1 here

3.1. Recall performances

3.1.1. *Island*

A significant effect of Emotion (F(1, 68) = 87.13, p < .001, partial $y^2 = 0.56$) was observed with higher recall of negative stimuli (M = 8.71, SE = 0.25) than of neutral stimuli (M = 6.18, SE = 0.18). The effect of Age was also significant (F(1, 68) = 11.54, p < .001, partial $y^2 = 0.15$), with higher recall for adults (M = 8.04, SE = 0.23) than for preadolescents (M = 6.86, SE = 0.26). Interaction between Age, and Avatar was significant (F(1, 68) = 7.46, p = .008, partial $y^2 = 0.10$) (see Figure 2). The planned comparison revealed that for the no-avatar condition, the recall was higher for adults (M = 8.38, SE = 0.34) than preadolescents (M = 6.25, SE = 0.36), but in the avatar condition, the difference between adults (M = 7.70, SE = 0.33) and preadolescents (M = 7.46, SE = 0.37) was not significant. There were no other significant effects.

Insert Figure 2 here

3.1.2. City

A significant effect of Emotion (F(2, 136) = 27.02, p < .001, $partial \eta^2 = 0.28$) was observed, with higher recall of negative stimuli (M = 5.42, SE = 0.19) and positive stimuli (M = 5.44, SE = 0.21) than of neutral stimuli (M = 3.80, SE = 0.20; respectively t(136) = 6.32, p < .001 and t(136) = 6.40, p < .001); no difference was observed between the positive and the negative stimuli. The effect of Age was also significant (F(1, 68) = 12.33, p < .001, $partial \eta^2 = 0.15$), with higher recall for adults (M = 5.36, SE = 0.18) than for preadolescents (M = 4.42, SE = 0.20). There were no other significant effects.

3.2. Self-reported sense of presence – SoP evaluation of places 321 3.2.1. *Island* 322 323 No significant effects were found. 324 3.2.2. City Only the effect of Age was significant $(F(1, 68) = 4.87, p = .031, partial \eta^2 = 0.07)$, with 325 326 preadolescents (M = 22.20, SE = 0.76) reporting feeling more present in the places than adults 327 (M = 19.80, SE = 0.73).328 329 3.3. Self-reported sense of presence – ITC-SOPI – evaluation of environments 330 Significant effects of Age were found, independently of the environment, for the Spatial 331 Presence $(F(1, 68) = 7.57, p = .008, partial \eta^2 = 0.10)$, Engagement $(F(1, 68) = 8.11, p = .006, partial \eta^2 = 0.10)$ partial $\eta^2 = 0.11$), and Naturalness factors (F(1, 68) = 4.53, p = .037, partial $\eta^2 = 0.06$), with 332 higher scores for preadolescents (spatial presence: M = 72.3, SE = 2.18; engagement: M = 59.1, 333 SE = 1.22; Naturalness: M = 18, SE = 0.74) than adults (spatial presence: M = 63.8, SE = 2.18; 334 335 engagement: M = 54.2, SE = 1.22; Naturalness: M = 15.8, SE = 0.74). For the Negative Effects 336 factors, no significant effect was found. 337 338 3.4. Self-reported arousal

3.4.1. Island

339

340

341

342

Only the effect of Age was almost significant $(F(1, 68) = 3.41, p = .069, partial \eta^2 =$ 0.05), with preadolescents (M = 5.68, SE = 0.27) rating the places as more arousing than adults (M = 5.03, SE = 0.24).

3.4.2. City

343

362

363

364

365

366

367

A significant effect of Emotion (F(1.65, 112.06) = 25.67, p < .001, partial $\eta^2 = 0.27$) 344 345 was observed, with places with negative stimuli (M = 5.12, SE = 0.23) and with positive stimuli 346 (M = 4.26, SE = 0.24) being rated as more arousing than places with neutral stimuli (M = 3.35,347 SE = 0.23; respectively t(136) = 7.16, p < .001, and t(136) = 3.69, p < .001), and places with 348 negative stimuli being rated as more arousing than those with positive stimuli (t(136) = 3.47, p)= .002). The effect of Age was significant (F(1, 68) = 12.39, p < .001, partial $\eta^2 = 0.15$), with 349 350 preadolescents (M = 4.88, SE = 0.27) rating places as more arousing than adults (M = 3.60, SE351 = 0.24). The interaction between Emotion and Age was also significant (F(1.65, 112.06) = 8.13,p = .001, partial $\eta^2 = 0.11$) (see Figure 3). The planned comparison revealed that only adults 352 353 rated places with negative stimuli (M = 5.04, 0.30) and places with positive stimuli (M = 3.46, 354 SE = 0.32) as more arousing than places with neutral stimuli (M = 2.31, SE = 0.31; respectively 355 t(136) = 8.28, p < .001 and t(136) = 3.49, p = .010). Adults also rated places with negative 356 stimuli as more arousing than those with positive stimuli (t(136) = 4.78, p < .001). No difference was observed in preadolescents' ratings between places with negative, neutral, and positive 357 358 stimuli. Moreover, preadolescents rated places with neutral (M = 4.39, SE = 0.34) and positive 359 stimuli (M = 5.06, SE = 0.35) as more arousing than adults (respectively t(136) = 4.50, p < .001360 and t(136) = 3.46, p = .011). No significant difference was observed between adults and 361 preadolescents for places with negative stimuli.

Insert Figure 3 here

3.5. Self-reported valence

3.5.1. Island

A significant effect of Emotion (F(1, 68) = 18.44, p < .001, partial $\eta^2 = 0.21$) was observed, with places with neutral stimuli (M = 1.32, SE = 0.16) being rated as more positive than those with negative stimuli (M = 0.34, SE = 0.21). The effect of Age was also significant

 $(F(1, 68) = 28.99, p < .001, partial \eta^2 = 0.30)$, with preadolescents rating places as more positive (M = 1.63, SE = 0.22) than adults (M = 0.04, SE = 0.20). No other significant effects were observed.

371 3.5.2. City

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

A significant effect of Emotion ($F(1.51, 102.69) = 62.68, p < .001, partial <math>\eta^2 = 0.48$) was observed, with places with positive stimuli (M = 2.37, SE = 0.17) being rated as more positive than those with neutral (M = 1.53, SE = 0.17), and negative stimuli (M = -0.02, SE = 0.22; respectively t(136) = 3.85, p < .001, and t(136) = 11.03, p < .001), and places with neutral stimuli being rated as more positive than those with negative stimuli (t(136) = 7.18, p < .001). The effect of Age was significant $(F(1, 68) = 16.03, p < .001, partial \eta^2 = 0.19)$, with preadolescents (M = 1.86, SE = 0.21) rating places as more positive than adults (M = 0.73, SE = 0.19). The interaction between Emotion and Age was also significant (F(1.51, 102.69)) = 15.90, p < .001, partial $\eta^2 = 0.19$) (see Figure 4). The planned comparison revealed that adults rated places with positive stimuli (M = 2.38, SE = 0.22) and those with neutral stimuli (M = 2.38) and those with neutral stimuli (M = 2.38) and those with neutral stimuli (M = 2.38). 1.04, SE = 0.22) as more positive than those with negative stimuli (M = -1.23, SE = 0.30; respectively t(136) = 12.48, p < .001, and t(136) = 7.84, p < .001), and places with positive stimuli as more positive than those with neutral stimuli (t(136) = 4.64, p < .001). Preadolescents rated places with positive stimuli (M = 2.36, SE = 0.25) as more positive than those with negative stimuli (M = 1.19, SE = 0.33; t(136) = 3.63, p = .006), but there was no difference between places with positive and neutral stimuli (M = 2.03, SE = 0.25) or between negative and neutral for preadolescents. Moreover, preadolescents only rated places with negative stimuli as more positive than adults (t(136) = 6.40, p < .001).

Insert Figure 4 here

391

3.6. Correlations and regression analysis

3.6.1. Correlations

Correlation analyses for all groups, then separately for adults and preadolescents, were performed between the percentage of correct recall and the mean scores of self-reported arousal, valence, sense of presence (SoP) per VE, and the mean per VE of different measures of head movements (standard deviation of the head position on the x-, y-, and z-axis, standard deviation of the head rotation on the x-, y- and z-axis, respectively, pitch, yaw and roll), pupillary dilation. For the record, a higher standard deviation of the head position of rotation means more movements.

3.6.1.1. *Island*

Independently of the age-group, Pearson's test showed a significant correlation between recall performance and the valence rating (r = -.134, p = .002), and the standard deviation of the head position on the y-axis (r = .083, p = .039). For the adult group, Pearson's test also showed significant correlation between recall performance and the standard deviation of the head position on the y-axis (r = .148, p = .011), and the z-axis (r = .131, p = .021). For preadolescents, there were no significant correlations.

3.6.1.2. City

Independently of the age-group, Pearson's test showed a significant correlation between recall performance and the valence score (r = -.131, p = .003), and the standard deviation of the head position on the x-axis (r = -.083, p = .040). For the adult group, Pearson's test showed a significant correlation between recall performance and the arousal score (r = .115, p = .038), the valence score (r = -.191, p = .002), the standard deviation of the head position on the y-axis (r = -.125, p = .027), and the BPM (r = .123, p = .029). For preadolescents, there were no significant correlations.

3.6.2. Regression analysis

First, we report the correlations between different predictors (Arousal and Valence ratings, sense of presence, standard deviation of the head position on the x-, y-, and z-axis, standard deviation of pitch, yaw, and roll, pupillary dilation, heart rate (BPM), and heart rate acceleration (Acc_BPM)), and, second, the regression analysis.

Insert Table 2 here

3.6.2.1. Regression analysis

The stepwise regression analysis was performed separately for the Island and City environments (see Table 3). For each environment, we first included data for all participants, and, second, we analyzed data for each group (adults and preadolescents) separately. The percentage of correct Recall per VE was entered in the models as a dependent variable, and the scores in respect of Arousal and Valence ratings, sense of presence, standard deviation of head position on the x-, y-, and z-axis, standard deviation of pitch, yaw, and roll, pupillary dilation, heart rate (BPM), and heart rate acceleration (Acc_BPM) as predictors.

Insert Table 3 here

4. Discussion

In the present study we aimed, first of all, to investigate the respective roles of avatar incarnation, emotional responses, and sense of presence in preadolescents' and adults' memory. In addition, we aimed to examine the possible effects of an avatar incarnation, the emotional nature of the VR environment, and age on emotional responses and sense of presence. To interpret and discuss the effects of the above-mentioned factors on memory performances more easily, we will first discuss our results regarding our second objective.

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

4.1. Modulation of sense of presence: effects of avatar and age

Presence was assessed by means of a short questionnaire answered after each place visited in both environments (City and Island), and by means of a global questionnaire - ITC-SOPI [42], assessed after the visit to each environment. Contrary to our hypothesis, sense of presence was not impacted by the incarnation of an avatar either in adults or preadolescents. Interestingly, Tuena et al. [20] compared three conditions of embodiment in terms of sense of presence, and showed that full embodiment (full-body avatar fully controlled by the participant), and medium embodiment (full-body avatar with body movements controlled by the participant, and navigation executed by the investigator) created more presence than low embodiment (no avatar, and navigation controlled by the investigator). No difference was observed between full and medium embodiment. The authors explained this last result by pointing out the crucial role of motor control in presence. In these two conditions, body movements were controlled by the participant, allowing them to have a stable action-intention continuum. These results are in accordance with the theoretical model of Triberti and Riva [43] that emphasizes a close relationship between presence, intention, and interaction in VR. In our study, in the no-avatar condition, the two visible controllers in their current position were used to select responses in emotional and presence questionnaires at the end of each visit. Thus, it is possible that it provided sufficient motor control, and interaction with the virtual environment, and thus generated a stable and predictable action-intention continuum. Our findings complete the research by Tuena et al.[20], and Triberti and Riva [43], by confirming the critical role of action in presence among adults, but also among preadolescents even without an avatar embodiment.

With regard to the impact of age on presence, globally, preadolescents reported a more heightened sense of presence than adults. More specifically, on the global measurement (ITC- SOPI), this applied to spatial presence and engagement dimensions. These results are, at least partially, in line with the results of Baumgartner et al. [27] showing a more heightened sense of spatial presence in children and preadolescents than older adolescents during a realistic rollercoaster ride projected on a wall. According to the authors, this could be due to ongoing maturation of the prefrontal cortex in children, who are, consequently, less able to control and monitor spatial sense of presence. Contrary to Sharar et al. [44] results, the preadolescents in our study rated the realness of the virtual environment at the same level as adults. These authors suggested that participants aged less than 18 years old rated VR environments as more real, because they are more exposed to video games or other virtual experiences than older adults. In our study, adults group aged between 18 and 28 years, thus is it possible that our population of adults was equally exposed to video games than our preadolescents group. Concerning the negative effects, no differences were observed between adults and preadolescents ratings. Our data are consistent with a recent study by Tychsen and Foeller [45] on children (4 to 10 years), showing good tolerance of 3D virtual reality games, without negative effects, in terms of visuomotor function, postural stability, or motion sickness. Our study points out that all dimensions of presence might not be affected to the same extent by age, but more studies are necessary to explore each of these dimensions specifically.

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

Interestingly, and somewhat surprisingly, on more fractionated measurements (assessed after visiting each place), the effect of age on sense of presence was observed only for one of the two environments: the City. This might be explained by the multiple differences between the Island and the City environments, such as, familiarity with the environment, level of arousal and valence of the presented stimuli, the fact that the stimuli were animated or/and manufactured or not. For example, authors [46] demonstrated that young adults placed in a realistic and more familiar virtual classroom felt more present than those placed in a non-realistic and less familiar classroom. Emotional content of the VR is known to enhance presence

[24,26]; however, younger people might respond differently to emotional stimuli than adults, especially to positive valence [47–50]. So, even if we did not observe a direct impact of emotion on presence, it is possible that the differences in the emotional nature of the stimuli presented in the City (less arousing stimuli, inclusion of positive stimuli) and Island environments might partly explain the fact that the effect of age on presence was observed only for the City environment. According to Detenber et al. [51], animation of the stimulus increases arousal. Thus, as the stimuli presented in the City environment was mostly non-animated, altogether, our results could suggest that the effect of age on sense of presence might depend on the level of arousal of the VR environment. In sum, these different patterns of results between the City and Island environments suggest that the effects of age on sense of presence might depend on several factors (e.g., familiarity or animation), but further studies manipulating these factors specifically are necessary to confirm this suggestion.

Globally, our results suggest a crucial role of sensorimotor interaction in sense of presence in VR, as we did not observe an increased sense of presence with the avatar incarnation compared to the no-avatar condition, which also allowed the participants to interact with the virtual environment on a sensorimotor level. In addition, our results suggest that the impact of age on sense of presence might depend on several factors, as we observed that preadolescents experienced more heightened presence than adults only under certain circumstances, especially in more familiar and less arousing environments.

4.2. Emotional responses: effects of age and emotional nature of the stimuli

Emotional responses were assessed with two questions of the SAM [30] assessing arousal and valence after each place visited. Globally, we observed that places were rated consistently with the emotional nature of the stimuli presented in it. We did not demonstrate

any impact of the avatar incarnation on emotional evaluations, probably due to the suggestion mentioned above that sensorimotor inclusion matters more than incarnating a body.

We observed an effect of age on valence and arousal ratings. As regards valence, in the Island environment, regardless of the valence (negative or neutral) of the stimuli presented, preadolescents rated places as more positive than adults. Surprisingly, in the City environment, this tendency was observed only for places with negative stimuli. The opposite results were described by Cordon et al. [47], with no difference in terms of valence rating between children and adults for negative stimuli, and children rating positive and neutral pictures more positively than adults. It is possible that, in our study on VR, preadolescents confused the emotion triggered by the virtual environment with the enjoyment of being in a virtual environment, and of using an HMD. Visch et al. [52] described this as artefact emotions. Thus, it is probable that the question concerning valence was particularly confusing for children. They might have overestimated the positivity of places with negative stimuli, because of the peculiar sensation of being near dangerous or disgusting things without any risk. It could be interesting to introduce an additional question about artefact emotion in further studies to investigate this hypothesis more specifically.

As regards the arousal rating, in general, preadolescents rated places as more arousing than adults, except places with negative stimuli in the City environment. This result is consistent with Cordon et al. [47], but other authors did not demonstrate this effect [53,54]. Cordon et al. [47] obtained the same findings on arousal ratings of images. Surprisingly, unlike adults, in the City environment, preadolescents rated places with positive, neutral, and negative stimuli as equally arousing. It is possible that, in this environment, where the stimuli were less arousing than in the Island environment in general, preadolescents had more difficulties estimating the level of arousal that they experienced. Leventon at al. [53] suggested that between the 5th-7th year of life, maturation is not complete, and emotional processes are still developing. Thus, one

of the consequences might be that emotional experience is less refined in children, and fine evaluation in terms of arousal is rather difficult for young people even in preadolescents, as observed in our study. Moreover, one limitation of this study is that, for technical reasons, we did not pre-tested arousal and valence for each virtual place (e.g., the desert) as we did for each stimulus. Thus, it is possible that the places themselves along with the presented stimuli could have some influence on the participants' evaluation of valence and arousal.

Taken together, our results suggest that in VR, preadolescents are more sensitive to emotional content than adults, probably because of their emotional system is still maturing. The avatar incarnation did not interfere with emotional evaluation, probably because it did not differ enough from our no-avatar condition in terms of sensorimotor interactions.

4.3. Memory performances in VR

4.3.1. Avatar incarnation could enhance EEM in preadolescents

We hypothesized that EEM would be modulated by the avatar incarnation, leading to greater recall of emotional stimuli than non-emotional stimuli in the avatar condition, especially for preadolescents. In general, recall was less effective in preadolescents than adults, but, more importantly, in both groups, we observed better recall for emotional than neutral stimuli in the Island and City environments. These results confirm previous studies that showed EEM in children, preadolescents, and adolescents [53–55]. Partially in accordance with our hypothesis, though only in the Island environment where we observed an interaction between Avatar and Age, we observed that embodying an avatar allowed preadolescents to perform at the same level as adults. This interaction might be explained by the fact that at the descriptive level avatar embodiment seemed to improve, on average, preadolescents' but not adult's memory, although, as shown previously [20] no significant differences were observed neither for adults nor

preadolescents between avatar and no-avatar conditions in planned comparisons. Thus, the preadolescents memory performance in our study was somehow more sensitive to embodiment of avatar than that of young adults, but surprisingly only in one environment, the Island. This difference is difficult to explain, because the statistical analysis (ITC-SOPI) and the inspection of descriptive data (SoP, valence and arousal) for the different measures we used in our study do not indicate that these two environments had clearly different impact on our participants. However, it is possible that some other factors that we did not control and measure have differentially modulated the impact of avatar on memory performance in Island and City environment, such as familiarity, that is otherwise known to have an impact on memory [56,57]. Globally, we demonstrated that incarnation of an avatar during the encoding of stimuli could impact memory differently in adults and preadolescents, but more studies are necessary to explore this effect further.

4.3.2. Predicting memory in VR in adults and preadolescents

Regression analysis were performed to investigate which variables could explain memory performances in VR. Our variables of interest were self-reported measures of sense of presence, arousal, and valence, and physiological measurements of pupillary dilation, heart rate, heart rate acceleration, and movements of the head (standard deviation of position and rotation on the three spatial axes).

The regression analysis revealed valence as a predictor of memory performances for the analysis including all participants, in both environments, Island and City. These results seem to be somehow inconsistent with previous studies on adults [58] and children [59], which attributed memory performances more to arousal than valence. However, the analysis of correlations between predictors showed that, in our study, the arousal and valence ratings of each place were strongly correlated with each other. Moreover, valence explained less than 2%

of the data variance for the analysis including all participants. So, although our results suggest that valence of the VR environment is a predictor of memory performance in preadolescents and adults, this suggestion needs further investigations.

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

The separate analysis according to group, showed that for adults, valence was still a predictor of memory performance, along with SD of head roll in the City environment, but only SD of head position was a predictor in the Island environment. As regards these two measures, they are supposed to reflect the exploration of a virtual environment [60,61]. Thus, it is possible that, by changing their point of view frequently, young adults increased their exploration of the stimulus, leading to richer visual encoding, and indeed better recall performances. For preadolescents, no variables were predictors of memory performance. It is possible that the reduced number of participants in the separate analysis prevented from significant effects from being observed in both environments for preadolescents. In addition, in the case of preadolescents, it has been suggested that there is considerable variability in EEM results due to different methodological aspects [59]. So, it is possible that, along with the reduced number of participants, the fact that we did not find any predictor for memory performance in preadolescents has multifactorial causes. For example, as discussed previously in section 4.2, the self-evaluation of places in respect of valence and arousal was probably affected by the fact that preadolescents probably misunderstood these evaluations. In addition, the correlation analysis between predictors shows that physiological and self-reported emotional measures were not consistent for preadolescents. Indeed, there were only a few correlations between selfevaluated arousal or valence in respect of places and physiological measures (as an example, heart rate, heart rate acceleration, SD of the yaw were correlated with arousal in the Island environment, but not in the City environment – see *supplementary material*).

To summarize, even if our study suggests that valence is a predictor of memory performance in both preadolescents and adults, and that, in adults, other factors reflecting

environment exploration might also contribute to memory performance. In fact, the part of the data variance which is explained by each of our models (global and separate analysis) is less than 6.5%. For reference, Falk and Miller [62], state that a model regarding human data should strive for a minimum of 10%. Moreover, our interpretation has to be treated with caution, as we observed many correlations between our different predictors. Interestingly, these correlations are consistent with the literature. For example, valence, arousal, and presence correlated with one another, as previously reported by several other studies [24,33,63,64]. The standard deviation (SD) of pitch was significantly correlated with self-evaluated arousal (only in the Island), valence, and presence, and the SD of yaw was correlated with arousal. Similar correlations were observed by Li et al. [60]. The mean heart rate was correlated with arousal, and the mean acceleration with arousal, and sense of presence in the Island environment, which is consistent with the Rose and Chen [65] study.

5. Conclusion

In the present study, we showed that EEM can occur in VR in both adults and preadolescents. Interestingly, incarnating an avatar permitted preadolescents to have the similar memory performances than adults. We found that self-evaluated valence in respect of virtual places predicted memory performance, probably more consistently in adults than preadolescents, and that head movements were also involved in adults. This could have practical applications in the field of professional training or learning, by including these measures in protocols. Interestingly these conclusions are not applicable to preadolescents, further studies would be necessary to explore the factors that could predict memory performances in VR for younger population. This study draws particular attention to the fact that results on an adult population are not necessarily extendable to preadolescents.

We also found that valence, arousal, and sense of presence ratings were impacted by age, with more positive and higher ratings of arousal and certain aspects of presence among preadolescents than in adults. So, our results draw attention to the susceptibility young population, even preadolescents, to feeling aroused and present in virtual environments. Regarding the variability of results on presence evaluations, studies on preadolescents and children should particularly be careful in their choices of questionnaires. Surprisingly, the avatar condition had no effect on these measures, leading us to hypothesize that the ability to interact and be included at a sensorimotor level is more important than the incarnation of a body.

Acknowledgements

The present study benefited from a Région Auvergne-Rhône-Alpes grant (Direction des Finances 28/06), and from a Direction de la Recherche et des Ecoles Doctorales grant from Lumière University Lyon 2 (DRED n°13-2019). Finally, it also received financial supported from the Institute for Psychology of Lumière University Lyon 2.

We would like to thank the native English-speaking reviewer for proofreading the manuscript; Mr Juloux, the mayor of Clohars-Carnoët for access to the municipal office for enrolling children in the protocol; Ms. Coudurier and Ms. Vincent, teacher and principal at Clément Marot middle school in Lyon, respectively, for their help in recruiting volunteer child subjects for the study, and the company VR Connection for their support. We would also like to express warm thanks to Thomas Fugier for designing the virtual environments, and to Xavier Rocher for his data processing work.

References References

- 659 [1] L.W. Barsalou, Grounded Cognition, Annu. Rev. Psychol. 59 (2008) 617–645. 660 https://doi.org/10.1146/annurev.psych.59.103006.093639.
- 661 [2] M. Kiefer, N.M. Trumpp, Embodiment theory and education: The foundations of cognition in perception and action, Trends Neurosci. Educ. 1 (2012) 15–20. https://doi.org/10.1016/j.tine.2012.07.002.
- L.M. Ruiz, J.L. Linaza, Motor Skills, Motor Competence and Children: Bruner's Ideas in the Era of Embodiment Cognition and Action, in: G. Marsico (Ed.), Jerome Bruner 100
 Cultiv. Possibilities, Springer International Publishing, Cham, 2015: pp. 113–122.
 https://doi.org/10.1007/978-3-319-25536-1 10.
- 668 [4] M. Wellsby, P.M. Pexman, Developing embodied cognition: insights from children's 669 concepts and language processing, Front. Psychol. 5 (2014). 670 https://doi.org/10.3389/fpsyg.2014.00506.
- [5] J.O. Bailey, J.N. Bailenson, Chapter 9 Immersive Virtual Reality and the Developing
 Child, in: F.C. Blumberg, P.J. Brooks (Eds.), Cogn. Dev. Digit. Contexts, Academic Press,
 San Diego, 2017: pp. 181–200. https://doi.org/10.1016/B978-0-12-809481-5.00009-2.
- 674 [6] K. Kilteni, R. Groten, M. Slater, The Sense of Embodiment in Virtual Reality, Presence 675 Teleoperators Virtual Environ. 21 (2012) 373–387. 676 https://doi.org/10.1162/PRES_a_00124.
- 677 [7] C. Repetto, S. Serino, M. Macedonia, G. Riva, Virtual Reality as an Embodied Tool to 678 Enhance Episodic Memory in Elderly, Front. Psychol. 7 (2016). 679 https://doi.org/10.3389/fpsyg.2016.01839.
- 680 [8] T.A. Mikropoulos, Presence: a unique characteristic in educational virtual environments, Virtual Real. 10 (2006) 197–206. https://doi.org/10.1007/s10055-006-0039-1.
- 682 [9] T.A. Mikropoulos, V. Strouboulis, Factors That Influence Presence in Educational Virtual 683 Environments, Cyberpsychol. Behav. 7 (2004) 582–591. 684 https://doi.org/10.1089/cpb.2004.7.582.
- [10] M. Slater, A note on presence terminology, in: 2003.
- 686 [11] M. Slater, B. Spanlang, D. Corominas, Simulating virtual environments within virtual environments as the basis for a psychophysics of presence, ACM Trans. Graph. 29 (2010) 92:1-92:9. https://doi.org/10.1145/1778765.1778829.
- 689 [12] A. Steed, Y. Pan, F. Zisch, W. Steptoe, The impact of a self-avatar on cognitive load in immersive virtual reality, in: 2016 IEEE Virtual Real. VR, IEEE, Greenville, SC, USA, 2016: pp. 67–76. https://doi.org/10.1109/VR.2016.7504689.
- [13] M. González-Franco, D. Pérez-Marcos, B. Spanlang, M. Slater, The contribution of real-time mirror reflections of motor actions on virtual body ownership in an immersive virtual environment, in: 2010 IEEE Virtual Real. Conf. VR, 2010: pp. 111–114. https://doi.org/10.1109/VR.2010.5444805.
- [14] Y. Pan, A. Steed, How Foot Tracking Matters: The Impact of an Animated Self-Avatar on
 Interaction, Embodiment and Presence in Shared Virtual Environments, Front. Robot. AI.
 (2019). https://doi.org/10.3389/frobt.2019.00104.
- 699 [15] M. Bellani, L. Fornasari, L. Chittaro, P. Brambilla, Virtual reality in autism: State of the 700 art, Epidemiol. Psychiatr. Sci. 20 (2011) 235–238. 701 https://doi.org/10.1017/S2045796011000448.
- 702 [16] R. Ratan, Self-Presence, Explicated: Body, Emotion, and Identity Extension into the Virtual Self, Handb. Res. Technoself Identity Technol. Soc. (2013) 322–336. https://doi.org/10.4018/978-1-4666-2211-1.ch018.
- 705 [17] T. Suddendorf, D.L. Butler, The nature of visual self-recognition, Trends Cogn. Sci. 17 (2013) 121–127. https://doi.org/10.1016/j.tics.2013.01.004.

- 707 [18] K.Y. Segovia, J.N. Bailenson, Virtually True: Children's Acquisition of False Memories 708 in Virtual Reality, Media Psychol. 12 (2009) 371–393. 709 https://doi.org/10.1080/15213260903287267.
- 710 [19] S.L. Calvert, G.A. Strouse, B.L. Strong, D.A. Huffaker, S. Lai, Preadolescent girls' and 711 boys' virtual MUD play, J. Appl. Dev. Psychol. 30 (2009) 250–264. 712 https://doi.org/10.1016/j.appdev.2008.12.005.
- [20] C. Tuena, S. Serino, A. Gaston-Bellegarde, E. Orriols, D. Makowski, G. Riva, P. Piolino,
 How virtual embodiment affects episodic memory functioning: A proof-of-concept study,
 Annu. Rev. CyberTherapy Telemed. 15 (2017) 98–103.
- 716 [21] A.M. Glenberg, J. Hayes, Contribution of Embodiment to Solving the Riddle of Infantile Amnesia, Front. Psychol. 7 (2016) 10. https://doi.org/10.3389/fpsyg.2016.00010.
- 718 [22] L. Dutriaux, V. Gyselinck, Learning Is Better with the Hands Free: The Role of Posture 719 in the Memory of Manipulable Objects, PLoS ONE. 11 (2016). 720 https://doi.org/10.1371/journal.pone.0159108.
- 721 [23] T.B. Rogers, N.A. Kuiper, W.S. Kirker, Self-reference and the encoding of personal information, J. Pers. Soc. Psychol. 35 (1977) 677–688. https://doi.org/10.1037/0022-723 3514.35.9.677.
- 724 [24] R. m. Baños, C. Botella, M. Alcañiz, V. Liaño, B. Guerrero, B. Rey, Immersion and Emotion: Their Impact on the Sense of Presence, Cyberpsychol. Behav. 7 (2004) 734–726 741. https://doi.org/10.1089/cpb.2004.7.734.
- 727 [25] D. Gromer, M. Reinke, I. Christner, P. Pauli, Causal Interactive Links Between Presence 728 and Fear in Virtual Reality Height Exposure, Front. Psychol. 10 (2019). 729 https://doi.org/10.3389/fpsyg.2019.00141.
- [26] G. Riva, F. Mantovani, C.S. Capideville, A. Preziosa, F. Morganti, D. Villani, A. Gaggioli,
 C. Botella, M. Alcañiz, Affective Interactions Using Virtual Reality: The Link between
 Presence and Emotions, Cyberpsychol. Behav. 10 (2007) 45–56.
 https://doi.org/10.1089/cpb.2006.9993.
- 734 [27] T. Baumgartner, L. Valko, M. Esslen, L. Jäncke, Neural correlate of spatial presence in an arousing and noninteractive virtual reality: an EEG and psychophysiology study, Cyberpsychology Behav. Impact Internet Multimed. Virtual Real. Behav. Soc. 9 (2006) 30–45. https://doi.org/10.1089/cpb.2006.9.30.
- 738 [28] T. Baumgartner, D. Speck, D. Wettstein, O. Masnari, G. Beeli, L. Jäncke, Feeling present 739 in arousing virtual reality worlds: prefrontal brain regions differentially orchestrate 740 presence experience in adults and children, Front. Hum. Neurosci. 2 (2008) 8. 741 https://doi.org/10.3389/neuro.09.008.2008.
- 742 [29] K.J. Michalska, E.L. Davis, The psychobiology of emotional development: The case for 743 examining sociocultural processes, Dev. Psychobiol. 61 (2019) 416–429. 744 https://doi.org/10.1002/dev.21795.
- 745 [30] M.M. Bradley, P.J. Lang, Measuring emotion: the Self-Assessment Manikin and the Semantic Differential, J. Behav. Ther. Exp. Psychiatry. 25 (1994) 49–59.
- 747 [31] A. Felnhofer, O.D. Kothgassner, M. Schmidt, A.-K. Heinzle, L. Beutl, H. Hlavacs, I. Kryspin-Exner, Is virtual reality emotionally arousing? Investigating five emotion 749 inducing virtual park scenarios, Int. J. Hum.-Comput. Stud. 82 (2015) 48–56. https://doi.org/10.1016/j.ijhcs.2015.05.004.
- 751 [32] E.A. Kensinger, D.L. Schacter, Memory and emotion, in: Handb. Emot. 4th Ed, The Guilford Press, New York, NY, US, 2016: pp. 564–578.
- 753 [33] D. Makowski, M. Sperduti, S. Nicolas, P. Piolino, "Being there" and remembering it: 754 Presence improves memory encoding, Conscious. Cogn. 53 (2017) 194–202. https://doi.org/10.1016/j.concog.2017.06.015.

- 756 [34] G. Riva, J.A. Waterworth, E.L. Waterworth, F. Mantovani, From intention to action: The 757 New Psychol. role presence, Ideas 29 (2011)24–37. 758 https://doi.org/10.1016/j.newideapsych.2009.11.002.
- 759 [35] F. Faul, E. Erdfelder, A.-G. Lang, A. Buchner, G*Power 3: A flexible statistical power 760 analysis program for the social, behavioral, and biomedical sciences, Behav. Res. 761 Methods. 39 (2007) 175–191. https://doi.org/10.3758/BF03193146.
- 762 [36] L.B. Cadet, H. Chainay, Memory of virtual experiences; Role of immersion, emotion and 763 J. presence, Int. Hum.-Comput. Stud. (2020)https://doi.org/10.1016/j.ijhcs.2020.102506. 764
- 765 [37] F. Buttussi, L. Chittaro, Effects of Different Types of Virtual Reality Display on Presence 766 and Learning in a Safety Training Scenario, IEEE Trans. Vis. Comput. Graph. 24 (2018) 1063-1076. https://doi.org/10.1109/TVCG.2017.2653117. 767

768 769

773

774

775

781

782

- [38] A.S. Zigmond, R.P. Snaith, The Hospital Anxiety and Depression Scale, Acta Psychiatr. Scand. 67 (1983) 361–370. https://doi.org/10.1111/j.1600-0447.1983.tb09716.x.
- 770 [39] D. Watson, L.A. Clark, A. Tellegen, Development and validation of brief measures of 771 positive and negative affect: the PANAS scales, J. Pers. Soc. Psychol. 54 (1988) 1063-772 1070. https://doi.org/10.1037//0022-3514.54.6.1063.
 - [40] B.G. Witmer, M.J. Singer, Measuring Presence in Virtual Environments: A Presence Questionnaire, Presence Teleoperators Virtual Environ. 7 (1998) 225–240. https://doi.org/10.1162/105474698565686.
- 776 [41] T. Waltemate, D. Gall, D. Roth, M. Botsch, M.E. Latoschik, The Impact of Avatar 777 Personalization and Immersion on Virtual Body Ownership, Presence, and Emotional 778 Response. **IEEE** Trans. Vis. Comput. Graph. 24 (2018)779 https://doi.org/10.1109/TVCG.2018.2794629.
- 780 [42] J. Lessiter, J. Freeman, E. Keogh, J. Davidoff, A Cross-Media Presence Questionnaire: The ITC-Sense of Presence Inventory, Presence Teleoperators Virtual Environ. 10 (2001) 282–297. https://doi.org/10.1162/105474601300343612.
- 783 [43] S. Triberti, G. Riva, Being Present in Action: A Theoretical Model About the 784 "Interlocking" Between Intentions and Environmental Affordances, Front. Psychol. 6 785 (2016). https://doi.org/10.3389/fpsyg.2015.02052.
- 786 [44] S.R. Sharar, G.J. Carrougher, D. Nakamura, H.G. Hoffman, D.K. Blough, D.R. Patterson, 787 Factors Influencing the Efficacy of Virtual Reality Distraction Analgesia During Postburn 788 Physical Therapy: Preliminary Results from 3 Ongoing Studies, Arch. Phys. Med. 789 Rehabil. 88 (2007) S43–S49. https://doi.org/10.1016/j.apmr.2007.09.004.
- 790 [45] L. Tychsen, P. Foeller, Effects of Immersive Virtual Reality Headset Viewing on Young 791 Children: Visuomotor Function, Postural Stability, and Motion Sickness, Am. J. 792 Ophthalmol. 209 (2020) 151–159. https://doi.org/10.1016/j.ajo.2019.07.020.
- 793 [46] E. Baka, K.E. Stavroulia, N. Magnenat-Thalmann, A. Lanitis, An EEG-Based Evaluation 794 for Comparing the Sense of Presence between Virtual and Physical Environments, in: 795 Proc. Comput. Graph. Int. 2018, Association for Computing Machinery, New York, NY, 796 USA, 2018: pp. 107–116. https://doi.org/10.1145/3208159.3208179.
- 797 [47] I.M. Cordon, A.M.D. Melinder, G.S. Goodman, R.S. Edelstein, Children's and adults' 798 memory for emotional pictures: Examining age-related patterns using the Developmental 799 Affective Photo System, J. Exp. Child Psychol. 114 (2013)800 https://doi.org/10.1016/j.jecp.2012.08.004.
- 801 [48] C. Sharp, S.V. Goozen, I. Goodyer, Children's subjective emotional reactivity to affective 802 pictures: gender differences and their antisocial correlates in an unselected sample of 7– 803 11-year-olds, J. Child Psychol. Psychiatry. 47 (2006)143–150. 804 https://doi.org/10.1111/j.1469-7610.2005.01464.x.

- 805 [49] A. Syssau, C. Monnier, Children's emotional norms for 600 French words, Behav. Res. 806 Methods. 41 (2009) 213–219. https://doi.org/10.3758/BRM.41.1.213.
- 807 [50] M. Vesker, D. Bahn, F. Degé, C. Kauschke, G. Schwarzer, Perceiving arousal and valence 808 in facial expressions: Differences between children and adults, Eur. J. Dev. Psychol. 15 809 (2018) 411–425. https://doi.org/10.1080/17405629.2017.1287073.
- 810 [51] B.H. Detenber, R.F. Simons, G.G. Bennett, Roll 'em!: The effects of picture motion on 811 emotional responses, J. Broadcast. Electron. Media. 42 (1998) 113–127. 812 https://doi.org/10.1080/08838159809364437.
- 813 [52] V.T. Visch, E.S. Tan, D. Molenaar, The emotional and cognitive effect of immersion in 814 film viewing, Cogn. Emot. 24 (2010) 1439–1445. 815 https://doi.org/10.1080/02699930903498186.
- [53] J.S. Leventon, J.S. Stevens, P.J. Bauer, Development in the neurophysiology of emotion processing and memory in school-age children, Dev. Cogn. Neurosci. 10 (2014) 21–33. https://doi.org/10.1016/j.dcn.2014.07.007.
- 819 [54] A.F. Stenson, J.S. Leventon, P.J. Bauer, Emotion effects on memory from childhood 820 through adulthood: Consistent enhancement and adult gender differences, J. Exp. Child 821 Psychol. 178 (2019) 121–136. https://doi.org/10.1016/j.jecp.2018.09.016.
- [55] S. Massol, S. Vantaggio, H. Chainay, Emotional modulation of episodic memory in school-age children and adults: Emotional items and their associated contextual details, J.
 Exp. Psychol. Gen. (2020) No Pagination Specified-No Pagination Specified. https://doi.org/10.1037/xge0000744.
- 826 [56] G. Sala, F. Gobet, Experts' memory superiority for domain-specific random material 827 generalizes across fields of expertise: A meta-analysis, Mem. Cognit. 45 (2017) 183–193. 828 https://doi.org/10.3758/s13421-016-0663-2.
- 829 [57] M.N. Coutanche, G.E. Koch, J.P. Paulus, Influences on memory for naturalistic visual 830 episodes: sleep, familiarity, and traits differentially affect forms of recall, Learn. Mem. 27 831 (2020) 284–291. https://doi.org/10.1101/lm.051300.119.
- 832 [58] B. Roozendaal, J.L. McGaugh, Memory Modulation, Behav. Neurosci. 125 (2011) 797–833 824. https://doi.org/10.1037/a0026187.
- [59] J.A. Quas, H.C. Lench, Arousal at encoding, arousal at retrieval, interviewer support, and children's memory for a mild stressor, Appl. Cogn. Psychol. 21 (2007) 289–305. https://doi.org/10.1002/acp.1279.
- [60] B.J. Li, J.N. Bailenson, A. Pines, W.J. Greenleaf, L.M. Williams, A Public Database of Immersive VR Videos with Corresponding Ratings of Arousal, Valence, and Correlations between Head Movements and Self Report Measures, Front. Psychol. 8 (2017). https://doi.org/10.3389/fpsyg.2017.02116.
- 841 [61] A.S. Won, B. Perone, M. Friend, J.N. Bailenson, Identifying Anxiety Through Tracked 842 Head Movements in a Virtual Classroom, Cyberpsychology Behav. Soc. Netw. 19 (2016) 843 380–387. https://doi.org/10.1089/cyber.2015.0326.
- 844 [62] R.F. Falk, N.B. Miller, A primer for soft modeling, University of Akron Press, Akron, 845 OH, US, 1992.
- [63] G. Riva, F. Mantovani, C.S. Capideville, A. Preziosa, F. Morganti, D. Villani, A. Gaggioli,
 C. Botella, M. Alcañiz, Affective Interactions Using Virtual Reality: The Link between
 Presence and Emotions, Cyberpsychol. Behav. 10 (2007) 45–56.
 https://doi.org/10.1089/cpb.2006.9993.
- 850 [64] D. Västfjäll, The Subjective Sense of Presence, Emotion Recognition, and Experienced 851 Emotions in Auditory Virtual Environments, Cyberpsychol. Behav. 6 (2003) 181–188. 852 https://doi.org/10.1089/109493103321640374.

[65] T. Rose, K.B. Chen*, Effect of levels of immersion on performance and presence in virtual occupational tasks, Proc. Hum. Factors Ergon. Soc. Annu. Meet. 62 (2018) 2079–2083. https://doi.org/10.1177/1541931218621469.




Figure 1. Presentation protocol of the two virtual environments (city and island), and of the six different places in each environment.




Figure 1. Mean score of Recall performance for the Island environment (min = 0, max = 14), according to Age (adults and preadolescents), and Avatar condition (avatar and no-avatar).




Figure 1. Mean score of Self-reported arousal for the City environment (min = 0 – weakly arousing, max = 9 – very arousing), according to Age (adults and preadolescents), and Emotion (negative and neutral).




Figure 1. Mean score of Self-reported valence for the City environment (min = -4 – very unpleasant, max = 4 – very pleasant), according to Age (adults and preadolescents), and Emotion (negative and neutral).

Table 1. Resume of the results of the ANOVAs analysis in the Island and City environment with Emotion (Island – negative vs. neutral; City - positive vs. negative vs. neutral) as within-subject factor and Age (Adults vs. Preadolescents), and Avatar (Avatar vs. No-Avatar) as between-subject factors.

VD	Effects	df	F	p	partial ŋ²			
ISLAND								
Recall performances	Emotion	68	87.13	< .001	0.56			
	Age	68	11.54	< .001	0.15			
	Age * Avatar	68	7.46	.008	0.10			
Sense of Presence	NS							
Arousal	Age	68	3.41	.069	0.05			
Valence	Emotion	68	18.44	< .001	0.21			
	Age	68	28.99	< .001	0.30			
	CIT	·Y						
Recall performances	Emotion	136	27.02	< .001	0.28			
	Age	68	12.33	< .001	0.15			
Sense of Presence	Age	68	4.87	.031	0.07			
Arousal	Emotion	112.06	25.67	< .001	0.27			
	Age	68	12.39	< .001	0.15			
	Emotion * Age	112.06	8.13	.001	0.11			
Valence	Emotion	102.69	62.68	< .001	0.48			
	Age	68	16.03	< .001	0.19			
	Emotion * Age	102.69	15.90	< .001	0.19			

Table 2. Results of the analysis of correlations between predictors in the Island and City environments for all groups taken together. Only significant correlations are reported.

	Arousal rating	Valence rating	SoP	SD head position x	SD head position y	SD head position z	SD Pitch	SD Yaw	SD Roll	Pupillar y dilation	BPM	Acc_ BPM
						ISLAND						
Arousal rating												
Valence rating	r=113 p = .016											
SoP	r= .420 p < .001	r= .171 p < .001										
SD head position x	ns	r= .219 p < .001	ns									
SD head position y	ns	r= .120 p = .010	ms	r= .500 p < .001								
SD head position z	ns	r= .150 p = .001	r= .123 p = .009	r= .589 p < .001	r= .629 p < .001							
SD Pitch	r= .120 p = .010	r= .169 p < .001	r= .173 p < .001	r= .151 p = .001	r= .201 p < .001	r= .179 p < .001						
SD Yaw	r= .095 p = .044	ns	ns	r= .322 p < .001	r= .208 p < .001	r= .132 p = .005	r= .220 p < .001					
SD Roll	ns	r= .181 p < .001	r= .120 p = .011	r= .196 p < .001	r= .200 p < .001	r= .155 p = .001	ns	ns				
Pupillary dilation	ns	ns	ns	ns	ns	ns	ns	ns	r= .110 p = .019			
BPM	r= .098 p = .038	ns	ns	ns	r= .139 p = .003	r= .145 p = .002	ns	ns	r = .138 p = .003	ns		
Acc_BPM	r = .121 p = .010	ns	r=128 p = .003	ns	ns	r = .103 p = .028	ns	ns	ns	ns	r= .540 p < .001	
	-					CITY					_	
Arousal rating												
Valence rating	r= .108 p = .021											
SoP	r= .372 p < .001	r = .321 p < .001										
SD head position x	ns	ns	ns									
SD head	ns	ns	ns	r = .608								
SD head	ns	r= .146	r= .128	p < .001 $r = .652$	r= .787							
position z SD Pitch	ns	p = .002 r = .153	p = .006 r = .113	p < .001 r = .119	p < .001 r = .210	r= .213						
SD Yaw	r= .095	p=.001 ns	p= .016 ns	p = .011 r = .260	<i>p</i> < .001 <i>r</i> = .198	p < .001 r = .156	r= .283					
	p=.022			<i>p</i> < .001	<i>p</i> < .001	<i>p</i> < .001	<i>p</i> < .001					
SD Roll	ns	ns	ns	r= .303 p < .001	r= .286 p < .001	r= .289 p < .001	r= .092 p = .049	r= .234 p < .001				
Pupillary dilation	ns	ns	ns	ns	ns	ns	ns	ns	ns			
D D1 4	ns	ns	ns	ns	ns	ns	ns	ns	r= .100 p = .033	ns		
BPM												

Table 3. Results of stepwise regressions for all device conditions, adults, and preadolescents for the recall task (only significant regressions are reported).

Variables	Model	Predictors	β , (p)	R ² adjusted						
ISLAND										
Global										
Percentage Recall	1	Valence	-0.134, (.005)	.016						
ADULTS										
Percentage Recall	1	SD Head Position y	0.148, (.022)	.022						
PREADOLESCENTS										
Percentage Recall		NS								
r ereentage recan		110								
CITY										
	Global									
Percentage Recall	1	Valence	- 0.131 (.005)	.017						
_										
ADULTS										
Percentage Recall	1	Valence	- 0.191 (.003)	.037						
Percentage Recall	2.	Valence	- 0.220 (.001)	.063						
i ciccinage itecan	2									
		SD Roll	0.165 (.011)							
Tereonage Recair	2	SD Roll PREADOLESCENTS	0.165 (.011)							

Note. Probability of F at .05 for entry, and at .10 for removal. The significance of β values is given in brackets in the tables.