#### WESC 2021, 25 May 2021, Online



# Research directions and results in the Smart4RES project for improving renewable energy forecasting

Georges Kariniotakis | MINES ParisTech, Center PERSEE, ARMINES

Georges Kariniotakis<sup>1,\*</sup>, Simon Camal<sup>1</sup>, Dennis van der Meer<sup>1</sup>, Pierre Pinson<sup>2</sup>, Gregor Giebel<sup>2</sup>, Liyang Han<sup>2</sup>, Ricardo Bessa<sup>3</sup>, Quentin Libois<sup>4</sup>, Marie Cassas<sup>4</sup>, Bastien Alonzo<sup>4</sup>, Matthias Lange<sup>5</sup>, Stefan Wilbert<sup>6</sup>, Bijan Nouri<sup>6</sup>, Alexandre Neto<sup>7</sup>, Remco Verzijlbergh<sup>6</sup>: Gerrit Deen<sup>6</sup>, Ganesh Sauba<sup>9</sup>, George Sideratos<sup>10</sup>, Christos Vitellas<sup>11</sup>

(1)MINES ParisTech, PSL University, (2)DTU, (3)INESC TEC, (4)Meteo France, (5)Energy & Meteo Systems, (6)DLR, (7)EDP CNET, (8)WHIFFLE, (9)DNV, (10)NTUA, (11)DEDDIE



### What is Smart4RES?



A collaborative research project aiming to give a new boost to the RES forecasting technology through some disruptive ideas.

- 6 countries, 12 partners
- Budget: 4 M€
- Duration: 11/2019 04/2023
- End-users / Industry / Research / Universities / Meteorologists
- TRLs: 1-5






http://www.smart4RES.eu

#### Context




 Renewable Energy Sources (RES) forecasting is a "mature" technology with operational tools and services used by different actors

 However, there are several gaps and bottlenecks in the model & value chain stimulating significant research worldwide




## The RES forecasting model & value chain





## The RES forecasting model & value chain





.... "mature technology", but forecasting accuracy remains low




- Financial losses in electricity markets
- Increased need for costly remedies (reserves, storage, demand response...)
- Limited capacity of RES plants to deliver reliable ancillary services (AS)
- Lower RES acceptability by operators
- RES curtailment
- Higher maintenance costs for RES plants

• ...

### The RES forecasting model & value chain






...."mature technology", but forecasting accuracy remains low and new needs are emerging




- Forecasts for aggregated RES plants
- Forecasts for net load at different points of the grid
- Dedicated forecasts for ancillary service provision

• • •



# The Smart4RES vision & objectives






Achieve outstanding improvement in RES predictability through a holistic approach, that covers the whole model and value chain related to RES forecasting

- Requirements for forecasting solutions to enable 100% RES penetration
- RES-dedicated weather forecasting with 10-15% improvement using various sources of data and very high resolution approaches.
- New generation of RES production forecasting tools enabling 15% improvement in performance.
- Streamline the process of getting optimal value through new forecasting products, data market places, and novel business models
- New data-driven optimisation and decision aid tools for power system management and market participation
- 6 Validation of new models in living labs and assessment of forecasting value vs remedies.






Challenges in the models and the connections:




Need for Numerical Weather Prediction (NWP) products adapted to RES use-cases.




- NWP models dedicated to RES applications
  - Higher temporal resolution outputs and frequent updates
  - Additional relevant variables for RES (i.e. cloud optical thickness, spectral distribution of radiation)
  - Evaluation & calibration of NWP models accounting for RES scores Improved RESoriented modelling of NWP variables.
- Development of seamless NWPs
- Ultra-high resolution NWPs through Large Eddy Simulation (LES)







 Examples of Large Eddy Simulation (LES) at Engie's open data wind farm Haute Borne (left) and for the whole Rhodes island in Greece (right)







(source: WHIFFLE)



- Examples of pseudo-deterministic (PD) wind speed forecast.
  - This forecast selects a single member of the ensemble NWP (AROME) for each predefined time period, selected among the most represented wind speed categories.
  - These categories are derived from the wind power curve and can be refined.
  - The obtained forecast shows more realistic high frequency variability than the ensemble mean (e.g. ramp at lead-times 35-40 on the left figure), which is important for wind power trading or grid integration.






(source: Météo France)

## Research directions (RES prediction)





Challenges in the models and the connections:



Need for NWP products adapted to RES use-cases.




Limitations of RES prediction models to exploit large amounts of heterogenous data

# Research directions (RES prediction)




- State of the art consists in separate models for different time frames (e.g. 5 min to 1 h, 1h to 6h, 6h to 48h ahead...), each exploiting different data sources as input.
- Development of a seamless and generic forecasting approach based on analog ensembles, able to consider simultaneously i) heterogenous data, ii) multiple RES, iii) multiple time frames => Towards a convergence of forecasting solutions



#### Research directions (optimal use of forecasts)





Challenges in the models and the connections:



Need for NWP products adapted to RES use-cases.



Limitations of RES prediction models to exploit large amounts of heterogenous data




Open loop between forecasts generation and their use in apps

#### Research directions (optimal use of forecasts)




- RES forecasting models are tuned today upon their accuracy.
- An alternative could be to "tune" them considering, not only accuracy, but also the "value" they bring
  when used in a specific application (i.e. revenue €s in trading).



#### Research directions (optimal use of forecasts)




- RES forecasting models are tuned today upon their accuracy.
- An alternative could be to "tune" them considering, not only accuracy, but also the "value" they bring
  when used in a specific application (i.e. revenue €s in trading).
- Development of AI-based prescriptione analytics to simplify the whole model chain



# Research directions (data sharing)





Challenges in the models and the connections:

Need for NWP products adapted to RES use-cases.

Limitations of RES prediction models to exploit large amounts of heterogenous data

1-4

Open loop between forecasts generation and their use in apps.

- 1-1
- Lack of meaningful open data (privacy issues)
- 1-2
- Lack of price incentives to share data

# Research directions (data sharing)




- Many works have shown the benefits of integrating spatially distributed information (neighbor PV/wind farms as sensors).
- With Smart4RES we will exploit data science techniques, like federated learning, to develop a framework for collaborative forecasting through data sharing that respects privacy and confidentiality constraints
- And a data market concept to foster data sharing



improvement of 1-hour ahead forecast RMSE

#### Use cases





# Take away messages



- RES-oriented research for improving weather forecasting
- Seamless approaches to permit convergence of the technology
- Data science approaches for alternative forecasting and decision-making paradigms.
- Data sharing and data markets to extract the value out of data!



#### Smart4RES webinar series (hosted by IEA –ISGAN)



#### **⇒**Stay tuned!





#### **THANK YOU!**





#### APPENDIX

#### **COPYRIGHT**

Smart4RES project: "Next Generation Modelling and Forecasting of Variable Renewable Generation for Large-scale Integration in Energy Systems and Markets"

#### DISCLAIMER

The European Commission or the European Innovation and Networks Executive Agency (INEA) are not responsible for any use that may be made of the information in this presentation.

#### PROJECT COORDINATOR & CONTACTS

Georges Kariniotakis, ARMINES/MINES ParisTech, Centre PERSEE, Sophia-Antipolis, France.

georges.kariniotakis@mines-paristech.fr, simon.camal@mines-paristech.fr



































