

Metal-containing PAS/GAF domains in bacterial sensors

Romain Pardoux, Alain Dolla, Corinne Aubert

▶ To cite this version:

Romain Pardoux, Alain Dolla, Corinne Aubert. Metal-containing PAS/GAF domains in bacterial sensors. Coordination Chemistry Reviews, 2021, 442, pp.214000. 10.1016/j.ccr.2021.214000. hal-03249747

HAL Id: hal-03249747

https://hal.science/hal-03249747

Submitted on 4 Jun 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1	Metal-containing PAS/GAF domains in bacterial sensors
2	
3	Romain Pardoux ^a , Alain Dolla ^b and Corinne Aubert ^{a#}
4	
5	a. Aix Marseille Univ, CNRS, LCB, Marseille, France
6	b. Aix Marseille Univ, Toulon Univ, CNRS, IRD, MIO, Marseille, France
7	*To whom correspondence should be sent: <i>E-mail</i> : aubert@imm.cnrs.fr;
8	Keywords: Metals, PAS domains, GAF domains, Sensors, Two-component systems, σ^{54} -
9	Dependent activators.
10	
11	Highlights
12	- PAS/GAF domains bind disparate metal cofactors
13	- Metal can be the signal sensed by the PAS/GAF sensor
14	- O ₂ and redox potential are the favorite signaling stimuli of metal-binding PAS/GAF
15	- Metal-binding induces conformational changes that modulate the effector activity
16	
17	Abstract
18	PAS and related GAF are ubiquitous and highly versatile sensing domains that associate a range
19	of signaling effectors. Each year, new bacterial PAS and GAF domains are characterized but
20	genomes analysis suggests this list is far from complete.
21	This review aims to synthesize the current state of knowledge on the structure and activity of
22	metal-binding PAS/GAF domain proteins. PAS/GAF domains can bind disparate metal
23	cofactors with very precise coordination and high specificity concomitant with their extensive
24	sequence diversity. Bound-metal can directly be the signal or can mediate signal detection such
25	as gases or redox variation. Metal-containing PAS/GAF input modules are mainly associated
26	to histidine kinases of two-component signaling systems and σ^{54} -dependent transcription
27	factors. In both cases, metal-binding induces conformational changes that modulate the effector
28	activity.
29	It appears that metal-containing PAS/GAF domains, as other PAS/GAF domains, offer great
30	possibilities for coupling a broad range of ligand binding to various cellular responses and it is
31	very likely that they have not yet revealed all their secrets.
32	

33	Contents
34	1. Introduction
35	2. Structural basis of metal-binding in the PAS and GAF domain family proteins
36	2.1 Divalent metal cation-binding PAS/GAF domain
37	2.2 Heme-binding PAS domain
38	2.3 Fe-S cluster -containing PAS domains
39	3. Activity, signal sensing and signal transduction of metal-containing PAS/GAF
40	bacterial sensors
41	3.1. Two-component systems with input metallic PAS/GAF domains
42	3.1.1 Repression of TCS metal-containing PAS/GAF bacterial sensors by O ₂
43	3.1.2 Activation of TCS metal-containing PAS/GAF bacterial sensors by O ₂
44	3.1.3 Repression of TCS-containing PAS/GAF bacterial sensors by direct meta
45	sensing
46	$3.2 \sigma^{54}$ -Dependent activators with input metallic PAS/GAF domains
47	4. Conclusion
48	References
49	
50	

1. Introduction

52 53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

51

To survive, living organisms must adapt to new environments or to changes in their current environment. Bacteria actively sense and adapt to environmental cues through sensory and signal transduction systems. Per-ARNT-Sim (PAS) and cGMP-specific phosphodiesterases, adenylyl cyclases and Fhla (GAF) domains are common components of signal transduction systems serving as universal signal sensors and interaction hubs [1-4]. Both PAS and GAF domains are composed of ~ 110 amino acids with limited primary sequence homology but share a remarkably conserved core structure [3-6]. Although PAS and GAF domains are distinguished in the sequence-based annotations in the Pfam database [5], they are linked by evolution and are structurally and functionally related [1,3,6]. Hence, they are considered together in this review. PAS/GAF occur in all living organisms but are most highly represented among prokaryotic genomes, with 90% of PAS domains identified in Eubacteria [2,7]. For example, the deltaproteobacteria *Desulfovibrio* contains the largest number of PAS domain proteins (141) found in a genome [7]. PAS/GAF-containing proteins can contain both PAS and GAF domains or several PAS/GAF domains but are commonly associated with a wide range of enzymatic and non-enzymatic functions [2,4]. PAS/GAF proteins play roles as receptors, signal transduction mediators and transcription factors [4]. In bacteria and archaea, PAS/GAF clusters are mostly involved in two-component systems such as histidine kinases, but they have been identified in other proteins, such as serine/threonine kinases, guanylate cyclases, phosphodiesterases, ion channels, chemotaxis proteins and transcription factors [3-5]. PAS/GAF domains usually serve as versatile sensors and interaction modules in signal transduction proteins. These domains mainly exert their physiological roles without cofactors but some of them have been shown to bind cofactors to regulate the activity of certain effector domains [2,3,8]. Hence, cofactors such as hemes, flavins, di-and tricarboxylic acids, amino acids, divalent metal cations, coumaric acid, fatty acids, non-heme iron and Fe-S clusters can be found in PAS/GAF domains [2]. These cofactors, either covalently or not covalently bound to the sensory module, can emit a signal to which the proteins directly respond or mediate signal detection. In all cases, the signal is propagated to the effector domain by mechanisms and strategies that diverge according to the PAS/GAF module [2,3,8]. Predictions of the functions of PAS/GAF domain proteins based on sequence and signal transduction information remain challenging. Comparison of structurally and functionally characterized PAS and GAF domain-containing proteins known to bind ligands will help to identify the functions/activities of PAS/GAF proteins that have not yet been characterized. Henry and Crosson in 2011 [2] and Unden et al in 2013 [8] provided overviews of the PAS/GAF signaling protein diversity in prokaryotes. This review aims to synthesize the current state of knowledge on the structures and activities of these proteins, focusing on metal-binding PAS/GAF domains associated with two-component signal transduction systems (TCS) and σ^{54} -dependent transcriptional regulators proteins (Figure 1).

2. Structural basis of metal-binding in the PAS and GAF domain family proteins

The PAS domain is composed of five β -strands and four α -helices organized in four main

structural elements: the PAS core, the β -scaffold, the helical connector and the N-terminal cap (Figure 2A) [4]. Despite the possibility of an additional antiparallel β -sheet in the GAF domain, the GAF core itself is small and folds similar to the PAS core [3]. By way of example, Photoactive Yellow Protein, which entirely consists of a single PAS domain, is closely superimposable with the GAF domain of the YGK9 protein over a region that comprises the beta-sheet and the irregular layer (Figure 2B) [2].

PAS/GAF domains can bind a large variety of metallic ligands, including metal-containing cofactors such as heme, Fe-S clusters, and divalent metal cations, which contribute to the determination of the input signal [2].

2.1 Divalent metal cation-binding PAS/GAF domain

Non-heme iron is found in the GAF domain of NorR, a bacterial enhancer-binding protein (bEBP) of the AAA+ class of proteins that activates the σ^{54} -dependent transcription of *norVW* in response to NO [9]. EPR spectroscopy has shown that the N-terminal GAF domain of NorR contains a non-heme iron center that binds NO to form a high-spin {Fe(NO)}⁷ (S=3/2) complex [10]. A model with the hexa-coordination of Fe involving three aspartates, one of which being bidentate, one cysteine and one arginine residue, has been proposed; the arginine residue is displaced to form the mononitrosyl iron complex (Figure 3) [11].

Other cations, such as Mg^{2+} , Ca^{2+} or Zn^{2+} , are cofactors of PAS domain-containing proteins. Crystal structures of the *Escherichia coli* and *Salmonella typhimurium* periplasmic sensor domains of PhoQ reveal that these structures fold into a PAS domain but with some striking differences, as the insertion of α -helices creates a large negatively charged area that is partially involved in the binding of divalent cations such as Mg^{2+} or Ca^{2+} (Figure 4) [12,13]. In the

presence of Mg²⁺/Ca²⁺, a bridge between the negatively charged PhoQ surface and negatively charged bacterial phospholipids can form; upon release of the divalent cations from the PhoQ sensor domain, repulsion between the negatively charged PhoQ surface and the membrane can result in a change in their orientation relative to the membrane. This change corresponds to the initial event in transition from a repressed to an active PhoQ conformation [12]. In the PAS domain of the phosphoglycerate kinase in *Leishmania major*, it has been shown that a single histidine residue is essential for Mg²⁺ binding in the absence of substrate; repression of PGK activity is performed by the Mg²⁺ cation bridge formed between the PAS and PGK domains [14]. Recently, the structure of the PAS domain of the WalK sensor from Staphylococcus aureus was resolved [15]. The structure revealed the presence of a Zn²⁺ ion bound to the surface of the PAS domain (Figure 5A). This feature enables Zn²⁺ in the surrounding solvent to access the binding site. The Zn²⁺ ion adopts a slightly distorted tetrahedral coordination geometry by binding to two Nδ1 atoms from two histidine residues, one Oδ1 atom from an aspartate residue and one Oe3 atom from a glutamate residue (Figure 5B). Structural and molecular dynamics simulations of WalK suggested that Zn²⁺ binding directly influences the relative positioning of the cytoplasmic PAS and CAT domains; upon Zn²⁺ binding the dihedral angle between the two domains varied from 136° to 175° and the average distance between the upper and lower helices of the cytoplasmic domain decreased from 21.6 Å to 12.3Å (Figure 5C, [15]). These large conformational changes, induced by Zn2+ binding, would regulate the activity of the protein [15].

2.2 Heme-binding PAS domain

Heme cofactor is found in several classes of PAS/GAF domain-containing proteins, including FixL, DosP, Aer2, DosS/DevS [16-19]. Among the heme-containing PAS domains, FixL has been the most extensively studied. The three-dimensional structure of the FixL PAS domain in *Rhizobium meliloti* and *Bradyrhizobium japonicum* revealed that the heme iron is pentacoordinated by a histidine residue, with no other ligand coordinating the sixth position (Figure 6A and 6B) [16,20]. While the porphyrin ring is inserted into a hydrophobic pocket, the ligand binding site remains fairly accessible through an entryway marked by three water molecules that interact with an arginine residue [16]. Oxygen and CO have been shown to bind Fe(II) while CN binds Fe(III) on *Rhizobium meliloti* FixL; it has been proposed that the negative shift of the midpoint redox potential observed upon fixation of O₂, CN and imidazole is the consequence of a combination of effects including ligand fixation, heme distortion and ionic interactions of the propionate groups [21]. Structural studies of the oxygen-sensing

domain of *B. japonicum* FixL have helped to address important issues relevant to the sensing mechanism [22]. Comparison of the crystal structures of FixL heme domain in its ligand-free and oxygen-bound forms reveals that the binding of dioxygen to the heme iron alters the nonplanarity of the heme, resulting in shifts in the positions of the two heme propionates [22]. The movement of the propionate side chains is, in turn, transmitted to the polypeptide via the rearrangements of salt bridges with arginine and histidine residue side chains, affecting the FG loop that is stabilized in an alternative conformation that lies farther from the heme (Figure 6C). These conformational changes then lead to signal transduction [20,22]. Contrary that observed in FixL, it has been shown that the heme domain of DosP contains a low-spin heme iron hexacoordinated with a sulfur atom of a methionine residue at the sixth position. This iron coordination is displaced upon O₂ binding, leading to the output signal [17]. In the sensor protein DevS from *Mycobacterium tuberculosis*, the ferrous state of the heme Fe in the GAF domain is a typical pentacoordinated Fe(II), while the ferric state is hexacoordinated containing a water molecule ligand at the sixth ligand [19]. Spectro-electrochemical analysis

demonstrated that, in contrast to that to FixL, the binding of O₂ to DevS does not change the

2.3 Fe-S cluster -containing PAS domains

heme planarity or the propionate interactions with the protein moiety [23].

Fe-S clusters are composed of iron ions and sulfide and are mainly coordinated to the protein moiety via cysteine thiol side chains. These clusters are found in a variety of proteins, including O₂ sensors containing PAS and GAF domains. The sensor kinase NreB from Staphylococcus carnosus binds a [4Fe-4S]²⁺ cluster in a PAS domain liganded by four cysteine residues. Upon reaction with air, the cluster is first degraded to [2Fe-2S]²⁺ and later to Fe hydroxide [24] in a reaction sequence similar to that of the O₂-sensitive transcriptional regulator FNR [25]. As for FNR, it can be hypothesized that the released sulfide ions are oxidized to sulfane and form a persulfide with two of the cysteine ligands of the cluster, allowing sulfur storage and reversion to a [4Fe-4S]²⁺ form cluster in NreB by reduction and repair without involvement of iron-sulfur biosynthesis machinery [26,27]. The sensor kinase AirS of the two-component system AirS-AirR from Staphylococcus aureus binds a redox-active [2Fe-2S] cluster critical for kinase activity in a GAF domain liganded by four cysteine residues organized in the consensus motif $C-X_7-C-X-C-X_{17}-C$. In the $[2Fe-2S]^{2+}$ form oxidized by O_2 , AirS is fully active, while the reduced form [2Fe-2S]¹⁺ under anaerobic conditions has minimal kinase activity. Destruction of the cluster by stronger oxidizing agents such as H₂O₂ abolishes kinase activity [28]. Both NreB and AirS bind Fe-S clusters in a PAS or GAF domain for oxygen sensing but their

responses to O₂ differ: NreB responds by [4Fe-4S]²⁺/[2Fe-2S]²⁺ conversion while AirS responds by [2Fe-2S]²⁺/[2Fe-2S]¹⁺ oxidation. 186 Recently, a new Fe-S redox regulator OrpR, belonging to the σ^{54} -dependent transcriptional 187 188 regulator family, was characterized from the anaerobic sulfate reducer Desulfovibrio vulgaris Hildenborough [29]. OrpR contains a PAS domain that binds a [4Fe-4S]²⁺ cluster under 189 190 anaerobic conditions. Site-directed mutagenesis demonstrated that three conserved cysteine 191 residues in the PAS domain included in the sequence C-X₈-C-X₃-C were ligands of the Fe-S cluster (Figure 7). The cluster is converted to [3Fe-4S]¹⁺ and Fe³⁺ under mild oxidative 192 conditions, while it is dissembled by O₂. However, both [4Fe-4S]²⁺ and [3Fe-4S]¹⁺ redox states 193 of OrpR are able to bind DNA with no significantly different affinity [29]. 194

195

196

197

185

3. Activity, signal sensing and signal transduction of metal-containing **PAS/GAF** bacterial sensors

198

199

200

201

How do these disparate metal-binding PAS and GAF sensor units regulate the activity of effector domains? This question is addressed in the second part of the review focusing on metalcontaining PAS/GAF domains included in TCS and σ^{54} -dependent transcriptional regulators.

202 203

204

205

206

207

208

209

210

211

212

213

214

215

217

3.1. Two-component systems with input metallic PAS/GAF domains

TCS systems are the main prokaryote actors sensing environmental changes using histidine kinase (HK) sensing domain (Figure 1A) and a cognate response regulator domain (RR) to mediate the cellular response. The sensing module of HK, which is commonly located in the periplasmic or cytoplasmic spaces, modulates the enzymatic activity of the cytoplasmic effector modules (DHp and CA) via the central HAMP domain (Figure 1A). Except for the PhoQ/PhoP TCS, for which divalent cations such as Mg²⁺ serve as direct signals, other TCSs studied to date exhibit b- and c-type hemes, non-heme iron and iron-sulfur metal cofactors bound to the PAS/GAF domain to sense the signal and to mediates it to the output domain to modulate the activity of the protein. In these disparate sensors, O₂ seems to be the main signal perceived by the metal to activate or inactivate the phosphotransferase activity of HK. The state-of-the-art PAS/GAF metal-containing HK sensors are described below, on the basis of the HK activity in the presence of O_2 .

216

3.1.1 Repression of TCS metal-containing PAS/GAF bacterial sensors by O₂

218 FixL/FixJ, NreB/NreC and DosS/DosT are cytosolic oxygen-sensing TCSs isolated from Rhizobium, Firrmicutes species and Mycobacterium tuberculosis, respectively [24,30,31]. 219 220 FixL is the sensing domain of FixL/FixJ TCS conserved in α-proteobacteria that consists of 221 two N-terminal tandem PAS domains and a C-terminal HK domain such as in Bradyrhizobium 222 japonicum [16,32]. In the presence of O₂, O₂ is bound to the b-type heme of the second PAS domain, leading to heme distortion (Figure 6C) that turns off the HK activity [16]. Under 223 224 hypoxia conditions, O₂ dissociates from the heme, inducing a local conformational change that leads to the autophosphorylation of the HK module and the transfer of phosphate from ATP to 225 226 the RR FixJ which, in turn, stimulates the expression of target genes (Figure 8) [32]. 227 NreB is an O₂ sensor kinase characterized in Staphylococcus carnosus and Staphylococcus 228 aureus that is composed of an N-terminal PAS domain and an HK domain [8,24,33]. Under anoxic conditions, the PAS domain is in the form of [4Fe-4S]²⁺, a state in which NreB has high 229 230 autokinase activity resulting in RR NreC phosphorylation and target gene transcription (Figure 8) [34]. In the presence of O₂, [4Fe-4S]²⁺ is converted into [2Fe-2S]²⁺, leading to a decrease in 231 autokinase activity causing low levels of NreC phosphorylation and gene activation (Figure 8) 232 233 [24,35]. In parallel and in the absence of nitrate, the GAF-containing domain NreA converts 234 the kinase activity of NreB into phosphatase activity that inactivates NreC; however, no 235 cofactor has been described in association with the GAF domain of NreA [36]. 236 DevS and DosT are two cognate O2 sensor kinases of the DevR transcriptional regulator 237 [37,38]. Two N-terminal GAF domains in tandem are present in both sensors in *M. tuberculosis*. Upon binding of O₂ to the heme-containing GAF module, kinase activity is ceased because of 238 239 a decrease in kinase activity concomitant with phosphatase-dominant forms of DosT and DevS 240 (Figure 8) [23,39-41]. When the O₂ concentration starts to decrease, DosT first promotes DosR 241 phosphorylation and the transcription of its regulon [23,42]; at lower O₂ concentrations, DosT 242 also activates histidine kinase activity and makes DevR fully phosphorylated. Hence, DosT and

246247

249

250

243

244

245

3.1.2 Activation of TCS metal-containing PAS/GAF bacterial sensors by O₂

In contrast, three other TCS/PAS metal-containing sensors, AirS/AirR, Aer2 and DosP have

DevS work in a two-step adaptation mechanism for hypoxia [23]. NO and CO are also able to

activate kinase autophosphorylation [43-45]. In the PAS/GAF metal-containing sensors FixL,

NreB, DevS and DosT, the kinase activity is then switched off in the presence of O2 and is

been shown to be activated in presence of O_2 .

switched on by hypoxia (Figure 8).

- 251 AirS/AirR from Staphylococcus aureus is a cytosolic oxygen-sensing TCS containing the
- sensing domain AirS, which is composed of a GAF domain associated with an HK module
- 253 (Figure 9). Under anaerobic conditions the [2Fe-2S]⁺ cluster form in the GAF domain of AirS
- switch off kinase activity [28]. Under oxidative conditions (in the presence of O₂, NO or CO),
- 255 AirS responds to oxidation by converting the [2Fe-2S]⁺ in a [2Fe-2S]²⁺ cluster, a form fully
- active for phosphorylation and the expression of target genes of the RR AirR (Figure 9) [28].
- However, prolonged oxidation of AirS leads to the apoform of AirS and results in the loss of
- kinase activity [8,28].
- Aer2 is a TCS chemoreceptor combining one (*Pseudomonas aeruginosa*) or two PAS domains
- 260 (Vibrio cholerae) with a poly-HAMP (histidine kinase-adenylyl cyclase-methyl-accepting
- 261 chemotaxis protein-phosphatase) module [18,46]. The PAS (PAS2 in V. cholerae) domain
- 262 coordinates a b-type heme (Figure 9). In the absence of O₂, the kinase is switched off, whereas
- 263 the presence of the ligand switches on the kinase, inducing the phosphorylation and activation
- of chemosensory proteins (Figure 9). The activation is linked to the association of O_2 with the
- heme group, generating a conformation signal in the PAS domain that is transmitted to the
- kinase control module [18,46-49].
- Last, DosP is a b-type heme O₂-sensing phosphodiesterase in *Escherichia coli* that catalyzes
- 268 the conversion of cyclic-di-GMP to linear di-GMP (Figure 9). Heme b is bound to the N-
- 269 terminal PAS domain associated with the C-terminal phosphodiesterase catalytic domain. As
- described above, the association of the ligand (O₂, CO and NO) with heme displaces the iron
- 271 coordination and induces an increase in the rigidity of the protein structure, leading to signal
- transduction to the phosphodiesterase domain which is switched on [50-52].
- Hence, in PAS/GAF metal-containing sensors AirS, Aer2 and DosP, activities of the catalytic
- domain are switched on in the presence of O_2 (Figure 9).
- 3.1.3 Repression of TCS-containing PAS/GAF bacterial sensors by direct metal-sensing.
- The TCSs described above exhibit b- and c-type hemes, non-heme iron and iron-sulfur metal
- 278 cofactors bound to the PAS/GAF domain to sense the O2 signal PAS/GAF domain. TCS,
- 279 PhoQ/PhoP and WalK/WalR are two PAS containing TCSs in which metal serves as a direct
- 280 signal.

- 281 PhoQ is a transmembrane sensor kinase, found in enterobacteria, composed of a periplasmic
- 282 PAS domain and a C-terminal catalytic HK domain located in the cytoplasm (Figure 10). Under
- physiological conditions, Mg²⁺ is bound to the PAS domain, dephosphorylates its cognate RR
- 284 PhoP resulting in the inactivation of PhoQ [53]. In Mg²⁺-limited conditions, the metal

- 285 dissociates from the PAS domain, and a reorientation of PhoQ relative to the membrane is
- observed. This change corresponds to the activation of PhoP in the cytoplasm through a classic
- phosphotransfer pathway in these TCSs (Figure 10) [53,54]. Other divalent metal ligands such
- as Ni²⁺, Mn²⁺ and Ca²⁺, when associated to PhoQ, can also inactivate the kinase [55].
- WalKR regulates peptidoglycan synthesis and is essential in *Staphylococcus aureus* [56].
- 290 Walk, the HK sensor, comprises two N-terminal tandem PAS domains and a C -terminal HK
- domain. One PAS is located in the extracellular space, and another is located in the cytoplasm
- 292 (Figure 10) [57]. Cytoplasmic PAS has recently been shown to bind Zn²⁺, which directly
- 293 influences the activation status of the protein [15]. In the absence of Zn²⁺ the
- autophosphorylation of WalK is favored, which leads to phosphotransfer to the RR WalR and
- binding of the RR on its target sequences. In the presence of Zn²⁺, cation binding influences the
- positioning between the PAS and HK domains (Figure 5C), a conformation that decreases the
- autophosphorylation of WalK [15].
- 299 3.2 σ^{54} -Dependent activators with input metallic GAF/PAS domains
- 300 σ^{54} -dependent activators control σ^{54} -dependent transcription in response to environmental
- 301 signals. These activator proteins generally consist of three domains: an N-terminal regulatory
- domain that senses the signal, a central AAA⁺ domain responsible for ATP hydrolysis and a C-
- 303 terminal DNA-binding domain (Figure 1B). Three σ^{54} -dependent activators contain a
- 304 PAS/GAF sensory domain, NorR, AdhR and OrpR.
- 305 Binding of NO to the non-heme iron of the NorR activator from E. coli stimulates the ATPase
- activity of the central domain of NorR, enabling the activation of transcription by σ^{54} -RNA
- 307 polymerase (Figure 11) [10]. Prior to NO activation, the GAF domain is located above the
- 308 AAA+ domain preventing ATP hydrolysis [58]. Upon activation, a mononitrosyl iron complex
- 309 is formed, and the GAF domain relocates downwards to the periphery of the AAA+ domain,
- making the AAA+ domain accessible for ATP hydrolysis and σ^{54} RNA polymerase (Figure 11)
- 311 [10,58].

- The AdhR activator from *Clostridium beijerinckii* also possesses a non-heme iron center within
- 313 its N-terminal GAF domain (Figure 11). Under oxidative stress, the tandem GAF and PAS
- domains repress the accessibility of the AAA+ domain in AdhR [59]. Binding of Fe²⁺ in
- anaerobic conditions relieves the repression of AAA+ and stimulates ATPase activity allowing
- 316 AdhR to stimulate transcription (Figure 11) [59].
- 317 Lastly characterized, the OrpR activator in *Desulfovibrio vulgaris* Hildenborough contains a
- 318 [4Fe-4S]²⁺ cluster in its N-terminal PAS domain (Figure 11). In anaerobiosis OrpR is activated

and stimulates the OrpR regulon [29,60,61]. Increasing the redox potential turns off the OrpR activity via the redox-sensitive [4Fe-4S]²⁺ in the PAS domain (Figure 11) [29]. The PAS domain negatively regulates the activity of OrpR under oxidative conditions, but its role on the AAA⁺ domain remains to be discovered [29].

323

319

320

321

322

4. Conclusion 324 325 Despite their invariant structure, the PAS/GAF domains bind disparate metal cofactors with precise coordination and high specificity concomitant with their extensive sequence diversity. 326 327 O₂ and redox potential seem to be the favorite signaling stimuli of these sensors, but gases such 328 as NO or CO can also mediate their induction. Stimuli induce subtle conformational changes 329 concentrated in cofactor-binding sites, allowing signal transduction to the effector output 330 modules and leading to cellular response. PAS/GAF sensors can regulate the activities of very different effector domains through either 331 332 their redox state or their structural change upon ligand binding, which induces conformational changes. The metal-containing PAS/GAF domains characterized to date are coupled to histidine 333 kinases of two-component signaling systems and σ^{54} -dependent transcription factors. In both 334 335 cases, signal-induced conformational changes are necessary to transduce the signal to the 336 effector domains. Even if these conformational changes are protein-dependent, the mechanism 337 adopted to regulate the activity of the output domain seems to be completely correlated with 338 the class of effector domain. In HK, the different structural conformations of the cofactor pocket 339 linked to the absence or presence of a ligand modulate the phosphorylation state of HK and its activity. In σ^{54} -dependent activators, signal-induced structural conformation changes in 340 341 PAS/GAF domains have been shown to impact the accessibility of the AAA+ domain for ATP hydrolysis and σ^{54} RNA polymerase. 342 343 Metal-containing PAS/GAS domains, as other PAS/GAF domains, offer great possibilities for 344 coupling a broad range of ligand binding to various cellular responses, and it is very likely that 345 they have not yet revealed all their secrets. For example, 141 PAS domains have been identified 346 in the genome of the deltaproteobacterium *Desulfovibrio* but only two have been characterized 347 to date. Moreover, the first heme-binding PAS domain accommodating enzymatic activity has 348 been reported, which suggests that other PAS enzymes are likely to exist [62]. 349 More generally, in addition to be signal sensing proteins, the bacterial PAS/GAF with and 350 without cofactors have been shown to be involved in signal modulation, transduction, 351 dimerization, protein interaction and cellular localization [63]. Advantageously to other 352 signaling proteins, PAS/GAF-containing proteins are associated to a wide variety of domains

such as HKs, σ^{54} -dependent activators, diguanylate cyclases/phosphodiesterases and methylaccepting chemotaxis proteins (this list is not exhaustive). Extracellular and intracellular localization, the incredible versatility of signal sensed (light, gases, redox potential, metals, fatty acids, carbohydrates...) make PAS/GAF domains versatile and unique systems for rapid adaptation to environmental changes and ensure survival of microorganisms.

Figure legends:

Figure 1: Schematic representation of the protein architecture and signal transduction of canonical **PAS/GAF-containing** sensor histidine kinases and σ^{54} -dependent transcriptional regulators. (A) Histidine Kinases SHKs are mostly dimeric and they are basically organized in three structural elements: the sensing PAS/GAF core (red) able to bind a metal (yellow) followed by the four-alpha-helical HAMP region connected to the helical effector module which comprises the DHp domain (Dimerization and phospho-accepting Histidine) (pink) and the catalytic domain (CA) (light blue). (B) Canonical σ^{54} -dependent transcriptional regulators are mostly hexameric and contain three domains: the N-terminal sensing domain (red), the central AAA+ module responsable for ATPase activity (blue) and the C-terminal HTH (Helix Turn Helix) DNA binding domain (green).

371

372

373

374

375

376

377

360361

362

363

364

365

366

367

368

369

370

Figure 2: **Structural comparison PAS/GAF domain.** (A) Proposed three-dimensional PAS domain based on the PYP (Phosphoactive Yellow Protein) structure, obtained from Taylor and colleagues (PDB id: 3PYP) [11]. The PAS domain is organized in four main structural elements: the PAS core (red), the β-scaffold (green), the helical connector (blue) and the N-terminal cap (yellow). (B) Structure of the GAF domain based on the YGK9 protein (PDB id: 3kO6). Regions that can be superimposed between PYP and YGK9 structure within 3 Å are colored in red.

378379

380

381

382

383

Figure 3: **Proposed structural model of Fe center in the Nork GAF domain**. (A) Overview of the model showing the position of the iron in the GAF domain. (B) View of the ferrous iron center showing the proposed iron ligands. The Arg75 residue is the most likely to undergo ligand displacement upon NO binding. Figure was obtained from Tucker and colleagues [11].

384 385

386

387

Figure 4: Dimeric structure of the PhoQ sensor domain from *S. typhimurium*. Red-colored side-chains are negatively charged residues and gray balls represent Ca²⁺ cations (PDB id: 1yax) [12].

388 389

390


391


392

- Figure 5: Structure of the PAS domain of the Walk sensor from Staphylococcus aureus.
- (A) Entire PAS domain; the bound Zn^{2+} is shown as a gray sphere and its coordinating residues are shown as cyan sticks. (B) Focus on the Zn^{2+} -binding site; the atoms that contribute to the interaction with Zn^{2+} are in spheres (PDB id: 4mn5) [15]. (C) Molecular modelling of WalK in the presence (1) or absence (2) of Zn^{2+} showing the predicted conformational changes induced

394 in the Walk PAS and catalytic (CAT) domains upon metal binding; obtained from Monk and 395 colleagues [15]. 396 397 Figure 6: Structures of ligand-free FixL heme domains. (A) from Rhizobium meliloti (PDB 398 id: 1d06) [20](B) from Bradyrhizobium japonicum (PDB id: 1drm) [16]. (C) Superposition of 399 the crystal structures of the *Bradyrhizobium japonicum* oxygen-bound (bronze) (PDB id: 1dp6) 400 and ligand-free (blue) (PDB id: 1drm) FixL heme domain [22]. Dioxygen is in red. 401 402 Figure 7: Structural model of the PAS domain from OrpR. The cysteine residues involved 403 in cluster binding are indicated; obtained from Fievet and colleagues [29]. 404 405 Figure 8: Organization and O₂ repression of TCS metal-containing PAS/GAF sensors. 406 Domains organization and model of inactivation by O₂ of the metal-containing PAS/GAF TCS 407 sensors FixL in Bradyrhizobium japonicum, NreB in Staphylococcus carnosus and DosS/DosT 408 in Mycobacterium tuberculosis. 409 410 Figure 9: Organization and O₂ activation of TCS metal-containing PAS/GAF sensors. 411 Domains organization and model of activation by O₂ of the metal-containing PAS/GAF TCS 412 sensors AirS in Staphylococcus aureus, Aer2 in Pseudomonas aeruginosa and DosP in 413 Escherichia coli. 414 415 Figure 10: Repression of TCS-containing PAS/GAF sensors by direct metal-sensing. 416 Domains organization and model of inactivation by cations of the metal-containing PAS/GAF 417 TCS sensors PhoQ in enterobacteria and WalK in Staphylococcus aureus. 418 419 Figure 11: σ^{54} -Dependent activators with input metallic GAF/PAS domains. Domains organization and model of activation/inactivation of the metal-containing PAS/GAF σ^{54} -420 dependent activators NorR in E. coli, AdhR in Clostridium beijerinckii and OrpR in 421 422 Desulfovibrio vulgaris Hildenborough. 423

Figure 1 : 426













Figure 4









630 Figure 8:







635 Figure 9: 636



643 Figure 10: 644



651 Figure 11:



References:

- 657 [1] L. Aravind, C. Ponting, The GAF domain: an evolutionary link between diverse
- 658 phototransducing proteins, Trends in biochemical sciences 22 (1997). 10.1016/s0968-
- 659 0004(97)01148-1.
- 660 [2] J. Henry, S. Crosson, Ligand-binding PAS domains in a genomic, cellular, and structural
- 661 context, Annual review of microbiology 65 (2011). 10.1146/annurev-micro-121809-151631.
- 662 [3] A. Möglich, R. Ayers, K. Moffat, Structure and signaling mechanism of Per-ARNT-Sim
- domains, Structure (London, England: 1993) 17 (2009). 10.1016/j.str.2009.08.011.
- 664 [4] B. Taylor, I. Zhulin, PAS domains: internal sensors of oxygen, redox potential, and light,
- 665 Microbiology and molecular biology reviews: MMBR 63 (1999).
- [5] R. Finn, J. Mistry, B. Schuster-Böckler, S. Griffiths-Jones, V. Hollich, T. Lassmann, S. Moxon,
- 667 M. Marshall, A. Khanna, R. Durbin, S. Eddy, E. Sonnhammer, A. Bateman, Pfam: clans, web
- tools and services, Nucleic acids research 34 (2006). 10.1093/nar/gkj149.
- [6] Y. Ho, L. Burden, J. Hurley, Structure of the GAF domain, a ubiquitous signaling motif and
- a new class of cyclic GMP receptor, The EMBO journal 19 (2000). 10.1093/emboj/19.20.5288.
- [7] G. Sharma, R. Parales, M. Singer, In silico characterization of a novel putative aerotaxis
- chemosensory system in the myxobacterium, Corallococcus coralloides, BMC genomics 19
- 673 (2018). 10.1186/s12864-018-5151-6.
- 674 [8] G. Unden, S. Nilkens, M. Singenstreu, Bacterial sensor kinases using Fe-S cluster binding
- PAS or GAF domains for O2 sensing, Dalton transactions (Cambridge, England : 2003) 42
- 676 (2013). 10.1039/c2dt32089d.
- 677 [9] M. Bush, T. Ghosh, N. Tucker, X. Zhang, R. Dixon, Transcriptional regulation by the
- dedicated nitric oxide sensor, NorR: a route towards NO detoxification, Biochemical Society
- 679 transactions 39 (2011). 10.1042/BST0390289.
- [10] B. D'Autréaux, N. Tucker, R. Dixon, S. Spiro, A non-haem iron centre in the transcription
- factor NorR senses nitric oxide, Nature 437 (2005). 10.1038/nature03953.
- [11] N. Tucker, B. D'Autréaux, F. Yousafzai, S. Fairhurst, S. Spiro, R. Dixon, Analysis of the nitric
- oxide-sensing non-heme iron center in the NorR regulatory protein, The Journal of biological
- 684 chemistry 283 (2008). 10.1074/jbc.M705850200.
- [12] U. Cho, M. Bader, M. Amaya, M. Daley, R. Klevit, S. Miller, W. Xu, Metal bridges between
- the PhoQ sensor domain and the membrane regulate transmembrane signaling, Journal of
- 687 molecular biology 356 (2006). 10.1016/j.jmb.2005.12.032.
- 688 [13] J. Cheung, C. Bingman, M. Reyngold, W. Hendrickson, C. Waldburger, Crystal structure of
- a functional dimer of the PhoQ sensor domain, The Journal of biological chemistry 283 (2008).
- 690 10.1074/jbc.M710592200.
- [14] S. Biswas, A. Adhikari, A. Mukherjee, S. Das, S. Adak, Regulation of Leishmania major PAS
- domain-containing phosphoglycerate kinase by cofactor Mg 2+ ion at neutral pH, The FEBS
- 693 journal 287 (2020). 10.1111/febs.15305.
- [15] I. Monk, N. Shaikh, S. Begg, M. Gajdiss, L. Sharkey, J. Lee, S. Pidot, T. Seemann, M. Kuiper,
- B. Winnen, R. Hvorup, B. Collins, G. Bierbaum, S. Udagedara, J. Morey, N. Pulyani, B. Howden,
- 696 M. Maher, C. McDevitt, G. King, T. Stinear, Zinc-binding to the cytoplasmic PAS domain
- 697 regulates the essential WalK histidine kinase of Staphylococcus aureus, Nature
- 698 communications 10 (2019). 10.1038/s41467-019-10932-4.
- 699 [16] W. Gong, H. B, S. Mansy, G. Gonzalez, M. Gilles-Gonzalez, M. Chan, Structure of a
- 500 biological oxygen sensor: a new mechanism for heme-driven signal transduction, Proceedings

- 701 of the National Academy of Sciences of the United States of America 95 (1998).
- 702 10.1073/pnas.95.26.15177.
- 703 [17] H. Park, C. Suquet, J. Satterlee, C. Kang, Insights into signal transduction involving PAS
- domain oxygen-sensing heme proteins from the X-ray crystal structure of Escherichia coli Dos
- 705 heme domain (Ec DosH), Biochemistry 43 (2004). 10.1021/bi035980p.
- 706 [18] S. Greer-Phillips, N. Sukomon, T. Chua, M. Johnson, B. Crane, K. Watts, THE AER2
- 707 RECEPTOR FROM VIBRIO CHOLERAE IS A DUAL PAS-HEME OXYGEN SENSOR, Molecular
- 708 microbiology (2018). 10.1111/mmi.13978.
- 709 [19] S. Sardiwal, S. Kendall, F. Movahedzadeh, S. Rison, N. Stoker, S. Djordjevic, A GAF domain
- in the hypoxia/NO-inducible Mycobacterium tuberculosis DosS protein binds haem, Journal of
- 711 molecular biology 353 (2005). 10.1016/j.jmb.2005.09.011.
- 712 [20] H. Miyatake, M. Mukai, S. Park, S. Adachi, K. Tamura, H. Nakamura, K. Nakamura, T.
- 713 Tsuchiya, T. Iizuka, Y. Shiro, Sensory mechanism of oxygen sensor FixL from Rhizobium
- 714 meliloti: crystallographic, mutagenesis and resonance Raman spectroscopic studies, Journal
- 715 of molecular biology 301 (2000). 10.1006/jmbi.2000.3954.
- 716 [21] N. Honorio-Felício, M. Carepo, T. de F Paulo, L. de França Lopes, E. Sousa, I. Diógenes, P.
- 717 Bernhardt, The Heme-Based Oxygen Sensor Rhizobium etli FixL: Influence of Auxiliary Ligands
- on Heme Redox Potential and Implications on the Enzyme Activity, Journal of inorganic
- 719 biochemistry 164 (2016). 10.1016/j.jinorgbio.2016.08.009.
- 720 [22] W. Gong, B. Hao, M. Chan, New mechanistic insights from structural studies of the
- 721 oxygen-sensing domain of Bradyrhizobium japonicum FixL, Biochemistry 39 (2000).
- 722 10.1021/bi992346w.
- 723 [23] G. Barreto, M. Carepo, A. Gondim, W. Guimarães, L. Lopes, P. Bernhardt, T. Paulo, E.
- 724 Sousa, I. Diógenes, A spectroelectrochemical investigation of the heme-based sensor DevS
- 725 from Mycobacterium tuberculosis: a redox versus oxygen sensor, The FEBS journal 286 (2019).
- 726 10.1111/febs.14974.
- 727 [24] M. Müllner, O. Hammel, B. Mienert, S. Schlag, E. Bill, G. Unden, A PAS domain with an
- 728 oxygen labile [4Fe-4S](2+) cluster in the oxygen sensor kinase NreB of Staphylococcus
- 729 carnosus, Biochemistry 47 (2008). 10.1021/bi8014086.
- 730 [25] P. Kiley, H. Beinert, Oxygen sensing by the global regulator, FNR: the role of the iron-sulfur
- 731 cluster, FEMS microbiology reviews 22 (1998). 10.1111/j.1574-6976.1998.tb00375.x.
- 732 [26] C. Barth, M. Weiss, M. Roettger, W. Martin, G. Unden, Origin and phylogenetic
- relationships of [4Fe-4S]-containing O 2 sensors of bacteria, Environmental microbiology 20
- 734 (2018). 10.1111/1462-2920.14411.
- 735 [27] B. Zhang, J. Crack, S. Subramanian, J. Green, A. Thomson, N. Le Brun, M. Johnson,
- 736 Reversible cycling between cysteine persulfide-ligated [2Fe-2S] and cysteine-ligated [4Fe-4S]
- 737 clusters in the FNR regulatory protein, Proceedings of the National Academy of Sciences of
- 738 the United States of America 109 (2012). 10.1073/pnas.1208787109.
- 739 [28] F. Sun, J. Q, M. Jones, X. Deng, H. Liang, B. Frank, J. Telser, S. Peterson, T. Bae, C. He, AirSR,
- 740 a [2Fe-2S] cluster-containing two-component system, mediates global oxygen sensing and
- 741 redox signaling in Staphylococcus aureus, Journal of the American Chemical Society 134
- 742 (2012). 10.1021/ja2071835.
- 743 [29] A. Fiévet, M. Merrouch, G. Brasseur, D. Eve, E. Biondi, O. Valette, S. Pauleta, A. Dolla, Z.
- 744 Dermoun, B. Burlat, C. Aubert, OrpR is a σ 54 -dependent activator using an iron-sulfur cluster
- 745 for redox sensing in Desulfovibrio vulgaris Hildenborough, Molecular microbiology (2021).
- 746 10.1111/mmi.14705.

- 747 [30] M. Gilles-Gonzalez, G. Gonzalez, Regulation of the kinase activity of heme protein FixL
- 748 from the two-component system FixL/FixJ of Rhizobium meliloti, The Journal of biological
- 749 chemistry 268 (1993).
- 750 [31] E. Monson, M. Weinstein, G. Ditta, D. Helinski, The FixL protein of Rhizobium meliloti can
- 751 be separated into a heme-binding oxygen-sensing domain and a functional C-terminal kinase
- domain, Proceedings of the National Academy of Sciences of the United States of America 89
- 753 (1992). 10.1073/pnas.89.10.4280.
- 754 [32] G. Wright, A. Saeki, T. Hikima, Y. Nishizono, T. Hisano, M. Kamaya, K. Nukina, H. Nishitani,
- 755 H. Nakamura, M. Yamamoto, S. Antonyuk, S. Hasnain, Y. Shiro, H. Sawai, Architecture of the
- 756 complete oxygen-sensing FixL-FixJ two-component signal transduction system, Science
- 757 signaling 11 (2018). 10.1126/scisignal.aaq0825.
- 758 [33] F. Reinhart, A. Huber, R. Thiele, G. Unden, Response of the oxygen sensor NreB to air in
- 759 vivo: Fe-S-containing NreB and apo-NreB in aerobically and anaerobically growing
- 760 Staphylococcus carnosus, Journal of bacteriology 192 (2010). 10.1128/JB.01248-09.
- 761 [34] G. Unden, R. Klein, Sensing of O 2 and nitrate by bacteria: alternative strategies for
- 762 transcriptional regulation of nitrate respiration by O 2 and nitrate, Environmental
- 763 microbiology 23 (2021). 10.1111/1462-2920.15293.
- 764 [35] S. Nilkens, M. Koch-Singenstreu, V. Niemann, F. Götz, T. Stehle, G. Unden, Nitrate/oxygen
- 765 co-sensing by an NreA/NreB sensor complex of Staphylococcus carnosus, Molecular
- 766 microbiology 91 (2014). 10.1111/mmi.12464.
- 767 [36] R. Klein, A. Kretzschmar, G. Unden, Control of the bifunctional O 2 -sensor kinase NreB of
- Staphylococcus carnosus by the nitrate sensor NreA: Switching from kinase to phosphatase
- 769 state, Molecular microbiology 113 (2020). 10.1111/mmi.14425.
- 770 [37] D. Roberts, R. Liao, G. Wisedchaisri, W. Hol, D. Sherman, Two sensor kinases contribute
- to the hypoxic response of Mycobacterium tuberculosis, The Journal of biological chemistry
- 772 279 (2004). 10.1074/jbc.M401230200.
- 773 [38] D. Saini, V. Malhotra, D. Dey, N. Pant, T. Das, J. Tyagi, DevR-DevS is a bona fide two-
- component system of Mycobacterium tuberculosis that is hypoxia-responsive in the absence
- of the DNA-binding domain of DevR, Microbiology (Reading, England) 150 (2004).
- 776 10.1099/mic.0.26218-0.
- 777 [39] K. Kaur, P. Kumari, S. Sharma, S. Sehgal, J. Tyagi, DevS/DosS sensor is bifunctional and its
- 778 phosphatase activity precludes aerobic DevR/DosR regulon expression in Mycobacterium
- 779 tuberculosis, The FEBS journal 283 (2016). 10.1111/febs.13787.
- 780 [40] E. Sousa, G. Gonzalez, M. Gilles-Gonzalez, Target DNA stabilizes Mycobacterium
- 781 tuberculosis DevR/DosR phosphorylation by the full-length oxygen sensors DevS/DosS and
- 782 DosT, The FEBS journal 284 (2017). 10.1111/febs.14284.
- 783 [41] P. Kumari, S. Kumar, K. Kaur, U. Gupta, S. Bhagyawant, J. Tyagi, Phosphatase-defective
- 784 DevS sensor kinase mutants permit constitutive expression of DevR-regulated dormancy
- 785 genes in Mycobacterium tuberculosis, The Biochemical journal 477 (2020).
- 786 10.1042/BCJ20200113.
- 787 [42] A. Vashist, R.D. Prithvi, U. Gupta, R. Bhat, J. Tyagi, The α10 helix of DevR, the
- 788 Mycobacterium tuberculosis dormancy response regulator, regulates its DNA binding and
- 789 activity, The FEBS journal 283 (2016). 10.1111/febs.13664.
- 790 [43] H. Park, K. Guinn, M. Harrell, R. Liao, M. Voskuil, M. Tompa, G. Schoolnik, D. Sherman,
- 791 Rv3133c/dosR is a transcription factor that mediates the hypoxic response of Mycobacterium
- 792 tuberculosis, Molecular microbiology 48 (2003). 10.1046/j.1365-2958.2003.03474.x.

- 793 [44] M. Voskuil, D. Schnappinger, K. Visconti, M. Harrell, G. Dolganov, D. Sherman, G.
- 794 Schoolnik, Inhibition of respiration by nitric oxide induces a Mycobacterium tuberculosis
- 795 dormancy program, The Journal of experimental medicine 198 (2003).
- 796 10.1084/jem.20030205.
- 797 [45] M. Shiloh, P. Manzanillo, J. Cox, Mycobacterium tuberculosis senses host-derived carbon
- 798 monoxide during macrophage infection, Cell host & microbe 3 (2008)
- 799 10.1016/j.chom.2008.03.007.
- 800 [46] K. Watts, M. Johnson, B. Taylor, Different conformations of the kinase-on and kinase-off
- 801 signaling states in the Aer HAMP domain, Journal of bacteriology 193 (2011).
- 802 10.1128/JB.01069-10.
- 803 [47] M. Airola, D. Huh, N. Sukomon, J. Widom, R. Sircar, P. Borbat, J. Freed, K. Watts, B. Crane,
- Architecture of the soluble receptor Aer2 indicates an in-line mechanism for PAS and HAMP
- domain signaling, Journal of molecular biology 425 (2013). 10.1016/j.jmb.2012.12.011.
- 806 [48] H. Sawai, H. Sugimoto, Y. Shiro, H. Ishikawa, Y. Mizutani, S. Aono, Structural basis for
- 807 oxygen sensing and signal transduction of the heme-based sensor protein Aer2 from
- Pseudomonas aeruginosa, Chemical communications (Cambridge, England) 48 (2012).
- 809 10.1039/c2cc32549g.
- 810 [49] D. Garcia, E. Orillard, M. Johnson, K. Watts, Gas Sensing and Signaling in the PAS-Heme
- Domain of the Pseudomonas aeruginosa Aer2 Receptor, Journal of bacteriology 199 (2017).
- 812 10.1128/JB.00003-17.
- [50] T. Shimizu, The Heme-Based Oxygen-Sensor Phosphodiesterase Ec DOS (DosP): Structure-
- 814 Function Relationships, Biosensors 3 (2013). 10.3390/bios3020211.
- 815 [51] J. Tuckerman, G. Gonzalez, E. Sousa, X. Wan, J. Saito, M. Alam, M. Gilles-Gonzalez, An
- 816 oxygen-sensing diguanylate cyclase and phosphodiesterase couple for c-di-GMP control,
- 817 Biochemistry 48 (2009). 10.1021/bi901409g.
- 818 [52] M. Gilles-Gonzalez, E. Sousa, Escherichia coli DosC and DosP: a role of c-di-GMP in
- compartmentalized sensing by degradosomes, Advances in microbial physiology 75 (2019).
- 820 10.1016/bs.ampbs.2019.05.002.
- 821 [53] E. Groisman, The pleiotropic two-component regulatory system PhoP-PhoQ, Journal of
- 822 bacteriology 183 (2001). 10.1128/JB.183.6.1835-1842.2001.
- 823 [54] M. Castelli, E. García Véscovi, F. Soncini, The phosphatase activity is the target for Mg2+
- regulation of the sensor protein PhoQ in Salmonella, The Journal of biological chemistry 275
- 825 (2000). 10.1074/jbc.M909335199.
- 826 [55] E. Véscovi, Y. Ayala, E. Di Cera, E. Groisman, Characterization of the bacterial sensor
- protein PhoQ. Evidence for distinct binding sites for Mg2+ and Ca2+, The Journal of biological
- 828 chemistry 272 (1997). 10.1074/jbc.272.3.1440.
- 829 [56] S. Dubrac, T. Msadek, Identification of genes controlled by the essential YycG/YycF two-
- 830 component system of Staphylococcus aureus, Journal of bacteriology 186 (2004).
- 831 10.1128/jb.186.4.1175-1181.2004.
- 832 [57] S. Dubrac, P. Bisicchia, K. Devine, T. Msadek, A matter of life and death: cell wall
- 833 homeostasis and the WalKR (YycGF) essential signal transduction pathway, Molecular
- 834 microbiology 70 (2008). 10.1111/j.1365-2958.2008.06483.x.
- [58] M. Bush, T. Ghosh, M. Sawicka, I. Moal, P. Bates, R. Dixon, X. Zhang, The structural basis
- for enhancer-dependent assembly and activation of the AAA transcriptional activator NorR,
- 837 Molecular microbiology 95 (2015). 10.1111/mmi.12844.

- 838 [59] B. Yang, X. Nie, Y. Xiao, Y. Gu, W. Jiang, C. Yang, Ferrous-Iron-Activated Transcriptional
- 839 Factor AdhR Regulates Redox Homeostasis in Clostridium beijerinckii, Applied and
- environmental microbiology 86 (2020). 10.1128/AEM.02782-19.
- 841 [60] A. Fiévet, L. My, E. Cascales, M. Ansaldi, S. Pauleta, I. Moura, Z. Dermoun, C. Bernard, A.
- 842 Dolla, C. Aubert, The anaerobe-specific orange protein complex of Desulfovibrio vulgaris
- hildenborough is encoded by two divergent operons coregulated by $\sigma 54$ and a cognate
- transcriptional regulator, Journal of bacteriology 193 (2011). 10.1128/JB.00044-11.
- 845 [61] A. Fiévet, E. Cascales, O. Valette, A. Dolla, C. Aubert, IHF is required for the transcriptional
- regulation of the Desulfovibrio vulgaris Hildenborough orp operons, PLoS One 9 (2014)
- 847 e86507. 10.1371/journal.pone.0086507.

- 848 [62] M. Ortmayer, P. Lafite, B. Menon, T. Tralau, K. Fisher, L. Denkhaus, N. Scrutton, S. Rigby,
- A. Munro, S. Hay, D. Leys, An oxidative N-demethylase reveals PAS transition from ubiquitous
- sensor to enzyme, Nature 539 (2016). 10.1038/nature20159.
- 851 [63] E. Stuffle, M. Johnson, K. Watts, PAS domains in bacterial signal transduction, Current
- opinion in microbiology 61 (2021). 10.1016/j.mib.2021.01.004.