

Table 1: Summary of average size and foraging metrics for otariid and odobenid species. Values are means or ranges of means (except for max dive duration and depth) available in the literature for adult free-ranging wild animals. Aerobic dive limit (ADL) values include cADL and bADL so ranges reflect differences due to methodology. At-sea field metabolic rate (FMR) only refers to measurements done on wild animals (ranges also reflecting differences of measurements and calculation methods). Strategies are either epipelagic (Epi), mesopelagic (Meso), or benthic and ‘all’ indicates every strategy displayed within the population. Values in italic indicate notable differences for specific parameters depending on location, foraging strategies within the population or environmental/seasonal conditions.

Species	Sex	Strategy	Location	Body mass (kg)	Body length (cm)	Mean dive depth (m)	Max dive depth (m)	Mean dive duration (min)	Max dive duration (min)	Trip duration (d)	Time spent diving (%)	Distance traveled (km)	ADL (min)	FMR (W/kg)	Note	Ref
Antarctic fur seal	F	Epi	Whole range <i>Kerguelen / Crozet</i> <i>South Georgia / Bouvetøya</i>	27.3 – 32.7	117 - 121	12.6 – 53.0	208	0.7 – 1.9	10.0	3.1 – 7.6	16.9 – 34.5 22.5 – 34.5 16.9 – 20.4	294 – 665 665 ~ 300	1.6 – 3.5	6.3 – 9.8	[1-9]	
	M	Epi/Meso	South Georgia	133	180	100.0	354	2.3	9.2	5.4	22.2	~ 140			[6, 10]	
Subantarctic fur seal	F	Epi	Whole range	30.5 – 52.0	117 - 135	10.9 – 39.7	208	0.7 – 1.5	6.5	4.9 – 32.2	14.6 – 33.4	190 – 2248	2.3		i	[3, 11-18]
New Zealand Fur seal	F	Epi	New Zealand / Australia	36.4 - 42.4	135 - 138	37.0 - 53.0	318	1.9 - 2.7	11.2	2.9 - 16.6	25.5 - 37.6	171 - 727	3.5			[19-22]
	M	Epi/Meso	Australia	106.4	170	106.4	>380	3.6	14.8	9.1	31.7 - 33.2				[20]	
Australian fur seal	F	Benthic	Australia	64.0 - 77.7	140 - 152	58.0 - 75.2	164	2.9 - 3.5	10.1	2.7 - 7.3	40.1 - 40.7	250 - 360	4.1		ii	[23-27]
	M	Benthic	Australia	138 - 238	175 - 201	79.8	283	3.8	9.8	3.4 - 6.9	39.3	530			[27-29]	
Galapagos fur seal	F	Epi	Galapagos	27.8 - 28.8	105.2	22.1 - 32.0	169	1.3 - 1.7	6.5	0.8	23.7 - 24	44	3.2	5.0		[30-33]
South American fur seal	F	Epi	Falklands / Uruguay	35 - 51	128-137	43.0 - 61.0	170	1.8 - 2.8	7.1	2.1 - 15.2						[34-36]
Juan Fernandez fur seal	F	Epi	Juan Fernandez	45.0 - 49.8	142 - 148	4 - 12.3	169	0.4 - 0.8	5.1	12.3 - 28.0		1394 - 1778				[37, 38]
Cape fur seal	F	Epi/Meso	South Africa	53.8	136	59.6	454	2.3	9.8	5.4				3.8		[39, 40]
Guadalupe fur seal	F	Epi	Mexico	47.9 - 52.5	146	17.0	82	2.6	18.0	14.4	36.2	2375	3.8			[41]
Northern fur seal	F	All <i>Epi/Benthic</i> <i>Epi</i> <i>Epi</i>	Whole range <i>Pribilof</i> <i>Pribilof</i> <i>Bogoslof / Lovushki</i>	35.7 - 39.4	126 - 129	11.6 - 37.2 26.8 - 37.5 16.9 - 22.0 11.6 - 18.4	170	0.5 - 2.2 1.3 - 2.2 0.6 - 1.6 0.5 - 0.7	12.8	2.8 - 9.7 7.1 - 7.9 7.4 - 9.7 1.8 - 3.3	15.1 - 33.3 28.4 - 33.3 24.7 - 28.4 15.1 - 29.2	112 - 892 585 - 655 690 - 892 112 - 208	2.6	6.2 - 8.1	iii	[42-51]
South American Sea lion	F	Benthic	Whole range <i>Northern Chile / Uruguay</i> <i>Patagonia / Falklands</i>	92.7 - 126.2	162 - 191	18.0 - 75.0 18.0 - 18.7 37.2 - 75.0	325	1.3 - 3.1 1.4 - 1.9 1.3 - 3.1	12.1	0.5 - 4.4 1.5 0.5 - 4.4	52.7 103 206 - 752	103 - 752 103 206 - 752	1.3 - 4.7		iv	[52-59]
	M	Benthic	Patagonia / Falklands	250	221					2.9 - 5.7		591				[57]
Galapagos sea lion	F	All <i>Epi</i> <i>Meso</i> <i>Benthic</i>	Galapagos	58.4 - 85.9	156	19.7 - 153.0 19.7 - 45.5 53.9 - 100.9 103.0 - 153.0	593	1.8 - 4.9 1.8 - 2.9 2.5 - 4.5 3.6 - 4.9	11.5	0.3 - 2.5	43.7 - 65.7 62.0 - 65.7 43.7 - 56.2 45.0 - 59.0	14 - 76		4.1		[33, 60-66]
California sea lion	F	All <i>Epi</i>	California / Mexico	80.0 - 86.7	161 - 165	32.4 - 194.2 32.4 - 55.1	500+	1.7 - 5.0	9.9	2.2 - 5.4 5.4	23.3 - 50.2 36.3	167 - 348 348	1.2 - 5.8	4.9 - 5.9	v	[65, 67-73]

			Epi/Benthic											
			Meso/Benthic											
	M	All	California	175 - 187	206	27.7 - 35.8		1.6 - 2.2		0.4 - 2.4	16.7 - 21.2	47 - 124	3.8 - 7.9	
Australian sea lion	F	Benthic	Australia	77.8 - 89.2	160	32.9 - 71.0	105	2.7 - 3.5	8.3	1.2 - 3.6	52.7 - 60.7	68 - 88	2.3	6.8 - 7.1
New Zealand Sea lion	F	Benthic	New Zealand Otago Stewart	112 - 125	178	124.0 - 175.0 20.2 59.6	612	2.5 - 4.7 1.8 2.5	11.5	2.1 - 4.5 0.5 0.5	32.5 - 61.6 26 45	45 - 423	2.3 - 3.2	6.6 - 6.9
Steller Sea lions	F	Epi	Alaska / Russia	200 - 300	220 - 247	24.0 - 56.0	328	1.9 - 3.1	21.3	0.3 - 1.0	22.0 - 45.0	29	3.0 - 3.3	[45, 86-91]
Walrus	M	Benthic	Whole range	1350	320	~ 20	462	~ 6	49	2.3 - 7.9	44.0 - 56.3	10.5 - 15.0	3.4	[92-97]

i Seasonal variations in foraging trip duration and distance traveled.

ii Seasonal variations.

iii Differences in foraging behaviours depending on bathymetry around breeding island – Pribilof Islands: shallow shelf, epi/benthic foraging; Bogoslof / Lavushki islands :oceanic deep basin, epipelagic foraging.

iv Variations in strategies throughout the range: more pelagic in northern Chile, mixed benthic/pelagic in southern Chile and the Falkland's and more benthic in Uruguay. Seasonal variations observed as well.

v Variations within the population (3 different strategies) and depending on the environmental conditions (cold versus warm years) seen in males and females.

vi Overall averages of dive metrics consistent between studies to the exception of 2 colonies, Otago and Stewart, mentioned for comparison.

References

1. Jeanniard du Dot, T., et al., *Reproductive success is energetically linked to foraging efficiency in Antarctic fur seals*. PLoS ONE, 2017. **12**(4): p. e0174001.
2. Lea, M.A., et al., *Variability in the diving activity of Antarctic fur seals, Arctocephalus gazella, at Iles Kerguelen*. Polar Biology, 2002. **25**: p. 269-279.
3. Bailleul, F., et al., *Differences in foraging strategy and maternal behaviour between two sympatric fur seal species at the Crozet Islands*. Marine Ecology Progress Series, 2005. **293**: p. 273-282.
4. Costa, D.P., M.E. Goebel, and J.T. Sterling, *Foraging energetics and diving behavior of the Antarctic fur seal, Arctocephalus gazella at Cape Shirreff, Livingston Island*, in *Antarctic ecosystems: models for a wider ecological understanding*, W. Davisons, C. Howard-Williams, and P. Broady, Editors. 2000, New Zealand Natural Sciences Press: Christchurch, New-Zealand. p. 77-84.
5. Costa, D.P., N.J. Gales, and M.E. Goebel, *Aerobic dive limit: how often does it occur in nature?* Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology, 2001. **129**(4): p. 771-783.
6. Staniland, I.J. and S.L. Robinson, *Segregation between the sexes: Antarctic fur seals, Arctocephalus gazella, foraging at South Georgia*. Animal Behaviour, 2008. **75**(4): p. 1581-1590.
7. Costa, D.P., J.P. Croxall, and C.D. Duck, *Foraging energetics of Antarctic fur seals in relation to changes in prey availability*. Ecology, 1989. **70**(3): p. 596-606.
8. Boyd, I.L. and J.P. Croxall, *Diving behaviour of lactating Antarctic fur seals*. Canadian Journal of Zoology, 1992. **70**(5): p. 919-928.
9. Arnould, J.P.Y., I.L. Boyd, and J.R. Speakman, *The relationship between foraging behaviour and energy expenditure in Antarctic fur seals*. Journal of Zoology (London), 1996. **239**: p. 769-782.
10. Würsig, B., J. Thewissen, and K.M. Kovacs, *Encyclopedia of marine mammals*. 2017: Academic Press.

11. Georges, J.Y., F. Bonadonna, and C. Guinet, *Foraging habitat and diving activity of lactating Subantarctic fur seals in relation to sea-surface temperatures at Amsterdam Island*. Marine Ecology-Progress Series, 2000. **196**: p. 291-304.
12. Georges, J.-Y., Y. Tremblay, and C. Guinet, *Seasonal diving behaviour in lactating subantarctic fur seals on Amsterdam Island*. Polar Biology, 2000. **23**: p. 59-69.
13. Goldsworthy, S., M. Hindell, and H. Crowley. *Diet and diving behaviour of sympatric fur seals Arctocephalus gazella and Arctocephalus tropicalis at Macquarie Island*. in *Marine mammal research in the Southern Hemisphere*. 1997.
14. Beuplet, G., et al., *Foraging ecology of subantarctic fur seals Arctocephalus tropicalis breeding on Amsterdam Island: seasonal changes in relation to maternal characteristics and pup growth*. Marine Ecology Progress Series, 2004. **273**: p. 211-225.
15. Luque, S.P., et al., *Foraging behaviour of sympatric Antarctic and subantarctic fur seals: does their contrasting duration of lactation make a difference?* Marine Biology, 2007. **152**(1): p. 213-224.
16. Kirkman, S.P., et al., *Foraging behavior of subantarctic fur seals supports efficiency of a marine reserve's design*. PLoS One, 2016. **11**(5).
17. de Bruyn, P.J.N., et al., *Bathymetry and frontal system interactions influence seasonal foraging movements of lactating subantarctic fur seals from Marion Island*. Marine Ecology Progress Series, 2009. **394**: p. 263-276.
18. Robinson, S.A., et al., *The foraging ecology of two sympatric fur seal species, Arctocephalus gazella and Arctocephalus tropicalis, at Macquarie Island during the austral summer*. Marine and Freshwater Research, 2003. **53**(7): p. 1071-1082.
19. Mattlin, R.H., N.J. Gales, and D.P. Costa, *Seasonal dive behaviour of lactating New Zealand fur seals (Arctocephalus forsteri)*. Canadian Journal of Zoology, 1998. **76**: p. 350-360.
20. Page, B., J. McKenzie, and S.D. Goldsworthy, *Inter-sexual differences in New Zealand fur seal diving behaviour*. Marine Ecology Progress Series, 2005. **304**: p. 249-264.
21. Baylis, A.M.M., *Seasonal and colony differences in the foraging ecology of New Zealand fur seals (Arctocephalus forsteri)*. 2008.
22. Baylis, A.M.M., et al., *Individual foraging site fidelity in lactating New Zealand fur seals: Continental shelf vs. oceanic habitats*. Marine Mammal Science, 2012. **28**(2): p. 276-294.
23. Hoskins, A.J. and J.P.Y. Arnould, *Relationship between long-term environmental fluctuations and diving effort of female Australian fur seals*. Marine Ecology Progress Series, 2014. **511**: p. 285-295.
24. Hoskins, A.J., D.P. Costa, and J.P.Y. Arnould, *Utilisation of intensive foraging zones by female Australian fur seals*. PLOS ONE, 2015. **10**(2): p. e0117997.
25. Hoskins, A.J., et al., *Foraging niche separation in sympatric temperate-latitude fur seal species*. Marine Ecology Progress Series, 2017. **566**: p. 229-241.
26. Arnould, J.P.Y. and M.A. Hindell, *Dive behaviour, foraging locations, and maternal-attendance patterns of Australian fur seals (Arctocephalus pusillus doriferus)*. Canadian Journal of Zoology, 2001. **79**(1): p. 35-48.
27. Kernaleguen, L., et al., *Sexual niche segregation and gender-specific individual specialisation in a highly dimorphic marine mammal*. PLoS One, 2015. **10**(8).
28. Knox, T.C., A.M. Baylis, and J.P. Arnould, *Foraging site fidelity in male Australian fur seals*. Marine biology, 2018. **165**(7): p. 108.
29. Kirkwood, R., et al., *At-sea movements and habitat use of adult male Australian fur seals (Arctocephalus pusillus doriferus)*. Canadian Journal of Zoology, 2006. **84**(12): p. 1781-1788.
30. Horning, M. and F. Trillmich, *Ontogeny of diving behaviour in the Galapagos fur seal*. Behaviour, 1997. **134**: p. 1211-1257.
31. Trillmich, F. and G.L. Kooyman, *Field metabolic rate of lactating female Galápagos fur seals (Arctocephalus galapagoensis): the influence of offspring age and environment*. Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology, 2001. **129**(4): p. 741-749.
32. Gentry, R.L. and G.L. Kooyman, eds. *Fur seals - maternal strategies on land and at sea*. 1986, Princeton University Press: Princeton, New Jersey.
33. Villegas-Amtmann, S., et al., *Individual foraging strategies reveal niche overlap between endangered Galapagos pinnipeds*. PLoS One, 2013. **8**(8).
34. Thompson, D., S.E.W. Moss, and P. Lovell, *Foraging behaviour of South American fur seals Arctocephalus australis: extracting fine scale foraging behaviour from satellite tracks*. Marine Ecology Progress Series, 2003. **260**: p. 285-296.

35. Baylis, A.M.M., et al., *Geographic variation in the foraging behaviour of South American fur seals*. Marine Ecology Progress Series, 2018. **596**: p. 233-245.
36. Trillmich, F., et al., *Attendance and diving behavior of South American fur seals during El Nino in 1983*, in *Fur Seals: Maternal Strategies on Land and at Sea*, R.L. Gentry and G.L. Kooyman, Editors. 1986, Princeton University Press: Princeton, NJ. p. 153-167.
37. Francis, J., D. Boness, and H. Ochoa-Acuna, *A protected foraging and attendance cycle in female Juan Fernandez fur seals*. Marine Mammal Science, 1998. **14**(3): p. 552-574.
38. Osman, L.P., *Population status, distribution and foraging ecology of Arctocephalus philippii (Peters 1866) at Juan Fernandez archipelago*. , in *Facultad de Ciencias*. 2007, Universidad Austral de Chile: Valdivia. p. 107pp.
39. Kirkman, S.P., et al., *Dive behaviour and foraging effort of female Cape fur seals Arctocephalus pusillus pusillus*. Royal Society Open Science, 2019. **6**(10): p. 191369.
40. David, J.H.M. and R.W. Rand, *Attendance behaviour of South African fur seals*, in *Fur seals: Maternal strategies on land and at sea*, R.L. Gentry and G.L. Kooyman, Editors. 1986, Princeton University Press: Princeton, NJ. p. 126-141.
41. Gallo-Reynoso, J.P., A.-L. Figueroa-Carranza, and B. Le Boeuf, *Foraging behavior of lactating Guadalupe fur seal females*. Avances en el Estudio de los Mamíferos de México, C. Lorenzo, E. Espinoza and J. Ortega (eds.). Publicaciones Especiales, 2008. **2**: p. 595-614.
42. Nordstrom, C.A., et al., *Foraging habitats of lactating northern fur seals are structured by thermocline depths and submesoscale fronts in the eastern Bering Sea*. Deep Sea Research Part II: Topical Studies in Oceanography, 2013. **88–89**(0): p. 78-96.
43. Kuhn, C.E., et al., *Coupling GPS tracking with dive behavior to examine the relationship between foraging strategy and fine-scale movements*. Integrative and Comparative Biology, 2010. **50**: p. E94-E94.
44. Kuhn, C.E., *The influence of subsurface thermal structure on the diving behavior of northern fur seals (*Callorhinus ursinus*) during the breeding season*. Marine Biology, 2011. **158**(3): p. 649-663.
45. Waite, J.N., et al., *Resource partitioning by sympatric Steller sea lions and northern fur seals as revealed by biochemical dietary analyses and satellite telemetry*. Journal of Experimental Marine Biology and Ecology, 2012. **416–417**(0): p. 41-54.
46. Jeanniard du Dot, T., et al., *Trade-offs between foraging efficiency and pup feeding rate of lactating northern fur seals in a declining population*. Marine Ecology Progress Series, 2018. **600**: p. 207-222.
47. Skinner, J.P., V.N. Burkanov, and R.D. Andrews, *Influence of environment, morphology, and instrument size on lactating northern fur seal *Callorhinus ursinus* foraging behavior on the Lovushki Islands, Russia*. Marine Ecology Progress Series, 2012. **471**: p. 293-308.
48. Battaile, B.C., et al., *Foraging a new trail with northern fur seals (*Callorhinus ursinus*): Lactating seals from islands with contrasting population dynamics have different foraging strategies, and forage at scales previously unrecognized by GPS interpolated dive data*. Marine Mammal Science, 2015. **31**(4): p. 1494-1520.
49. Battaile, B.C., et al., *Accelerometers identify new behaviors and show little difference in the activity budgets of lactating northern fur seals (*Callorhinus ursinus*) between breeding islands and foraging habitats in the eastern Bering Sea*. PloS one, 2015. **10**(3): p. e0118761-e0118761.
50. Sher, M.R., et al., *Development of the aerobic dive limit and muscular efficiency in northern fur seals (*Callorhinus ursinus*)*. Journal of Comparative Physiology B, 2012. **182**(3): p. 425-436.
51. Costa, D.P. and R.L. Gentry, *Free-ranging energetics of northern fur seals*, in *Fur seals: maternal strategies on land and at sea*, R.L. Gentry and G.L. Kooyman, Editors. 1986, Princeton University Press: Princeton, NJ. p. 79-101.
52. Baylis, A.M.M., et al., *Diving deeper into individual foraging specializations of a large marine predator, the southern sea lion*. Oecologia, 2015. **179**(4): p. 1053-1065.
53. Campagna, C., et al., *Movements and location at sea of South American sea lions (*Otaria flavescens*)*. Journal of Zoology, London, 2001. **257**: p. 205-220.
54. Werner, R. and C. Campagna, *Diving behaviour of lactating southern sea lions (*Otaria flavescens*) in Patagonia*. Canadian Journal of Zoology, 1995. **73**(11): p. 1975-1982.

55. Hückstädt, L.A., et al., *Regional variability in diving physiology and behavior in a widely distributed air-breathing marine predator, the South American sea lion (Otaria byronia)*. Journal of Experimental Biology, 2016. **219**(15): p. 2320-2330.
56. Sepúlveda, M., et al., *Using Satellite Tracking and Isotopic Information to Characterize the Impact of South American Sea Lions on Salmonid Aquaculture in Southern Chile*. PLOS ONE, 2015. **10**(8): p. e0134926.
57. Baylis, A.M.M., et al., *Sexual segregation in habitat use is smaller than expected in a highly dimorphic marine predator, the southern sea lion*. Marine Ecology Progress Series, 2016. **554**: p. 201-211.
58. Thompson, D., et al., *Foraging behaviour and diet of lactating female southern sea lions (Otaria flavescens) in the Falkland Islands*. Journal of Zoology London, 1998. **246**: p. 135-146.
59. Riet-Sapirza, F.G., et al., *Foraging behavior of lactating South American sea lions (Otaria flavescens) and spatial-temporal resource overlap with the Uruguayan fisheries*. Deep Sea Research Part II: Topical Studies in Oceanography, 2013. **88-89**: p. 106-119.
60. Jeglinski, J.W., et al., *Age, body mass and environmental variation shape the foraging ontogeny of Galapagos sea lions*. Marine Ecology Progress Series, 2012. **453**: p. 279-296.
61. Paez-Rosas, D., S. Villegas-Amtmann, and D. Costa, *Intraspecific variation in feeding strategies of Galapagos sea lions: A case of trophic specialization*. PLoS One, 2017. **12**(10).
62. Villegas-Amtmann, S., et al., *Adapted to change: Low energy requirements in a low and unpredictable productivity environment, the case of the Galapagos sea lion*. Deep Sea Research Part II: Topical Studies in Oceanography, 2017. **140**: p. 94-104.
63. Villegas-Amtmann, S. and D.P. Costa, *Oxygen stores plasticity linked to foraging behaviour and pregnancy in a diving predator, the Galapagos sea lion*. Functional Ecology, 2010. **24**(4): p. 785-795.
64. Villegas-Amtmann, S., et al., *Multiple foraging strategies in a marine apex predator, the Galapagos sea lion Zalophus wollebaeki*. Marine Ecology Progress Series, 2008. **363**: p. 299-309.
65. Villegas-Amtmann, S., et al., *Latitudinal range influences the seasonal variation in the foraging behavior of marine top predators*. PLoS One, 2011. **6**(8).
66. Trillmich, F., et al., *The Galapagos sea lion: adaptation to spatial and temporal diversity of marine resources within the archipelago*, in *The Galapagos marine reserve*. 2014, Springer. p. 61-70.
67. McHuron, E.A., et al., *Foraging strategies of a generalist marine predator inhabiting a dynamic environment*. Oecologia, 2016. **182**(4): p. 995-1005.
68. McHuron, E.A., et al., *The energetic consequences of behavioral variation in a marine carnivore*. Ecology and evolution, 2018. **8**(8): p. 4340-4351.
69. Kuhn, C. and D. Costa, *Interannual variation in the at-sea behavior of California sea lions (Zalophus californianus)*. Marine Mammal Science, 2014. **30**.
70. Melin, S.R., R.L. DeLong, and D.B. Siniff, *The effects of El Niño on the foraging behavior of lactating California sea lions (Zalophus californianus californianus) during the nonbreeding season*. Canadian Journal of Zoology, 2008. **86**(3): p. 192-206.
71. Weise, M.J. and D.P. Costa, *Total body oxygen stores and physiological diving capacity of California sea lions as a function of sex and age*. Journal of Experimental Biology, 2007. **210**(2): p. 278-289.
72. Feldkamp, S.D., R.L. DeLong, and G.A. Antonelis, *Diving patterns of California sea lions, Zalophus californianus*. Canadian Journal of Zoology, 1989. **67**: p. 872-883.
73. Ponganis, P.J., et al., *Heart rate and plasma lactate responses during submerged swimming and trained diving in California sea lions, Zalophus californianus*. Journal of Comparative Physiology B, 1997. **167**: p. 9-16.
74. Hindell MA, McMahon CR, Bester MN, Boehme L, Costa D, Fedak MA, et al. *Circumpolar habitat use in the southern elephant seal: implications for foraging success and population trajectories*. Ecosphere. 2016;7(5).
75. Costa, D.P. and N.J. Gales, *Energetics of a benthic diver: Seasonal foraging ecology of the Australian sea lion, Neophoca cinerea*. Ecological Monographs, 2003. **73**(1): p. 27-43.
76. Lowther, A.D. and S.D. Goldsworthy, *Detecting alternate foraging ecotypes in Australian sea lion (Neophoca cinerea) colonies using stable isotope analysis*. Marine Mammal Science, 2011. **27**(3): p. 567-586.

77. Lowther, A.D., et al., *Creatures of habit: foraging habitat fidelity of adult female Australian sea lions*. Marine Ecology Progress Series, 2011. **443**: p. 249-263.
78. Fowler, S.L., et al., *Ontogeny of oxygen stores and physiological diving capability in Australian sea lions*. Functional Ecology, 2007. **21**(5): p. 922-935.
79. Chilvers, B.L., *Stable isotope signatures of whisker and blood serum confirm foraging strategies for female New Zealand sea lions (*Phocarctos hookeri*) derived from telemetry*. Canadian Journal of Zoology, 2017. **95**(12): p. 955-963.
80. Chilvers, B.L., *Foraging locations of female New Zealand sea lions (*Phocarctos hookeri*) from a declining colony*. New Zealand Journal of Ecology, 2009. **33**(2): p. 106-113.
81. Chilvers, B.L. and I.S. Wilkinson, *Diverse foraging strategies in lactating New Zealand sea lions*. Marine Ecology Progress Series, 2009. **378**: p. 299-308.
82. Chilvers, B.L., *Preliminary assessment of the foraging behaviour and population dynamics of a cryptic population of the endangered New Zealand sea lion*. New Zealand Journal of Ecology, 2018. **42**(1): p. 48-57.
83. Chilvers, B., et al., *Summer foraging areas for lactating New Zealand sea lions *Phocarctos hookeri**. Marine Ecology Progress Series, 2005. **304**: p. 235-247.
84. Augé, A.A., et al., *In the shallow end: diving behaviour of recolonising female New Zealand sea lions (*Phocarctos hookeri*) around the Otago Peninsula*. Canadian Journal of Zoology, 2011. **89**(12): p. 1195-1205.
85. Crocker, D., N.J. Gales, and D.P. Costa, *Swimming speed and foraging strategies of New Zealand sea lions (*Phocarctos hookeri*)*. Journal of Zoology, London, 2001. **254**: p. 267-277.
86. Gerlinsky, C.D., A.W. Trites, and D.A.S. Rosen, *Steller sea lions (*Eumetopias jubatus*) have greater blood volumes, higher diving metabolic rates and a longer aerobic dive limit when nutritionally stressed*. The Journal of Experimental Biology, 2014. **217**(5): p. 769-778.
87. Winship, A.J., A.W. Trites, and D.G. Calkins, *Growth in body size of the Steller sea lion (*Eumetopias jubatus*)*. Journal of Mammalogy, 2001. **82**: p. 500-519.
88. Merrick, R.L. and T.R. Loughlin, *Foraging behavior of adult female and young-of-year Steller sea lions in Alaskan waters*. Canadian Journal of Zoology, 1997. **75**(5): p. 776-786.
89. Merrick, R.L., et al., *Use of satellite-linked telemetry to study Steller sea lion and northern fur seal foraging*. Polar Research, 1994. **13**(1): p. 105-114.
90. Olivier, P., *Foraging Ecology of Lactating Steller Sea Lions (*Eumetopias jubatus*) at Lovushki Island, Russia*. 2015, Texas A & M University: Texas, USA. p. 95pp.
91. Lander, M.E., et al., *Mixing it up in Alaska: Habitat use of adult female Steller sea lions reveals a variety of foraging strategies*. Ecosphere, 2020. **11**(2): p. e03021.
92. Gjertz, I., et al., *Diving and haul-out patterns of walruses *Odobenus rosmarus* on Svalbard*. Polar Biology, 2001. **24**(5): p. 314-319.
93. Jay, C.V., S.D. Farley, and G.W. Garner, *Summer diving behavior of male walruses in Bristol Bay, Alaska*. Marine Mammal Science, 2001. **17**(3): p. 617-631.
94. Acquarone, M., E.W. Born, and J.R. Speakman, *Field metabolic rates of Walrus (*Odobenus rosmarus*) measured by the doubly labeled water method*. Aquatic Mammals, 2006. **32**(3): p. 363-369.
95. Garde, E., et al., *Diving behavior of the Atlantic walrus in high Arctic Greenland and Canada*. Journal of Experimental Marine Biology and Ecology, 2018. **500**: p. 89-99.
96. Lowther, A.D., et al., *Identification of motivational state in adult male Atlantic walruses inferred from changes in movement and diving behavior*. Marine Mammal Science, 2015. **31**(4): p. 1291-1313.
97. Noren, S.R., et al., *Rapid maturation of the muscle biochemistry that supports diving in Pacific walruses (*Odobenus rosmarus divergens*)*. The Journal of Experimental Biology, 2015. **218**(20): p. 3319-3329.