## CORRECTION



## Correction: Update of the fractions of cardiovascular diseases and mental disorders attributable to psychosocial work factors in Europe

Isabelle Niedhammer 10 · Hélène Sultan-Taïeb · Agnès Parent-Thirion · Jean-François Chastang 1

Published online: 21 March 2023 © The Author(s) 2023

Correction: International Archives of Occupational and Environmental Health (2022) 95:233–247 https://doi.org/10.1007/s00420-021-01737-4

We have discovered an error in the fractions of depression attributable to workplace bullying presented in Table 6 in our recently published paper (Niedhammer et al. 2022). The corrected attributable fractions are showed in Table 6 (corrected). The prevalences of exposure to workplace bullying are unchanged. This error does not change the text and the conclusions of our paper.

The original article can be found online at https://doi.org/10.1007/s00420-021-01737-4.



<sup>☐</sup> Isabelle Niedhammer isabelle.niedhammer@inserm.fr

<sup>&</sup>lt;sup>1</sup> INSERM, Univ Angers, Univ Rennes, EHESP, Irset (Institut de Recherche en Santé, Environnement Et Travail), UMR\_S 1085, Epidemiology in Occupational Health and Ergonomics (ESTER) Team, Angers, France

Human Resources Department, School of Management, Université du Québec À Montréal (UQAM), Montréal, QC, Canada

<sup>&</sup>lt;sup>3</sup> European Foundation for the Improvement of Living and Working Conditions (EUROFOUND), Dublin, Ireland


**Table 6 (corrected)** Fractions of mental disorders attributable to workplace bullying in Europe

%	Exposure prevalence		Depression	
	Pe <sup>1</sup>	95% CI	$\overline{\mathrm{AF}^2}$	95% CI
Albania	0.28	[- 0.27-0.84]	0.52	[- 0.53-1.57]
Austria	6.02	[4.36–7.67]	9.91	[5.76–14.06]
Belgium	8.26	[6.98-9.54]	13.12	[8.50-17.75]
Bulgaria	0.15	[- 0.06-0.37]	0.28	[-0.13-0.70]
Croatia	2.83	[1.48-4.18]	4.93	[2.07-7.79]
Cyprus	2.36	[1.20-3.52]	4.15	[1.67-6.62]
Czech Rep	1.93	[0.70-3.16]	3.41	[0.95-5.87]
Denmark	3.94	[2.58-5.29]	6.72	[3.53-9.92]
Estonia	2.79	[1.47-4.12]	4.87	[2.05-7.69]
Finland	5.54	[3.79-7.30]	9.21	[5.10-13.32]
France	12.79	[10.85–14.72]	18.91	[12.72-25.10]
FYROM	4.96	[2.99-6.92]	8.31	[4.14–12.48]
Germany	5.12	[4.02-6.23]	8.58	[5.18-11.97]
Greece	2.50	[1.19-3.80]	4.37	[1.66-7.09]
Hungary	1.05	[- 0.06-2.16]	1.88	[-0.23-3.99]
Ireland	9.77	[7.00–12.55]	15.13	[9.10-21.15]
Italy	2.58	[1.46-3.70]	4.52	[2.02-7.01]
Latvia	4.92	[3.43-6.42]	8.27	[4.60-11.93]
Lithuania	4.64	[2.99-6.29]	7.82	[4.08–11.55]
Luxembourg	9.93	[7.73–12.13]	15.35	[9.70-20.99]
Malta	6.05	[4.29–7.82]	9.96	[5.70-14.23]
Montenegro	3.46	[1.96–4.95]	5.95	[2.73-9.17]
Netherlands	7.92	[5.88-9.96]	12.64	[7.62–17.66]
Norway	5.01	[3.53-6.48]	8.40	[4.73–12.07]
Poland	1.16	[0.41–1.90]	2.08	[0.54-3.62]
Portugal	0.80	[0.12–1.48]	1.45	[0.11-2.80]
Romania	4.12	[2.36–5.88]	7.01	[3.29–10.73]
Serbia	5.19	[3.44–6.95]	8.68	[4.67–12.68]
Slovakia	1.96	[0.78–3.14]	3.47	[1.07-5.86]
Slovenia	6.08	[4.65–7.51]	10.01	[6.02–14.00]
Spain	3.65	[2.78–4.52]	6.27	[3.65-8.89]
Sweden	4.44	[3.04–5.85]	7.52	[4.10–10.95]
Switzerland	4.11	[2.62–5.60]	6.99	[3.59–10.40]
Turkey	2.26	[1.36–3.16]	3.98	[1.88-6.08]
UK	5.35	[4.05–6.64]	8.92	[5.29–12.55]
Total (35 countries)	4.70	[4.45–4.95]	7.93	[5.16–10.70]
p value	***		***	
Total (28 EU countries)	5.30	[4.88–5.72]	8.85	[5.75–11.95]
p value	***		***	

Bold: AF significantly different from 0 at 5%

p value for the comparison between countries: \*\*\*p < 0.001

FYROM Former Yugoslav Republic of Macedonia



## Reference

Niedhammer I, Sultan-Taieb H, Parent-Thirion A, Chastang JF (2022) Update of the fractions of cardiovascular diseases and mental disorders attributable to psychosocial work factors in Europe. Int Arch Occup Environ Health 95(1):233–247

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



<sup>&</sup>lt;sup>1</sup>Pe prevalence of exposure

<sup>&</sup>lt;sup>2</sup>AF attributable fraction