

Designing a food model to study the impact of food liking on food intake: characterization of isocaloric apple purees varying in texture

Odile Parizel, Cassandre Leverrier, Julien Delarue, Agnès Marsset-Baglieri, Claire Sulmont-Rossé, Gilles G. Fromentin, Gerard G. Cuvelier

▶ To cite this version:

Odile Parizel, Cassandre Leverrier, Julien Delarue, Agnès Marsset-Baglieri, Claire Sulmont-Rossé, et al.. Designing a food model to study the impact of food liking on food intake: characterization of isocaloric apple purees varying in texture. Vitagora: 9e Congrès Goût-Nutrition-Santé, Apr 2014, Dijon, France. hal-03322473

HAL Id: hal-03322473

https://hal.science/hal-03322473

Submitted on 19 Aug 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Designing a food model to study the impact of food liking on food intake: characterization of isocaloric apple purees varying in texture

Parizel, O ^{1,2,3}, Leverrier, C ², Delarue, J ², Marsset-Baglieri, A ¹, Sulmont Rossé, C ³, Fromentin, G ¹, Cuvelier, G ² oParisTech-INRA, UMR914 Physiologie, Nutrition et Comportement Alimentaire, Paris, France. 2 AgroParisTech-INRA-CNAM, UMR1145 Ingénierie Procédés Aliments, Massy, France. 3 INRA, UMR1324 Centre des Sciences du Goût et de l'Alimentation, Dijon, France

Context of the study

Design a range of food products

hedonic ratings

Contrasted

Isocaloric

Same nutritional composition

Strategy: To develop apple purees only varying in texture

Relationship between rheological, structural and sensory properties permits us to control the texture⁽¹⁾. By using **reverse processing methodology**, we wanted to:


- point out textures and therefore structures that are important to generate large individual differences in palatability
- adapt process from laboratory to large-scale production

Methodology and Results


Results presented concern the range of final products

PRODUCT

- Apple puree is a suspension of particules
- **●** Texture was modified by using 3 structural dimensions: pulp content, particle size and apple fragments addition



They are characterized by intrumental measurements: Example of low (L), medium (M), highly (H) and highly diluted (Hd) ground purees



RHEOLOGY

Apparent viscosity 1957 ± 202 2410 ± 53 1650 ± 46 535 ± 37 ηapp à 43^{s-1} (mPa.s) Elastic modulus 195,7 ± 21,0 1487 ± 40 1980 ± 60 G' (Pa) **Yield stress** 119,0 ± 6,56 77,27 ± 0,67 4,94 ± 0,61

(L); the middle ground puree (M) and the highly ground puree (H)

*NB: H and Hd

A product with a low apparent viscosity had to be developed according to the hedonic purpose. Then, H was diluted by 10% with serum (from the centrifugation) to obtain Hd. Only Hd was kept in the range of **TEXTURE**

functional Sensory manifestation structural, mechanical and surface properties of foods detected through the senses of vision, hearing, touch and kinesthetics (2)

SENSORY


METHODOLOGY: FLASH PROFILE

10 experts

12 apple purees + the initial puree + 1 repetition (M)

RESULTS


texture




The sight is as important as the mouth's sensation to describe texture

Textures are described through two dimensions, consistency and graininess, linked to structural modifications (namely pulp

Adding apple fragments wides the graininess' dimension



content and particle size)



RESULTS hedonic **Previous** have tests

HEDONIC

METHODOLOGY:




60 people 36 women, 24 men Age: $24 \pm 4{,}14 \text{ yrs}$ BMI: 21,6 \pm 2,39 kg/m²

final products

= warm-up

Initial puree + 12 apple purees Monadically presented



For 85% of the participants, it was possible to select at least one disliked and one liked product highlighted textures. Some parameters of (namely, one product scoring have process below 3 and one product scoring been changed. above 7)

Figure 5: Hedonic rating means for the range of final products

Products have different patterns of appreciation

Conclusion and perspectives

Reverse processing methodology makes it possible to design range of textures in apple purees which lead to contrasted appreciations for each individual. This isocaloric food model could be used further to study the influence of palatability on food intake.

References

(1) Espinosa-Muñoz, L. et al « The significance of structural properties for the development of innovative apple puree textures ». LWT - Food Science and Technology 49, no 2 (December 2012): 221-228 (2) Szczesniak, A. S. « Texture is a sensory property ». *Food Quality and Preference* 13, n° 4 (june 2002): 215-225.

CONTACT





Interactions and Transitions