

Thermal behavior of Mg–Ni-phyllsilicate nanoscrolls and performance of the resulting composites in hexene-1 and acetone hydrogenation

Ekaterina K. Khrapova^a, Valery L. Ugolkov^b, Elena A. Straumal^c, Sergey A. Lermontov^c, Vasily A. Leb-edev^d, Daniil A. Kozlov^e, Tatyana S. Kunkel^{a,f}, Alexandre Nominé^g, Stephanie Bruyere^h, Jaafar Ghanbaja^h, Thierry Belmonte^h, Andrei A. Krasilin^{a,*}

^aIoffe Institute, 26 Politekhnicheskaya st., St. Petersburg 194021, Russia

^bGrebenshchikov Institute of Silicate Chemistry of the RAS, 2 Makarova emb., St. Petersburg 199034, Russia

^cIPAC RAS, Severny 1, Chernogolovka 142432, Russia

^dBernal Institute, University of Limerick, Limerick V94 T9PX, Ireland

^eFaculty of materials science, Lomonosov Moscow State University, 1-73 Leninskiye Gory, Laboratory Building B, 119991 Moscow, Russia

^fMoscow Institute of Physics and Technology, 9 Institutskiy per., Dolgoprudny 141701, Russia

^gDepartment of Physics and Engineering, ITMO University, 49 Kronverksky pr., St. Petersburg 197101, Russia

^hInstitut Jean Lamour, Université de Lorraine, UMR CNRS 7198, Nancy F-54011, France




Figure S1. chrysotile¹ (top) and sepiolite² (bottom) crystal structures.

(1) Falini, G.; Foresti, E.; Gazzano, M.; Gualtieri, A. F.; Leoni, M.; Lesci, I. G.; Roveri, N. Tubular-Shaped Stoichiometric Chrysotile Nanocrystals. *Chemistry* 2004, 10 (12), 3043–3049. <https://doi.org/10.1002/chem.200305685>.

(2) Post, J. E.; Bish, D. L.; Heaney, P. J. Synchrotron Powder X-Ray Diffraction Study of the Structure and Dehydration Behavior of Sepiolite. *Am. Mineral.* 2007, 92 (1), 91–97. <https://doi.org/10.2138/am.2007.2134>.