

Imaging the living plant cell: from probes to quantification

Leia Colin, Raquel Martin-Arevalillo, Simone Bovio, Amélie Bauer, Teva Vernoux, Marie-Cecile Caillaud, Benoit Landrein, Yvon Jaillais

▶ To cite this version:

Leia Colin, Raquel Martin-Arevalillo, Simone Bovio, Amélie Bauer, Teva Vernoux, et al.. Imaging the living plant cell: from probes to quantification. The Plant cell, In press, 10.1093/plcell/koab237 . hal-03359667v1

HAL Id: hal-03359667 https://hal.science/hal-03359667v1

Submitted on 30 Sep 2021 (v1), last revised 24 Feb 2022 (v2)

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

REVIEW ARTICLE

Imaging the living plant cell: from probes to quantification

Leia Colin¹, Raquel Martin-Arevalillo¹, Simone Bovio^{1,2}, Amélie Bauer¹, Teva Vernoux¹, Marie-Cecile Caillaud¹, Benoit Landrein¹ and Yvon Jaillais^{1*}

¹Laboratoire Reproduction et Développement des Plantes, Université de Lyon, ENS de Lyon, CNRS, INRAE, 69342 Lyon, France

²LYMIC-PLATIM imaging and microscopy core facility, Univ Lyon, SFR Biosciences, ENS de Lyon, Inserm US8, CNRS UMS3444, UCBL - 50 Avenue Tony Garnier, 69007 Lyon, France.

*Corresponding author: yvon.jaillais@ens-lyon.fr

Short title: New methods in live cell imaging

One sentence summary: Specific examples are used to illustrate some of the challenges of live cell imaging, from designing genetically encoded probes to choosing a pipeline for image analysis and quantification.

The author responsible for distribution of materials integral to the findings presented in this article in accordance with the policy described in the Instructions for Authors (www.plantcell.org) is: Yvon Jaillais (yvon.jaillais@ens-lyon.fr).

Abstract

At the center of cell biology is our ability to image the cell and its various components, either in isolation or within an organism. Given its importance, biological imaging has emerged as a field of its own, which is inherently highly interdisciplinary. Indeed, biologists rely on physicists and engineers to build new microscopes and imaging techniques, chemists to develop better imaging probes, and mathematicians and computer scientists for image analysis and quantification. Live imaging collectively involves all the techniques aimed at imaging live samples. It is a rapidly evolving field, with countless new techniques, probes, and dyes being continuously developed. Some of these new methods or reagents are readily amenable to image plant samples, while others are not and require specific modifications for the plant field. Here, we review some recent advances in live imaging of plant cells. In particular, we discuss the solutions that plant biologists use to live image membrane-bound organelles, cytoskeleton components, hormones, and the mechanical properties of cells or tissues. We not only consider the imaging techniques per se, but also how the construction of new fluorescent probes and analysis pipelines are driving the field of plant cell biology.

1 Introduction

As recently described by Marc Somssich in his "short history of plant light microscopy", the invention of the microscope and its use to observe plant tissues "opened up a completely new world previously hidden to the human eye" (Somssich, 2021). It notably led to the cell theory, which proposed that the cell is the fundamental unit of life and placed the cell at the center of organismal biology (Kierzkowski and Routier-Kierzkowska, 2019). In this review, we focus on the recent advances made in the field of live imaging of plant cells.

8

9 From the point of view of probes, live imaging of plants, as in the rest of biology, was really 10 boosted by the discovery and use of fluorescent proteins (Chalfie, 2009; Somssich, 2021). 11 While new, improved fluorescent proteins in different colors are continuously being developed 12 (Lambert, 2019), most of the recent advances came from the development of genetically 13 encoded biosensors and reporters (Grossmann et al., 2018; Walia et al., 2018); we will describe 14 some of these advances here. On the microscopy side, confocal microscopy is the most widely 15 used method by far. Briefly, this technique relies on one or several pinholes that block out-of-16 focus light and thus increase the contrast and resolution of fluorescent imaging by collecting 17 only (or mostly) the light coming out of the focal plane (Table 1) (Bayguinov et al., 2018). 18 Confocal microscopy is particularly well suited for imaging moderately thick and rather 19 transparent samples, such as a variety of plant tissues or organs. We will also introduce some 20 of the new imaging techniques that have increased the speed of acquisition, its sensitivity, 21 spatial resolution, or depth of acquisition (Table 1) (Grossmann et al., 2018; Clark et al., 2020). 22

23 There are already a number of excellent reviews that discuss live imaging in plants (see for 24 example (Sappl and Heisler, 2013; Berthet and Maizel, 2016; Grossmann et al., 2018; Komis 25 et al., 2018; Clark et al., 2020)). Here, rather than having a mostly technical and technological 26 focus, we decided to consider some of the classical problems in cell biology to illustrate 1) how plant biologists use live imaging to address them, 2) what are the challenges in setting up live 27 imaging experiments, and 3) what are the solutions to overcome these pitfalls. To this end, we 28 29 will review some of the methods used to image the cytoskeleton, the plant endomembrane 30 network, and plant hormones and their activity. Finally, we will introduce an array of imaging 31 techniques that are being developed to study the biophysical and mechanical properties of plant 32 cells and tissues.

33 Visualization and quantification of the plant cytoskeleton

34 Markers for live imaging of the cytoskeleton

Actin and microtubule filaments are among the most fascinating structures in the cell. They are 35 highly dynamic and under constant remodeling, which quickly prompted the development of 36 37 live reporters to capture these ever-changing structures. In plants, one of the more reliable actin 38 reporters and one of the first to be described is the Arabidopsis thaliana Fimbrin-like, AtFim1 39 (Table 2) (McCurdy and Kim, 1998; Kovar et al., 2001; Voigt et al., 2005). The C-terminal 40 half of AtFim1 (aa 325-687; coined AtFim1 ACTIN-BINDING DOMAIN2 - fABD2) fused 41 to a fluorescent protein is more efficient at labeling the actin filaments than the full-length protein and is therefore generally used as a standard for actin filament visualization in vivo 42 43 (Ketelaar et al., 2004; Sheahan et al., 2004; Wang et al., 2004). While the use of the mouse 44 Talin as a reporter has rapidly diminished due to side effects, the fABD2 domain has been 45 largely used to visualize the actin cytoskeleton (Wang et al., 2004). Yet, the strong expression 46 of the GFP-fABD2-GFP reporter has inhibitory effects on cell and organ growth; therefore, it 47 is crucial to use promoters with low or moderate expression levels (Wang et al., 2008; Dyachok 48 et al., 2014). The other commonly used reporter for actin filaments is a 17-amino-acid peptide 49 named LifeAct, which appears to be a faithful biosensor without extensively disrupting the 50 dynamics of the actin filaments (Riedl et al., 2008). While LifeAct decorates actin filaments 51 with minimum perturbation of their dynamics, *LifeAct* expression also needs to be optimized to 52 reach an expression level lower than for *fADB2* to prevent the bundling of actin filaments (Era 53 et al., 2009; Dyachok et al., 2014). The dynamic reorganization of the actin cytoskeleton can 54 be assessed at super-resolution by photoactivation localization microscopy, with the LifeAct 55 reporter fused to a photoactivatable fluorescent protein (Durst et al., 2014).

56

57 Like for the actin cytoskeleton, visualization of microtubules in vivo is often based on a 58 fluorophore-conjugated microtubule-associated protein. As such, the microtubule-binding 59 domain of the human Microtubule Associated Protein-4 MAP4 (MBD) fused to GFP became a 60 typical reporter used to visualize microtubules in vivo (Table 2) (Marc et al., 1998). Other 61 constructs with plant microtubule-associated proteins are also available, such as the 62 Microtubules Associated Protein of 65 kDa-1, MAP65-2 or MAP65-4 (Fache et al., 2010; 63 Lucas et al., 2011; Creff et al., 2015; Boruc et al., 2017). In these cases, careful attention needs 64 to be taken in the interpretation of the results, since such proteins enhance microtubule 65 polymerization and promote their nucleation, bundling, and stabilization (Fache et al., 2010). The level of expression of such reporters should therefore be tightly monitored, as 66

67 developmental defects such as dwarfism or organ twisting are observed when their expression 68 is too high (Holzinger et al., 2009). Another approach is to directly tag the tubulin monomer 69 itself (Ueda et al., 1999). Fusions of Tubulin Alpha 6 (TUA6), TUA5, and Beta 6 (TUB6) 70 subunits to various fluorescent tags are used to describe the organization and dynamics of 71 microtubules in planta (Ueda et al., 1999; Nakamura et al., 2004; Abe and Hashimoto, 2005; 72 Liu et al., 2016). However, depending on the experiments and expression levels, the fluorescent 73 signal may appear more cytoplasmic using TUA6/TUB6 than MBD-based reporters (Doumane 74 et al., 2021). This makes quantification trickier, especially for automatic detection of individual 75 microtubule bundles, but at the same time, TUA6/TUB6 markers induce fewer side effects and 76 developmental phenotypes than MBD-based reporters. Nonetheless, as discussed for previous 77 reporters, high expression of TUA6 or TUB6 may still induce phenotypes, for example on cell 78 wall synthesis (Abe and Hashimoto, 2005; Burk et al., 2006).

79 While the markers described above are used to visualize the entire microtubule, some reporters target subdomains of the microtubule, such as Arabidopsis End-Binding Protein-1a 80 81 (35Spro:AtEB1a-GFP, Chan et al. 2003). This protein labels the plus-ends of microtubules and 82 is visualized as a comet-like structure corresponding to the tip of the growing microtubule 83 (Chan et al., 2003; Bisgrove et al., 2008; Galva et al., 2014; Wong and Hashimoto, 2017; Elliott 84 and Shaw, 2018; Molines et al., 2018; Molines et al., 2020). This tool is particularly useful to 85 address the rate of microtubule growth or the angle between branched microtubules in a given 86 tissue or condition (Chan et al., 2009; Montesinos et al., 2020).

87 Whenever possible, it is best to use multiple markers to interpret live imaging experiments 88 based on both actin and microtubule fluorescent reporters. It is also important to keep in mind 89 that cytoskeleton reporters might not label the entire population of microtubules or actin 90 filaments due to competition with endogenous cytoskeleton regulators (Sadot and Blancaflor, 91 2019). As such, accurate detection of the cytoskeleton network by immunolocalization should 92 also be considered as an alternative (Belcram et al., 2016; Tichá et al., 2020; Du et al., 2021), 93 although it is not compatible with live imaging. In the animal field, vital fluorescent dyes that 94 can be added to the culture medium that label either actin or microtubules, such as SiR-actin or 95 Sir-tubulin, are becoming popular due to their ease of use (i.e. no need to genetically express a 96 reporter) (Lukinavičius et al., 2014; Melak et al., 2017). To our knowledge, these dyes have not 97 been extensively used in plant systems, very likely because they do not enter the cells, perhaps 98 due to the presence of the cell wall. In any case, like for genetically encoded markers, these 99 chemical probes also tend to affect cytoskeleton dynamics (Melak et al., 2017). Other technical 100 challenges are still blocking progress in the field, in particular the loss of the fluorescent signal 101 intensity in the inner tissues. The development of fluorescent markers expressed under the 102 control of tissue-specific promoters might help in this matter, as was done in the study of lateral 103 root initiation (Barro et al., 2019). Alternatively, the use of two-photon microscopy might help

- 104 to penetrate deeper into thick tissues (**Table 1**) (Grossmann et al., 2018; Mizuta, 2021).
- 105

106 Model systems for live imaging of the cytoskeleton

107 The cytoskeleton is very important for cell differentiation, elongation, and polarity. While live 108 imaging of cytoskeleton components has been carried out in many different cell types, it is 109 worth mentioning the few model systems that have been recurrently used over the years by 110 different groups. For example, root hairs and pollen tubes have extensively been used to study 111 cytoskeleton dynamics in tip growing cells (Ketelaar, 2013; Scholz et al., 2020; Xu and Huang, 112 2020). The tobacco (Nicotiana tabacum) pollen tube is, in particular, an excellent model for 113 live imaging studies of tip growth because they are big cells that are easy to transform and to 114 image (Kost et al., 1998; Klahre and Kost, 2006; Scholz et al., 2020; Xu and Huang, 2020; 115 Fratini et al., 2021). Microtubules are critical for anisotropic growth, which has been 116 extensively studied in the hypocotyl (Shaw, 2013; Lenarcic et al., 2017). The cytoskeleton is 117 also important for cell wall differentiation, which has been studied using a variety of systems, 118 including transient expression in N. benthamiana leaves and in differentiating xylem (Oda and 119 Fukuda, 2012; Oda, 2015). Of note, a cellular system was recently established to study long-120 term microtubule rearrangements occurring during proto-xylem development (Schneider et al., 121 2021). This system, based on xylem *trans*-differentiation upon induction of the transcription 122 factor VASCULAR-RELATED NAC DOMAIN7 (VND7), allows microtubule dynamics to be 123 followed at high temporal resolution and over the course of several hours.

124

125 The cytoskeleton is also extremely dynamic and essential during cell division. Historically, live 126 imaging of cell division has been performed using cell cultures such as tobacco BY-2 cells 127 (Buschmann, 2016). The maize (Zea mays) leaf is another system used to study cytoskeleton 128 dynamics during cell division (Rasmussen, 2016; Martinez et al., 2017). In Arabidopsis, the 129 shoot apical meristem has been used to study the link between cell division orientation, 130 microtubule dynamics, and mechanical forces (Louveaux and Hamant, 2013; Louveaux et al., 131 2016). The shoot apical meristem is indeed an excellent model system for many live imaging 132 approaches, including cytoskeleton visualization and the study of cell division (Grandjean et 133 al., 2004; Heisler and Ohno, 2014; Tobin and Meyerowitz, 2016; Willis et al., 2016; Hamant et

al., 2019a). This is because 1) it develops relatively slowly and thus does not require fast
imaging systems, 2) its morphogenesis is mainly driven by events happening in the epidermis
(L1 layer) (Kutschera and Niklas, 2007; Savaldi-Goldstein et al., 2007; Vernoux et al., 2021),
which is easily amenable to light microscopy approaches and can be targeted by drugs or
exogenous hormonal treatments (Grandjean et al., 2004; Echevin et al., 2019; Brunoud et al.,
2020), and 3) it can be excised from the plant and grown *in vitro* for a few days (Grandjean et al., 2020).

141

142 The root, particularly the root tip, is generally considered a model of choice by plant cell 143 biologists. This is because the root tip is thin and transparent (without the autofluorescence of 144 the chloroplasts), with cells that are not yet fully differentiated (and thus have small vacuoles, 145 an expended cytoplasm, and a thin cell wall with reduced autofluorescence) and relatively slow 146 cytoplasmic streaming. However, this model still has some limitations. First, the root tip very 147 quickly grows out of the field of view (in roughly 30 minutes), which limits long time-lapse 148 approaches, for example to study cell division. This problem can now be solved using 149 unsupervised approaches to track root growth (Doumane et al., 2017; von Wangenheim et al., 150 2017). For example, using genetically encoded actin reporters and automatic root tracking, actin 151 dynamics was recently imaged and quantified during plant cell division at unprecedented time 152 scales (Lebecq et al., 2021). Secondly, roots constantly reorient their growth according to the 153 gravity vector (Armengot et al., 2016), a response that is blocked when slides are mounted 154 horizontally.

155

156 Quantification of cytoskeleton dynamics in live imaging experiments

157 With recent advances in live-cell imaging, huge amounts of data are now generated for each 158 experiment. Post-acquisition processing and quantitative analysis of the dynamics and 159 organization of the cytoskeleton are the most time-consuming parts of the experimental 160 procedure. Indeed, quantitative information is now becoming the standard to study the 161 architecture and dynamics of the cytoskeleton (Autran et al., 2021). Quantification of 162 cytoskeleton dynamics is generally obtained through the analysis of time sequences obtained 163 either on single images or projected z-stacks. Using color-coded image sequence in the widely 164 used image analysis software ImageJ (Schindelin et al., 2012; Schneider et al., 2012), the shift 165 in the positions of bundles in interphasic cells can be visualized (Kuběnová et al., 2021). This 166 post-acquisition analysis can be coupled with the generation of a kymograph, depicting straight 167 lines when the cytoskeleton is immobile and wavy lines in the case of active movements

168 (Lindeboom et al., 2013; Doumane et al., 2021; Schneider et al., 2021). The degree of bundling 169 of the cytoskeleton in normalized image stacks can be obtained in a semi-automated way, using 170 a plot profile generated from the Gel Analyser ImageJ function (Molines et al., 2018). This 171 simple method allows one to rapidly compare the degree of bundling under different conditions 172 or in genetic backgrounds expressing the same fluorescent reporter. Further parameters can be 173 extracted from time series, such as the growth and shrinkage speed or the catastrophe and rescue 174 rates (Lindeboom et al., 2013; Schneider et al., 2019). Importantly, at the subcellular level, in 175 vivo imaging and quantification of the cytoskeleton in three dimensions is still challenging. 176 Collaborative projects between cell biologists and mathematicians with expertise in image 177 analysis might go a long way towards filling this gap.

178 One of the standards for the quantitative measurement of cytoskeleton organization and thereby 179 cell growth anisotropy is the ImageJ plugin FibrilTool (Boudaoud et al., 2014). This computing 180 method assesses the pixel intensity level in a region of interest (ROI) and generates a vector 181 tangent to the fibrils, giving us access to the anisotropy of the network in a semi-automatic 182 manner (Boudaoud et al., 2014) (see Figure 1A for an example). Such an approach has been 183 successfully used to study the anisotropy of the microtubule network after genetic perturbation 184 or pharmacological treatment in different systems (Robinson and Kuhlemeier, 2018; Riglet et 185 al., 2020; Zhao et al., 2020). Similar approaches were recently used to quantify how geometry affects cytoskeletal organization by confining single cells (or protoplasts) within 186 187 microfabricated microwells of various geometries (see (Colin et al., 2020; Durand-Smet et al., 188 2020) and the last paragraph of this review). This plugin has been integrated into the 189 MorphographX platform (de Reuille et al., 2015), thus allowing microtubule organization on 190 computer-assisted cell segmentations to be analyzed (see next paragraph).

191

192 Live imaging of membrane lipids and organelles

193

194 Imaging the plasma membrane, a key to segmenting cells in tissues

The ability to segment cells is crucial for morphodynamic approaches, and having good markers specific to the cell contour is a pre-requisite for automatic segmentations (Hong et al., 2018). It is possible to segment cells by labeling the cell wall. In particular, propidium iodide (PI) is a red fluorescent dye that labels pectins in the cell wall and is often used in live imaging approaches to label cell contour (Kierzkowski et al., 2019; Sede et al., 2020); however, it is toxic to cells and affect growth, thus limiting long-term live cell imaging. Alternatively, 201 membrane dyes or fluorescently tagged plasma membrane proteins are often used to segment 202 cells when performing live imaging of growing tissues. A popular dye used to label the plasma 203 membrane is FM4-64. This dye can be directly applied to live cells or tissues because it 204 fluoresces only in a lipidic environment (Grandjean et al., 2004; Rigal et al., 2015; Doumane 205 et al., 2017). An important property of FM4-64 is that it cannot pass through membrane. Thus, 206 when applied to the imaging medium, it first labels the plasma membrane before labeling 207 internal compartments following endocytosis. FM4-64 and PI are convenient because they 208 fluoresce in red, which is compatible with green/yellow fluorescent reporters. However, both 209 FM4-64 and PI have a number of limitations. First, they strongly label external cell/tissue layers 210 but provide little or no labeling of internal layers. For example, in the root, the Casparian strip 211 forms an impermeable barrier, which restrict the diffusion of FM4-64 and PI in internal tissues 212 (i.e. the stele) (Alassimone et al., 2010). Secondly, they wash away and bleach over time, which 213 is problematic when performing long time-lapse acquisitions. In this case, they must be regularly reapplied to the mounting medium, which is not always convenient and can lead to 214 215 variation in labeling intensities (Doumane et al., 2017). Thirdly, FM4-64 becomes internalized 216 through endocytosis overtime. This is actually a property of this dye that is often used to study 217 endocytic processes (Rigal et al., 2015). However, strong labeling of intracellular compartments 218 can be problematic for the automatic segmentation of cells.

219

220 As an alternative to FM4-64 labeling, transgenic lines stably expressing fluorescently tagged 221 plasma membrane proteins can be used. One of the most widely used proteins is LOW 222 TEMPERATURE INDUCED PROTEIN 6B (Lti6b, also called RARE-COLD-INDUCIBLE 223 2B/RCI2b/At3g05890) and its tandem duplicated gene Lti6a/RCI2A (At3g05880) (Figure 1B) 224 (Kim et al., 2021). These two proteins were initially identified by Sean Cutler and colleagues 225 in a screen for GFP-tagged proteins with interesting localizations. The corresponding transgenic 226 lines are sometimes referred to as 29-1 and 37-26, which are the numbers of the original 227 transgenic lines identified in this screen (Table 3) (Cutler et al., 2000). Red and yellow variants 228 are now available as well, increasing the palette of available transgenic lines (Elsayad et al., 229 2016; Noack et al., 2021). Other proteins that are often used as plasma membrane markers 230 include aquaporins such as PIP2;1/PIP2a (also initially identified in Cutler et al. as line Q8) or 231 PIP1;4 (Cutler et al., 2000; von Wangenheim et al., 2016), the formin FH6 (De Rybel et al., 232 2010), syntaxins such as SYP122 or NPSN12 (Assaad et al., 2004; Geldner et al., 2009; Vermeer et al., 2014; Barberon et al., 2016), lipid anchored fluorescent proteins (e.g. 233 234 myristoylation, acylation, prenylation (Vermeer et al., 2004; Simon et al., 2016; Willis et al., 235 2016; Yang et al., 2021), or lipid binding proteins (Simon et al., 2014; Simon et al., 2016) 236 (Table 3). Genetically encoded fluorescent plasma membrane markers avoid some but not all 237 of the above-mentioned drawbacks of FM4-64. For example, it is not always easy to obtain a 238 strict plasma membrane localization. Indeed, transmembrane proteins traffic through the 239 endomembrane system to reach the plasma membrane and are degraded in the vacuole. This 240 can be problematic for pH resistant fluorescent proteins (e.g. mCHERRY, mCITRINE) that are 241 sometimes prominently seen in the vacuoles in some cell types or under certain growth 242 conditions (e.g. lower pH of the vacuole in the dark). Extrinsic proteins may partition between 243 the plasma membrane and the cytosol, which can affect segmentation. Other drawbacks of such 244 reporter lines include i) the bleaching of fluorescent proteins when imaged at high frequency 245 rates, ii) the requirement for transgenesis, which may not be possible when studying certain 246 species, and iii) the need to cross into the desired genetic background prior to imaging, which 247 is time consuming.

248

249 Once the plasma membrane (or alternatively the cell wall) is labeled with sufficient contrast, 250 several software programs/algorithms have been developed to allow automatic extraction of 251 cell contours, plant cell segmentation, and lineage tracing, including MorphographX, 252 MARS/ALT, PlantSeg, and SurfCut (Fernandez et al., 2010; de Reuille et al., 2015; Erguvan et 253 al., 2019; Strauss et al., 2019; Wolny et al., 2020) (See Figure 1B for an example of 254 segmentation using MorphographX). Importantly, the plasma membrane is not a uniform 255 compartment but is instead made up of a mosaic of small domains that are referred to as 256 microdomains (>1 µm) or nanodomains (<1 µm) (Ott, 2017; Jaillais and Ott, 2020). 257 Microdomains include polar domains within plant cells (see (Ramalho et al., 2021) for a 258 comprehensive review on the topic) as well as plant-microbial interfaces (Ott, 2017). 259 Nanodomains are by definition small, and often their size is below the diffraction limit of optical 260 microscopy. Several techniques have been used to visualize nanodomains in the living plant 261 plasma membrane and to probe their dynamics, notably Total Internal Resonance Fluorescence 262 Microscopy (TIRFM), PhotoActivated Localization Microscopy (PALM), and Single Particle 263 Tracking (SPT) techniques (Table 1) (Martiniere et al., 2012; Hosy et al., 2015; Gronnier et 264 al., 2017; Wang et al., 2018; Martiniere et al., 2019; Platre et al., 2019; Zhang et al., 2019; 265 Smokvarska et al., 2020; Bayle et al., 2021; Noack et al., 2021). These methods have revealed 266 a number of nanodomain-resident proteins, such a Remorins, Flotilins, HYPERSENSITIVE 267 INDUCED REACTION proteins (HIRs), and receptor-like kinases (Li et al., 2012; Bucherl et 268 al., 2017; Daněk et al., 2020; Gronnier et al., 2020; Jaillais and Ott, 2020; Gouguet et al., 2021;

Martinière and Zelazny, 2021), as well as some proteins with a dynamic association with nanodomains, such as small GTPases from the RHO-OF-PLANTs (ROP) family (Platre et al., 2019; Smokvarska et al., 2020; Bayle et al., 2021; Fuchs et al., 2021; Smokvarska et al., 2021). Both microdomains and nanodomains not only have a specific protein composition but also accumulate specific lipid species (see the section on lipids below) and are highly interconnected with the rest of the endomembrane network via both the vesicular and non-vesicular transport of materials.

276

277 Imaging intracellular trafficking, fast and tiny!

278 The plasma membrane is part of the endomembrane system, a network of membranes 279 interlinked by vesicular trafficking and direct membrane contacts (Boutté and Jaillais, 2020). 280 This system includes the endoplasmic reticulum and the connected nuclear envelope, the Golgi 281 apparatus and trans-Golgi Network (TGN), endosomes, vacuoles, and lysosomes, and the 282 plasma membrane (Boutté and Jaillais, 2020). A number of dyes label specific parts of the 283 endomembrane network. As mentioned above, FM4-64 is a prominent tool used to study the 284 dynamics of endocytic processes because it can be used in pulse-chase experiments (Rigal et 285 al., 2015; Johnson et al., 2020). Depending on the timing following FM4-64 treatment, it can 286 either label i) the plasma membrane specifically, ii) the plasma membrane and early 287 endosomes/TGN, or iii) the plasma membrane, early and late endosomes, and the tonoplast 288 (Dettmer et al., 2006; Jaillais et al., 2006; Jaillais et al., 2008; Geldner et al., 2009; Rigal et al., 289 2015). There are also dyes that label the vacuole, such as BCECF [2',7'-Bis-(2-Carboxyethyl)-290 5-(and-6)- Carboxyfluorescein] (Scheuring et al., 2016; Takemoto et al., 2018). Combined with 291 fluorescence recovery after photobleaching (FRAP, Table 1), BCECF allowed the connection 292 between vacuoles within cells to be studied (Scheuring et al., 2016).

293

294 For the most part, plant cell biologists use fluorescent fusions with proteins targeted to specific 295 compartments. The number of such fluorescent markers exploded since the publication of the 296 Cutler collection, which initially identified markers for many cellular compartments (Cutler et 297 al., 2000). In addition, a landmark resource in terms of endomembrane markers is the Waveline 298 collection, which not only provided multiple markers for each compartment, but did so in 299 several colors (Geldner et al., 2009). Having markers of different colors is critical for 300 colocalization experiments. Indeed, most intracellular compartments seen under a confocal 301 microscope look like dots and cannot be irrefutably identified based on their morphology alone. 302 The sensitivity to drugs can be used to discriminate between different membrane compartments 303 (Geldner et al., 2003; Dettmer et al., 2006; Jaillais et al., 2006; Jaillais et al., 2008; Worden et 304 al., 2014; Kania et al., 2018; Mishev et al., 2018), but colocalization is the gold standard. 305 Importantly, as discussed above for plasma membrane proteins, strict localization in a single 306 compartment is very rare. To obtain a robust idea of the localization of a given protein, it is thus 307 essential to perform quantitative colocalization with many different markers. Quantification of 308 colocalization can be tricky; several methods for doing this are described in some excellent 309 reviews (Bolte and Cordelieres, 2006; Lagache et al., 2015; Aaron et al., 2018; Lagache et al., 310 2018).

311

312 There are two major difficulties when studying the dynamics of the endomembrane system. 313 First, vesicles and membrane domains are often tiny, being at or below the optical resolution of 314 light microscopy (~250 nm)(Sahl et al., 2017; Schermelleh et al., 2019). Second, membrane 315 trafficking is fast, with certain compartments moving tens of micrometers per minute, notably 316 due to cytoplasmic streaming (Luo et al., 2015). In term of resolution, there are more and more 317 examples of super-resolution microscopy methods used in plants (Komis et al., 2015b; Komis 318 et al., 2015a; Schubert, 2017; Shaw et al., 2019; Bayle et al., 2021). These methods can provide 319 large gains in resolution, such as PALM (Hosy et al., 2015; Gronnier et al., 2017; Martiniere et 320 al., 2019; Platre et al., 2019; Bayle et al., 2021) and Stimulated Emission Depletion Microscopy 321 (STED) (Kleine-Vehn et al., 2011; Demir et al., 2013) or provide ultrafast high resolution 322 imaging, such as super-resolution confocal live imaging microscopy (SCLIM) (Table 1) 323 (Naramoto et al., 2014; Uemura et al., 2014; Uemura et al., 2019; Shimizu et al., 2021). SCLIM 324 in particular appears to be well suited to study membrane trafficking events in plants. For 325 example, 3-colored 4D imaging of the Golgi and the TGN was recently reported in Arabidopsis 326 roots, allowing highly specialized subdomains within the TGN to be identified (Shimizu et al., 327 2021).

328

To image events that occur at or close to the plasma membrane, the technique of choice is TIRF microscopy (or derivatives of the TIRF technique such as variable angle epifluorescence microscopy (VAEM — VA-TIRFM), which is a very sensitive technique because it does not collect any out-of-focus light (**Table 1**) (Konopka et al., 2008; Konopka and Bednarek, 2008; Gronnier et al., 2017; Johnson and Vert, 2017; Platre et al., 2019; Johnson et al., 2020; Narasimhan et al., 2020; Smokvarska et al., 2020; Bayle et al., 2021). TIRF microscopy has mainly been used to study endocytosis, but also cellulose synthesis and cytoskeleton dynamics, and it can be combined with structured illumination microscopy (SIM) to achieve fast superresolved acquisition (Table 1) (Johnson et al., 2021). Quantification methods to study
endocytosis in plants were recently reviewed (Dragwidge and Van Damme, 2020; Johnson et
al., 2020).

340

341 Imaging lipids

342 Unlike proteins, membrane lipids cannot be genetically tagged with a fluorescent protein. While 343 it is possible to use cellular fractionation or immunolocalization, these techniques are not 344 amenable to live samples. By contrast, genetically encoded biosensors are compatible with live 345 imaging (Platre and Jaillais, 2016). In their simplest form, lipid biosensors are sometimes 346 referred to as translocation sensors (Platre and Jaillais, 2016; Wills et al., 2018). They consist 347 of an isolated lipid binding domain known to interact stereo-specifically with a given lipid 348 species fused with a fluorescent protein (Figure 2A). These domains are generated in the 349 cytosol and are targeted to the membranes via interaction with their cognate lipids, hence the 350 term "translocation sensors". These sensors were instrumental in studying the subcellular 351 accumulation of lipids and helped draw a map of lipid localization in plant cells (Table 4) 352 (Vincent et al., 2005; Vermeer et al., 2006; van Leeuwen et al., 2007; Vermeer et al., 2009; 353 Simon et al., 2014; Simon et al., 2016; Hirano et al., 2017; Noack and Jaillais, 2017; Vermeer 354 et al., 2017; Hirano et al., 2018; Platre et al., 2018; Noack and Jaillais, 2020; Xing et al., 2020; 355 Ito et al., 2021). However, like any genetically encoded biosensors, they have inherent caveats 356 including i) competition with endogenous lipid binding proteins, ii) potential masking of their 357 endogenous ligands, and iii) the fact that these lipid binding domains usually rely on additional 358 membrane features for localization (Heilmann, 2016; Platre and Jaillais, 2016; Dubois and 359 Jaillais, 2021). In addition, they mostly recognize the lipid head groups and, in fact, are 360 available only to study anionic phospholipids. Indeed, no biosensors for abundant structural 361 phospholipids, sterols, or sphingolipids have been characterized to date. This is mostly due to 362 the lack of known lipid binding domains with specific binding to these lipids.

363

Because these sensors are produced in the cytosol, they are designed to study the lipid embedded in the cytosolic leaflets, not the extracellular or luminal membrane leaflet, which is an additional limitation of these sensors (**Figure 2A**). Finally, because they are based on translocation, which can be tricky to quantify, these sensors are useful for studying the subcellular localization of anionic lipids, but are of limited interest for studying the amounts of lipids in different cells or tissues (Colin and Jaillais, 2019). Quantification of the relative levels 370 of lipids can be achieved using fluorescence resonance energy transfer (FRET)-based lipid 371 sensors (Figure 2B) (Platre and Jaillais, 2016). To date, there is only one such sensor available 372 in plants for phosphatidic acid (PA) (Li et al., 2019b). This ratiometric sensor, named PAleon, 373 is based on a PA-binding domain, which is sandwiched between two fluorescent proteins (a 374 FRET donor and acceptor, Table 1) and constitutively anchored to the plasma membrane (Li 375 et al., 2019b; Mamode Cassim and Mongrand, 2019). PA-binding triggers a conformational 376 change in the sensor, which decreases the distance between the acceptor and donor fluorescent 377 proteins and thus a change in FRET (Figure 2B). Using PAleon, PA levels were shown to 378 rapidly change upon abiotic stress, which was known from previous biochemical studies. In 379 addition, these changes are highly tissue specific in the root, a feature that could not be 380 addressed using traditional biochemical approaches (Li et al., 2019b). FRET-based sensors for 381 other lipids have been used in animal cells (Platre and Jaillais, 2016; Wills et al., 2018) and are 382 eagerly awaited for studying and quantifying the levels of other lipids in plants. Other 383 approaches that could complement the biosensor approaches are based on in vivo lipid labeling, 384 for example via click-chemistry (Neef and Schultz, 2009; Tamura et al., 2020). These 385 approaches are starting to be available for plant samples (Paper et al., 2018), but as far as we 386 know, they have not yet been used on live plant tissues. It is also possible to use exogenous 387 treatments with fluorescently labeled lipids (Poulsen et al., 2015; Zhang et al., 2020b; Susila et 388 al., 2021), but it might be tricky to assess whether the localization of exogenously added lipids 389 reflects the true localization of endogenous lipids (in term of subcellular accumulation, leaflet 390 association, and potential degradation of the fluorescent lipid) (Grabski et al., 1993).

- 391
- 392
- 393 Live imaging of plant hormones394

395 Imaging the transcriptional output of hormones

396 Recent years have seen an explosion in the number of genetically encoded biosensors, mainly 397 developed in Arabidopsis, to detect hormones at high spatio-temporal resolution within living 398 tissues using fluorescence microscopy (for recent reviews and a more exhaustive discussion on 399 genetically encoded biosensors see: (Walia et al., 2018; Martin-Arevalillo and Vernoux, 2019; 400 Isoda et al., 2021)). Here we highlight the most commonly used of these biosensors (**Table 5**). 401 A pioneering work that initiated these developments is the construction of the DR5 auxin 402 transcriptional sensor (Ulmasov et al., 1997; Sabatini et al., 1999; Ulmasov et al., 1999; 403 Benkova et al., 2003; Ottenschlager et al., 2003) and its more recent derivative DR5v2 (Liao et 404 al., 2015). Both consist of a synthetic auxin-responsive promoter, with multiple binding sites 405 for Auxin Response Factors (ARFs), driving the expression of a fluorescent protein (FP) 406 (Figure 3A). Indeed, plant hormones regulate gene expression via transcription factors specific 407 to each pathway that recognize specific binding sites (Larrieu and Vernoux, 2015). Strategies 408 similar to the one used for DR5 were then leveraged to design transcriptional biosensors for 409 cytokinins (Muller and Sheen, 2008; Zurcher et al., 2013; Steiner et al., 2020), ethylene 410 (Stepanova et al., 2007), and abscisic acid (ABA) (Table 5) (Wu et al., 2018). While 411 endogenous promoters of hormone-responsive genes have also been used to analyze the 412 transcriptional responses to hormones, the use of synthetic promoters increases the specificity 413 of the response of the biosensor to a given hormone. Transcriptional biosensors have provided 414 invaluable data on the physiology and roles of these four plant hormones in development (Isoda 415 et al., 2021). Importantly, hormone signaling pathways include feedback mechanisms and thus have non-linear topologies. A classic example is the auxin pathway, which includes negative 416 417 feedback (Weijers and Wagner, 2016). Therefore, transcriptional biosensors of hormones do 418 not have an activity that is linearly dependent upon hormone levels. Instead, they provide 419 information on the processing properties of the signaling pathway that functions downstream 420 of the hormone. In addition, the activity of the transcription factors controlling the expression 421 of transcriptional biosensors might be regulated by other signals. Thus, transcriptional 422 biosensors can also be influenced by crosstalk between pathways (Nemhauser et al., 2004; 423 Jaillais and Chory, 2010).

424

425 Measuring hormonal input

426 Understanding how a given hormone regulates transcriptional responses within a tissue requires 427 direct information about the distribution of the hormone to be obtained. Two complementary 428 strategies have been used in parallel to tackle this challenge. The first strategy is based on the 429 observation that several hormones (auxin, jasmonates, gibberellins [GA], ABA, salicylic acid, 430 strigolactones, and karrikin) trigger rapid degradation of signaling effectors through 431 polyubiquitination by the Skp-Cullin-F-box (SCF) complex (Larrieu and Vernoux, 2015). This 432 has led to the design of degradation-based biosensors. This strategy was first implemented for 433 auxin with the development of the DII-VENUS biosensor (Brunoud et al., 2012) and its 434 ratiometric versions R2D2 and qDII (Liao et al., 2015; Galvan-Ampudia et al., 2020) (Figure 435 **3B** and **Table 5**). The level of the DII-VENUS synthetic protein is inversely correlated to the 436 concentration of auxin across a large range of concentrations, allowing auxin distribution to be 437 mapped at cellular resolution during development (For a specific review on this subject see

438 (Martin-Arevalillo and Vernoux, 2019)). This auxin degradation-based biosensor was shown 439 to function in Arabidopsis and in a variety of other plants such as maize (Mir et al., 2017), 440 Brachypodium (O'Connor et al., 2017), and more recently mosses (Landberg et al., 2021), 441 demonstrating the wide applicability of this design to evolutionarily distant plants. Synthetic 442 degradation-based biosensors have also been generated for jasmonates (Jas9-VENUS: (Larrieu 443 et al., 2015)), GA (qRGA^{mPFYR}: (Shi et al., 2021)), and strigolactones (Strigo-D2: (Song et al., 444 2021)) using a ratiometric design. While degradation-based biosensors have proven to be 445 powerful and easy-to-use tools to analyze hormone contents in living tissues, they also have a 446 number of limitations. The detection remains indirect, as degradation of the biosensor uses the 447 hormone perception cellular machinery, which can induce detection biases, for example upon 448 differential expression of receptors (Vernoux et al., 2011; Brunoud et al., 2012). In addition, 449 their spatial definition is limited to the cellular scale or above, and they cannot detect rapid 450 variations in hormone levels, as they need to be re-synthesized following degradation.

451

452 The design of direct biosensors (i.e. biosensors that autonomously detect hormones) is a second 453 strategy that has been used in a handful of studies to detect hormone distribution even below 454 the cellular scale. FRET biosensors have been developed for ABA (ABACUS, ABAleon, 455 SNACS) (Jones et al., 2014; Waadt et al., 2014; Zhang et al., 2020a), GA (GPS1) (Rizza et al., 456 2017), and more recently auxin (AuxSen) (Herud-Sikimic et al., 2021) (Table 5). FRET 457 biosensors use two FPs and the physical property of a donor FP excited at a certain wavelength 458 to transfer energy to an acceptor FP that will then fluoresce (Table 1). Here, this energy transfer 459 is modified by the binding of the hormone (Figure 3C and D). The FRET biosensors allow for 460 the rapid, quantitative detection of hormones within living tissues in Arabidopsis, where they 461 have been tested so far, and have been used to follow the hormone distribution dynamics during 462 developmental processes and environmental responses (Jones et al., 2014; Waadt et al., 2014; 463 Rizza et al., 2017; Waadt et al., 2020; Herud-Sikimic et al., 2021). While both the ABA and 464 auxin FRET biosensors have been shown to function in different intracellular compartments 465 (Jones et al., 2014; Herud-Sikimic et al., 2021), FRET biosensors are yet to be used to analyze 466 hormone distribution in different cell compartments or in the apoplast. This is notably, but 467 certainly not exclusively, a key missing piece of information for auxin given that multiple 468 intracellular transporters regulate auxin responses (Sauer and Kleine-Vehn, 2019). FRET 469 biosensors are not without limitations. Notably ABACUS, ABAleon, and GPS1 expression 470 leads to hypersensitivity to their hormone target. The FRET activity of GPS1 is also partly 471 reversible, and the range of concentrations detected by the existing FRET sensors might not 472 cover the entire range of endogenous concentrations (for an exhaustive comparison, see: (Isoda
473 et al., 2021)). Further optimization will certainly allow these limitations to be minimized
474 (Waadt et al., 2020) or even eliminated.

475

476 Using quantitative live imaging to understand hormonal processing

477 The different types of biosensors currently available provide a powerful toolbox to bring our 478 knowledge of hormone action during developmental and environmental responses to the next 479 level, from the cellular scale to the plant scale and even the population scale. Such technology 480 opens up extensive possibilities. For example, transcriptional and degradation-based/FRET 481 biosensors could be combined to understand how hormonal signals are dynamically processed 482 by signaling pathways to induce downstream changes in gene expression in living tissues. This 483 has been done for auxin by combining DR5 and DII-VENUS or qDII biosensors, revealing 484 differences in auxin sensitivity between functional domains of the shoot apical meristem and 485 the requirement for sustained exposure to high auxin levels for the induction of transcription 486 (Vernoux et al., 2011; Ma et al., 2019; Galvan-Ampudia et al., 2020). Biosensors for different 487 hormones could also be combined to understand their respective contributions to developmental 488 and environmental responses, such as for auxin and cytokinins, which often act antagonistically. 489 A large number of FRET sensors are also available for detecting endogenous metabolites and 490 small molecules (For review: (Walia et al., 2018; Isoda et al., 2021)), which could be combined 491 with hormone biosensors. This was recently done with ABA FRET biosensors and biosensors 492 for Ca^{2+} , protons, chloride, H_2O_2 , and glutathione redox potential (Walia et al., 2018; Waadt et 493 al., 2020). This study showcased how the effects of hormones on key secondary messengers 494 can be followed at high spatio-temporal resolution, demonstrating (for example) that GA does 495 not trigger rapid changes in pH or Ca^{2+} . We expect that this toolbox will continue to be 496 developed in the near future. For example, sensors for strigolactones have been tested in 497 protoplasts (Samodelov et al., 2016; Chesterfield et al., 2020; Braguy et al., 2021) and are now 498 emerging in planta (Song et al., 2021). More such sensors will certainly emerge.

499

500 Live imaging of the mechanical properties of cells and tissues and their 501 responses to forces

502

503 In the last decades, biophysical approaches have been developed to probe the mechanical 504 properties of plant cells and their response to forces. Below, we review how live imaging has 505 taken on central importance in the emergence of this field of cell and developmental biology. 506

507 Atomic force microscopy: probing for cell mechanical properties

508 Atomic force microscopy (AFM) belongs to the family of scanning probe microscopy (SPM) 509 techniques, where a tip (or probe, usually with a nanometric radius) scans the surface of a 510 sample (Binnig et al., 1986). While in the case of optical or electron microscopies, topographic 511 information about the sample is gathered using the transmission or reflection of a beam, in the 512 case of AFM, it is the interaction force between the tip and the sample surface that is used. In 513 the case of contact mode operation, for example, the tip scans the surface while the system 514 monitors the tip-sample force and acts to maintain it at a constant level: if the sample surface is 515 not atomically flat and perfectly horizontal (i.e. lying on the xy scanner's plane), the tip has to 516 be moved up and down to maintain the force unchanged. Those displacements are then collected 517 to reconstruct a 3D topography of the surface. Depending on the tip used and the scanning 518 conditions, lateral and vertical resolutions may be <1 nm. Since this type of microscope can 519 easily be operated in liquid medium, its application in biology, particularly for living samples, 520 is rather natural and advantageous compared to other microscopy techniques.

521

522 Beyond topography, AFM allows any type of interaction forces to be detected, such as 523 electrostatic, van der Waals, or contact forces or specific interaction forces between the tip and 524 the sample, down to few piconewtons (pN). In addition, the tip can be used to apply forces at 525 the surface of a sample while measuring the resulting deformation (indentation) in order to 526 determine its mechanical properties (e.g., Young's modulus, viscoelastic properties).

527

528 Understanding the role of plant cell wall mechanics is essential for explaining the mechanisms 529 underlying developmental processes and morphogenesis (Hamant and Traas, 2010; Mirabet et 530 al., 2011; Sapala et al., 2018; Landrein and Ingram, 2019; Vernoux et al., 2021). Indeed, along 531 with genetic regulation and growth factors, the mechanical properties of the cell wall are tightly 532 regulated: for example, cell wall softening is required to allow cell growth. AFM allows these 533 properties to be measured and the way they change within/between organs, genotypes or 534 developmental stages to be studied (Milani et al., 2011; Peaucelle et al., 2011; Yakubov et al., 535 2016). AFM can also be coupled with fluorescent microscopy to provide correlative 536 information between the mechanical properties of a cell/tissue and the expression of marker 537 genes (Milani et al., 2014). Elastic modulus maps can be generated by creating a series of force 538 curves (where the tip is alternatively placed onto and withdrawn from the surface) on a matrix 539 defined for a ROI in the sample (for advice on how to set up this type of experiment, see for

example (Bovio et al., 2019) and (Braybrook, 2015)). These curves are often analyzed using
standard contact models (e.g. Hertz, Sneddon, and so one), which can be used to calculate the
elastic modulus per curve. More advanced measurements can also be set up to study the
sample's viscoelastic properties (for examples in animal cells, see (Alcaraz et al., 2003) and
(Rother et al., 2014)) or to evaluate cell turgor pressure at the single cell (Beauzamy et al., 2015;
Long et al., 2020) or organismal level (Beauzamy et al., 2016; Creff et al., 2021).

546

547 Despite their versatility and high lateral resolution, scanning probe techniques are intrinsically 548 limited to the study of the sample's surface. More recently, new techniques known as optical 549 or photo-acoustic elastographies (Larin and Sampson, 2017; Singh and Thomas, 2019) have 550 been developed that provide information on the mechanical properties of the volume of a 551 biological sample. One of these techniques is Brillouin microscopy, which uses Brillouin 552 scattering to extract the longitudinal storage moduli of samples (Antonacci et al., 2020). This 553 technique is based on the inelastic scattering of an incident photon by a phonon (pressure wave) 554 of the sample. The process is similar to Raman scattering, but instead of modes of vibration of 555 single molecules, the information is retrieved from propagating phonons, thus providing access 556 to the mechanical properties of the material (Antonacci et al., 2020). This technique has already 557 been applied to plant tissues (Elsayad et al., 2016). However, it is still in its early stage of 558 development, meaning that the experimental set-up and analysis framework have to be 559 optimized to provide specific and reliable information on the mechanical properties of 560 biological samples.

561

562 Measuring cellular responses to forces

563 Plant organs are exposed to specific patterns of mechanical forces that can be perceived by cells 564 and influence key processes such as growth, division, polarity, and gene expression (Landrein 565 and Ingram, 2019). At the single cell level, mechanical stress builds up from the hydrostatic pressure of the cell (i.e. turgor), which puts the surrounding walls under tension and induces 566 567 growth when the yielding threshold of these walls is exceeded (Lockhart, 1965). At the organ 568 level, mechanical stresses often build up from mechanical conflicts caused by differences in 569 mechanical properties (pressure and wall properties) between cells and tissues (Kutschera and 570 Niklas, 2007; Hamant et al., 2008). As stress patterns are of a purely physical nature, they can 571 be predicted using mechanical models (Hamant et al., 2008; Heisler et al., 2010; Bozorg et al., 572 2014; Sampathkumar et al., 2014), but they cannot be directly measured easily. However, they 573 can also be indirectly assessed by measuring the turgor pressure of the cell, the strain (i.e.

deformation) they induce (notably at the membrane or in the cell wall), and the physiologicalresponse they trigger in the cell.

576

577 Cell turgor can be directly measured in living tissues using a pressure probe, but this method is invasive and difficult to use for small cells (Beauzamy et al., 2014). A less-invasive method has 578 579 thus been developed in which turgor pressure values are extracted based on indentations 580 generated with an atomic force microscope (Beauzamy et al., 2015). This technique was 581 recently used to unravel differences in pressure between cells in the epidermis of the shoot 582 apical meristem (Long et al., 2020). However, this method is indirect, as pressure information 583 must be extracted from force measurements using physical models, and this method cannot be 584 used to measure cell turgor in inner tissues. To overcome these limitations, a new FRET sensor 585 was recently developed to directly probe cell osmolarity (Cuevas-Velazquez et al., 2021). This 586 sensor is based on the use of an intrinsically disordered protein that is normally expressed under 587 water deficit conditions, and whose structure depends on the osmolarity of the medium. 588 Measuring the strain (elastic or plastic deformation) induced by mechanical forces on the cell, 589 and notably at the membrane or within the cell wall, is challenging. Microviscosity sensors 590 were recently developed to probe the mechanical environments of different cell compartments 591 (Michels et al., 2020). These sensors are molecular rotors whose rate of intramolecular rotation, 592 and thus their fluorescent lifetime (imaged by FLIM, **Table 1**), depends on their mechanical 593 environment. Microviscosity sensors have been used to unravel the existence of specific 594 patterns of membrane and wall microviscosity in roots and pavement cells. These patterns have 595 been linked to changes in membrane and wall composition but also to spatial and temporal 596 variations in membrane and wall tension, notably in response to changes in turgor pressure. 597 These microviscosity FLIM sensors thus appear to be unique tools for assessing mechanical 598 stress patterns within plant organs (Michels et al., 2020).

599

600 Mechanical forces could also be visualized and measured based on the response they induce in 601 the cell. The mechanisms through which cells are able to sense forces in plants are largely 602 unknown. It has been hypothesized that mechanical stress could be perceived at the interface 603 between the plasma membrane and the cell wall through receptor-like kinases (such as 604 FERONIA) and/or through membrane-associated channels (such as OSCA, DEK1, or PIEZO) 605 (Landrein and Ingram, 2019; Codjoe et al., 2021; Fobis-Loisy and Jaillais, 2021). To our 606 knowledge, fluorescent sensors derived from potential mechanosensors have not yet been 607 developed. Alternatively, it has also been shown that cortical microtubules robustly respond to

608 the application of mechanical forces in a variety of plant organs (Hamant et al., 2008; 609 Sampathkumar et al., 2014; Robinson and Kuhlemeier, 2018) and it has even been hypothesized 610 that microtubules themselves may act as mechanosensors (Hamant et al., 2019b). Mechanical 611 forces can thus be probed by measuring the level of organization and orientation of cortical 612 microtubules by confocal microscopy. This method has been applied to the seed, where the 613 repartition of forces within the layers of the outer-integument (outermost layers of the seed 614 coat) was assessed by comparing microtubule organization with the responses to forces within 615 these layers (Creff et al., 2015). However, it is important to note that microtubules can also 616 respond to other signals such as light and hormones; thus, their organization may not only be 617 linked to mechanical stress patterns (Landrein and Hamant, 2013).

618

619 Mechanical forces can also be assessed by quantifying the expression of fluorescent reporters 620 for mechanosensitive genes such as ZINC FINGER PROTEIN2 in stems, SHOOT MERISTEM 621 LESS in meristems, and EUI-LIKE P450 A1 in seeds (Martin et al., 2014; Creff et al., 2015; 622 Landrein et al., 2015). This approach was recently applied to developing seeds to assess stress 623 levels in a mutant impaired in turgor pressure (Creff et al., 2021). However, this type of analysis 624 is limited by the fact that the mechanosensitive genes that have been characterized to date are 625 only expressed in a small subset of cells in specific tissues. Finally, mechanical perturbations 626 have been shown to trigger rapid changes in intracellular calcium levels, apoplastic reactive 627 oxygen species production, and apoplastic pH (Monshausen et al., 2009). These responses can 628 be monitored using specific fluorescent reporters imaged by confocal microscopy (Martinière 629 et al., 2018; Li et al., 2019a; Nietzel et al., 2019). This method has notably been used in the 630 shoot apical meristem where it was shown that the response of the auxin transporter PIN1 to mechanical forces relies on a transient Ca²⁺ response that could be monitored using the 631 632 fluorescent reporters R-GECO1 and GCaMP6f (Li et al., 2019a). These sensors are thus very 633 promising tools to study the rapid responses of cells to mechanical perturbations. However, it 634 remains to be shown if they can also be used to assess internal stress levels, notably during 635 growth, which happens on slower timescales.

636

637 The rise of single cell approaches to study mechanics

These last couple of years have seen the rapid development of single cell approaches, including live-cell imaging methods. In developmental mechanobiology, single-cell systems represent a simpler model to study the role of mechanical forces *in cellulo*, avoiding the additional complexity brought about by the tissue context (e.g., chemical signals, impact of neighboring 642 cells, complex mechanical stress patterns). Recent studies have used such single cell approaches 643 to assess the relative contributions of both cell geometry and cortex tension to cortical 644 microtubule behavior (Colin et al., 2020; Durand-Smet et al., 2020). In these studies, wall-less 645 plant cells, also called protoplasts, were confined in microfabricated wells of various shapes 646 and sizes (Figure 4A). The protoplasts were either placed under hyperosmotic conditions (i.e., 647 with a reduced cortex tension) or under hypoosmotic conditions (i.e., with an increased cortex 648 tension), and cortical microtubule orientation was then analyzed (Figure 4B and C). In cells 649 confined in rectangular microwells and exhibiting a reduced cortex tension, cortical 650 microtubules tended to align with the long axis of the cell (Colin et al., 2020; Durand-Smet et 651 al., 2020). By contrast, using microwells of a similar shape, in cells with an increased cortex 652 tension, cortical microtubules mainly aligned with the shortest axis of the cell, which also 653 corresponds to the principal stress direction in these cells (Colin et al., 2020).

654

655 One of the main features of protoplasts is their capacity to regenerate a whole organism from a 656 single cell. To investigate this process, microfluidic-based systems were recently designed and 657 adapted to follow protoplast development. In these systems, protoplasts are trapped in 658 chambers, where they are immobilized. Contrary to the previous system, nutrient medium can 659 circulate between chambers, allowing long-term kinetic experiments to be performed. Using 660 such a system combined with a microscope set-up, a recent study investigated the influence of 661 photoperiod on the growth of the moss *Physcomitrella patens* (Sakai et al., 2019). By adding 662 hormones to the circulating medium, the authors also observed the induction of leafy buds 663 (Figure 4D)(Sakai et al., 2019). In another study, a microfluidic platform was designed with 664 microelectrodes, coupled with electrical impedance spectroscopy, to study primary cell wall 665 regeneration at the single-cell level (Chen et al., 2020) (Figure 4E). In this study, cells 666 displaying a completely regenerated cell wall exhibited higher impedance values (i.e. dielectric 667 properties) compared to nascent protoplasts (Chen et al., 2020). This system also allows 668 researchers to discriminate between several cell wall mutants and wild-type cells, thus 669 providing a new tool for phenotypic analyses (Chen et al., 2020).

670

There are a number of limitations to such approaches. For example, the cell wall of a protoplast regenerates but may have different properties compared to that of cells in a multicellular context. In addition, it is not clear that properties deduced from experiments on individual isolated cells can be easily applied to cells in their native tissues and organs. Thus, data obtained from single cell experiments should be backed-up by in vivo analyses, when possible. 676 Furthermore, slight differences in the experimental design may influence the physico-chemical 677 environment of the cells and ultimately have strong impacts on the conclusion. However, this 678 also represent on opportunity. Indeed, if unexpected differences are found, researchers can take 679 advantages of minimal systems, since there are fully controlled, to understand which variables 680 differentially affected the results. Altogether, these single-cell approaches, combined with live-681 cell imaging and microfluidic methods, open new opportunities to test biological hypothesis in 682 a highly-controlled manner.

683

684

Key challenges for live plant cell imaging and possible solutions

685

686 Inherent difficulties in imaging plant cells 687

688 **Apoplast**

689 The plant apoplast (i.e. space outside the plasma membrane) can be described as a 690 "microscopist's nightmare", as it represents one of the most formidable challenges for plant 691 cell biologists in term of imaging. Indeed, plant cells are embedded in a thick cell wall often 692 made of highly autofluorescent and impermeable materials. The presence of thick cell walls 693 limit observations of the plasma membrane and the cell cortex in TIRF microscopy. 694 Nonetheless, TIRF/VA-TIRF microscopy has been successfully used to study plant tissues with 695 relatively thin walls, such as the root elongation zone, root hairs, hypocotyls, and young leaves 696 (Konopka et al., 2008; Konopka and Bednarek, 2008; Gronnier et al., 2017; Johnson and Vert, 697 2017; Platre et al., 2019; Johnson et al., 2020; Narasimhan et al., 2020; Smokvarska et al., 2020; 698 Bayle et al., 2021; Johnson et al., 2021). Plant cell biologists also have to face a sometimes 699 impermeable apoplast, which drastically limits the possibility to exogenously add fluorescent 700 compounds. This is one reason why the field is heavily dominated by the use of genetically 701 encoded constructs and fluorescent proteins. The apoplast is also a highly acidic environment, 702 which strongly affects most fluorescent proteins. The solution is to use pH resistant fluorescent 703 proteins, but established sensors that work in the cytoplasm, such as hormone or calcium 704 sensors, may have to be re-engineered to work in such an environment. The apoplast can be 705 very rich in proteases, which often destabilize proteins. A possible solution would be to remove 706 cryptic protease target sites in synthetic reporters. However, in many cases, such sites are not 707 precisely known, which largely preclude such strategies at the moment.

708

709 Autofluorescence 710 Plant cells and tissues are very rich in pigments and are highly autofluorescent. In addition, the 711 autofluorescence due to phenolic and carotenoid compounds, as well as chlorophyll and 712 chromophores, spans a wide range of wavelengths. This high autofluorescence can mask true 713 signals, often decreases the signal-to-noise ratio, and complicates automated image analyses. 714 One solution is to use tissues with minimal autofluorescence. For example, root tip cells do not 715 have chlorophyll and also have less autofluorescence in their cell walls because they are 716 undifferentiated. Alternatively, it is possible to use spectral unmixing or fluorescence lifetime 717 imaging to separate true signals from autofluorescence.

718

719 Cytoplasmic streaming

Plant cells have very active cytoplasmic streaming, which means that intracellular trafficking is fast and difficult to follow using fluorescence microscopy. To circumvent this problem, it is possible to image undifferentiated cells, which have weaker cytoplasmic streaming than highly differentiated cells. Another solution, which was recently introduced to study endocytosis, is to reduce the dynamics of the system by rapidly lowering its temperature (Wang et al., 2020; Johnson et al., 2021). Finally, one can also use fast imaging systems such as spinning disk confocal microscopy, TIRF microscopy, or light sheet microscopy (**Table 1**).

727

728 A quest to image plant cells and tissues in their native conditions

729

730 Gravity

731 Plants grow according to the gravity vector, with positive gravitropism for the root and negative 732 gravitropism for the shoot. This makes it difficult to image certain parts of the plant over a 733 longer period of time, for example when imaging the root tip. In most microscope set-ups, the 734 slides are mounted horizontally, which blocks the gravitropic response. The use of vertical stage 735 microscopes, which allow roots to grow along the gravity vectors, facilitates the dynamic 736 analyses of cell division, as well as studying the gravitropic response and cell elongation (von 737 Wangenheim et al., 2017; Fendrych et al., 2018; Marhava et al., 2019; Serre et al., 2021). 738 Alternatively, light sheet microscopy also allows roots to grow vertically while performing live 739 imaging (von Wangenheim et al., 2016; Ovečka et al., 2018).

- 740
- 741 *Light*

742 Plants need light to develop, and they use signaling pathways/photoreceptors to respond to 743 many wavelengths of light. The use of laser beams to excite fluorescent proteins often also

triggers these signaling pathways. This is particularly problematic when studying light 744 745 responses but may also confound other results. It is thus important to carefully confirm that a 746 given response is not affected by the imaging conditions. Interestingly, yellow fluorescent 747 proteins are excited by green light (around 514 nm), a wavelength that plants are mostly blind 748 to. YFP derivatives have thus proven to be highly popular among plant biologists. Another 749 solution is to use highly sensitive microscopy techniques to limit the amount of light treatment 750 and thus the activation of light-sensitive pathways (i.e. spinning disk confocal microscopy, light 751 sheet fluorescence microscopy – see Table 1). Finally, for very long imaging experiments, it 752 may be necessary to add lighting above the microscope stage to mimic the day/night cycle.

753

754 Soil and air

755 The root system naturally grows in heterogeneous soil, while the aerial parts of the plant grow 756 in the air. However, plant biologist usually mount their plants in homogenous medium, most 757 often liquid or agar-based. Transparent soil solutions exist (Ma et al., 2019a), and microfluidic 758 devices are becoming increasingly diverse to mimic particular growth conditions, even when 759 heterogeneous (Stanley et al., 2018; Guichard et al., 2020; Yanagisawa et al., 2021). However, 760 this is clearly an area that needs to be further developed in the future. In particular, imaging 761 samples in the air is difficult, as the samples can dry out and the microscope objectives are often 762 not adapted for this type of imaging.

- 763
- 764

765 Conclusions and future prospects

766

767 The examples described above illustrate that live imaging of plant cells is challenging on 768 multiple levels. There is no perfect set-up: live imaging experiments always involve a series of 769 compromises. For example, it is beneficial to have very bright labeling in order to limit 770 photobleaching and generate images with high contrast. For genetically encoded reporters, 771 bright labeling is often associated with strong expression levels. However, strong expression of 772 such probes can deeply perturb the system under study. Thus, one should strike a delicate 773 balance between expression and sensitivity. There is, of course, room for improvement. New 774 fluorescent reporters should be developed that are less toxic, fully reversible, with better 775 dynamic range, and more quantitative. Very often, the development of such tools is highly 776 empirical. They necessitate significant investments in terms of wet lab experiments and can

take years of work, with no guarantee of success. However, when new sensors or reporters become available, they can tremendously benefit their fields of study. The use of molecular simulation and in vitro protein evolution are starting to boost the rational design of sensors. We thus envision that the building of new genetically encoded reporters, as well as the production of new dyes, will significantly enhance our ability to image various aspects of plant cell biology in the future.

783

784 The choice of a microscopy technique is also a matter of compromise to match the method with 785 the spatio-temporal scale of the system under study. However, it has become increasingly clear 786 that many biological phenomena happen at multiple scales that impose feedback on each other. 787 It is likely that plant biologists will increasingly need "scale-bringing" technologies able to 788 image biological systems at multiple scales. For example, such systems could combine super-789 resolution capabilities with a wide field of view to study entire organs, or they may be able to 790 perform ultrafast imaging over long periods of time. With advances in electronics, particularly 791 the development of detectors and cameras that are extremely sensitive, such "scale-bridging" 792 technologies are becoming a reality (Clark et al., 2020). The imaging set-up should also allow 793 plants to grow in an environment that is as native as possible in term of light, growing medium, 794 temperature, orientation, the laser power received for imaging, and so on. Various microfluidic 795 devices tailored to the study of precise plant biology phenomena are already emerging 796 (Grossmann et al., 2018; Clark et al., 2020). Given the relatively low cost and high versatility 797 of microfluidic systems, we expect that they will become more and more common in plant live 798 imaging experiments.

799

Finally, it is clear that image analyses and quantifications are formidable problems that will require multidisciplinary solutions. Some of these solutions may be widely applicable to many projects, such as computational tools to analyze cytoskeleton properties or cell contours. By contrast, in many cases, relevant image analyses will require dedicated scripts and algorithms to answer specific biological questions. It will thus be imperative to build dedicated platforms to host and index these scripts so they can be (re)used, improved, and modified.

806

807 In this era of quantitative biology, image analysis of live imaging experiments is often the 808 limiting factor. It will be imperative to train the next generation of plant cell biologists with this 809 in mind.

810

811 Acknowledgments

- 812 We thank the SiCE group at RDP for their comments on the manuscripts, in particular Claire
- 813 Lionnet and Vincent Bayle, and Pauline Durand-Smet, Jean-Christophe Palauqui, Jacques
- 814 Fattaccioli and Xuexin Duan for providing some of the micrographs used in Figure 4.
- 815

816 Author contributions

- 817 L.C., S.B. and B.L. wrote the paragraph on imaging mechanical properties and responses to
- 818 forces, R.M-A. and T.V. wrote the paragraph on hormone sensors, M-C.C wrote the
- 819 paragraph on cytoskeleton imaging, Y.J. wrote the paragraph on imaging membranes, the
- 820 introduction and discussion. All authors edited the final manuscript. A.B. and B.L. prepared
- 821 Figure 1, Y.J. prepared Figure 2, all the Tables, R.M-A. prepared Figure 3 and L.C. prepared
- 822 Figure 4.

Microscopy	Principle	Advantages and limitations
technique		
Confocal laser scanning microscopy (CLSM)	The sample is scanned point-by- point by a focused laser beam (raster scanning), out- of-focus signal is removed by an adjustable iris (i.e. pinhole), and an image is built up pixel-by-pixel by collecting the emitted light via sensitive point detectors (e.g. PMTs).	Versatile technique, as it works with both thick and thin samples and with many different objective magnifications (i.e. variable pinholes), can produce thin optical sections, can spectrally separate different fluorophores, and the focused laser beam is compatible with photoactivation or targeted photobleaching. However, the application of an intense and focused laser beam can lead to photodamage and photobleaching, and scanning the entire sample in 3D is relatively slow.
Spinning disk confocal microscopy (SDCM)	Excitation light passes through a series of pinholes on a rotating disk so that only the imaged pixels are illuminated at a given time, out-of-focus light is also removed by those pinholes and light is collected in parallel on sensitive array detector(s) (e.g. EMCCD or sCMOS camera)	Faster and more gentle imaging than CLSM at the expense of z-resolution (i.e. optical section not as thin as with CLSM), difficult to perform spectral imaging, need additional dedicated equipment for photomanipulation. Not as versatile as CLSM because it has fixed pinholes that are not adjustable to various objective magnifications.
Total Internal	The laser beam hits the coverslip/medium	Because there is no out-of-focus light, TIRF microscopes
Refraction Fluorescence Microscopy (TIRFM)	interface at a critical angle, leading to its total refraction, which locally emits a shallow evanescent wave (~100–200 nm). As a result, only the portion of the cell in close contact with the coverslip is illuminated.	can be coupled with highly sensitive cameras, thereby allowing very fast acquisition as well as single molecule imaging. TIRF microscopy increase the resolution in depth (basically determined by the thickness of the evanescent wave); however, this technique is limited to the cell cortex.
Variable Angle	Variation of the TIRF technique that uses a	VA-TIRF/VAEM is sometimes referred to as the "dirty"
Epifluorescence Microscopy (VAEM/VA- TIRF)	subcritical angle for the laser beam, which does not lead to total refraction, but instead partial (inclined) illumination of the sample.	TIRF technique. It is a compromise between a deeper excitation into the sample and a less contrasted image.
Light sheet fluorescence microscopy (LSFM)	The whole field-of-view is illuminated by a laser light sheet (i.e. thin slice of light of a few hundreds of nanometers to few micrometers) perpendicularly to the direction of the detection.	LSFM is very rapid and gentle in terms of phototoxicity and photobleaching, thus it allows long term imaging, or fast 4D imaging. Like SDCM, LSFM cannot perform spectral imaging easily and needs additional dedicated equipment for photomanipulation. Sample mounting can be difficult and often highly specialized, which means that LSF microscopes are often dedicated to specific applications and not highly versatile.
Two-photon excitation microscopy (TPEM)	Simultaneous excitation of a fluorophore by two photons with longer wavelength than the emitted light. It typically uses tunable femtosecond pulsed laser with a raster scanning as in CLSM.	Two-photon microscopy is used for deep tissue imaging, as near infrared light minimize scattering in the tissue and only the fluorophores in the focal plan are activated. High laser energy can destroy the cell by over-heating, which is a potential drawback, but it can be used to generate very precise cell ablation deep in the tissue. Many dyes are excited by the same wavelength in TPEM, which can generate strong background and reduces the choice of fluorophores for multicolor imaging.
Photoactivated Localization Microscopy (PALM)	Super-resolution microscopy technique based on stochastic activation of photo- activatable fluorescent proteins, which allows their precise localization. Images are reconstituted by iterative cycles of activation, acquisition, and photobleaching.	PALM has a very high lateral resolution (~20–30 nm) and is a single molecule imaging technique (as such, it is often performed in TIRF, which is a very sensitive imaging technique). However, it is very slow because it requires iterative image acquisition, and the cells receives a lot of laser power (photodamage). It also requires dedicated transgenic lines expressing photo-activatable or photo- switchable fluorescent protein fusions, and multicolor imaging is limited. PALM also requires a lot of post- acquisition processing.
Structured illumination microscopy (SIM)	Super-resolution imaging technique that uses interference patterns created by a grid. It requires several images (with translations and rotations of the grid) and post- processing to compute a super-resolved image.	SIM roughly double the resolution limit of light microscopy (~120 nm laterally, 300 nm axially). It can be done in 3D and with multiple fluorophores and is compatible with classical fluorescent proteins. Because several images need to be acquired, it can be slow, it requires image post-processing and somewhat long illumination time (photobleaching). The increase in

		resolution is not as high as in PALM. Note that it can be coupled with TIRF (TIRF-SIM) to increase the contrast.
Super-resolution confocal live imaging microscopy (SCLIM)	Spinning disk microscopy with several paralleled array detectors and post processing (i.e. deconvolution).	SCLIM is equipped with three array detectors (i.e. cameras), and as such it is fast and can acquire several channels simultaneously, making it a solution of choice to study rapid processes such as membrane trafficking. However, it relies heavily on image post-processing, and the increase in lateral resolution is due to the deconvolution algorithm and is thus modest.
Stimulated Emission Depletion (STED) microscopy	Scanning of the sample by two different laser pulses: a first excitation pulse (excitation laser), and a second doughnut- shaped pulse (depletion laser) for the selective deactivation of the fluorophore. The focal spot is raster scanned, like in CLSM.	Lateral resolution of ~50–70 nm (>500 nm axially), can be rapid but in a small field-of-view, deep imaging compared with other super-resolution techniques (10–15 μ m deep) and does not require image post-processing. Has not been extensively used in live imaging in plants, likely due to high phototoxicity (high-intensity depletion laser) and photobleaching.
Fluorescence Recovery After Photobleaching (FRAP)	Technique used to study fluorescent molecule diffusion based on the bleaching of a population of fluorophores and the subsequent quantitative analysis of the fluorescence recovery.	FRAP is a popular technique to study molecule diffusion because it can be performed on most CLSM and with standard fluorescent protein fusions. It provides information on the diffusion of an ensemble of molecules, but diffusion coefficient calculation requires complicated models (and thus is quite indirect).
Single particle tracking (SPT)	Technique aiming at tracking single fluorescent particles (e.g. single molecules or single objects such as vesicles or microtubule tips) to analyze their dynamics. Can be coupled with PALM (i.e. sptPALM) to obtain super-resolved localization of diffusing individual molecules.	SPT techniques are a direct measure of diffusion and they tend to be very accurate for relatively slow diffusing molecules/structures compared to other techniques. They rely on complex image post-processing: automated tracking algorithms. These algorithms work well only if individual structures are well-defined/isolated from each other.
Fluorescence Resonance Energy Transfer (FRET)	Energy transfer between a donor and acceptor fluorescent protein that happens when they are in close proximity (i.e. less than 10 nm) and at the correct orientation with respect to each other.	FRET is typically used as a ruler to study molecular proximity, for example to study protein-protein interactions, or intramolecular conformational changes in the case of ratiometric biosensors. It is a very powerful technique, as it can detect dynamic molecular interactions in vivo. FRET can be measured on a variety of microscopes (including CLSM and widefield microscopy). However, it is difficult to accurately measure in practice. In addition, it is difficult to predict a priori how well FRET will work between two interacting molecules, and it has to be tested empirically.
Fluorescence Lifetime Imaging Microscopy (FLIM)	Technique based on the exponential decay rate of a fluorophore, which requires the use of a pulsed illumination source.	FLIM is often used to accurately measure FRET, since the fluorescent lifetime of the donor decreases upon energy transfer. It can also be used to differentiate fluorophores with otherwise overlapping spectra and can (for example) help to filter out autofluorescence. Although they are becoming more and more accessible, most FLIM systems are complex to use both in terms of image acquisition and analyses.

Table 1. Light microscopy techniques described in this review.

Cytoskeleton	Sensor name	Sensor type	Construct	Comments	Ref. of transgenic line	NASC stock #
	AtFim1	Actin binding	Full-length AtFim1	Induce morphological defect at high expression	Wang et al., 2004: Sheahan et al., 2004	-
Actin	fABD2	Actin binding	C-terminal half of AtFim1 (aa 325–687)	Induce morphological defect at high expression	Wang et al., 2004; Sheahan et al., 2004; Ketelaar et al., 2004;	N799991
	LifeAct	Actin binding	Actin-binding peptide (17 aa) of yeast abp140p	Induce morphological defect at high expression	Era et al., 2009	_
	MBD	Microtubule binding	human Microtubule Associated Protein-4 MAP4	Enhanced microtubule polymerization, nucleation, bundling, and stabilization	Marc et al., 1998	N799990
Missourie	MAP65- 1	Microtubule binding	Microtubules Associated Protein of 65 kDa-1	Enhanced microtubule polymerization, nucleation, bundling, and stabilization	Lucas et al., 2011	N67830
Microtubule	TUA6	Direct microtubule labeling	TUBULIN alpha 6 gene	Microtubule and cytoplasmic localization	Ueda et al., 1999	N6551
	TUA5	Direct microtubule labeling	TUBULIN alpha 5 gene	Microtubule and cytoplasmic localization	Liu et al., 2016	-
	TUB6	Direct microtubule labeling	TUBULIN beta 6 gene	Microtubule and cytoplasmic localization	Nakamura et al., 2004	N6550; N67065; N67065
	EB1	Plus-end microtubule tip	Arabidopsis End-Binding Protein-1a	Plus end tip of the growing microtubules	Chan et al., 2003	-

Table 2. Commonly used cytoskeleton markers in *Arabidopsis thaliana.* Table listing some of the commonly used genetically encoded cytoskeleton markers. Fim, FIMBRIN-LIKE; ABD, actin binding domain; MBD, microtubule binding domain; MAP, MICROTUBULE ASSOCIATED PROTEIN; TUA, TUBULIN alpha; TUB; TUBULIN beta; EB1, END-BINDING1

PM marker	PM targeting	Number of amino acids	Topology/ orientation	Comments	Ref. of transgenic line	NASC stock #
Lti6b (RCI2b / 29-1)	2 TM	54	Both termini are oriented toward the cytosol	From Ehrhardt GFP-fusion line collection	Cutler et al., 2000	N84726
Lti6a (RCI2a / 37-26)	2 TM	54	Both termini are oriented toward the cytosol	From Ehrhardt GFP-fusion line collection	Cutler et al., 2000	N84758
PIP2;1 (PIP2a)	6 TM	287	Both termini are oriented toward the cytosol	From Ehrhardt GFP-fusion line collection	Cutler et al., 2000	N84725
PIP1;4 (W138)	6 TM	287	Both termini are oriented toward the cytosol	From wave line collection	Geldner et al., 2009	N781666; N781687; N781708
NPSN12 (W131)	1 TM	265	N-terminus in the cytosol	From wave line collection	Geldner et al., 2009	N781665; N781686; N781707
SYP122	1 TM	341	N-terminus in the cytosol		Assaad et al., 2004	-
FH6	1 TM	899	C-terminus in the cytosol		De Rybel et al., 2010	-
KA1	Anionic lipid binding	50	Extrinsic protein translated in the cytosol	KA1 domain of human MARK1 protein	Simon et al., 2016	N2107345
Myr	lipid anchor: myristoylation	8	Facing the cytosol	First 8 AA of LeCPK1 must be located at the N-terminus	Willis et al., 2016	-
MAP (MP)	lipid anchor: myristoylation and palmytoylation	12	Facing the cytosol	First 12 AA of AtGPA1 must be located at the N-terminus	Martinière et al., 2012	_
8K-Farn	Lipid anchor + anionic lipid biding: prenylation + cationic peptide	18	Facing the cytosol	Last 18 AA of human K- Ras4B, must be located at the C- terminus	Simon et al., 2016	N2017343
GPI	Lipid anchor: glycosylphosphat idylinositol	87	Facing the apoplast	AA318 to 405 of AtAGP4, must be located at the C-terminus	Martinière et al., 2012	-

Table 3. Fluorescent plasma membrane markers commonly used to label and segment cell contours in *Arabidopsis thaliana.* PM, plasma membrane, TM, transmembrane region. Lti6, LOW TEMPERATURE INDUCIBLE; RCI, RARE-COLD INDUCIBLE; PIP, PLASMA MEMBRANE INTRINSIC PROTEIN; NPSN, NOVEL PLANT SNARE; SYP, SYNTAXIN OF PLANT; FH, FORMIN HOMOLOGY; KA1, KINASE-ASSOCIATED domain

Lipid	Sensor name	Sensor type	Localization	Comments	Ref. of	NASC
			in root tip		line	STOCK #
PI3P	PXp40 (P3)	Translocation	late endosome		Simon et al.,	N2105606;
			/ tonoplast		2014	N2105615; N2105623
	2xFYVE ^{HRS}	Translocation	Late		Vermeer et	N2105611;
	(P18)		endosome/		al., 2006,	N2105620;
			tonoplast		Simon et al., 2014	N2105626
PI4P	1xPH ^{FAPP1}	Translocation	PM (++) /	Coincident	Vermeer et	N2105607;
	(P5)		TGN (+)/ cell	detection of	al., 2009, Simon et al	N2105616; N2106624
			plate (+++)	ARF1	2014	112100024
	2xPH ^{FAPP1}	Translocation	PM (+++) /	High affinity	Simon et al.,	N2105612;
	(P21)		weak TGN /	sensor	2014	N2105621
			(+++)			
	3xPH ^{FAPP1}	Translocation	PM (+++) /	High affinity	Simon et al.,	-
			occasional TGN / cell	sensor	2016	
			plate $(+++)$			
	1xPH ^{FAPP1-}	Translocation	PM (+++) /	ARF1-	Ito et al.,	-
	ESUA		occasional TGN / cell	binding site	2021 Nat	
			plate (+++)	matated	000000	
	P4M ^{SiDM}	Translocation	PM / cell plate (+++)		Simon et al., 2016	N2017346
PI(4,5)P ₂	1xPH ^{PLC}	Translocation	weak PM /	Low affinity	Vincent et al.,	N2105609;
	(P14)		cytosol		2005, Vermeer et	N2105618; N2105625
					al., 2007,	112100020
					Simon et al.,	
	2xPH ^{PLC}	Translocation	PM / cytosol	High affinity	Simon et al.,	N2105613;
	(P24)				2014	N2105622
	TUBBY-C (P15)	Translocation	PM / cytosol + nucleus		Simon et al., 2014	N2105610; N2105619
PI(3,5)P ₂	2xML1N	Translocation	Late endosome		Hirano et al.,	-
			(≠PI3P		2017	
РА	1xPASS	Translocation	endosome) Weak PM /		Platre et al	N2107781
111	141100	Tansiocation	cell plate		2018	142107701
	2xPASS	Translocation	PM / cell plate	High affinity	Platre et al.,	N2107782
	PAleon	FRET	/ nucleus Constitutive	Ratiometric /	2018 Li et al. 2019	_
	1110011	ratiometric	targeting at	quantitative	11 et al, 2019	
ne	COLast	Tuon -1 ·	PM		Cimera et 1	NI0117247
P5	CZ ^{Lact}	I ranslocation	/ endosomes /		Simon et al., 2016 : Platre	N211/34/; N2107778
			tonoplast		et al., 2018	
	$2xPH^{EVCT2}$	Translocation	PM / cell plate		Platre et al.,	N2107779;
			tonoplast		2018	INZIU//80
DAG	1xC1a ^{PKC}	Translocation	Mostly		Vermeer et	-
			cytosolic / PM		al., 2017	
			TGN			

2xC1a ^{PKC}	Translocation	Cytosol / PM	High affinity	Vermeer et	-
		/ cell plate /		al., 2017	
		TGN			

Table 4. Commonly used anionic lipid sensors in *Arabidopsis thaliana.* FAPP1, Four-phosphateadaptor protein 1; HRS, Hepatocyte growth factor-regulated tyrosine kinase substrate; PLC, Phospholipase C; ML1N, cytosolic phosphoinositide-interacting domain (ML1N) of the mammalian lysosomal transient receptor potential cation channel, Mucolipin 1 (TRPML1); PASS, PA biosensor with superior sensitivity; Lact, Lactadherin; EVCT2, EVECTIN2; PKC, Protein Kinase C.

Hormone	Sensor name	Sensor type	Comments	Ref. of transgenic line	NASC stock #
	DR5	Transcriptional	9 inverted repeats of <i>TGTCTC</i>	Ulmasov et al., 1997	N9402, N9361, N799364, N2106112, N2106143, N2106173
	DR5v2	Transcriptional	9 inverted repeats of TGTCGG	Liao et al., 2015	N2105636
Auxin	DII-VENUS	Degradation	Domain II of IAA28 fused to fast-maturing yellow fluorescent protein VENUS	Brunoux et al., 2012	N799173
	R2D2	Degradation, ratiometric	Ratiometric expression of DII- 3xVENUS and mDII- ntdTOMATO from two RPS5A promotors	Liao et al., 2015	N2105637
	qD2	Degradation, ratiometric	Ratiometric expression of DII- VENUS and TagBFP from a single RPS5A promotor	Galvan- Ampudia et al., 2020	-
	AuxSen	FRET, ratiometric	Engineering of tryptophan sensor to recognize auxin	Herud-Sikimic et al., 2021	N2110798– N2110801
GA	RGA ^{mPFYR}	Degradation, ratiometric	GA responsive DELLA without its regulatory function in transcriptional response	Shi et al., 2021	-
	GPS1	FRET, ratiometric	Based on GID1/GAI interaction	Rizza et al., 2017	-
	6xABRE-R	Transcriptional	6xABRE element from <i>RD29A</i>	Wu et al., 2018	N71620
	6xABRE-A	Transcriptional	6xABRE element from <i>ABI1</i>	Wu et al., 2018	N71619
	ABACUS	FRET, ratiometric	Based on PYL1/ABI interaction	Jones et al., 2014	-
ABA	ABAleon	FRET, ratiometric	Based on PYR1/ABI1 interaction	Waadt et al., 2014; Waadt et al., 2020	-
	SNACS	FRET, ratiometric	Sensors of OST1/SnRK2.6 activity, based on 14-3- 3/AKS1 interaction	Zhang et al., 2020	-
	TCS	Transcriptional	6 direct repeats of type B ARR-binding (A/G)GAT(T/C) element	Müller and Sheen 2007	N69181, N23900 N66322
СК	TCSn	Transcriptional	Tandem head-to- head and tail-to-tail orientations of type B ARR-binding (A/G)GAT(T/C) element	Zürcher et al., 2013	N69180
	TCSv2	Transcriptional	Alternating head-to- head and tail-to-tail orientations of type B ARR-binding	Steiner et al., 2020	-

			(A/G)GAT(T/C) element		
JA	Jas9-VENUS	Degradation	Jas domain of JAZ9 fused to the fast maturing VENUS-N7	Larrieu et al., 2015	N2105629
SLs	Strigo-D2	Degradation	Truncated domain of AtSMXL6 (AA 615 to 979) fused to fast maturing mVENUS	Song et al., 2021	-

Table 5. Genetically encoded hormone sensors available as stable *Arabidopsis thaliana* transgenic lines. Note that we referenced only reporters that have been engineered to act as biosensors in the sense that they represent minimal systems to report on hormonal activities. We thus excluded from this table full-length hormone-responsive promoters or proteins (that can be degraded or change localization upon hormone signaling), since they are more likely to be regulated by additional cues and to modify the system they are supposed to monitor.

824	
825	References
826	
827	
828	Aaron, J.S., Taylor, A.B., and Chew, T.L. (2018). Image co-localization - co-occurrence
829	versus correlation. Journal of cell science 131.
830	Abe, T., and Hashimoto, T. (2005). Altered microtubule dynamics by expression of
831	modified alpha-tubulin protein causes right-handed helical growth in transgenic
832	Arabidopsis plants. The Plant journal : for cell and molecular biology 43, 191-204.
833	Alassimone, J., Naseer, S., and Geldner, N. (2010). A developmental framework for
834	endodermal differentiation and polarity. Proceedings of the National Academy of
835	Sciences of the United States of America 107, 5214-5219.
836	Alcaraz, J., Buscemi, L., Grabulosa, M., Trepat, X., Fabry, B., Farré, R., and Navajas,
837	D. (2003). Microrheology of human lung epithelial cells measured by atomic force
838	microscopy. Biophysical journal 84, 2071-2079.
839	Antonacci, G., Beck, T., Bilenca, A., Czarske, J., Elsayad, K., Guck, J., Kim, K., Krug,
840	B., Palombo, F., and Prevedel, R. (2020). Recent progress and current opinions in
841	Brillouin microscopy for life science applications. Biophysical Reviews 12, 615-624.
842	Armengot, L., Marques-Bueno, M.M., and Jaillais, Y. (2016). Regulation of polar auxin
843	transport by protein and lipid kinases. Journal of experimental botany 67 , 4015-4037.
844	Assaad, F.F., Qiu, J.L., Youngs, H., Ehrhardt, D., Zimmerli, L., Kalde, M., Wanner, G.,
845	Peck, S.C., Edwards, H., Ramonell, K., Somerville, C.R., and Thordal-
846	Christensen, H. (2004). The PEN1 syntaxin defines a novel cellular compartment
847	upon fungal attack and is required for the timely assembly of papillae. Molecular
848	biology of the cell 15 , 5118-5129.
849	Autran, D., Bassel, G.W., Chae, E., Ezer, D., Ferjani, A., Fleck, C., Hamant, O.,
850	Hartmann, F.P., Jiao, Y., and Johnston, I.G. (2021). What is quantitative plant
851	biology? Quantitative Plant Biology 2.
852	Barberon, M., Vermeer, J.E., De Bellis, D., Wang, P., Naseer, S., Andersen, T.G.,
853	Humbel, B.M., Nawrath, C., Takano, J., Salt, D.E., and Geldner, N. (2016).
854	Adaptation of Root Function by Nutrient-Induced Plasticity of Endodermal
855	Differentiation. Cell 164, 447-459.
856	Barro, A.V., Stoeckle, D., Thellmann, M., Ruiz-Duarte, P., Bald, L., Louveaux, M., von
85/	Born, P., Denninger, P., Goh, I., and Fukaki, H. (2019). Cytoskeleton dynamics
858	are necessary for early events of lateral root initiation in Arabidopsis. Current Biology
859	29, 2443-2454. e2445.

860 Bayguinov, P.O., Oakley, D.M., Shih, C.C., Geanon, D.J., Joens, M.S., and Fitzpatrick, J.A.J. (2018). Modern Laser Scanning Confocal Microscopy. Current protocols in 861 862 cvtometry 85, e39. 863 Bayle, V., Fiche, J.B., Burny, C., Platre, M.P., Nollmann, M., Martiniere, A., and Jaillais, Y. (2021). Single-particle tracking photoactivated localization microscopy of 864 865 membrane proteins in living plant tissues. Nature protocols 16, 1600-1628. 866 Beauzamy, L., Nakayama, N., and Boudaoud, A. (2014). Flowers under pressure: ins and 867 outs of turgor regulation in development. Annals of botany 114, 1517-1533. 868 Beauzamy, L., Derr, J., and Boudaoud, A. (2015). Quantifying hydrostatic pressure in plant 869 cells by using indentation with an atomic force microscope. Biophysical journal 108, 870 2448-2456. 871 Beauzamy, L., Fourquin, C., Dubrulle, N., Boursiac, Y., Boudaoud, A., and Ingram, G. 872 (2016). Endosperm turgor pressure decreases during early Arabidopsis seed 873 development. Development 143, 3295-3299. 874 Belcram, K., Palaugui, J.C., and Pastuglia, M. (2016). Studying Cell Division Plane 875 Positioning in Early-Stage Embryos. Methods Mol Biol 1370, 183-195. 876 Benkova, E., Michniewicz, M., Sauer, M., Teichmann, T., Seifertova, D., Jurgens, G., 877 and Friml, J. (2003). Local, efflux-dependent auxin gradients as a common module 878 for plant organ formation. Cell 115, 591-602. 879 Berthet, B., and Maizel, A. (2016). Light sheet microscopy and live imaging of plants. 880 Journal of microscopy 263, 158-164. 881 Binnig, G., Quate, C.F., and Gerber, C. (1986). Atomic force microscope. Physical review 882 letters 56, 930. 883 Bisgrove, S.R., Lee, Y.R., Liu, B., Peters, N.T., and Kropf, D.L. (2008). The microtubule 884 plus-end binding protein EB1 functions in root responses to touch and gravity signals 885 in Arabidopsis. The Plant cell 20, 396-410. 886 Bolte, S., and Cordelieres, F.P. (2006). A guided tour into subcellular colocalization 887 analysis in light microscopy. Journal of microscopy 224, 213-232. 888 Boruc, J., Weimer, A.K., Stoppin-Mellet, V., Mylle, E., Kosetsu, K., Cedeno, C., 889 Jaquinod, M., Njo, M., De Milde, L., Tompa, P., Gonzalez, N., Inze, D., 890 Beeckman, T., Vantard, M., and Van Damme, D. (2017). Phosphorylation of 891 MAP65-1 by Arabidopsis Aurora Kinases Is Required for Efficient Cell Cycle 892 Progression. Plant physiology 173, 582-599. Boudaoud, A., Burian, A., Borowska-Wykret, D., Uyttewaal, M., Wrzalik, R., 893 894 Kwiatkowska, D., and Hamant, O. (2014). FibrilTool, an ImageJ plug-in to quantify 895 fibrillar structures in raw microscopy images. Nature protocols 9, 457-463. 896 Boutté, Y., and Jaillais, Y. (2020). Metabolic Cellular Communications: Feedback 897 Mechanisms between Membrane Lipid Homeostasis and Plant Development. 898 Developmental cell. 899 Bovio, S., Long, Y., and Monéger, F. (2019). Use of atomic force microscopy to measure 900 mechanical properties and turgor pressure of plant cells and plant tissues. J Vis Exp 901 149, e59674. 902 Bozorg, B., Krupinski, P., and Jönsson, H. (2014). Stress and strain provide positional and 903 directional cues in development. PLoS computational biology 10, e1003410. 904 Braguy, J., Samodelov, S.L., Andres, J., Ochoa-Fernandez, R., Al-Babili, S., and 905 Zurbriggen, M.D. (2021). A Protoplast-Based Bioassay to Quantify Strigolactone 906 Activity in Arabidopsis Using StrigoQuant. Methods Mol Biol 2309, 201-218. 907 Braybrook, S.A. (2015). Measuring the elasticity of plant cells with atomic force 908 microscopy. Methods in cell biology 125, 237-254.

- Brunoud, G., Galvan-Ampudia, C.S., and Vernoux, T. (2020). Methods to Visualize
 Auxin and Cytokinin Signaling Activity in the Shoot Apical Meristem. Methods Mol
 Biol 2094, 79-89.
- Brunoud, G., Wells, D.M., Oliva, M., Larrieu, A., Mirabet, V., Burrow, A.H., Beeckman,
 T., Kepinski, S., Traas, J., Bennett, M.J., and Vernoux, T. (2012). A novel sensor
 to map auxin response and distribution at high spatio-temporal resolution. Nature 482,
 103-106.
- Bucherl, C.A., Jarsch, I.K., Schudoma, C., Segonzac, C., Mbengue, M., Robatzek, S.,
 MacLean, D., Ott, T., and Zipfel, C. (2017). Plant immune and growth receptors
 share common signalling components but localise to distinct plasma membrane
 nanodomains. eLife 6.
- Burk, D.H., Zhong, R., Morrison III, W.H., and Ye, Z.H. (2006). Disruption of Cortical Microtubules by Overexpression of Green Fluorescent Protein-Tagged α-Tubulin 6 Causes a Marked Reduction in Cell Wall Synthesis. Journal of integrative plant biology 48, 85-98.
- Buschmann, H. (2016). Plant cell division analyzed by transient agrobacterium-mediated
 transformation of tobacco BY-2 cells. In Plant Cell Division (Springer), pp. 17-25.
- 926 Chalfie, M. (2009). GFP: Lighting up life. Proceedings of the National Academy of Sciences
 927 106, 10073-10080.
- 928 Chan, J., Calder, G.M., Doonan, J.H., and Lloyd, C.W. (2003). EB1 reveals mobile
 929 microtubule nucleation sites in Arabidopsis. Nature cell biology 5, 967-971.
- 930 Chan, J., Sambade, A., Calder, G., and Lloyd, C. (2009). Arabidopsis cortical
 931 microtubules are initiated along, as well as branching from, existing microtubules. The
 932 Plant cell 21, 2298-2306.
- 933 Chen, L., Han, Z., Fan, X., Zhang, S., Wang, J., and Duan, X. (2020). An impedance 934 coupled microfluidic device for single-cell analysis of primary cell wall regeneration.
 935 Biosensors and Bioelectronics 165, 112374.
- 936 Chesterfield, R.J., Whitfield, J.H., Pouvreau, B., Cao, D., Alexandrov, K., Beveridge,
 937 C.A., and Vickers, C.E. (2020). Rational Design of Novel Fluorescent Enzyme
 938 Biosensors for Direct Detection of Strigolactones. ACS Synth Biol 9, 2107-2118.
- Clark, N.M., Van den Broeck, L., Guichard, M., Stager, A., Tanner, H.G., Blilou, I.,
 Grossmann, G., Iyer-Pascuzzi, A.S., Maizel, A., Sparks, E.E., and Sozzani, R.
 (2020). Novel Imaging Modalities Shedding Light on Plant Biology: Start Small and
 Grow Big. Annual review of plant biology.
- 943 Codjoe, J.M., Miller, K., and Haswell, E.S. (2021). PLANT CELL MECHANOBIOLOGY:
 944 GREATER THAN THE SUM OF ITS PARTS. The Plant cell.
- 945 Colin, L., Chevallier, A., Tsugawa, S., Gacon, F., Godin, C., Viasnoff, V., Saunders, T.E.,
 946 and Hamant, O. (2020). Cortical tension overrides geometrical cues to orient
 947 microtubules in confined protoplasts. Proceedings of the National Academy of
 948 Sciences 117, 32731-32738.
- Colin, L.A., and Jaillais, Y. (2019). Phospholipids across scales: lipid patterns and plant
 development. Current opinion in plant biology 53, 1-9.
- 951 Creff, A., Brocard, L., and Ingram, G. (2015). A mechanically sensitive cell layer regulates
 952 the physical properties of the Arabidopsis seed coat. Nature communications 6, 1-8.
- 953 Creff, A., Ali, O., Bayle, V., Ingram, G., and Landrein, B. (2021). Endosperm turgor
 954 pressure both promotes and restricts seed growth and size. bioRxiv.
- 955 Cuevas-Velazquez, C.L., Vellosillo, T., Guadalupe, K., Schmidt, H.B., Yu, F., Moses, D.,
 956 Brophy, J.A.N., Cosio-Acosta, D., Das, A., Wang, L., Jones, A.M., Covarrubias,
 957 A.A., Sukenik, S., and Dinneny, J.R. (2021). Intrinsically disordered protein

960 Cutler, S.R., Ehrhardt, D.W., Griffitts, J.S., and Somerville, C.R. (2000). Random 961 GFP::cDNA fusions enable visualization of subcellular structures in cells of 962 Arabidopsis at a high frequency. Proceedings of the National Academy of Sciences of 963 the United States of America 97, 3718-3723. 964 Daněk, M., Angelini, J., Malínská, K., Andrejch, J., Amlerová, Z., Kocourková, D., 965 Brouzdová, J., Valentová, O., Martinec, J., and Petrášek, J. (2020). Cell wall 966 contributes to the stability of plasma membrane nanodomain organization of 967 Arabidopsis thaliana FLOTILLIN2 and HYPERSENSITIVE INDUCED 968 REACTION1 proteins. The Plant Journal 101, 619-636. 969 de Reuille, P.B., Routier-Kierzkowska, A.-L., Kierzkowski, D., Bassel, G.W., Schüpbach, 970 T., Tauriello, G., Bajpai, N., Strauss, S., Weber, A., and Kiss, A. (2015). 971 MorphoGraphX: A platform for quantifying morphogenesis in 4D. eLife 4, e05864. 972 De Rybel, B., Vassileva, V., Parizot, B., Demeulenaere, M., Grunewald, W., Audenaert, 973 D., Van Campenhout, J., Overvoorde, P., Jansen, L., Vanneste, S., Moller, B., 974 Wilson, M., Holman, T., Van Isterdael, G., Brunoud, G., Vuylsteke, M., Vernoux, 975 T., De Veylder, L., Inze, D., Weijers, D., Bennett, M.J., and Beeckman, T. (2010). 976 A novel aux/IAA28 signaling cascade activates GATA23-dependent specification of 977 lateral root founder cell identity. Current biology : CB 20, 1697-1706. 978 Demir, F., Horntrich, C., Blachutzik, J.O., Scherzer, S., Reinders, Y., Kierszniowska, S., 979 Schulze, W.X., Harms, G.S., Hedrich, R., Geiger, D., and Kreuzer, I. (2013). 980 Arabidopsis nanodomain-delimited ABA signaling pathway regulates the anion 981 channel SLAH3. Proceedings of the National Academy of Sciences of the United 982 States of America 110, 8296-8301. 983 Dettmer, J., Hong-Hermesdorf, A., Stierhof, Y.D., and Schumacher, K. (2006). Vacuolar 984 H+-ATPase activity is required for Endocytic and secretory trafficking in Arabidopsis. 985 The Plant cell 18, 715-730. 986 Doumane, M., Lionnet, C., Bayle, V., Jaillais, Y., and Caillaud, M.C. (2017). Automated 987 Tracking of Root for Confocal Time-lapse Imaging of Cellular Processes. Bio-988 protocol 7. 989 Doumane, M., Lebecq, A., Colin, L., Fangain, A., Stevens, F.D., Bareille, J., Hamant, O., 990 Belkhadir, Y., Munnik, T., Jaillais, Y., and Caillaud, M.C. (2021). Inducible 991 depletion of PI(4,5)P2 by the synthetic iDePP system in Arabidopsis. Nat Plants 7, 992 587-597. 993 Dragwidge, J.M., and Van Damme, D. (2020). Visualising endocytosis in plants: past, 994 present, and future. Journal of microscopy 280, 104-110. Du, F., Zhao, F., Traas, J., and Jiao, Y. (2021). Visualization of cortical microtubule 995 996 networks in plant cells by live imaging and immunostaining. STAR Protoc 2, 100301. 997 Dubois, G.A., and Jaillais, Y. (2021). Anionic phospholipid gradients: an uncharacterized 998 frontier of the plant endomembrane network. Plant physiology 185, 577-592. 999 Durand-Smet, P., Spelman, T.A., Meyerowitz, E.M., and Jönsson, H. (2020). Cytoskeletal 1000 organization in isolated plant cells under geometry control. Proceedings of the 1001 National Academy of Sciences of the United States of America 117, 17399-17408. Durst, S., Hedde, P.N., Brochhausen, L., Nick, P., Nienhaus, G.U., and Maisch, J. (2014). 1002 1003 Organization of perinuclear actin in live tobacco cells observed by PALM with optical 1004 sectioning. Journal of plant physiology 171, 97-108. 1005 Dyachok, J., Sparks, J.A., Liao, F., Wang, Y.S., and Blancaflor, E.B. (2014). Fluorescent 1006 protein-based reporters of the actin cytoskeleton in living plant cells: fluorophore 1007 variant, actin binding domain, and promoter considerations. Cytoskeleton 71, 311-327.

biosensor tracks the physical-chemical effects of osmotic stress on cells. Nature

958

959

communications 12, 5438.

- Echevin, E., Le Gloanec, C., Skowrońska, N., Routier-Kierzkowska, A.L., Burian, A.,
 and Kierzkowski, D. (2019). Growth and biomechanics of shoot organs. Journal of
 experimental botany 70, 3573-3585.
- Elliott, A., and Shaw, S.L. (2018). Microtubule Array Patterns Have a Common Underlying
 Architecture in Hypocotyl Cells. Plant physiology 176, 307-325.
- Elsayad, K., Werner, S., Gallemi, M., Kong, J., Sanchez Guajardo, E.R., Zhang, L.,
 Jaillais, Y., Greb, T., and Belkhadir, Y. (2016). Mapping the subcellular mechanical
 properties of live cells in tissues with fluorescence emission-Brillouin imaging.
 Science signaling 9, rs5.
- Era, A., Tominaga, M., Ebine, K., Awai, C., Saito, C., Ishizaki, K., Yamato, K.T.,
 Kohchi, T., Nakano, A., and Ueda, T. (2009). Application of Lifeact reveals F-actin dynamics in Arabidopsis thaliana and the liverwort, Marchantia polymorpha. Plant
 and Cell Physiology 50, 1041-1048.
- Erguvan, Ö., Louveaux, M., Hamant, O., and Verger, S. (2019). ImageJ SurfCut: a user friendly pipeline for high-throughput extraction of cell contours from 3D image
 stacks. BMC biology 17, 38.
- Fache, V., Gaillard, J., Van Damme, D., Geelen, D., Neumann, E., Stoppin-Mellet, V.,
 and Vantard, M. (2010). Arabidopsis kinetochore fiber-associated MAP65-4 cross links microtubules and promotes microtubule bundle elongation. The Plant cell 22,
 3804-3815.
- Fernandez, R., Das, P., Mirabet, V., Moscardi, E., Traas, J., Verdeil, J.-L., Malandain,
 G., and Godin, C. (2010). Imaging plant growth in 4D: robust tissue reconstruction
 and lineaging at cell resolution. Nature methods 7, 547-553.
- Fobis-Loisy, I., and Jaillais, Y. (2021). Feeling the pressure: A mechanical tale of the pollen
 tube journey through the pistil. Developmental cell 56, 873-875.
- Fratini, M., Krishnamoorthy, P., Stenzel, I., Riechmann, M., Matzner, M., Bacia, K.,
 Heilmann, M., and Heilmann, I. (2021). Erratum to: Plasma membrane nano organization specifies phosphoinositide effects on Rho-GTPases and actin dynamics
 in tobacco pollen tubes. The Plant cell.
- Fuchs, V.A.F., Denninger, P., Zupunski, M., Jaillais, Y., Engel, U., and Grossmann, G.
 (2021). Nanodomain-mediated lateral sorting drives polarization of the small GTPase
 ROP2 in the plasma membrane of root hair cells. bioRxiv, 2021.2009.2010.459822.
- Galva, C., Kirik, V., Lindeboom, J.J., Kaloriti, D., Rancour, D.M., Hussey, P.J.,
 Bednarek, S.Y., Ehrhardt, D.W., and Sedbrook, J.C. (2014). The microtubule plusend tracking proteins SPR1 and EB1b interact to maintain polar cell elongation and
 directional organ growth in Arabidopsis. The Plant cell 26, 4409-4425.
- Galvan-Ampudia, C.S., Cerutti, G., Legrand, J., Brunoud, G., Martin-Arevalillo, R.,
 Azais, R., Bayle, V., Moussu, S., Wenzl, C., Jaillais, Y., Lohmann, J.U., Godin, C.,
 and Vernoux, T. (2020). Temporal integration of auxin information for the regulation
 of patterning. eLife 9.
- Geldner, N., Denervaud-Tendon, V., Hyman, D.L., Mayer, U., Stierhof, Y.D., and
 Chory, J. (2009). Rapid, combinatorial analysis of membrane compartments in intact
 plants with a multicolor marker set. Plant Journal 59, 169-178.
- Geldner, N., Anders, N., Wolters, H., Keicher, J., Kornberger, W., Muller, P., Delbarre,
 A., Ueda, T., Nakano, A., and Jurgens, G. (2003). The Arabidopsis GNOM ARF GEF mediates endosomal recycling, auxin transport, and auxin-dependent plant
 growth. Cell 112, 219-230.
- Gouguet, P., Gronnier, J., Legrand, A., Perraki, A., Jolivet, M.-D., Deroubaix, A.-F.,
 German-Retana, S., Boudsocq, M., Habenstein, B., and Mongrand, S. (2021).

- 1057 Connecting the dots: from nanodomains to physiological functions of REMORINs.1058 Plant physiology 185, 632-649.
- Grabski, S., De Feijter, A.W., and Schindler, M. (1993). Endoplasmic Reticulum Forms a
 Dynamic Continuum for Lipid Diffusion between Contiguous Soybean Root Cells.
 The Plant cell 5, 25-38.
- Grandjean, O., Vernoux, T., Laufs, P., Belcram, K., Mizukami, Y., and Traas, J. (2004).
 In vivo analysis of cell division, cell growth, and differentiation at the shoot apical
 meristem in Arabidopsis. The Plant cell 16, 74-87.
- Gronnier, J., Franck, C.M., Stegmann, M., DeFalco, T.A., Cifuentes, A.A., Dünser, K.,
 Lin, W., Yang, Z., Kleine-Vehn, J., Ringli, C., and Zipfel, C. (2020). FERONIA
 regulates FLS2 plasma membrane nanoscale dynamics to modulate plant immune
 signaling. bioRxiv, 2020.2007.2020.212233.
- Gronnier, J., Crowet, J.M., Habenstein, B., Nasir, M.N., Bayle, V., Hosy, E., Platre,
 M.P., Gouguet, P., Raffaele, S., Martinez, D., Grelard, A., Loquet, A., SimonPlas, F., Gerbeau-Pissot, P., Der, C., Bayer, E.M., Jaillais, Y., Deleu, M.,
 Germain, V., Lins, L., and Mongrand, S. (2017). Structural basis for plant plasma
 membrane protein dynamics and organization into functional nanodomains. eLife 6.
- Grossmann, G., Krebs, M., Maizel, A., Stahl, Y., Vermeer, J.E.M., and Ott, T. (2018).
 Green light for quantitative live-cell imaging in plants. Journal of cell science 131.
- Hamant, O., and Traas, J. (2010). The mechanics behind plant development. New
 Phytologist 185, 369-385.
- Hamant, O., Das, P., and Burian, A. (2019a). Time-Lapse Imaging of Developing Shoot
 Meristems Using A Confocal Laser Scanning Microscope. Methods Mol Biol 1992,
 257-268.
- Hamant, O., Inoue, D., Bouchez, D., Dumais, J., and Mjolsness, E. (2019b). Are
 microtubules tension sensors? Nature communications 10, 1-12.
- Hamant, O., Heisler, M.G., Jonsson, H., Krupinski, P., Uyttewaal, M., Bokov, P.,
 Corson, F., Sahlin, P., Boudaoud, A., Meyerowitz, E.M., Couder, Y., and Traas,
 J. (2008). Developmental patterning by mechanical signals in Arabidopsis. Science
 322, 1650-1655.
- Heilmann, I. (2016). Plant phosphoinositide signaling dynamics on demand. Biochimica et
 biophysica acta 1861, 1345-1351.
- Heisler, M.G., and Ohno, C. (2014). Live-imaging of the Arabidopsis inflorescence
 meristem. Methods Mol Biol 1110, 431-440.
- Heisler, M.G., Hamant, O., Krupinski, P., Uyttewaal, M., Ohno, C., Jönsson, H., Traas,
 J., and Meyerowitz, E.M. (2010). Alignment between PIN1 polarity and microtubule
 orientation in the shoot apical meristem reveals a tight coupling between
 morphogenesis and auxin transport. PLoS biology 8, e1000516.
- Herud-Sikimic, O., Stiel, A.C., Kolb, M., Shanmugaratnam, S., Berendzen, K.W.,
 Feldhaus, C., Hocker, B., and Jurgens, G. (2021). A biosensor for the direct
 visualization of auxin. Nature 592, 768-772.
- Hirano, T., Stecker, K., Munnik, T., Xu, H., and Sato, M.H. (2017). Visualization of
 phosphatidylinositol 3,5-bisphosphate dynamics by tandem ML1N-based fluorescent
 protein probe in Arabidopsis. Plant & cell physiology.
- Hirano, T., Konno, H., Takeda, S., Dolan, L., Kato, M., Aoyama, T., Higaki, T.,
 Takigawa-Imamura, H., and Sato, M.H. (2018). PtdIns(3,5)P2 mediates root hair
 shank hardening in Arabidopsis. Nat Plants 4, 888-897.
- Holzinger, A., Kawamura, E., and Wasteneys, G.O. (2009). Strategies for imaging
 microtubules in plant cells. In Cytoskeleton Methods and Protocols (Springer), pp.
 243-262.

1107 Hong, L., Dumond, M., Zhu, M., Tsugawa, S., Li, C.B., Boudaoud, A., Hamant, O., and 1108 Roeder, A.H.K. (2018). Heterogeneity and Robustness in Plant Morphogenesis: From 1109 Cells to Organs. Annual review of plant biology 69, 469-495. Hosy, E., Martiniere, A., Choquet, D., Maurel, C., and Luu, D.T. (2015). Super-resolved 1110 1111 and dynamic imaging of membrane proteins in plant cells reveal contrasting kinetic 1112 profiles and multiple confinement mechanisms. Molecular plant 8, 339-342. 1113 Isoda, R., Yoshinari, A., Ishikawa, Y., Sadoine, M., Simon, R., Frommer, W.B., and 1114 Nakamura, M. (2021). Sensors for the quantification, localization and analysis of the 1115 dynamics of plant hormones. The Plant journal : for cell and molecular biology 105, 1116 542-557. 1117 Ito, Y., Esnay, N., Platre, M.P., Wattelet-Boyer, V., Noack, L.C., Fougère, L., Menzel, 1118 W., Claverol, S., Fouillen, L., Moreau, P., Jaillais, Y., and Boutté, Y. (2021). 1119 Sphingolipids mediate polar sorting of PIN2 through phosphoinositide consumption at 1120 the trans-Golgi network. Nature communications 12, 4267. 1121 Jaillais, Y., and Chory, J. (2010). Unraveling the paradoxes of plant hormone signaling 1122 integration. Nature structural & molecular biology 17, 642-645. Jaillais, Y., and Ott, T. (2020). The nanoscale organization of the plasma membrane and its 1123 1124 importance in signaling - a proteolipid perspective. Plant physiology, pp.01349.02019. 1125 Jaillais, Y., Fobis-Loisy, I., Miege, C., and Gaude, T. (2008). Evidence for a sorting 1126 endosome in Arabidopsis root cells. The Plant journal : for cell and molecular biology 1127 **53**, 237-247. 1128 Jaillais, Y., Fobis-Loisy, I., Miege, C., Rollin, C., and Gaude, T. (2006). AtSNX1 defines 1129 an endosome for auxin-carrier trafficking in Arabidopsis. Nature 443, 106-109. 1130 Johnson, A., and Vert, G. (2017). Single Event Resolution of Plant Plasma Membrane 1131 Protein Endocytosis by TIRF Microscopy. Frontiers in plant science 8, 612. 1132 Johnson, A., Gnyliukh, N., Kaufmann, W.A., Narasimhan, M., Vert, G., Bednarek, S.Y., 1133 and Friml, J. (2020). Experimental toolbox for quantitative evaluation of clathrin-1134 mediated endocytosis in the plant model Arabidopsis. Journal of cell science 133. 1135 Johnson, A., Dahhan, D.A., Gnyliukh, N., Kaufmann, W.A., Zheden, V., Costanzo, T., 1136 Mahou, P., Hrtyan, M., Wang, J., Aguilera-Servin, J., van Damme, D., 1137 Beaurepaire, E., Loose, M., Bednarek, S.Y., and Friml, J. (2021). The TPLATE 1138 complex mediates membrane bending during plant clathrin-mediated endocytosis. 1139 bioRxiv, 2021.2004.2026.441441. 1140 Jones, A.M., Danielson, J.A., Manojkumar, S.N., Lanquar, V., Grossmann, G., and 1141 Frommer, W.B. (2014). Abscisic acid dynamics in roots detected with genetically 1142 encoded FRET sensors. eLife 3, e01741. 1143 Kania, U., Nodzynski, T., Lu, Q., Hicks, G.R., Nerinckx, W., Mishev, K., Peurois, F., Cherfils, J., De Rycke, R., Grones, P., Robert, S., Russinova, E., and Friml, J. 1144 1145 (2018). The Inhibitor Endosidin 4 Targets SEC7 Domain-Type ARF GTPase 1146 Exchange Factors and Interferes with Subcellular Trafficking in Eukaryotes. The Plant 1147 cell 30, 2553-2572. 1148 Ketelaar, T. (2013). The actin cytoskeleton in root hairs: all is fine at the tip. Current opinion 1149 in plant biology 16, 749-756. 1150 Ketelaar, T., Anthony, R.G., and Hussey, P.J. (2004). Green fluorescent protein-mTalin causes defects in actin organization and cell expansion in Arabidopsis and inhibits 1151 1152 actin depolymerizing factor's actin depolymerizing activity in vitro. Plant physiology 1153 136, 3990-3998. 1154 Kierzkowski, D., and Routier-Kierzkowska, A.L. (2019). Cellular basis of growth in plants: geometry matters. Current opinion in plant biology 47, 56-63. 1155

- Kierzkowski, D., Runions, A., Vuolo, F., Strauss, S., Lymbouridou, R., RoutierKierzkowska, A.L., Wilson-Sánchez, D., Jenke, H., Galinha, C., Mosca, G.,
 Zhang, Z., Canales, C., Dello Ioio, R., Huijser, P., Smith, R.S., and Tsiantis, M.
 (2019). A Growth-Based Framework for Leaf Shape Development and Diversity. Cell
 1160 177, 1405-1418.e1417.
- Kim, H.-S., Park, W., Lee, H.-S., Shin, J.-H., and Ahn, S.-J. (2021). Subcellular Journey of Rare Cold Inducible 2 Protein in Plant Under Stressful Condition. Frontiers in plant science 11.
- Klahre, U., and Kost, B. (2006). Tobacco RhoGTPase ACTIVATING PROTEIN1 spatially
 restricts signaling of RAC/Rop to the apex of pollen tubes. The Plant cell 18, 3033 3046.
- Kleine-Vehn, J., Wabnik, K., Martiniere, A., Langowski, L., Willig, K., Naramoto, S.,
 Leitner, J., Tanaka, H., Jakobs, S., Robert, S., Luschnig, C., Govaerts, W., Hell,
 S.W., Runions, J., and Friml, J. (2011). Recycling, clustering, and endocytosis
 jointly maintain PIN auxin carrier polarity at the plasma membrane. Molecular
 systems biology 7, 540.
- Komis, G., Šamajová, O., Ovečka, M., and Šamaj, J. (2015a). Super-resolution
 Microscopy in Plant Cell Imaging. Trends in plant science 20, 834-843.
- Komis, G., Novák, D., Ovečka, M., Šamajová, O., and Šamaj, J. (2018). Advances in Imaging Plant Cell Dynamics. Plant physiology 176, 80-93.
- Komis, G., Mistrik, M., Šamajová, O., Ovečka, M., Bartek, J., and Šamaj, J. (2015b).
 Superresolution live imaging of plant cells using structured illumination microscopy.
 Nature protocols 10, 1248-1263.
- Konopka, C.A., and Bednarek, S.Y. (2008). Variable-angle epifluorescence microscopy: a
 new way to look at protein dynamics in the plant cell cortex. The Plant journal : for
 cell and molecular biology 53, 186-196.
- Konopka, C.A., Backues, S.K., and Bednarek, S.Y. (2008). Dynamics of Arabidopsis
 dynamin-related protein 1C and a clathrin light chain at the plasma membrane. The
 Plant cell 20, 1363-1380.
- 1185
 1186
 1186
 1187
 Kost, B., Spielhofer, P., and Chua, N.H. (1998). A GFP-mouse talin fusion protein labels
 plant actin filaments in vivo and visualizes the actin cytoskeleton in growing pollen
 tubes. The Plant journal : for cell and molecular biology 16, 393-401.
- Kovar, D.R., Gibbon, B.C., McCurdy, D.W., and Staiger, C.J. (2001). Fluorescently labeled fimbrin decorates a dynamic actin filament network in live plant cells. Planta
 213, 390-395.
- Kuběnová, L., Takáč, T., Šamaj, J., and Ovečka, M. (2021). Single Amino Acid Exchange
 in ACTIN2 Confers Increased Tolerance to Oxidative Stress in Arabidopsis der1–3
 Mutant. International journal of molecular sciences 22, 1879.
- Kutschera, U., and Niklas, K. (2007). The epidermal-growth-control theory of stem
 elongation: an old and a new perspective. Journal of plant physiology 164, 1395-1409.
- Lagache, T., Sauvonnet, N., Danglot, L., and Olivo-Marin, J.C. (2015). Statistical analysis
 of molecule colocalization in bioimaging. Cytometry A 87, 568-579.
- Lagache, T., Grassart, A., Dallongeville, S., Faklaris, O., Sauvonnet, N., Dufour, A.,
 Danglot, L., and Olivo-Marin, J.C. (2018). Mapping molecular assemblies with
 fluorescence microscopy and object-based spatial statistics. Nature communications 9,
 698.
- Lambert, T.J. (2019). FPbase: a community-editable fluorescent protein database. Nature
 methods 16, 277-278.
- Landberg, K., Simura, J., Ljung, K., Sundberg, E., and Thelander, M. (2021). Studies of
 moss reproductive development indicate that auxin biosynthesis in apical stem cells

- may constitute an ancestral function for focal growth control. The New phytologist229, 845-860.
- Landrein, B., and Hamant, O. (2013). How mechanical stress controls microtubule behavior
 and morphogenesis in plants: history, experiments and revisited theories. The Plant
 Journal 75, 324-338.
- Landrein, B., and Ingram, G. (2019). Connected through the force: mechanical signals in
 plant development. Journal of experimental botany 70, 3507-3519.
- Landrein, B., Kiss, A., Sassi, M., Chauvet, A., Das, P., Cortizo, M., Laufs, P., Takeda, S.,
 Aida, M., Traas, J., Vernoux, T., Boudaoud, A., and Hamant, O. (2015).
 Mechanical stress contributes to the expression of the STM homeobox gene in
 Arabidopsis shoot meristems. eLife 4, e07811.
- Larin, K.V., and Sampson, D.D. (2017). Optical coherence elastography–OCT at work in tissue biomechanics. Biomed. Opt. Express 8, 1172-1202.
- Larrieu, A., and Vernoux, T. (2015). Comparison of plant hormone signalling systems.
 Essays in biochemistry 58, 165-181.
- Larrieu, A., Champion, A., Legrand, J., Lavenus, J., Mast, D., Brunoud, G., Oh, J.,
 Guyomarc'h, S., Pizot, M., Farmer, E.E., Turnbull, C., Vernoux, T., Bennett,
 M.J., and Laplaze, L. (2015). A fluorescent hormone biosensor reveals the dynamics
 of jasmonate signalling in plants. Nature communications 6, 6043.
- Lebecq, A., Fangain, A., Boussaroque, A., and Caillaud, M.-C. (2021). Dynamic Apical Basal Enrichment of the F-Actin during Cytokinesis in Arabidopsis Cells Embedded
 in their Tissues. bioRxiv, 2021.2007.2007.451432.
- Lenarcic, T., Albert, I., Bohm, H., Hodnik, V., Pirc, K., Zavec, A.B., Podobnik, M.,
 Pahovnik, D., Zagar, E., Pruitt, R., Greimel, P., Yamaji-Hasegawa, A.,
 Kobayashi, T., Zienkiewicz, A., Gomann, J., Mortimer, J.C., Fang, L., MamodeCassim, A., Deleu, M., Lins, L., Oecking, C., Feussner, I., Mongrand, S.,
 Anderluh, G., and Nurnberger, T. (2017). Eudicot plant-specific sphingolipids
 determine host selectivity of microbial NLP cytolysins. Science 358, 1431-1434.
- Li, R., Liu, P., Wan, Y., Chen, T., Wang, Q., Mettbach, U., Baluska, F., Samaj, J., Fang,
 X., Lucas, W.J., and Lin, J. (2012). A membrane microdomain-associated protein,
 Arabidopsis Flot1, is involved in a clathrin-independent endocytic pathway and is
 required for seedling development. The Plant cell 24, 2105-2122.
- Li, T., Yan, A., Bhatia, N., Altinok, A., Afik, E., Durand-Smet, P., Tarr, P.T., Schroeder,
 J.I., Heisler, M.G., and Meyerowitz, E.M. (2019a). Calcium signals are necessary to
 establish auxin transporter polarity in a plant stem cell niche. Nature communications
 10, 1-9.
- Li, W., Song, T., Wallrad, L., Kudla, J., Wang, X., and Zhang, W. (2019b). Tissue specific accumulation of pH-sensing phosphatidic acid determines plant stress
 tolerance. Nat Plants 5, 1012-1021.
- Liao, C.Y., Smet, W., Brunoud, G., Yoshida, S., Vernoux, T., and Weijers, D. (2015).
 Reporters for sensitive and quantitative measurement of auxin response. Nature methods 12, 207-210, 202 p following 210.
- Lindeboom, J.J., Nakamura, M., Hibbel, A., Shundyak, K., Gutierrez, R., Ketelaar, T.,
 Emons, A.M.C., Mulder, B.M., Kirik, V., and Ehrhardt, D.W. (2013). A
 mechanism for reorientation of cortical microtubule arrays driven by microtubule
 severing. Science 342.
- Liu, Z., Schneider, R., Kesten, C., Zhang, Y., Somssich, M., Zhang, Y., Fernie, A.R., and
 Persson, S. (2016). Cellulose-Microtubule Uncoupling Proteins Prevent Lateral
 Displacement of Microtubules during Cellulose Synthesis in Arabidopsis.
 Developmental cell 38, 305-315.

- Lockhart, J.A. (1965). An analysis of irreversible plant cell elongation. Journal of theoretical
 biology 8, 264-275.
- Long, Y., Cheddadi, I., Mosca, G., Mirabet, V., Dumond, M., Kiss, A., Traas, J., Godin,
 C., and Boudaoud, A. (2020). Cellular heterogeneity in pressure and growth emerges
 from tissue topology and geometry. Current Biology 30, 1504-1516. e1508.
- Louveaux, M., and Hamant, O. (2013). The mechanics behind cell division. Current opinion
 in plant biology 16, 774-779.
- Louveaux, M., Julien, J.D., Mirabet, V., Boudaoud, A., and Hamant, O. (2016). Cell
 division plane orientation based on tensile stress in Arabidopsis thaliana. Proceedings
 of the National Academy of Sciences of the United States of America 113, E4294 4303.
- Lucas, J.R., Courtney, S., Hassfurder, M., Dhingra, S., Bryant, A., and Shaw, S.L.
 (2011). Microtubule-associated proteins MAP65-1 and MAP65-2 positively regulate
 axial cell growth in etiolated Arabidopsis hypocotyls. The Plant cell 23, 1889-1903.
- Lukinavičius, G., Reymond, L., D'este, E., Masharina, A., Göttfert, F., Ta, H., Güther,
 A., Fournier, M., Rizzo, S., and Waldmann, H. (2014). Fluorogenic probes for live cell imaging of the cytoskeleton. Nature methods 11, 731-733.
- Luo, Y., Scholl, S., Doering, A., Zhang, Y., Irani, N.G., Rubbo, S.D., Neumetzler, L.,
 Krishnamoorthy, P., Van Houtte, I., Mylle, E., Bischoff, V., Vernhettes, S.,
 Winne, J., Friml, J., Stierhof, Y.D., Schumacher, K., Persson, S., and Russinova,
 E. (2015). V-ATPase activity in the TGN/EE is required for exocytosis and recycling
 in Arabidopsis. Nat Plants 1, 15094.
- Ma, Y., Miotk, A., Sutikovic, Z., Ermakova, O., Wenzl, C., Medzihradszky, A.,
 Gaillochet, C., Forner, J., Utan, G., Brackmann, K., Galvan-Ampudia, C.S.,
 Vernoux, T., Greb, T., and Lohmann, J.U. (2019). WUSCHEL acts as an auxin
 response rheostat to maintain apical stem cells in Arabidopsis. Nature communications
 10, 5093.
- Mamode Cassim, A., and Mongrand, S. (2019). Lipids light up in plant membranes. Nat
 Plants 5, 913-914.
- Marc, J., Granger, C.L., Brincat, J., Fisher, D.D., Kao, T.-h., McCubbin, A.G., and Cyr,
 R.J. (1998). A GFP–MAP4 reporter gene for visualizing cortical microtubule
 rearrangements in living epidermal cells. The Plant cell 10, 1927-1939.
- Martin, L., Decourteix, M., Badel, E., Huguet, S., Moulia, B., Julien, J.L., and Leblanc Fournier, N. (2014). The zinc finger protein P ta ZFP 2 negatively controls stem
 growth and gene expression responsiveness to external mechanical loads in poplar.
 New Phytologist 203, 168-181.
- Martin-Arevalillo, R., and Vernoux, T. (2019). Shining light on plant hormones with
 genetically encoded biosensors. Biological chemistry 400, 477-486.
- Martinez, P., Luo, A., Sylvester, A., and Rasmussen, C.G. (2017). Proper division plane
 orientation and mitotic progression together allow normal growth of maize.
 Proceedings of the National Academy of Sciences 114, 2759-2764.
- Martiniere, A., Fiche, J.B., Smokvarska, M., Mari, S., Alcon, C., Dumont, X., Hematy,
 K., Jaillais, Y., Nollmann, M., and Maurel, C. (2019). Osmotic Stress Activates
 Two Reactive Oxygen Species Pathways with Distinct Effects on Protein
 Nanodomains and Diffusion. Plant physiology 179, 1581-1593.
- Martiniere, A., Lavagi, I., Nageswaran, G., Rolfe, D.J., Maneta-Peyret, L., Luu, D.T.,
 Botchway, S.W., Webb, S.E., Mongrand, S., Maurel, C., Martin-Fernandez,
 M.L., Kleine-Vehn, J., Friml, J., Moreau, P., and Runions, J. (2012). Cell wall
 constrains lateral diffusion of plant plasma-membrane proteins. Proceedings of the
 National Academy of Sciences of the United States of America 109, 12805-12810.

- Martinière, A., and Zelazny, E. (2021). Membrane nanodomains and transport functions in
 plant. Plant physiology.
- Martinière, A., Gibrat, R., Sentenac, H., Dumont, X., Gaillard, I., and Paris, N. (2018).
 Uncovering pH at both sides of the root plasma membrane interface using noninvasive imaging. Proceedings of the National Academy of Sciences 115, 6488-6493.
- McCurdy, D.W., and Kim, M. (1998). Molecular cloning of a novel fimbrin-like cDNA
 from Arabidopsis thaliana. Plant molecular biology 36, 23-31.
- Melak, M., Plessner, M., and Grosse, R. (2017). Actin visualization at a glance. Journal of
 cell science 130, 525-530.
- Michels, L., Gorelova, V., Harnvanichvech, Y., Borst, J.W., Albada, B., Weijers, D., and
 Sprakel, J. (2020). Complete microviscosity maps of living plant cells and tissues
 with a toolbox of targeting mechanoprobes. Proceedings of the National Academy of
 Sciences 117, 18110-18118.
- Milani, P., Gholamirad, M., Traas, J., Arnéodo, A., Boudaoud, A., Argoul, F., and
 Hamant, O. (2011). In vivo analysis of local wall stiffness at the shoot apical
 meristem in Arabidopsis using atomic force microscopy. The Plant Journal 67, 11161123.
- Milani, P., Mirabet, V., Cellier, C., Rozier, F., Hamant, O., Das, P., and Boudaoud, A.
 (2014). Matching patterns of gene expression to mechanical stiffness at cell resolution
 through quantitative tandem epifluorescence and nanoindentation. Plant physiology
 1326
 165, 1399-1408.
- Mir, R., Aranda, L.Z., Biaocchi, T., Luo, A., Sylvester, A.W., and Rasmussen, C.G.
 (2017). A DII Domain-Based Auxin Reporter Uncovers Low Auxin Signaling during
 Telophase and Early G1. Plant physiology 173, 863-871.
- Mirabet, V., Das, P., Boudaoud, A., and Hamant, O. (2011). The role of mechanical forces
 in plant morphogenesis. Annual review of plant biology 62, 365-385.
- Mishev, K., Lu, Q., Denoo, B., Peurois, F., Dejonghe, W., Hullaert, J., De Rycke, R.,
 Boeren, S., Bretou, M., De Munck, S., Sharma, I., Goodman, K., Kalinowska, K.,
 Storme, V., Nguyen, L.S.L., Drozdzecki, A., Martins, S., Nerinckx, W.,
 Audenaert, D., Vert, G., Madder, A., Otegui, M.S., Isono, E., Savvides, S.N.,
 Annaert, W., De Vries, S., Cherfils, J., Winne, J., and Russinova, E. (2018).
 Nonselective Chemical Inhibition of Sec7 Domain-Containing ARF GTPase
 Exchange Factors. The Plant cell 30, 2573-2593.
- 1339 Mizuta, Y. (2021). Advances in Two-Photon Imaging in Plants. Plant & cell physiology.
- Molines, A.T., Stoppin-Mellet, V., Arnal, I., and Coquelle, F.M. (2020). Plant and mouse
 EB1 proteins have opposite intrinsic properties on the dynamic instability of
 microtubules. BMC research notes 13, 296.
- Molines, A.T., Marion, J., Chabout, S., Besse, L., Dompierre, J.P., Mouille, G., and
 Coquelle, F.M. (2018). EB1 contributes to microtubule bundling and organization,
 along with root growth, in Arabidopsis thaliana. Biology open 7, bio030510.
- Monshausen, G.B., Bibikova, T.N., Weisenseel, M.H., and Gilroy, S. (2009). Ca2+
 regulates reactive oxygen species production and pH during mechanosensing in
 Arabidopsis roots. The Plant cell 21, 2341-2356.
- Montesinos, J.C., Abuzeineh, A., Kopf, A., Juanes-Garcia, A., Ötvös, K., Petrášek, J.,
 Sixt, M., and Benková, E. (2020). Phytohormone cytokinin guides microtubule
 dynamics during cell progression from proliferative to differentiated stage. The
 EMBO journal 39, e104238.
- Muller, B., and Sheen, J. (2008). Cytokinin and auxin interaction in root stem-cell
 specification during early embryogenesis. Nature 453, 1094-1097.

- Nakamura, M., Naoi, K., Shoji, T., and Hashimoto, T. (2004). Low concentrations of
 propyzamide and oryzalin alter microtubule dynamics in Arabidopsis epidermal cells.
 Plant & cell physiology 45, 1330-1334.
- Naramoto, S., Otegui, M.S., Kutsuna, N., de Rycke, R., Dainobu, T., Karampelias, M.,
 Fujimoto, M., Feraru, E., Miki, D., Fukuda, H., Nakano, A., and Friml, J. (2014).
 Insights into the localization and function of the membrane trafficking regulator
 GNOM ARF-GEF at the Golgi apparatus in Arabidopsis. The Plant cell 26, 30623076.
- Narasimhan, M., Johnson, A., Prizak, R., Kaufmann, W.A., Tan, S., Casillas-Pérez, B.,
 and Friml, J. (2020). Evolutionarily unique mechanistic framework of clathrin mediated endocytosis in plants. eLife 9.
- Neef, A.B., and Schultz, C. (2009). Selective fluorescence labeling of lipids in living cells.
 Angew Chem Int Ed Engl 48, 1498-1500.
- Nemhauser, J.L., Mockler, T.C., and Chory, J. (2004). Interdependency of brassinosteroid
 and auxin signaling in Arabidopsis. PLoS biology 2, E258.
- Nietzel, T., Elsässer, M., Ruberti, C., Steinbeck, J., Ugalde, J.M., Fuchs, P., Wagner, S.,
 Ostermann, L., Moseler, A., and Lemke, P. (2019). The fluorescent protein sensor
 ro GFP 2-Orp1 monitors in vivo H2O2 and thiol redox integration and elucidates
 intracellular H2O2 dynamics during elicitor-induced oxidative burst in Arabidopsis.
 New Phytologist 221, 1649-1664.
- Noack, L.C., and Jaillais, Y. (2017). Precision targeting by phosphoinoistides: how PIs
 direct endomembrane trafficking in plants. Current opinion in plant biology 40.
- Noack, L.C., and Jaillais, Y. (2020). Functions of Anionic Lipids in Plants. Annual review
 of plant biology 71, 71-102.
- Noack, L.C., Bayle, V., Armengot, L., Rozier, F., Mamode-Cassim, A., Stevens, F.D.,
 Caillaud, M.C., Munnik, T., Mongrand, S., Pleskot, R., and Jaillais, Y. (2021). A
 nanodomain-anchored scaffolding complex is required for the function and
 localization of phosphatidylinositol 4-kinase alpha in plants. The Plant cell.
- O'Connor, D.L., Elton, S., Ticchiarelli, F., Hsia, M.M., Vogel, J.P., and Leyser, O.
 (2017). Cross-species functional diversity within the PIN auxin efflux protein family.
 eLife 6.
- 1386 Oda, Y. (2015). Cortical microtubule rearrangements and cell wall patterning. Frontiers in
 plant science 6, 236.
- 1388 Oda, Y., and Fukuda, H. (2012). Initiation of cell wall pattern by a Rho- and microtubule 1389 driven symmetry breaking. Science 337, 1333-1336.
- 1390 Ott, T. (2017). Membrane nanodomains and microdomains in plant-microbe interactions.
 1391 Current opinion in plant biology 40, 82-88.
- Ottenschlager, I., Wolff, P., Wolverton, C., Bhalerao, R.P., Sandberg, G., Ishikawa, H.,
 Evans, M., and Palme, K. (2003). Gravity-regulated differential auxin transport from
 columella to lateral root cap cells. Proceedings of the National Academy of Sciences
 of the United States of America 100, 2987-2991.
- Paper, J.M., Mukherjee, T., and Schrick, K. (2018). Bioorthogonal click chemistry for
 fluorescence imaging of choline phospholipids in plants. Plant Methods 14, 31.
- Peaucelle, A., Braybrook, S.A., Le Guillou, L., Bron, E., Kuhlemeier, C., and Höfte, H.
 (2011). Pectin-induced changes in cell wall mechanics underlie organ initiation in
 Arabidopsis. Current biology 21, 1720-1726.
- Platre, M.P., and Jaillais, Y. (2016). Guidelines for the Use of Protein Domains in Acidic
 Phospholipid Imaging. Methods Mol Biol 1376, 175-194.
- Platre, M.P., Bayle, V., Armengot, L., Bareille, J., Marques-Bueno, M.D.M., Creff, A.,
 Maneta-Peyret, L., Fiche, J.B., Nollmann, M., Miege, C., Moreau, P., Martiniere,

1405 A., and Jaillais, Y. (2019). Developmental control of plant Rho GTPase nano-1406 organization by the lipid phosphatidylserine. Science 364, 57-62. 1407 Platre, M.P., Noack, L.C., Doumane, M., Bayle, V., Simon, M.L.A., Maneta-Peyret, L., 1408 Fouillen, L., Stanislas, T., Armengot, L., Pejchar, P., Caillaud, M.C., Potocky, 1409 M., Copic, A., Moreau, P., and Jaillais, Y. (2018). A Combinatorial Lipid Code 1410 Shapes the Electrostatic Landscape of Plant Endomembranes. Developmental cell 45, 1411 465-480 e411. 1412 Poulsen, L.R., Lopez-Marques, R.L., Pedas, P.R., McDowell, S.C., Brown, E., Kunze, R., 1413 Harper, J.F., Pomorski, T.G., and Palmgren, M. (2015). A phospholipid uptake 1414 system in the model plant Arabidopsis thaliana. Nature communications 6, 7649. 1415 Ramalho, J.J., Jones, V.A.S., Mutte, S., and Weijers, D. (2021). Pole position: How plant 1416 cells polarize along the axes. The Plant cell. 1417 Rasmussen, C.G. (2016). Using live-cell markers in maize to analyze cell division 1418 orientation and timing. In Plant Cell Division (Springer), pp. 209-225. 1419 Riedl, J., Crevenna, A.H., Kessenbrock, K., Yu, J.H., Neukirchen, D., Bista, M., Bradke, 1420 F., Jenne, D., Holak, T.A., and Werb, Z. (2008). Lifeact: a versatile marker to 1421 visualize F-actin. Nature methods 5, 605-607. 1422 Rigal, A., Dovle, S.M., and Robert, S. (2015). Live cell imaging of FM4-64, a tool for 1423 tracing the endocytic pathways in Arabidopsis root cells. Methods Mol Biol 1242, 93-1424 103. 1425 Riglet, L., Rozier, F., Kodera, C., Bovio, S., Sechet, J., Fobis-Loisy, I., and Gaude, T. 1426 (2020). KATANIN-dependent mechanical properties of the stigmatic cell wall mediate 1427 the pollen tube path in Arabidopsis. eLife 9, e57282. Rizza, A., Walia, A., Languar, V., Frommer, W.B., and Jones, A.M. (2017). In vivo 1428 1429 gibberellin gradients visualized in rapidly elongating tissues. Nat Plants 3, 803-813. 1430 Robinson, S., and Kuhlemeier, C. (2018). Global compression reorients cortical 1431 microtubules in Arabidopsis hypocotyl epidermis and promotes growth. Current 1432 Biology 28, 1794-1802. e1792. 1433 Rother, J., Nöding, H., Mey, I., and Janshoff, A. (2014). Atomic force microscopy-based 1434 microrheology reveals significant differences in the viscoelastic response between 1435 malign and benign cell lines. Open biology 4, 140046. Sabatini, S., Beis, D., Wolkenfelt, H., Murfett, J., Guilfoyle, T., Malamy, J., Benfey, P., 1436 Leyser, O., Bechtold, N., Weisbeek, P., and Scheres, B. (1999). An auxin-dependent 1437 1438 distal organizer of pattern and polarity in the Arabidopsis root. Cell 99, 463-472. 1439 Sadot, E., and Blancaflor, E.B. (2019). The Actomyosin System in Plant Cell Division: 1440 Lessons Learned from Microscopy and Pharmacology. In The Cytoskeleton 1441 (Springer), pp. 85-100. 1442 Sahl, S.J., Hell, S.W., and Jakobs, S. (2017). Fluorescence nanoscopy in cell biology. 1443 Nature reviews. Molecular cell biology 18, 685-701. 1444 Sakai, K., Charlot, F., Le Saux, T., Bonhomme, S., Nogué, F., Palauqui, J.-C., and 1445 Fattaccioli, J. (2019). Design of a comprehensive microfluidic and microscopic 1446 toolbox for the ultra-wide spatio-temporal study of plant protoplasts development and 1447 physiology. Plant Methods 15, 1-12. 1448 Samodelov, S.L., Beyer, H.M., Guo, X., Augustin, M., Jia, K.P., Baz, L., Ebenhoh, O., 1449 Beyer, P., Weber, W., Al-Babili, S., and Zurbriggen, M.D. (2016). StrigoQuant: A 1450 genetically encoded biosensor for quantifying strigolactone activity and specificity. 1451 Science advances 2, e1601266. 1452 Sampathkumar, A., Krupinski, P., Wightman, R., Milani, P., Berquand, A., Boudaoud, A., Hamant, O., Jönsson, H., and Meverowitz, E.M. (2014). Subcellular and 1453

- supracellular mechanical stress prescribes cytoskeleton behavior in Arabidopsiscotyledon pavement cells. eLife 3, e01967.
- Sapala, A., Runions, A., Routier-Kierzkowska, A.-L., Gupta, M.D., Hong, L., Hofhuis,
 H., Verger, S., Mosca, G., Li, C.-B., and Hay, A. (2018). Why plants make puzzle
 cells, and how their shape emerges. eLife 7, e32794.
- Sappl, P.G., and Heisler, M.G. (2013). Live-imaging of plant development: latest
 approaches. Current opinion in plant biology 16, 33-40.
- Sauer, M., and Kleine-Vehn, J. (2019). PIN-FORMED and PIN-LIKES auxin transport
 facilitators. Development 146.
- Savaldi-Goldstein, S., Peto, C., and Chory, J. (2007). The epidermis both drives and
 restricts plant shoot growth. Nature 446, 199-202.
- Schermelleh, L., Ferrand, A., Huser, T., Eggeling, C., Sauer, M., Biehlmaier, O., and
 Drummen, G.P.C. (2019). Super-resolution microscopy demystified. Nature cell
 biology 21, 72-84.
- Scheuring, D., Lofke, C., Kruger, F., Kittelmann, M., Eisa, A., Hughes, L., Smith, R.S.,
 Hawes, C., Schumacher, K., and Kleine-Vehn, J. (2016). Actin-dependent vacuolar
 occupancy of the cell determines auxin-induced growth repression. Proceedings of the
 National Academy of Sciences of the United States of America 113, 452-457.
- Schindelin, J., Arganda-Carreras, I., Frise, E., Kaynig, V., Longair, M., Pietzsch, T.,
 Preibisch, S., Rueden, C., Saalfeld, S., Schmid, B., Tinevez, J.Y., White, D.J.,
 Hartenstein, V., Eliceiri, K., Tomancak, P., and Cardona, A. (2012). Fiji: an opensource platform for biological-image analysis. Nature methods 9, 676-682.
- Schneider, C.A., Rasband, W.S., and Eliceiri, K.W. (2012). NIH Image to ImageJ: 25
 years of image analysis. Nature methods 9, 671-675.
- Schneider, R., Sampathkumar, A., and Persson, S. (2019). Quantification of Cytoskeletal
 Dynamics in Time-Lapse Recordings. Current protocols in plant biology 4, e20091.
- Schneider, R., Klooster, K.V., Picard, K.L., van der Gucht, J., Demura, T., Janson, M.,
 Sampathkumar, A., Deinum, E.E., Ketelaar, T., and Persson, S. (2021). Long-term
 single-cell imaging and simulations of microtubules reveal principles behind wall
 patterning during proto-xylem development. Nature communications 12, 669.
- Scholz, P., Anstatt, J., Krawczyk, H.E., and Ischebeck, T. (2020). Signalling Pinpointed to
 the Tip: The Complex Regulatory Network That Allows Pollen Tube Growth. Plants
 9, 1098.
- Schubert, V. (2017). Super-resolution Microscopy Applications in Plant Cell Research.
 Frontiers in plant science 8, 531.
- Sede, A.R., Wengier, D.L., Borassi, C., Estevez, J.M., and Muschietti, J.P. (2020).
 Imaging and Analysis of the Content of Callose, Pectin, and Cellulose in the Cell Wall
 of Arabidopsis Pollen Tubes Grown In Vitro. Methods Mol Biol 2160, 233-242.
- Shaw, S.L. (2013). Reorganization of the plant cortical microtubule array. Current opinion in plant biology 16, 693-697.
- Shaw, S.L., Thoms, D., and Powers, J. (2019). Structured illumination approaches for
 super-resolution in plant cells. Microscopy (Oxford, England) 68, 37-44.
- Sheahan, M.B., Staiger, C.J., Rose, R.J., and McCurdy, D.W. (2004). A green fluorescent protein fusion to actin-binding domain 2 of Arabidopsis fimbrin highlights new features of a dynamic actin cytoskeleton in live plant cells. Plant physiology 136, 3968-3978.
- Shi, B., Felipo-Benavent, A., Cerutti, G., Galvan-Ampudia, C., Jilli, L., Brunoud, G.,
 Mutterer, J., Sakvarelidze-Achard, L., Davière, J.-M., Navarro-Galiano, A.,
 Walia, A., Lazary, S., Legrand, J., Weinstein, R., Jones, A.M., Prat, S., Achard,
 P., and Vernoux, T. (2021). A quantitative gibberellin signalling biosensor reveals a

1504 role for gibberellins in internode specification at the shoot apical meristem. bioRxiv, 2021.2006.2011.448154. 1505 1506 Shimizu, Y., Takagi, J., Ito, E., Ito, Y., Ebine, K., Komatsu, Y., Goto, Y., Sato, M., 1507 Toyooka, K., Ueda, T., Kurokawa, K., Uemura, T., and Nakano, A. (2021). Cargo 1508 sorting zones in the trans-Golgi network visualized by super-resolution confocal live 1509 imaging microscopy in plants. Nature communications 12, 1901. 1510 Simon, M.L., Platre, M.P., Marques-Bueno, M.M., Armengot, L., Stanislas, T., Bayle, V., Caillaud, M.C., and Jaillais, Y. (2016). A PtdIns(4)P-driven electrostatic field 1511 1512 controls cell membrane identity and signalling in plants. Nat Plants 2, 16089. 1513 Simon, M.L., Platre, M.P., Assil, S., van Wijk, R., Chen, W.Y., Chory, J., Dreux, M., Munnik, T., and Jaillais, Y. (2014). A multi-colour/multi-affinity marker set to 1514 1515 visualize phosphoinositide dynamics in Arabidopsis. The Plant journal : for cell and 1516 molecular biology 77, 322-337. 1517 Singh, M.S., and Thomas, A. (2019). Photoacoustic elastography imaging: a review. Journal 1518 of biomedical optics 24, 040902. 1519 Smokvarska, M., Jaillais, Y., and Martiniere, A. (2021). Function of membrane domains in 1520 rho-of-plant signaling. Plant physiology 185, 663-681. 1521 Smokvarska, M., Francis, C., Platre, M.P., Fiche, J.B., Alcon, C., Dumont, X., Nacry, P., Bayle, V., Nollmann, M., Maurel, C., Jaillais, Y., and Martiniere, A. (2020). A 1522 1523 Plasma Membrane Nanodomain Ensures Signal Specificity during Osmotic Signaling 1524 in Plants. Current biology : CB 30, 4654-4664 e4654. 1525 Somssich, M. (2021). A Short History of Plant Light Microscopy Zenodo Version 1, 1-40. Song, C., Zhao, J., Guichard, M., Shi, D., Grossmann, G., Schmitt, C., Jouannet, V., and 1526 Greb, T. (2021). Strigo-D2 – a bio-sensor for monitoring the spatio-temporal pattern 1527 1528 of strigolactone signaling in intact plants. bioRxiv, 2021.2008.2003.454859. Steiner, E., Israeli, A., Gupta, R., Shwartz, I., Nir, I., Leibman-Markus, M., Tal, L., 1529 1530 Farber, M., Amsalem, Z., Ori, N., Muller, B., and Bar, M. (2020). Characterization 1531 of the cytokinin sensor TCSv2 in arabidopsis and tomato. Plant Methods 16, 152. 1532 Stepanova, A.N., Yun, J., Likhacheva, A.V., and Alonso, J.M. (2007). Multilevel interactions between ethylene and auxin in Arabidopsis roots. The Plant cell 19, 2169-1533 1534 2185. 1535 Strauss, S., Sapala, A., Kierzkowski, D., and Smith, R.S. (2019). Quantifying Plant Growth and Cell Proliferation with MorphoGraphX. Methods Mol Biol 1992, 269-290. 1536 1537 Susila, H., Jurić, S., Liu, L., Gawarecka, K., Chung, K.S., Jin, S., Kim, S.J., Nasim, Z., 1538 Youn, G., Suh, M.C., Yu, H., and Ahn, J.H. (2021). Florigen sequestration in 1539 cellular membranes modulates temperature-responsive flowering. Science 373, 1137-1540 1142. 1541 Takemoto, K., Ebine, K., Askani, J.C., Kruger, F., Gonzalez, Z.A., Ito, E., Goh, T., 1542 Schumacher, K., Nakano, A., and Ueda, T. (2018). Distinct sets of tethering 1543 complexes, SNARE complexes, and Rab GTPases mediate membrane fusion at the 1544 vacuole in Arabidopsis. Proceedings of the National Academy of Sciences of the 1545 United States of America 115, E2457-E2466. 1546 Tamura, T., Fujisawa, A., Tsuchiya, M., Shen, Y., Nagao, K., Kawano, S., Tamura, Y., 1547 Endo, T., Umeda, M., and Hamachi, I. (2020). Organelle membrane-specific 1548 chemical labeling and dynamic imaging in living cells. Nature chemical biology 16, 1549 1361-1367. Tichá, M., Hlaváčková, K., Hrbáčková, M., Ovečka, M., Šamajová, O., and Šamaj, J. 1550 1551 (2020). Super-resolution imaging of microtubules in Medicago Sativa. Methods in cell biology 160, 237-251. 1552

- Tobin, C.J., and Meyerowitz, E.M. (2016). Real-Time Lineage Analysis to Study Cell
 Division Orientation in the Arabidopsis Shoot Meristem. Methods Mol Biol 1370,
 147-167.
- Ueda, K., Matsuyama, T., and Hashimoto, T. (1999). Visualization of microtubules in living cells of transgenic Arabidopsis thaliana. Protoplasma 206, 201-206.
- Uemura, T., Suda, Y., Ueda, T., and Nakano, A. (2014). Dynamic behavior of the trans golgi network in root tissues of Arabidopsis revealed by super-resolution live imaging.
 Plant & cell physiology 55, 694-703.
- Uemura, T., Nakano, R.T., Takagi, J., Wang, Y., Kramer, K., Finkemeier, I., Nakagami,
 H., Tsuda, K., Ueda, T., Schulze-Lefert, P., and Nakano, A. (2019). A Golgi Released Subpopulation of the Trans-Golgi Network Mediates Protein Secretion in
 Arabidopsis. Plant physiology 179, 519-532.
- Ulmasov, T., Hagen, G., and Guilfoyle, T.J. (1999). Dimerization and DNA binding of
 auxin response factors. The Plant journal : for cell and molecular biology 19, 309-319.
- Ulmasov, T., Murfett, J., Hagen, G., and Guilfoyle, T.J. (1997). Aux/IAA proteins repress
 expression of reporter genes containing natural and highly active synthetic auxin
 response elements. The Plant cell 9, 1963-1971.
- van Leeuwen, W., Vermeer, J.E., Gadella, T.W., Jr., and Munnik, T. (2007).
 Visualization of phosphatidylinositol 4,5-bisphosphate in the plasma membrane of suspension-cultured tobacco BY-2 cells and whole Arabidopsis seedlings. The Plant journal : for cell and molecular biology 52, 1014-1026.
- 1574 Vermeer, J.E., Thole, J.M., Goedhart, J., Nielsen, E., Munnik, T., and Gadella, T.W., Jr.
 1575 (2009). Imaging phosphatidylinositol 4-phosphate dynamics in living plant cells. The
 1576 Plant journal : for cell and molecular biology 57, 356-372.
- 1577 Vermeer, J.E., von Wangenheim, D., Barberon, M., Lee, Y., Stelzer, E.H., Maizel, A.,
 1578 and Geldner, N. (2014). A spatial accommodation by neighboring cells is required
 1579 for organ initiation in Arabidopsis. Science 343, 178-183.
- Vermeer, J.E., Wijk, R.V., Goedhart, J., Geldner, N., Chory, J., Gadella, T.W., and
 Munnik, T. (2017). In Vivo Imaging of Diacylglycerol at the Cytoplasmic Leaflet of
 Plant Membranes. Plant & cell physiology.
- Vermeer, J.E., van Leeuwen, W., Tobena-Santamaria, R., Laxalt, A.M., Jones, D.R.,
 Divecha, N., Gadella, T.W., Jr., and Munnik, T. (2006). Visualization of PtdIns3P
 dynamics in living plant cells. The Plant journal : for cell and molecular biology 47,
 687-700.
- Vermeer, J.E.M., Van Munster, E.B., Vischer, N.O., and Gadella Jr, T.W.J. (2004).
 Probing plasma membrane microdomains in cowpea protoplasts using lipidated GFP fusion proteins and multimode FRET microscopy. Journal of microscopy 214, 190 200.
- Vernoux, T., Besnard, F., and Godin, C. (2021). What shoots can teach about theories of
 plant form. Nature Plants 7, 716-724.
- Vernoux, T., Brunoud, G., Farcot, E., Morin, V., Van den Daele, H., Legrand, J., Oliva, M., Das, P., Larrieu, A., Wells, D., Guedon, Y., Armitage, L., Picard, F., Guyomarc'h, S., Cellier, C., Parry, G., Koumproglou, R., Doonan, J.H., Estelle, M., Godin, C., Kepinski, S., Bennett, M., De Veylder, L., and Traas, J. (2011).
 The auxin signalling network translates dynamic input into robust patterning at the shoot apex. Molecular systems biology 7, 508.
- Vincent, P., Chua, M., Nogue, F., Fairbrother, A., Mekeel, H., Xu, Y., Allen, N.,
 Bibikova, T.N., Gilroy, S., and Bankaitis, V.A. (2005). A Sec14p-nodulin domain
 phosphatidylinositol transfer protein polarizes membrane growth of Arabidopsis
 thaliana root hairs. The Journal of cell biology 168, 801-812.

- Voigt, B., Timmers, A.C., Samaj, J., Müller, J., Baluska, F., and Menzel, D. (2005). GFP FABD2 fusion construct allows in vivo visualization of the dynamic actin
 cytoskeleton in all cells of Arabidopsis seedlings. European journal of cell biology 84,
 595-608.
- von Wangenheim, D., Hauschild, R., Fendrych, M., Barone, V., Benkova, E., and Friml,
 J. (2017). Live tracking of moving samples in confocal microscopy for vertically
 grown roots. eLife 6.
- von Wangenheim, D., Fangerau, J., Schmitz, A., Smith, R.S., Leitte, H., Stelzer, E.H.,
 and Maizel, A. (2016). Rules and Self-Organizing Properties of Post-embryonic Plant
 Organ Cell Division Patterns. Current biology : CB 26, 439-449.
- Waadt, R., Hitomi, K., Nishimura, N., Hitomi, C., Adams, S.R., Getzoff, E.D., and
 Schroeder, J.I. (2014). FRET-based reporters for the direct visualization of abscisic
 acid concentration changes and distribution in Arabidopsis. eLife 3, e01739.
- Waadt, R., Koster, P., Andres, Z., Waadt, C., Bradamante, G., Lampou, K., Kudla, J.,
 and Schumacher, K. (2020). Dual-Reporting Transcriptionally Linked Genetically
 Encoded Fluorescent Indicators Resolve the Spatiotemporal Coordination of Cytosolic
 Abscisic Acid and Second Messenger Dynamics in Arabidopsis. The Plant cell 32,
 2582-2601.
- Walia, A., Waadt, R., and Jones, A.M. (2018). Genetically Encoded Biosensors in Plants:
 Pathways to Discovery. Annual review of plant biology 69, 497-524.
- Wang, L., Xue, Y., Xing, J., Song, K., and Lin, J. (2018). Exploring the Spatiotemporal
 Organization of Membrane Proteins in Living Plant Cells. Annual review of plant
 biology 69, 525-551.
- Wang, Y.S., Yoo, C.M., and Blancaflor, E.B. (2008). Improved imaging of actin filaments
 in transgenic Arabidopsis plants expressing a green fluorescent protein fusion to the
 C-and N-termini of the fimbrin actin-binding domain 2. New Phytologist 177, 525 536.
- Wang, Y.S., Motes, C.M., Mohamalawari, D.R., and Blancaflor, E.B. (2004). Green
 fluorescent protein fusions to Arabidopsis fimbrin 1 for spatio-temporal imaging of F actin dynamics in roots. Cell Motil Cytoskeleton 59, 79-93.
- Weijers, D., and Wagner, D. (2016). Transcriptional Responses to the Auxin Hormone.
 Annual review of plant biology 67, 539-574.
- Willis, L., Refahi, Y., Wightman, R., Landrein, B., Teles, J., Huang, K.C., Meyerowitz,
 E.M., and Jonsson, H. (2016). Cell size and growth regulation in the Arabidopsis
 thaliana apical stem cell niche. Proceedings of the National Academy of Sciences of
 the United States of America 113, E8238-E8246.
- Wills, R.C., Goulden, B.D., and Hammond, G.R.V. (2018). Genetically encoded lipid
 biosensors. Molecular biology of the cell 29, 1526-1532.
- Wolny, A., Cerrone, L., Vijayan, A., Tofanelli, R., Barro, A.V., Louveaux, M., Wenzl,
 C., Strauss, S., Wilson-Sánchez, D., and Lymbouridou, R. (2020). Accurate and
 versatile 3D segmentation of plant tissues at cellular resolution. eLife 9, e57613.
- Wong, J.H., and Hashimoto, T. (2017). Novel Arabidopsis microtubule-associated proteins
 track growing microtubule plus ends. BMC plant biology 17, 33.
- Worden, N., Girke, T., and Drakakaki, G. (2014). Endomembrane dissection using
 chemically induced bioactive clusters. Methods Mol Biol 1056, 159-168.
- Wu, R., Duan, L., Pruneda-Paz, J.L., Oh, D.H., Pound, M., Kay, S., and Dinneny, J.R.
 (2018). The 6xABRE Synthetic Promoter Enables the Spatiotemporal Analysis of ABA-Mediated Transcriptional Regulation. Plant physiology 177, 1650-1665.
- 1651 Xing, J., Zhang, L., Duan, Z., and Lin, J. (2020). Coordination of phospholipid-based
 1652 signaling and membrane trafficking in plant immunity. Trends in plant science.

- 1653 Xu, Y., and Huang, S. (2020). Control of the Actin Cytoskeleton Within Apical and
 1654 Subapical Regions of Pollen Tubes. Frontiers in cell and developmental biology 8,
 1655 614821.
- Yakubov, G.E., Bonilla, M.R., Chen, H., Doblin, M.S., Bacic, A., Gidley, M.J., and
 Stokes, J.R. (2016). Mapping nano-scale mechanical heterogeneity of primary plant
 cell walls. Journal of experimental botany 67, 2799-2816.
- Yang, W., Cortijo, S., Korsbo, N., Roszak, P., Schiessl, K., Gurzadyan, A., Wightman,
 R., Jonsson, H., and Meyerowitz, E. (2021). Molecular mechanism of cytokinin activated cell division in Arabidopsis. Science 371, 1350-1355.
- 1662 Zhang, L., Takahashi, Y., Hsu, P.K., Kollist, H., Merilo, E., Krysan, P.J., and Schroeder,
 1663 J.I. (2020a). FRET kinase sensor development reveals SnRK2/OST1 activation by
 1664 ABA but not by MeJA and high CO(2) during stomatal closure. eLife 9.
- **Zhang, X., Cui, Y., Yu, M., and Lin, J.** (2019). Single-Molecule Techniques for Imaging
 Exo-Endocytosis Coupling in Cells. Trends in plant science 24, 879-880.
- Zhang, X., Adamowski, M., Marhava, P., Tan, S., Zhang, Y., Rodriguez, L., Zwiewka,
 M., Pukyšová, V., Sánchez, A.S., Raxwal, V.K., Hardtke, C.S., Nodzyński, T., and
 Friml, J. (2020b). Arabidopsis Flippases Cooperate with ARF GTPase Exchange
 Factors to Regulate the Trafficking and Polarity of PIN Auxin Transporters. The Plant
 cell 32, 1644-1664.
- 1672 Zhao, F., Du, F., Oliveri, H., Zhou, L., Ali, O., Chen, W., Feng, S., Wang, Q., Lü, S., and
 1673 Long, M. (2020). Microtubule-mediated wall anisotropy contributes to leaf blade
 1674 flattening. Current Biology 30, 3972-3985. e3976.
- 1675 Zurcher, E., Tavor-Deslex, D., Lituiev, D., Enkerli, K., Tarr, P.T., and Muller, B. (2013).
 1676 A robust and sensitive synthetic sensor to monitor the transcriptional output of the
 1677 cytokinin signaling network in planta. Plant physiology 161, 1066-1075.
 1678
- 1679 Figure Legends:

Figure 1. Examples of image analysis using the developing Arabidopsis seed as a model.
A) Analysis of microtubule organization (MAP65-1-RFP) in a developing Arabidopsis seed at

- 2 DAP (days after pollination) with FibriTool and MorphographX (scale bar: 10 μm). The
 orientation and length of the red bar represent the mean orientation and degree of organization
 of the microtubule array in a given cell, respectively. B) Segmentation of a confocal stack of a
 developing Arabidopsis seed (5 DAP) expressing LTi6b-GFP analyzed with MorphographX
 (scale bars: 50 μm).
- **Figure 2. Principles of genetically encoded lipid biosensors.** A) Schematic representation of "translocation" lipid sensors. Their localization alternates between membrane-bound and cytosolic. Their membrane-bound fraction increases with increasing concentration of lipids, but this can be difficult to quantify. B) Schematic representation of ratiometric FRET-based lipid sensors, such as PAleon. They are more quantitative than translocation sensors, but are constitutively targeted to a predetermined membrane. They can thus be used once the membrane of interest has been identified (for example using translocation sensors).

1694

1695 Figure 3. Design principles of different types of plant hormone sensors. A. DR5, an 1696 example of a plant hormone transcriptional sensor. The DR5 auxin synthetic promoter contains 1697 9 repeats (violet arrows) of ARF TF binding sites that control the expression of a fluorescent 1698 protein (FP) in response to the hormone (green circle). **B**. qDII, an example of a plant hormone 1699 degradation-based sensor. The qDII ratiometric sensor is composed of two FPs: FP1, fused to 1700 a DII degron domain; and FP2, whose expression is controlled by the same constitutive 1701 promoter. Auxin triggers ubiquitination of the DII domain and the further degradation of FP1. 1702 This can be quantified using the FP2 signal, which remains constant, as a reference. C and D. 1703 FRET-based plant hormone sensors. Two types of FRET sensors are available. The auxin FRET 1704 sensor AuxSen (C) uses the dimer of TprR (*Escherichia coli* tryptophan repressor, in grey) 1705 fused to two FPs, the donor and acceptor, which come in close contact due to a conformational 1706 change that follows auxin binding to TprR. For ABACUS, ABAleon (ABA), and GPS1 (GA) 1707 FRET sensors (D), donor and acceptor FPs are fused to two protein interacting partners (light 1708 blue and yellow) that bind to each other in the presence of the hormone.

1709

1710 Figure 4. Single cell approaches to study cellular responses to mechanical forces. A) 1711 Schematic representation of the device used to confine protoplasts to microwells (adapted from 1712 Colin et al., 2020). Briefly, a drop of a solution containing a suspension of protoplasts is 1713 deposited into the microwells of an Ibidi dish (1). Close-up of microwells containing protoplasts 1714 in 600 mOSMOL mannitol solution (2). Once in microwells, the protoplasts are ready to be 1715 imaged (4). In this figure, protoplasts are pressurized using a hypo-osmotic solution (280 1716 mOsmol mannitol (3), as in Colin et al., 2020). Many other types of experiments can be done 1717 (microwell coating, cell division experiments, and so on). B) Microtubule signals (P35S:GFP-1718 MBD) in deformed protoplasts confined in agar wells (*adapted from Durand-Smet et al., 2020*). 1719 Scale bar, 10 µm. C) Analysis of microtubule orientation (adapted from Colin et al., 2020). Example of microtubule signal (p35S:GFP-MBD) in a protoplast confined in a 15x20µm 1720 1721 microwell. The doted red line represents the region of interest (ROI) in which cortical 1722 microtubule orientation has been performed (left). The orientation of cortical microtubules in 1723 each ROI is color coded (middle). Polar histograms represent the cortical microtubule angle 1724 distribution for the protoplast (right). Each bar corresponds to an angle range of 9°. Schematic 1725 representation of cortical microtubule orientations are indicated on the plot. D) Time-lapse 1726 recording of the development of leafy buds of Physcomitrella patens (adapted from Sakai et al., 2019). Arrow head indicate leafy buds. Scale bar, 70 µm. E) Microscope image of a trapped 1727

- 1728 Arabidopsis mesophyll cell (*adapted from Chen et al., 2020*). Flow direction was from left to
- 1729 right (red arrows). The three coplanar microelectrodes are represented by parallel black thick
- 1730 lines. The middle electrode acts as the exciting electrode.

1731



Figure 1. Examples of image analysis using the developing Arabidopsis seed as a model. A) Analysis of microtubule organization (MAP65-1-RFP) in a developing Arabidopsis seed at 2 DAP (days after pollination) with FibriTool and MorphographX (scale bar: 10 μ m). The orientation and length of the red bar represent the mean orientation and degree of organization of the microtubule array in a given cell, respectively. B) Segmentation of a confocal stack of a developing Arabidopsis seed (5 DAP) expressing LTi6b-GFP analyzed with MorphographX (scale bars: 50 μ m).



Figure 2. Principles of genetically encoded lipid biosensors. A) Schematic representation of "translocation" lipid sensors. Their localization alternates between membrane-bound and cytosolic. Their membrane-bound fraction increases with increasing concentration of lipids, but this can be difficult to quantify. B) Schematic representation of ratiometric FRET-based lipid sensors, such as PAleon. They are more quantitative than translocation sensors, but are constitutively targeted to a predetermined membrane. They can thus be used once the membrane of interest has been identified (for example using translocation sensors).



Figure 3. Design principles of different types of plant hormone sensors. A. DR5, an example of a plant hormone transcriptional sensor. The DR5 auxin synthetic promoter contains 9 repeats (violet arrows) of ARF TF binding sites that control the expression of a fluorescent protein (FP) in response to the hormone (green circle). B. qDII, an example of a plant hormone degradation-based sensor. The qDII ratiometric sensor is composed of two FPs: FP1, fused to a DII degron domain; and FP2, whose expression is controlled by the same constitutive promoter. Auxin triggers ubiquitination of the DII domain and the further degradation of FP1. This can be quantified using the FP2 signal, which remains constant, as a reference. **C** and **D**. FRET-based plant hormone sensors. Two types of FRET sensors are available. The auxin FRET sensor AuxSen (C) uses the dimer of TprR (*Escherichia coli* tryptophan repressor, in grey) fused to two FPs, the donor and acceptor, which come in close contact due to a conformational change that follows auxin binding to TprR. For ABACUS, ABAleon (ABA), and GPS1 (GA) FRET sensors (D), donor and acceptor FPs are fused to two protein interacting partners (light blue and yellow) that bind to each other in the presence of the hormone.



Figure 4. Single cell approaches to study cellular responses to mechanical forces. A) Schematic representation of the device used to confine protoplasts to microwells (adapted from Colin et al., 2020). Briefly, a drop of a solution containing a suspension of protoplasts is deposited into the microwells of an Ibidi dish (1). Close-up of microwells containing protoplasts in 600 mOSMOL mannitol solution (2). Once in microwells, the protoplasts are ready to be imaged (4). In this figure, protoplasts are pressurized using a hypo-osmotic solution (280 mOsmol mannitol (3), as in Colin et al., 2020). Many other types of experiments can be done (microwell coating, cell division experiments, and so on). B) Microtubule signals (P35S:GFP-MBD) in deformed protoplasts confined in agar wells (adapted from Durand-Smet et al., 2020). Scale bar, 10 µm. C) Analysis of microtubule orientation (adapted from Colin et al., 2020). Example of microtubule signal (p35S:GFP-MBD) in a protoplast confined in a 15x20µm microwell. The doted red line represents the region of interest (ROI) in which cortical microtubule orientation has been performed (left). The orientation of cortical microtubules in each ROI is color coded (middle). Polar histograms represent the cortical microtubule angle distribution for the protoplast (right). Each bar corresponds to an angle range of 9°. Schematic representation of cortical microtubule orientations are indicated on the plot. D) Time-lapse recording of the development of leafy buds of Physcomitrella patens (adapted from Sakai et al., 2019). Arrow head indicate leafy buds. Scale bar, 70 µm. E) Microscope image of a trapped Arabidopsis mesophyll cell (adapted from Chen et al., 2020). Flow direction was from left to right (red arrows). The three coplanar microelectrodes are represented by parallel black thick lines. The middle electrode acts as the exciting electrode.