



HAL
open science

Personalized Pulmonary Poromechanics in Health and Idiopathic Pulmonary Fibrosis

Martin Genet, Cécile Patte, Catalin Fetita, Pierre-Yves Brillet, Dominique Chapelle

► **To cite this version:**

Martin Genet, Cécile Patte, Catalin Fetita, Pierre-Yves Brillet, Dominique Chapelle. Personalized Pulmonary Poromechanics in Health and Idiopathic Pulmonary Fibrosis. 17th International Symposium on Computer Methods in Biomechanics and Biomedical Engineering (CMBBE 2021), 2021, Bonn, Germany. hal-03364765

HAL Id: hal-03364765

<https://hal.science/hal-03364765v1>

Submitted on 4 Oct 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Personalized Pulmonary Poromechanics in Health and Idiopathic Pulmonary Fibrosis

M. Genet^{a,b*}, C. Patte^{b,a}, C. Fetita^c, P.-Y. Brillet^{d,e} and D. Chapelle^{b,a}

^a *Laboratoire de Mécanique des Solides (LMS), École Polytechnique/CNRS/Institut Polytechnique de Paris, Palaiseau, France*

^b *Inria, Palaiseau, France*

^c *SAMOVAR, Telecom SudParis/Institut Mines-Telecom/Institut Polytechnique de Paris, Évry, France*

^d *Hypoxie et Poumon, Université Sorbonne Paris Nord/INSERM, Bobigny, France*

^e *APHP, Bobigny, France*

Abstract: Introduction. Lung biomechanics has been extensively studied by physiologists, experimentally as well as theoretically, laying the ground for our current fundamental understanding of the relationship between function and mechanical behavior. However, many questions remain, notably in the intricate coupling between the multiple parenchymal constituents. These fundamental questions represent real clinical challenges, as pulmonary diseases are an important health burden. Interstitial lung diseases, for instance, affect several million people globally. Idiopathic Pulmonary Fibrosis (IPF), notably, a progressive form of interstitial lung disease where some alveolar septa get thicker and stiffer while others get completely damaged, remains poorly understood, poorly diagnosed, and poorly treated [Nunes et al., 2015].

Methods. We recently developed a model of the lungs at the breathing time scale and the organ space scale [Patte et al., 2019], based on a general poromechanical formulation [Chapelle & Moireau, 2014], where the “solid” phase is composed of both tissue and blood while the fluid phase is the air. Several pulmonary-specific hypotheses have been formulated, notably that the end-inhalation and end-exhalation states are in static equilibrium. Moreover, specific boundary conditions are imposed on the lungs themselves, modeling the effect of diaphragm-induced loading and rib cage: a pressure applied on lung surface representing pleural pressure, and a frictionless contact with the moving thorax. Moreover, the constitutive behavior allows to reproduce the volumetric response of lungs to a change of pressure as observed in experimental data.

The proposed model can be personalized using clinical data [Patte et al., 2019]. From two 3D CT-scans, acquired at end-exhalation and at end-inhalation, we obtain a personalized geometry through image segmentation [Fetita et al., 2019]), a personalized porosity, personalized motion & boundary conditions

through image registration [Genet et al., 2018]. Such data allow also to personalize regional mechanical parameters by minimizing the discrepancy between measured and computed motion.

Results. We will present results based on control and patient data. Notably, we will show that the model and estimation procedure can quantify the regional tissue stiffening induced by idiopathic pulmonary fibrosis.

Conclusion. Our results illustrate how our pulmonary poromechanical model can be used as a diagnosis tool in the clinic when it is personalized to a patient using clinical data acquired in standard protocols.




Figure Caption: Schematic of the proposed clinical image-based model personalization procedure.

Acknowledgments: This work was partially supported by the French National Research Agency (ANR-19-CE45-0007).

References:

Chapelle & Moireau. (2014). *European Journal of Mechanics Part B: Fluids*, 46.
 Fetita et al. (2019). *Medical Imaging 2019: Computer-Aided Diagnosis*.
 Genet et al. (2018). *Medical Image Analysis*, 50.
 Nunes et al. (2015). *European Respiratory Journal*, 45(3).
 Patte et al. (2019). *15ème Colloque National en Calcul de Structures (CSMA2019)*.