



HAL
open science

Investigation of microstructure evolution and mechanical properties in cardiac tissue

N. Tueni, J. Vizet, A. Pierangelo, J.-M. Allain, Martin Genet

► To cite this version:

N. Tueni, J. Vizet, A. Pierangelo, J.-M. Allain, Martin Genet. Investigation of microstructure evolution and mechanical properties in cardiac tissue. *Computer Methods in Biomechanics and Biomedical Engineering*, 2020, 45th Congress of the Société de Biomécanique, 23 (sup1), pp.S297-S299. 10.1080/10255842.2020.1816296 . hal-03364771

HAL Id: hal-03364771

<https://hal.science/hal-03364771v1>

Submitted on 11 Mar 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Investigation of microstructure evolution and mechanical properties in cardiac tissue

N. Tueni^{ab*}, J. Vizet^c, M. Genet^{ab}, A. Pierangelo^c, JM. Allain^{ab}

^aLMS, *École Polytechnique, CNRS, Institut Polytechnique de Paris, France*

^bInria, *France*

^cLPICM, *École Polytechnique, CNRS, Institut Polytechnique de Paris, France*

Keywords: Cardiac tissue, microstructure, multiscale mechanical properties

1. Introduction

Cardiac tissue is made of cardiomyocytes, extracellular collagenous matrix, vasculature, *etc.*, arranged in a highly hierarchical microstructure (Kanzaki et al., 2010). Despite the advances made in describing the myocardial microstructure (Streeter et al., 1969), (Haaballah et al., 2017), it is still debated, and its relationship to the myocardial macroscopic mechanical properties is still not fully understood. In most models of the literature, the passive behavior of the cardiac tissue is described by purely macroscopic models, which average the deformation mechanisms taking place at the smaller scales. Accordingly, one of the major challenges remains in understanding and quantifying the way the transmission between the scales, mainly the fiber scale and the tissue scale, operates in fibrous tissues.

Most constitutive models of cardiac tissue are based on the affine transformation assumption, which states that local kinematics of each constituent follows the local macroscopic deformation. Although this assumption is ubiquitous, its validity has not yet been quantified. However, verifying this hypothesis experimentally raises technical challenges, since it requires a simultaneous observation of the macroscopic deformation and the microstructure orientation (Jayyosi et al., 2017).

2. Methods

In this study, we experimentally investigate the affine transformation assumption by combining a full-field Mueller Polarimetric Imaging (MPI) system with an *in-situ* traction device.

MPI has emerged as a successful technique to explore biological tissues (Pierangelo et al., 2013). It exploits the polarization of the light, which is very sensitive to detect modifications in the structure of tissues on a microscopic scale. This technique enables the complete polarimetric characterization of a tissue by the simultaneous measurement of various biophysical quantities related to its scattering (depolarization) or

anisotropy (phase retardance, azimuth of the birefringence, *etc.*) properties.

This optical setup was combined with a mechanical traction device, in order to measure the evolutions of the different parameters during sample stretch. The tensile force was measured using 2 sensors attached to the device grips.

To quantify the local stretch, a high-resolution camera was placed on the opposite side of the sample with respect to the polarimetric setup. Digital Image Correlation was then used to measure the local stretches simultaneously and on the same sample.

3. Results and discussion

Myocardial tissue specimen from porcine left ventricles with average dimensions of 30*10*2 mm and various cardiac fibers orientations were stretched with our setup. The heterogeneity of the observed stretches on each sample confirmed the multiscale structure of the cardiac tissue.

Simultaneously, the evolution of the orientations was observed by polarimetry, and showed a tendency to align with the stretching direction.

Under the affine assumption, we were able to predict the evolution of the local orientation, knowing the local kinematic and the initial orientation. This computed orientation was compared to the MPI measured one.

Note that our resolution is not sufficient to observe a single fiber, but only bundles of dozens of fibers.

For the samples where the stretch was aligned with the fiber orientation, differences between predicted and measured orientations were centered on 0, as shown in Figure 1, supporting the affine transformation assumption.

However, for the samples with an initial orientation perpendicular to the traction direction, a non-centered distribution of the difference was observed. This difference is explained by separation lines in the tissue, which open and create discontinuities in the tissue. The stretch measured on these lines is therefore not only the one of the cardiomyocytes, but includes the gap,

leading to an overestimation of the microstructure reorientation.




Figure 1. Angular difference between measured and predicted azimuth distributions for a sample around 30° (left) and 90° (right) at different stretch levels.

The separation lines indicate the existence of deformation mechanisms at microscopic or mesoscopic spatial scales in the tissue, which should be further studied and included in structural constitutive modeling approaches.

Moreover, the macroscopic mechanical properties of the cardiac tissue have been experimentally investigated, and have revealed an anisotropic mechanical behavior of the tissue, in response to shear stress (Dokos et al., 2002).

The link between the microstructure and the macroscopic mechanical properties is still not fully understood. More specifically, it is still not clear how the anisotropy is induced at the macroscopic scale.




Figure 2. Complete (top) and section (bottom) views of the 3 adopted microstructural configurations with the cardiomyocytes in red and the collagen planes in blue.

In order to shed light on this question, we decided to adopt a modeling approach, and numerically analyze

the macroscopic mechanical behavior of cardiac tissue composed of different microstructure configurations consisting in altered organizations of cardiomyocytes and collagen planes, as shown in Figure 2.

The orthotropic material behaviour induced by these microstructures was compared to available experimental data. This study confirmed the importance of collagen planes in assuring the tissue's orthotropic response and their organization was proven significant in reproducing the experimental results.

4. Conclusions

We were able to experimentally test the affine transformation assumption in the cardiac tissue by coupling Mueller Polarimetric Imaging with a traction device, and Digital Image Correlation. This experiment revealed defect lines which reflect weaknesses in the tissue, unveiling existing microstructural mechanisms which are studied in a modelling approach.

Acknowledgements

We thank V. de Greef for his technical support. This work has benefited from a financial support of the Labex LaSIPS (ANR-10-LABX0040–LaSIPS).

References

- Kanzaki Y, Terasaki F, Okabe M, Fujita S, Katashima T, Otsuka K, Ishazaka N. 2010. *Circulation*.
- Streeter D, Spotnitz H, Patel D, Ross J, Sonnenblick E. 1969. *Circulation Research*.
- Hasaballah A, Sands G, Wilson A, Young A, Wang V, LeGrice I, Nash M. 2017. Springer International Publishing AG.
- Jayyosi C, Affagard J-S, Ducourthial G, Bonod-Bidaud C, Lynch B, Bancelin S, Riggiero F, Schanne-Klein M-C, Allain J-M, Bruyere-Garnier K, Coret M. 2017. *Biomech Model Mechanobiol*.
- Pierangelo A, Manhas S, Benalis A, Fallet C, Totobenazara J-L, Antonelli M-R, Novikova T, Gayet B, De Martino A, Validire P. 2013. *J Biomed Opt*.
- Dokos S, Smaill B, Young A, LeGrice I. 2002. *Am J Physiol Heart Circ Physiol*.