

"Same, same but different": The optimal viewing position effect in developmental dyslexia, developmental coordination disorder and comorbid disorders

Stéphanie Bellocchi, Stéphanie Ducrot

▶ To cite this version:

Stéphanie Bellocchi, Stéphanie Ducrot. "Same, same but different": The optimal viewing position effect in developmental dyslexia, developmental coordination disorder and comorbid disorders. Dyslexia, 2021, 27 (3), pp.294-311. 10.1002/dys.1688 hal-03366867

HAL Id: hal-03366867 https://hal.science/hal-03366867

Submitted on 4 Jan 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1	SHORT RUNNING TITLE: OVP IN DYSLEXIA, DCD AND COMORBID
2	DISORDERS
3	
4	"Same, same but different":
5	The OVP effect in developmental dyslexia, developmental coordination disorder
6	and comorbid disorders
7	

CHOPT DUNING TITLE, OVD NUDVOLEVIA, DOD AND COMODDID

The Optimal Viewing Position (OVP) effect indicates that words are identified most 9 quickly when the eyes fixate near the word centre in alphabetic languages. In two studies, we 10 tested OVP in typically developing readers and children with developmental dyslexia (DD), 11 developmental coordination disorder (DCD) and with both disorders (DD+DCD), using a 12 13 variable-viewing-position technique. Study 1 showed that typically developing readers had developed highly automatized procedures of left-to-right attentional scanning resulting in an 14 15 inverted J-shape VP curve comparable to what is observed in adult readers and that dyslexics 16 showed non-prototypical one. In Study 2 we observed more typical procedures of left-to-right attentional scanning in children with DCD, isolated or comorbid, compared to DD. Moreover, 17 given the absence of significant group differences between children with DD+DCD and 18 19 children with isolated DD or DCD, our results reinforce the idea that the comorbid condition does not add to the severity of OVP anomalies. We then concluded that OVP atypicalities are 20 specific to children with DD. Finally, we discussed the usefulness of the OVP effect as a 21 22 clinical tool to identify possible OVP atypicalities that could be specific of some neurodevelopmental disorders (i.e., DD, DCD or DCD+DD). 23 24 Keywords: developmental dyslexia, developmental coordination disorder,

comorbidity, optimal viewing position, reading 25

Abstract

8

26

INTRODUCTION

Learning to read naturally requires the development of a number of strictly linguistic 27 skills (e.g., phonological awareness, phonological short-term memory, lexical knowledge, 28 etc.) (e.g. Goswami & Bryant, 1990). However, processing written language also requires a 29 visual analysis that enables the precise decoding of the words. That is, in addition to linguistic 30 skills, children also need to develop good eye-movement control and visual-perceptual skills 31 to learn to read: their visual system has to learn to correctly land the eyes on words, extract 32 the information that is being fixated, program a saccade to the next word position, etc. These 33 visuo-attentional processes must be automatized in order to develop good reading skills (e.g. 34 Bellocchi, Massendari, Grainger, & Ducrot, 2019; Ducrot, Pynte, Ghio, & Lété, 2013; 35 Franceschini, Gori, Ruffino, Pedrolli, & Facoetti, 2012; Grainger, Dufau, & Ziegler, 2016; 36 Joseph, Liversedge, Blythe, White, & Rayner, 2009; Vernet, Bellocchi, Leibnitz, Chaix, & 37 38 Ducrot, 2021). In other words, to be able to match letters and groups of letters to the phonological representations contained in memory, it is necessary that the child learns to 39 40 perceive the words. It follows that the efficiency and the rapidity of written word-recognition procedures depend on the quality of perceptual processing. When it comes to reading 41 disabilities, an increasing number of studies shows today that associated visual and 42 oculomotor deficits are present in several neurodevelopmental disorders (e.g., Bellocchi et al., 43 2019; Gori & Facoetti, 2015; Martelli et al., 2009; see Bellocchi, Muneaux, Bastien-Toniazzo, 44 & Ducrot, 2013b and Goswami, 2015, for reviews). Children with developmental dyslexia 45 may show, for example, visual selective attention deficits in automatic orienting and focusing 46 of spatial attention, visuo-attentional span deficits which seem to be independent from a 47 phonological deficit (e.g., Facoetti, Turatto, Lorusso, & Mascetti, 2001; Valdois, Bosse, & 48 Tainturier, 2004). Moreover, atypical eye movement patterns during reading have been 49 showed to characterize dyslexics as a manifestation of an impaired cognitive processing (e.g., 50

Bellocchi et al., 2019; Gagl, Hawelka, & Hutzler, 2014; Hawelka, Gagl, & Wimmer, 2010).
Yet the visual aspects of reading acquisition, however fundamental, remain a neglected field
of research.

In the current paper, we will focus on the very earliest stages of visual word 54 recognition in both beginning and disabled readers, from the uptake of visual information to 55 sublexical orthographic processing. Visual and attentional factors are thought to have their 56 main impact on reading at this first level of orthographic processing. We examine the 57 importance of these processes for learning to read, and how they can improve our 58 understanding of the difficulties encountered by children showing a specific reading disorder, 59 i.e. those with *developmental dyslexia* $(DD)^{1}$. In addition, we investigated children with 60 developmental coordination disorder² (DCD), and those with both neurodevelopmental 61 disorders (DD+DCD or comorbid children) in order to explore the impact of comorbidity on 62 63 these visuo-attentional processes linked to word recognition. Indeed, despite the fact that the association between DD and DCD is a very common condition in neurodevelopmental 64 65 disorders (Iversen, Berg, Ellertsen, & Tønnessen, 2005; Kaplan, Dewey, Crawford, Wilson, 2001), very few researches have been developed considering it. 66

67

¹ *Developmental dyslexia* is a neurodevelopmental disorder that is diagnosed when no sensory and intellectual deficits can explain reading and/or writing disorders and when adequate instruction and socio-cultural opportunities are available but fail to result in an adequate level of performance [DSM-5, American Psychiatric Association (APA), 2013; W.H.O., 1992].

² *Developmental Coordination Disorder* is a neurodevelopmental disorder characterized by significant difficulties with the acquisition and execution of motor skill [DSM-5, American Psychiatric Association (APA), 2013]. Individuals with DCD demonstrate a level of motor skill out of keeping with their age and intellectual ability.

Word recognition involves a reading-specific visual processing mode that relies on the 69 ability to process - simultaneously and in parallel - all the letters of a word in their correct 70 positions. Therefore, the beginning reader's first task consists of developing this ability by 71 mobilizing increasingly rapid, automatic, and irrepressible cognitive processes (Laberge & 72 Samuels, 1974). One factor known to have a major impact on word reading efficiency in 73 adults is the position of eye fixation in the word (when there is only one fixation). When 74 participants are forced by an experimental manipulation to fixate a word at a specific position, 75 76 the probability of recognizing it is the highest when the fixation point is to the left of the word's midpoint (for languages read from left-to-right), and it decreases as the eye moves 77 away from this so-called "optimal position" (e.g., O'Regan & Jacobs, 1992; O'Regan, Levy-78 79 Schoen, Pynte, & Brugallière, 1984, see Brysbaert & Nazir, 2005, for a review). This typical pattern of results is the Optimal Viewing Position (OVP) effect, which is characterized not 80 81 only by the fact that performance is better when the centre of a word is fixated rather than its edges, but also by an asymmetry to the left in the resulting inverted J-shape VP function (with 82 a better performance for left-sided than for right sided fixations, i.e., word-beginning 83 superiority effect, Lavidor & Walsh, 2004). 84

The OVP effect arises from the rapid drop-off of visual acuity with retinal eccentricity 85 and the fact that more letters from a word can be extracted when the eyes are near the word's 86 center (Brysbaert & Nazir, 2005; McConkie, Kerr, Reddix, Zola, & Jacobs, 1989; Nazir, 87 O'Regan, & Jacobs, 1991; Nazir, Jacobs, & O'Regan, 1998; but see also Lavidor & Walsh, 88 2004 for a theoretical account). It may derive, in addition, from orthographic and 89 lexical/morphological constraints associated with word identification (Clark & O'Regan, 90 1999; O'Regan et al., 1984; Stevens & Grainger, 2003). Given that the most informative letter 91 92 of words in languages such as English and French is the first letter (see, Grainger, 2017), it

follows that the OVP emerges at the landing site that maximizes letter perceptibility and 93 minimizes lexical ambiguity. For Brysbaert and colleagues (1996), fixations to the left of the 94 word's centre are less damaging than fixations to the right, because attention can be allocated 95 more rapidly and effectively to the right than to the left in people trained to read in that 96 direction (see also Nazir, Ben-Boutayab, Decoppet, Deutsch, & Frost, 2004 and Ducrot & 97 Grainger, 2007). In the same vein, Nazir (2000; 2003) proposed that perceptual biases may 98 arise from perceptual learning, with frequently fixated positions becoming optimal for word 99 100 recognition. According to this report, optimal word recognition is obtained with eye fixation on the location in the word where the eyes prefer to land (i.e. between the beginning and the 101 middle of the word) (Ducrot & Pynte, 2002; Rayner, 1979). In this line of reasoning, it is 102 important to note that the OVP is dependent on reading habits (right of centre for languages 103 read from right to left; Deutsch & Rayner, 1999; Farid & Grainger, 1996). Note also that 104 105 lexical constraints exerted by the perceived letters on word recognition can affect the shape of the VP curve. For example, low-frequency words are less effectively processed at fixation 106 107 points away from the OVP (O'Regan & Jacobs, 1992). Here we argue that the OVP effect can 108 be used to assess the visual processing mode of words being read.

In learning to read, the OVP appears early, even at the end of the first year of reading 109 exposure (Aghababian & Nazir, 2000; Ducrot et al., 2013), thus suggesting that children 110 extract visual information from print in much the same way as proficient readers do. Given 111 that extraction of visual information is a key component of the OVP effect, then variations in 112 the way visual information is extracted from the input may lead to different VP curves. 113 Following this point of view, Aghababian and Nazir (2000) pointed out that a closer analysis 114 of the VP function might help identify deviant reading behaviours. Accordingly, various 115 116 "non-prototypical" VP curves are reported in pathological cases: a flat curve in a deaf beginning reader (Aghababian, Nazir, Lançon, & Tardy, 2001) and a reverted asymmetry in a 117

pure alexic patient (Montant, Nazir, & Poncet, 1998). Ducrot and colleagues (2003) also 118 found differences in dyslexics' VP curve: even though dyslexic children exhibited, as normal 119 readers do, a systematic variation in reading performance when their eyes were fixating 120 different locations in the word (with best recognition performance when the initial fixation 121 was imposed to the left of the word centre), they also showed a symmetrical VP curve. The 122 absence of left-right asymmetry in the VP curve suggests abnormal processing of information 123 outside of foveal vision for dyslexics, as Geiger and colleagues (1992) found, and could thus 124 125 reflect a deficit in visuo-attentional processing. We found two other reports of such inverted J-shaped VP curves in the literature. Dubois et al. (2007) described the case of a young 126 surface dyslexic boy with an atypical VP curve lacking asymmetry and Aghababian and Nazir 127 (2000) reported similar VP patterns in "poor" beginning readers. The variety of VP shapes 128 reported in reading disabilities highlights the need for a better understanding of their visual 129 130 processing of printed words. However, to our knowledge, there is no well-described in-depth investigation of VP abnormalities in neurodevelopmental disorders. The present paper is a 131 132 first step in this direction, with a comparison of VP curves in DD, DCD and DD+DCD.

133

134 Dyslexia and co-occurring DCD: What is the impact on visuo-attentional processes135 linked to reading?

Although it's not systematic, co-occurrence between dyslexia and other
neurodevelopmental disorders is very common. In particular, epidemiological studies
demonstrate a rate of comorbid diagnosis of DCD in 16% (Kaplan et al., 2001) to 70%
(Iversen et al., 2005) of children with dyslexia. Similarly, Chaix and colleagues (2007) found
an high percentage of DCD diagnosis in a group of 58 dyslexics, i.e. 40% scored below -2
standard deviations (SDs) on the Lincoln-Oseretsky Motor Development Scale (Rogé, 1984),
and 17.2% scored between -1 and -2 SDs. Furthermore, dyslexics proved less successful than

their peers at carrying on motor tasks (for a review, see Jover, Ducrot, Huau, Bellocchi, Brun-143 Hénin, & Mancini, 2013). For instance, participants with dyslexia demonstrated poor 144 performance on the Movement Assessment Battery for Children (M-ABC; Iversen et al., 145 2005), pegboard tasks (Nicolson & Fawcett, 1994), bead threading (Fawcett & Nicolson, 146 1995), pointing (Velay, Daffaure, Giraud, & Habib, 2002), and motor-learning tasks (Bennett, 147 Romano, Howard, & Howard, 2008). In addition, more relevant for our study is that reading 148 difficulties have been observed in 29% to 70% of children diagnosed with DCD (O'Hare & 149 150 Khalid, 2002).

Unfortunately, despite the evidence of a frequent association between DD and motor 151 disorders, this co-occurrence is often neglected in the scientific studies exploring reading 152 disabilities and the related cognitive disorders. Furthermore, despite the presence of reading 153 deficits in DCD, to the best of our knowledge, no studies have been published on the role of 154 155 visuo-attentional processes in reading in children with DCD. In particular, this is even true for studies exploring the landing position patterns, such as the OVP effect. Nevertheless, note that 156 157 a few studies have explored visuo-attentional processes in DCD. Tsai (2009) observed that DCD children performed worse than typical developing children in an endogenous Posner 158 task measuring visuo-spatial attention. This result is consistent with the huge literature 159 highlighting deficits in the visuospatial information processing in DCD (e.g., Tsai & Wu, 160 2008; Wilson & McKenzie, 1998). However, the majority of these studies used visuo-spatial 161 tasks that didn't directly and precisely measure visuo-spatial attention. In other words, the 162 tasks used belonged to clinical neuropsychology batteries of tests and not to experimental 163 paradigms. The analysis of the literature clearly shows the need to better understand the 164 impact of the co-occurring DCD on the visuo-attentional processes involved in reading by 165 using experimental paradigms (Bellocchi, Muneaux, Huau, Lévêque, Jover, & Ducrot, 2017). 166

168

The present study

The present study focused on the ability of children to recognize briefly displayed 169 single words, while the eyes are fixating a predetermined position within the word. 170 Abnormalities in the developing reading system—although not necessarily "visual" in 171 nature-may nevertheless be apparent in the visual behaviour of the child. Impairments of 172 word recognition performance can differently affect the early stages of visual word 173 processing. The OVP paradigm provides an interesting way to describe the visuo-attentional 174 175 strategies involved in word recognition by children who have a learning disability and to detect qualitative and quantitative differences in the VP curve of these children. The shape of 176 the VP curve allows to determine the position(s) at which relatively good word processing 177 performance is obtained (maximum of the curve) and at which word processing performance 178 declines (minimum of the curve). The height of the curve allows to evaluate the quality of the 179 180 lexical competence and the size of the stored lexical knowledge.

181 The originality of this study resides also on the exploration of the OVP atypicalities in 182 DD and DCD taking into account the co-occurring condition. To the best of our knowledge, 183 this is the first study focusing on that purpose.

First of all, to better understand the specificity of any OVP anomalies within DD, two 184 typically developing comparison groups were recruited, the first matched to children with DD 185 by chronological age (hereafter 'CA' group), and the second matched to the DD group by 186 reading level (hereafter 'RL' group). We hypothesized that if DD children show deficits in 187 OVP effect, we should expect that they revealed more marked atypical VP curve (in terms of 188 height and shape) than the CA and RL group; however, if DD children show a delay in OVP 189 effect, we should expect that they underperform only the CA group. These questions will be 190 191 specifically explored in Study 1.

Secondly, in order to explore the impact of co-occurence, we compared children with 192 DD and DCD (DD+DCD) to children with isolated disorders (DD or DCD). Consistent with a 193 cumulative hypothesis (e.g. Pitcher, Piek, & Barrett, 2002), if co-morbid condition add to the 194 severity of the cognitive deficit, children with DD and DCD should revealed more marked 195 atypical VP curve (in terms of height and shape) than children with isolated disorders. 196 Moreover, the comparison between co-morbid children (DD+DCD) and children with isolated 197 disorders (DD or DCD) can provide evidences about the specificity of the OVP atypicalities 198 199 to reading or motor impairments. In other words, if OVP anomalies are specifically linked to reading deficits, we should find them in children with specific reading disorder (isolated DD 200 and DD+DCD). However, if OVP anomalies are specifically linked to a motor disorder, we 201 should find them only in DCD children (isolated DCD and DD+DCD). Last but not least, the 202 present study will provide new data on visuo-attentional processing linked to reading in DCD. 203 204 These questions will be addressed in Study 2.

Finally, even if this was not an objective per se, we aimed at discuss the usefulness of the OVP effect as a clinical tool to identify possible OVP atypicalities that could be specific of some neurodevelopmental disorders (i.e., DD, DCD or DCD+DD). This could constitute an important source of information for practitioners to differentiate cognitive profiles of children with neurodevelopmental disabilities, based upon performance on the OVP.

This research received the agreement of the National Board of Education (project ADIVA). This work was conducted in accordance with the Declaration of Helsinki (WHO, 2008), approved by the local Ethics Committee Review Board (Comité de Protection des Personnes pour la recherche biomédicale, CNRS, France). The children's parents gave their written consent for participation.

215

STUDY 1 217 **Comparisons between dyslexics and typical developing readers** 218 219 In the first study we aimed at exploring the OVP effect in children with DD, as compared to typically developing children matched on chronological age or reading level. 220 221 Method 222 Participants. A total of 72 children participated in the experiment. They were divided 223 224 into three groups: one of 24 dyslexics (DD) (mean age in months = 126.95; SD= 15.17) and two control groups each composed of 24 typical developing readers, the first of which was 225 226 matched on chronological age (CA) (mean age in months = 129.66; SD= 6.74) and the second 227 of which was matched on reading level (RL) (mean age in months = 95; SD= 4.47). Children with DD were recruited and diagnosed in different hospitals or clinical 228 centres based in France: La Timone University Hospital in Marseille, Kremlin-Bicêtre 229 Hospital in Paris and the clinical centre "Les Lavandes" in Orpierre. They all underwent a 230 complete medical, psychological and cognitive assessment. All participants were native 231 speakers of French with normal or corrected-to-normal vision. Children whose oral language 232 skills were in the pathological range or who were diagnosed with ADHD were excluded from 233 the study. Criteria for inclusion were manifest reading deficits (at least 1.5 SDs below the 234 235 normal level) on the "Alouette Test-R" (Lefavrais, 2005), on IQ measured on the WISC-IV (French version by ECPA, 2005) within the normal limits set by the diagnosis unit (IQ > 85) 236 and no deficits in vision or hearing. More importantly, we selected children without a DCD. 237 238 As we noted by post-hoc analyses, the mean reading level of the dyslexic children (mean=87.37 months; SD=4.94 months) was significantly below the mean reading level of the 239 chronological age matched group (mean=118.58 months; SD=15.12 months; p < .001). As 240 expected, the mean reading level of the dyslexic children was comparable from that of the 241

reading-level matched children (mean=89.54 months; SD=8.25; p =ns) (ANOVA; group effect: F(2,71) = 68.07; p < .001).

The participants in the two control groups (CA and RL) were recruited from an elementary school (Grade 1 through 5) in a city in southern France, according to their reading level (Grade 1 or 2) and chronological age (Grade 4 or 5) of the dyslexic children. None suffered from any neurological, psychiatric, or emotional disorders or was educationally disadvantaged. The inclusion criteria were a normal reading level and no visual or hearing deficits. We did not include children who were considered by their teachers as having either a specific learning deficit or cognitive and behavioural problems.

251

Material, task, and stimuli. A pool of 60 words was selected from Manulex (Lété, 252 Sprenger-Charolles, &Colé, 2004). The stimuli were selected from the first-grade lemma 253 254 lexicon. Half of the words had a low frequency (LF) – that is, a mean printed frequency of 16 occurrences per million – and the other half were high frequency (HF), with a mean printed 255 256 frequency of 419 occurrences per million. In each frequency set, 93% of the words were nouns, 4% were verbs, and 3% were adjectives. All words were 5 or 6 letters long. The words 257 used in this work were a subset of the stimuli used in the Ducrot et al.'s previous study 258 (2013). Stimulus presentation was on a Dell Latitude D600 laptop running the DMDX 259 260 software package (Forster & Forster, 2001, version 2.9.01). The target words were displayed in white lowercase letters against a black background in 24-point Courier New font, using a 261 14-inch color monitor, at a resolution of 1024×768. Participants were seated 60 cm from the 262 screen. At this distance, one letter subtended a visual angle of 0.5°. Each word was divided 263 into five equally-wide zones (i.e., 1 letter wide for five-letter words and 1.2 letters wide for 264 265 six-letter words). Words were presented in such a way that subjects initially fixated the centre of each zone (hereafter called positions P1, P2, P3, P4, and P5). Across all participants, each 266

word was seen from all five-fixation positions, using different experimental lists. The stimuli 267 were presented in one block with 60 trials. A chin-and-forehead rest was used to minimize 268 head movements. Exposure time for the target was determined individually for each 269 participant, depending on his/her correct identification score on a training session (in which 270 we looked for the presentation duration that produced scores ranging between 50-75% correct 271 four-letter word identification³, i.e., about 100 ms for CA children, 175 ms for RL children 272 and 250 ms for DD). Each trial consisted of the following sequence of events. Participants 273 274 were first instructed to look at a fixation point at the beginning of each trial, and not to move their eyes. After 500 ms, the fixation point was replaced by a target word that was displayed 275 on the screen for the duration previously determined for that particular child. The word was 276 displaced laterally with respect to the fixation point according to its position condition. Then 277 the word was replaced by a backward mask that consisted of a string of hashes. The task was 278 279 to identify (name) the target word. If not possible, participants were asked to report as many letters as they could in the correct position. The experimenter manually recorded each 280 281 participant's response. The mask remained on the screen until the experimenter pressed the 282 spaced bar to trigger the next trial.

283

Procedure. All children were tested individually: children with neurodevelopmental
disorders were tested at the hospital and normal readers in their schools. The session lasted
about 15 minutes.

287

288 Data analysis

³ In the training session, we used 20 words which were not the same words used in the following test session in order to avoid learning effect.

289	Analysis of variance was run on the proportion of correct word identifications
290	transformed in arcsine using a 2 Frequency x 5 Positions x 3 groups (dyslexics, chronological-
291	age matched group -CA, and reading-age matched group -RA) ⁴ . All factors, except Group,
292	were within-participant factors. Effect sizes are reported as eta-square (η_{2} , Bakeman, 2005).
293	In order to test the left-right asymmetry of the VP curves we compared performance of
294	word identifications in P1 (left-sided fixation position) vs. P4 and P5 (right-sided positions) ⁵ ,
295	as suggested by other studies (e.g., Ducrot et al., 2013; Stenneken, van Eimeren, Keller,
296	Jacobs, & Kerkhoff, 2008; Wong & Hsiao, 2012). Then, pairwise comparisons were run in
297	order to test the specific hypotheses we defined a priori.
298	Statistical analyses were conducted using the SPSS ® program, version 20.0.
299	
300	Results
301	The mean percentage of correct word identifications was calculated for all
302	participants. Table 1 shows descriptive statistics of accuracy as a function of group, frequency
303	of words and letter position.
304	
305	
306	Table 1. Means and standard deviations of accuracy (percentage of correct responses) as a
307	function of group (DD= dyslexics; CA= chronological age control; RL = reading level
308	control), frequency of words (HF= High-frequency words; LF= Low-frequency words), and
309	five fixation positions (P1, P2, P3, P, and P5).
310	
211	

⁴ The assumption of homogeneity of variance was not violated, all p > .05 (Levene's test).

⁵ Note that P4 and P5 were averaged.

		DD	CA	RL
		mean (SD)	mean (SD)	mean (SD)
	P1	77.78 (16.04)	90.97 (12.02)	86.10 (14.47)
	P2	89.58 (15.40)	94.44 (10.62)	93.05 <i>(</i> 9.73 <i>)</i>
HF	P3	84.71 (13.82)	95.14 (10.40)	88.88 (10.62)
	P4	75.00 (23.04)	92.36 (12.98)	83.55 (14.51)
	P5	79.87 (20.83)	77.77 (19.45)	79.16 (18.55)
	P1	38.90 (22.35)	75.69 (17.00)	57.62 (20.73)
	P2	50.69 (25.29)	82.64 (17.35)	60.10 (25.41)
LF	Р3	50.70 (28.85)	75.70 (17.00)	54.19 (24.35)
	P4	42.36 (26.91)	67.35 (22.78)	47.89 (20.03)
	Р5	29.86 (22.50)	60.40 (25.45)	37.00 (18.79)

312

313

Insert Table 1 about here

314

The analyses of variance showed that the effect of initial-fixation position on word 315 recognition was consistently significant for all groups [F (4,276) = 23.84; p < .001; $\eta_2 = .25$]. 316 317 As can be seen in Figure 1a, the location in the words where the recognition curves grew to their maximums was to the left of the target's centre. There was also a significant main effect 318 of frequency [F (1,69) = 439.70; p < .0001; $\eta_2 = .84$], with an higher recognition probability 319 for HF-words (86%) than for LF-words (55%). Note that the size of the frequency effect was 320 different for the three groups, as suggested by the interaction between frequency and group [F 321 $(2, 69) = 7.92; p = .001; \eta_2 = .03]$: the frequency effect was attenuated with the increase of 322 reading skills [38.9% for dyslexics, 32.1% for RL children, and 17.7% for CA children]. 323

The interaction between stimulus location and groups was not significant [F (8, 276) = 1.65; p =n.s.]. However, interestingly, the ANOVA revealed a significant fixation position x frequency x group interaction [F (8, 276) = 2.14; p = .033; $\eta_2 = .06$]. This three-way interaction is illustrated in Figure 1a. In order to examine the effects of frequency and fixation position in more detail, separate analyses were conducted for each group.

RL-group. The ANOVA revealed a large (32.1%) frequency effect [F(1, 23) =176.90; p < .001; $\eta_2 = .88$], reflecting the fact that letter identification was better for the HF (M = 86.2%) than for the LF (M = 54.1%) words. A significant effect of fixation position was also found [F (4, 92) = 7.86; p < .001; $\eta_2 = .25$]. There were more correct identifications when the VP corresponded to the middle of the word (74.3% in P2 and P3) than to the beginning (71.9% in P1) or the end (65.7% and 58.1% in P4 and P5, respectively). There was no significant interaction between frequency and fixation position, F < 1.

336 **CA-group**. In the CA-group, the ANOVA revealed a significant effect of lexical 337 frequency, $[F(1, 23) = 61.54; p < .001; \eta_2 = .73]$, with 90.1 % identification for HF-words and 338 72.4% for LF-words. As for the RL children, there was a main effect of fixation position 339 $[F(4,92) = 11.353; p < .001; \eta_2 = .33]$, with better performance for positions P2-P3 (87%) than 340 for the word-initial (83.3%) and word-final positions (79.9% and 69.1%, for P4 and P5, 341 respectively). No interaction was found between the two factors, [F(4, 92) = 1.56; p= ns.].

Dyslexics. As beginning readers (RL children), the dyslexic children also exhibited a large main effect of lexical frequency [F (1, 23) = 290.48; p < .001; $\eta_2 = .93$], with 81.4% identification for HF words and 42.5% for LF words. Dyslexic children identified 70.1% and 67.7% of the words at P2 and P3, respectively, *vs.* 58.3% at P1 and 56.8% at P4-P5, [F (4, 92) = 7.17; p < .0001; $\eta_2 = .24$]. Interestingly, there was a significant frequency by fixation position interaction [F (4, 92) = 2.98; p = .02; $\eta_2 = .11$], indicating that the frequency effect was larger at unfavourable positions.

As can be seen in Figure 1a, the results revealed systematic differences in the height 349 and shape of the normal readers' and dyslexic children's VP curves [F (2, 69) = 14.94; p350 <.001; $\eta_2 = .30$]. With respect to height, the mean percentage of correct word identifications 351 was much lower for the dyslexics (61.9%) and for the beginning readers (RL) (68.8%) than 352 for the skilled readers (CA) (81.2%). Pairwise comparisons revealed that the group effect 353 could be entirely explained by the fact that there was a difference between children with 354 impaired or emerging reading skills (dyslexics and RL children, respectively) and skilled 355 readers (CA children) [F (1, 69) = 9.15; p < .001; $\eta_2 = .21$], and no difference between 356 357 dyslexics and RL group [F (1, 69) =1.3; p =n.s.]. With respect to shape, dyslexics showed a weaker difference between fixating the beginning (P1) and the end of the word (P4-P5) 358 compared with the other groups (1.6%, 10.0%, and 8.9%, for dyslexics, RL and CA children, 359 respectively)⁶. Moreover, this effect was more pronounced for LF words in all groups (2.7%, 360 15.1%, and 14.9%, for dyslexics, RL and CA children, respectively). Pairwise comparisons 361 362 revealed that the difference between RL and CA groups was non-significant [F < 1] and that the interaction between the left-right asymmetry and the groups could be entirely explained by 363 the overt opposition between normal readers (CA and RL) and dyslexic children [F (1, 364 69) = 3.39; p < .05; $\eta_2 = .07$, and F (1, 69) = 4.76; p < .01; $\eta_2 = .03$, for low-frequency words 365 only]. 366

367

368 Figure 1(a,b). Accuracy (mean percentage of correct word identifications) as a function of

369 group (DD= dyslexics; CA= chronological age control; RL = reading level control;

370 DD+DCD= children with dyslexia and DCD; DCD = children with DCD only) and five

fixation positions (P1, P2, P3, P4, and P5). Errors bars represent standard errors.

⁶ The values are reported by averaging word frequency.



388	= 126.95 ; SD= 15.17) ⁷ , the other composed of 15 children with developmental coordination
389	disorder (DCD) (mean age in months = 128.91 ; SD= 14.37) and the last one composed of 12
390	children with developmental dyslexia and developmental coordination disorder (DD+DCD)
391	(mean age in months = 126.77 ; SD= 11.55). They were all recruited and diagnosed in
392	different hospitals or clinical centres based in France: La Timone University Hospital in
393	Marseille, Kremlin-Bicêtre Hospital in Paris and the clinical centre "Les Lavandes" in
394	Orpierre. They all underwent a complete medical, psychological and cognitive assessment.
395	All participants were native speakers of French with normal or corrected-to-normal vision.
396	Children whose oral language skills were in the pathological range or who were diagnosed
397	with ADHD were excluded from the study.
398	Concerning children with DD and DCD, criteria for inclusion were manifest reading
399	deficits [at least 1.5 SDs below the normal level on the "Alouette Test-R" (Lefavrais, 2005)]
400	and IQ within the normal limits set by the diagnosis unit (IQ > 85), and no vision or hearing
401	deficits. ANOVA analyses showed that the mean reading level of the dyslexic children
402	(mean= 88; SD= 5.9; months) were significantly lower than the DCD's mean reading level
403	(mean= 118.4; SD= 23.5; months) ($p < .001$) but were not significantly lower than that of the
404	DD + DCD children (mean= 89.6; SD= 4.4; months) (p = n.s.). DD + DCD's mean reading
405	level was significantly lower than that of the DCD children ($p < .001$) (ANOVA; Group
406	effect— $F(2,22) = 53.28$; $p < .001$). Similarly, the dyslexic children's mean percentile on
407	motor performance was significantly higher than those of the DCD and the DD+DCD
408	children (mean=35.15; SD=23.15; p<.001). The difference between DCD (mean=1,71;
409	SD=1.31) and DD+DCD children (mean=3.57; SD=2.50) was not significant (p=n.s.)
410	(ANOVA; Group effect: $F(2,18) = 29.735; p < .001$).

⁷ This was the same group of dyslexics who participated in Study 1.

Moreover, children were identified as displaying DCD if they had a score below the 15th percentile on the French version of the M-ABC (Soppelsa & Albaret, 2004). Finally, with regard to the DCD only group, we selected children who were diagnosed as DCD on the basis of the criteria listed above, i.e., score on the M-ABC below the 15th percentile, an IQ within the normal limits set by the diagnosis unit (IQ > 85), and no vision or hearing deficits. For this last group, we excluded children with DD or reading difficulties.

417

418 Material, task, stimuli and procedure. The same used in the Study 1. Exposure time
419 for the target was about 150 ms for DCD children and 250 ms for DD and DD+DCD children.
420

421 Data analysis

In order to compare comorbid group to children with isolated disorders, we integrated 422 423 in the analysis the group of dyslexic children of the Study 1. That is, the comparison has been made between three groups. Analysis of variance was thus run on the proportion of correct 424 425 word identifications transformed in arcsine using a 2 Frequency x 5 Positions x 3 groups 426 (dyslexics, children with developmental coordination disorder, and a group with both neurodevelopmental disorders)⁸. All factors, except Group, were within-participant factors. 427 428 Effect sizes are reported as eta-square (η_2 , Bakeman, 2005). The left-right asymmetry of the VP curves was measured and tested as in Study 1. 429 Statistical analyses were conducted using the SPSS ® program, version 20.0. 430

431

432 **Results**

⁸ The assumption of homogeneity of variance was not violated, all p > .05 (Levene's test).

433	The mean percentage of correct word identifications was calculated for all
434	participants. Table 2 shows descriptive statistics of accuracy as a function of group, frequency
435	of words and letter position.
436	

- 437 Table 2. Means and standard deviations of accuracy (percentage of correct responses) as a
- 438 function of group (DD+DCD= children with dyslexia; DCD; DCD = children with DCD only;
- 439 DD= dyslexics), frequency of words (HF= High-frequency words; LF= Low-frequency
- 440 words), and five fixation positions (P1, P2, P3, P, and P5).

		DD+DCD	DCD	DD
		mean (SD)	mean (SD)	mean (SD)
	P1	83.33 (22.47)	82.23 (17.20)	77.78 (16.04)
	P2	88.88 (19.26)	90.01 (15.16)	89.58 (15.40)
HF	P3	80.55 (22.29)	87.78 (13.31)	84.71 (13.82)
	P4	80.55 (19.89)	87.78 (17.21)	75.00 (23.04)
	P5	72.22 (24.95)	68.89 (26.62)	79.87 (20.83)
	P1	59.73 (25.09)	57.77 (20.76)	38.90 (22.35)
	P2	62.48 (23.70)	70.00 (23.74)	50.69 (25.29)
LF	P3	48.63 (19.42)	62.21 (20.38)	50.70 (28.85)
	P4	40.29 (19.40)	44.43 (27.21)	42.36 (26.91)
	P5	33.33 (22.48)	38.89 <i>(34.88)</i>	29.86 (22.50)

441

Insert Table 2 about here

443

444

445	Results showed a frequency effect [F (1, 48) = 422.01; p <.001; η 2 = .89], meaning
446	that accuracy was significant higher for high-frequency words (81.9 %) than for low-
447	frequency words (47.6 %), but this factor was not modulated by group [F (2, 48) = 1.675 ;
448	p =n.s.], nor position [F < 1]. In addition, there was a main effect of fixation position [F (4,
449	192) = 18.63; $p < .001$; $\eta 2 = .26$], thus reflecting the fact that word identification was better in
450	the middle of the word (71.3% in P2 and P3) than in the beginning (64.9% in P1) or the end
451	(61.3% and 54.9% in P4 and P5, respectively). It also emerged a significant group by fixation-
452	position interaction [F (8, 192) = 2.14, p = .03; η 2 =.06]. As can be seen in Figure 1b, the
453	results revealed systematic differences in the shape of the dyslexic children and other
454	neurodevelopmental disorders' VP curves. As in Study 1, the asymmetry between the
455	beginning (P1 and the end of the word, P4-P5) was less pronounced for dyslexics (1.5%)
456	compared with the other groups, (10.0%, 14.5%, for DCD and DD+DCD, respectively) ⁹ .
457	Pairwise comparisons revealed that the difference between DCD and DD+DCD groups was
458	non-significant $[F < 1]$ and that the interaction between the left-right asymmetry and the
459	groups could be entirely explained by the difference between children with a motor deficit
460	(DCD and DD+DCD) and dyslexic children [F (1, 48) = 3.976 , $p = 0.03$, $\eta 2 = 0.07$].

461

462 **DISCUSSION**

The present study explored early stages of visual word recognition in disabled and typically developing readers, using a fixation-contingent display. The first aim was to better understand the specificity of any OVP anomalies within DD by comparing dyslexics with two groups of typical developing readers, the first of which matched on chronological age (CA) and the second matched on reading level (RL).

⁹We reported here percentage by averaging word frequency.

Results of Study 1 showed that the initial eye position on a word strongly affects the 468 within-word behaviour for all groups. Firstly, as previously reported for adult readers 469 (McConkie et al., 1989; O'Regan & Jacobs, 1992; O'Regan et al., 1984), the likelihood of 470 471 identifying a word was greater when the eyes initially fixate near the middle of words. This left-half advantage reflects right visual field (RVF) superiority, a finding previously obtained 472 in languages written from left to right (see also, Aghababian & Nazir, 2000; Ducrot et al., 473 2003; 2013; Dubois et al., 2007, for similar results). Like beginning readers, DD children 474 475 exhibited a systematic variation in reading performance according to where their eyes were fixating in the word, suggesting that the system that supports normal reading was at least 476 partly functioning. However, if we look separately at the height and shape of the dyslexics' 477 and typical developing readers' VP curves we can observe some differences. 478

With respect to height, analyses showed that word recognition performance was 479 480 significant lower for the DD group (61.9 %) than CA group (81.2 %); the same trend was observable between RL (68.8 %) and CA groups. Here, the absence of significant differences 481 482 between dyslexics and RL suggested that activation of lexical knowledge is not impaired in 483 dyslexics, but at least weak, with poor lexicon for these two groups (Ducrot et al., 2003). Moreover, a word frequency effect emerged, modulated by the group. Particularly, results 484 showed that the frequency effect was attenuated with the increase of reading skills. That is, 485 the differences between high- and low-frequency words was larger for DD and beginning 486 readers (here represented by the RL-control group) than for skilled readers (CA group) 487 (38.9% for dyslexics, 32.1% for RL children, and 17.7% for CA children). Accordingly, a 488 more pronounced frequency effect has been already found in dyslexics compared to normal 489 readers (e.g., Dubois et al., 2007; Durrwachter et al., 2010). 490

With respect to shape, the VP curve was affected by reading level, with a weaker P1 *vs.* P4-P5 asymmetry for DD compared to the other groups (see Dubois et al., 2007; Ducrot et

al., 2003, for similar results). Moreover, the VP curve was also modulated by word frequency, 493 this effect being more pronounced for LF words, thus suggesting a perceptual recognition 494 probability curve explanation (McConkie et al., 1989). Accordingly, O'Regan and Jacobs 495 (1992) previously showed that the cost of not fixating the OVP of words can be greater for LF 496 words than for HF words. Note that unlike dyslexics, no interaction was found between 497 fixation position and frequency for normal readers, were visuo-attentional and lexical factors 498 were additive, in that frequency increased height equally for all viewing positions (e.g., 499 500 McConkie et al., 1989; O'Regan & Jacobs, 1992; Vitu, 1991). It can thus be argued that the frequency effect and its interactions with other variables increase as the quality of the 501 presentation conditions, stimulus attributes, and/or participants' skills become poorer (see 502 Ducrot et al., 2013 for similar results with beginning readers and Slattery & Rayner, 2010, for 503 a similar effect with text degradation). This interpretation is strengthened by the interaction 504 505 between frequency and group described above, suggesting an attenuated frequency effect linked to an increase of reading skills. 506

507 Concerning the lack of left-right asymmetry in DD group, since the difference between RL and CA groups was non-significant, the interaction between the left-right 508 asymmetry and the groups could be entirely explained by the overt opposition between 509 normal readers (CA and RL) and dyslexic children. As stated in the Introduction section, the 510 asymmetric inverted J-shape curve is linked to visuo-attentional processing in word 511 recognition. In particular, it has been proposed that when the stimulus is discrete (like a 512 word), the participant takes the direction of attentional scanning (left-to-right) into account, 513 514 which results in asymmetrical landing-position pattern (Ducrot & Pynte, 2002). Indeed, this suggest that reading habits have an influence on the shape and the asymmetry of VP curves 515 (Nazir, Ben-Boutayab, Decoppet, Deutsch, & Frost, 2004). Note that this left-half advantage 516 also suggests that word beginning may play an important role in the word-identification OVP 517

effect. Previous studies have demonstrated that the initial letter of a word provides a great 518 519 deal of information, and knowledge of the initial letter is more effective than knowledge of the final letter for word identification (Brysbaert & Nazir, 2005; Grainger, 2017; Stevens & 520 521 Grainger, 2003; White, 2008; Yan, Tian, Bai, & Rayner, 2006). In our study, both the CAcontrol group and the RL-control group showed asymmetrical curve suggesting that an adult-522 like pattern is acquired very rapidly while learning to read, even after 1 year of exposure to 523 reading (e.g., Aghababian & Nazir, 2000; Bellocchi, Mancini, Jover, Huau, Ghio, André & 524 525 Ducrot, 2013a; Bellocchi et al., 2019; Ducrot, Pynte, Ghio, & Lété, 2013). Particularly, beginning readers (here represented by the RL-control group) can extract visual information 526 527 from words as proficient readers do. On the contrary, we found that DD children showed less asymmetry between P1 and P4-P5 compared to typically developing readers. In other words, 528 in line with other data, DD showed a symmetrical curve (i.e., Aghababian et al., 2001; Ducrot 529 530 et al., 2003; Montant et al., 1998). Dubois and colleagues (2007), as well as Aghababian and Nazir (2000) have already observed the same pattern of VP inverted V-shape curves for a 531 532 single case surface dyslexic and poor beginning readers. According to the attentional scanning (left-to-right) hypothesis, the absence of left-right asymmetry in the VP curve suggests 533 atypical processing of information outside of foveal vision for dyslexics, as Geiger and 534 colleagues (1992) found, and could thus reflect a deficit in visuo-attentional processing. In 535 that sense, Brannan and Williams (1987) showed that good readers and adults were 536 significantly more accurate when the target appeared on the right side of a fixation point 537 (RVF enhancement), but poor readers were equally accurate on the two sides. The absence of 538 a left-right asymmetry in DD group comes very likely from the fact that dyslexics are not 539 penalized when they see all the letters of a word (-1 letter) in their LVF, unlike normal 540 readers, with their attentional window directed to the RVF, which are thus more penalized in 541 this case. It seems however that DD do as well as other readers when all the letters of the 542

543 word (-1 letter) are in their RVF, as ever noticed by Bellocchi and colleagues (2019).

544 Therefore, our data reinforced the idea that dyslexics' initial fixation position in word 545 recognition is not "optimal" which can produce more frequent positioning errors, leading to 546 more refixations than normal readers (Hawelka et al., 2010). Differences with RL group 547 suggested non-optimal visuo-attentional strategies, given the left-to-right directionally and the 548 asymmetric word structure of French.

549

550 In the second study, our goals were (1) to examine the visuo-attentional processing in children with DCD and (2) to explore the impact of co-occurring condition (DD+DCD) on 551 OVP atypicalities. As observed in Study 1, results showed that for all groups, the probability 552 of identifying the target word increased when the initial fixation was imposed on the left of 553 the word centre (71.3% in P2 and P3) rather than to the word beginning/ending (64.9%, 554 555 61.3% and 54.9% in P1, P4 and P5, respectively). However, it is important to analyse the pattern of results taking into account the height and the shape of OVP curves, separately. 556 557 Concerning the height, analyses showed no significant differences between groups in word recognition performance. The mean percentage of correct word identification was 558 61.9%, 65.0%, and 69.0%, for DD, DD+DCD and DCD, respectively. The mental lexicon 559 seemed to be used in the same way by the three groups of children in word recognition¹⁰. As 560

¹⁰ Alexis, Ducrot and Lété (2006) have ever noticed the fact that the height of the VPcurves was not greatly affected by the presence/absence of reading difficulties in DCD (60% and 57% of correct identifications for DCD and DD+DCD, respectively), thus suggesting that activation of lexical knowledge is not impaired in DD or in DD+DCD. It must be noted, however, that the exposure time used for the target display was significantly shorter for DCD children (150 ms vs. 250 ms for DD and DD+DCD children).

in Study 1, robust effects of word frequency were obtained for all groups, confirming greater
sensitivity to word frequency and poor lexical orthographic knowledge in children with
learning disorders (see Dubois et al., 2007; Durrwachter et al., 2010; Hawelka et al., 2010).
Note that this factor was not modulated by group, nor by VP. The frequency of occurrence of
words changed the total height of the VP curves without affecting its shape, with the curves
for HF words being above that for LF words (e.g., McConkie et al., 1989; O'Regan & Jacobs,
1992; Vitu, 1991).

With respect to shape of VP curves, the manipulation of initial VP revealed 568 differences between our three groups of children with neurodevelopmental disorders. In 569 particular, the asymmetry between the beginning (P1) and the end of the word (P4-P5) was 570 less pronounced for DD (1.5%) compared with the other groups, (10%, 14.5%, for DCD and 571 DD+DCD, respectively). In other words, contrary to what it is observed in DD group, DCD 572 573 and DD+DCD groups showed typical left-right asymmetry in the VP curve. We observed better recognition performance when these children fixated regions in the word where the 574 575 greatest number of letters could be recognized and where most words could be guessed, that 576 is, left of centre. Visual-field asymmetries comparable to those observed in normal readers were evident for these two groups of children (DCD and DD+DCD), suggesting typical 577 processing of information outside of foveal vision. Contrary to the expectation that the visuo-578 579 spatial deficits observed in DCD could lead to OVP atypicalities, our results suggest that visuo-attentional processing in word recognition seems to be not impaired in children with 580 DCD, isolated or comorbid. Note that this is the first evidence of typical OVP effect (in terms 581 of shape of the curve) in children with DCD or DD+DCD. 582

Looking at the impact of comorbidity, we did not find any additional effect on visuoattentional abilities associated with a dual diagnosis. Therefore, these data do not support the cumulative hypothesis according to which if co-morbid condition add to the severity of the

cognitive deficit, children with DD and DCD should revealed more marked atypical VP curve 586 than children with isolated DD (e.g., Pitcher et al., 2002). These results are in line with a 587 bunch of recent studies suggesting that the comorbid condition does not systematically add to 588 the severity of associated cognitive disorders (e.g., Bellocchi, Ducrot, Tallet, Jucla, & Jover, 589 2021; Bellocchi et al., 2017; Biotteau, Albaret, Lelong, & Chaix, 2017; Kaplan et al., 2006; 590 Maziero, Tallet, Bellocchi, Jover, Chaix, & Jucla, 2020). Conversely, our results showed that 591 the comorbid DCD disorder seemed to balance the OVP atypicalities linked to reading 592 593 deficits. Indeed, only children with isolated DD showed an inverted V-shape VP curve qualitatively different from the one showed by typically developing readers suggesting a 594 specific profile in visuo-attentional processing linked to reading deficit in this 595 neurodevelopmental disorder. One possible explanation is that this deficit results from 596 particular scanning strategies linked to a lack of reading exposure, leading to difficulty to 597 598 control the distribution of attention (Bellocchi et al., 2019; Brannan & Williams, 1987; Ducrot et al., 2003; Facoetti, Turatto, Lorusso, & Mascetti, 2001 ; Geiger et al. 1992; see Bellocchi et 599 600 al., 2013b and Goswami, 2015 for reviews).

Finally, if we look at the VP curves (Figure 1b), we can notice that comorbid children seem to perform partially at an intermediate level between DD and DCD children. Indeed, the comorbid group's VP curve begun at the level of DCD's one (which had typical reading abilities) and then joined the DD's curve. This result supports that co-morbid condition does not add to the severity of the cognitive deficit. Additionally, it corroborates the hypothesis on the impact of the amount of visual attention resources available for processing and the quantity of print exposure on the very earliest stages of visual word recognition.

608

Last but not least, our work allows us to bring out some interesting elements onclinical practice regarding both diagnosis and remediation of DD. Agreement is rising that

reading difficulties can be due to impairments in different stages of the reading process, either 611 in the visual or in the linguistic system. However, as Bellocchi et al. (2017) previously 612 highlighted, at present, most of the tools available to professionals are designed for the 613 614 assessment and remediation of child language problems. Furthermore, very few standardized tools today focus on the assessment of fine-grained visuo-attentional processes following 615 experimental paradigms used in the scientific literature (but see, Ducrot et al., 2008; Leibnitz, 616 Ducrot, Grainger, & Muneaux, 2014; Valdois, Guinet, & Embs, 2014). Accordingly, our 617 paper demonstrated that the OVP paradigm provides an interesting way to better understand 618 the nature of the visuo-attentional strategies involved in word recognition by children who 619 have a learning disability. This paradigm allows detecting quantitative and qualitative 620 differences in the VP curve of these children by a fine-grained analysis of the height and the 621 shape of their VP curves. 622

623 Regarding the height and the quality of lexical processing, these results obtained on disabled readers indicate that activation of lexical knowledge was poorer in children with 624 625 neurodevelopmental disorders compared to typically developing children. They also 626 confirmed that reading difficulties are more likely to either increase frequency effects themselves or to increase frequency effects under particularly non-optimal conditions of 627 presentation. When it comes to the shape, there was a drop in performance when the fixation 628 point was shifted horizontally from the centre of the word for all groups. However, if typically 629 developing readers have already developed highly automatized procedures of left-to-right 630 attentional scanning which results in asymmetrical landing-position pattern (and a left-half 631 632 advantage), the drop was not asymmetric for our DD. We argue that the inverted V-shape curve obtained in this group is a clinical marker of visuo-attentional difficulties in DD, likely 633 linked to a limited experience with written language (see Bellocchi et al., 2019 for additional 634 data supporting this hypothesis). Contrary to the expectation that the visuo-spatial deficits 635

observed in DCD could lead to OVP atypicalities, our results suggest that visuo-attentional 636 processing in word recognition is not impaired in children with DCD, isolated or comorbid, at 637 least with respect to the left-to-right attentional scanning procedure (i.e., they showed typical 638 J-shape curve). This last result suggests that the OVP paradigm could be used as a clinical 639 tool to identify possible OVP atypicalities that could be specific of some neurodevelopmental 640 disorders (i.e., DD vs. DCD and DD+DCD). Again, this could constitute an important source 641 of information for practitioners to differentiate cognitive profiles of children with DD, 642 compared to children with DCD and DD+DCD disorders. The possibility of describing 643 specific cognitive profiles in these populations is fundamental in view of establishing 644 thorough and accurate assessment procedures and proposing an ad hoc remediation and 645 intervention program that take into account the particular processes affected. 646

647

648 Summing up, our study showed that firstly, typically developing readers had already developed highly automatized procedures of left-to-right attentional scanning which results in 649 650 asymmetrical landing-position pattern. Here, dyslexics showed a non-prototypical inverted V-651 shape VP curve, which might reflect visuo-attentional difficulties linked to reading difficulties and/or a lack of experience with written language. Secondly, contrary to the expectation that 652 the visuo-spatial deficits observed in DCD could lead to OVP atypicalities, our results suggest 653 that visuo-attentional processing in word recognition is not impaired in children with DCD, 654 isolated or comorbid. Finally, given the absence of significant group differences between 655 children with DD and DCD and children with isolated disorders (DD or DCD), our results 656 reinforce the idea that the comorbid condition does not add to the severity of OVP anomalies. 657 658

659 **References**

660	Aghababian, V., & Nazir, T. A. (2000). Developing normal reading skills: Aspects of visual
661	processes underlying word recognition. Journal of Experimental Child Psychology, 76,
662	123–150.

- 663 Aghababian, V., Nazir, T. A., Lançon, C., & Tardy, M. (2001). From "Logographic"
- to Normal Reading: The Case Of a Deaf Beginning Reader. *Brain and Language*,
 78, 212-223.
- 666 Alexis, C., Ducrot, S., & Lété, B. (2006). La perception du mot écrit chez l'enfant
- dyspraxique. ANAE. Approche neuropsychologique des apprentissages chez l'enfant, 8889, 207-213.
- American Psychiatric Association (2013). *Diagnostic and statistical manual of mental disorders (5th ed.)*. Washington, DC: Author.
- Bakeman, R. (2005). Recommended effect size statistics for repeated measures
 designs. *Behavior Research Methods*, *37(3)*, 379-384.
- Bellocchi, S., Ducrot, S., Tallet, J., Jucla, M. & Jover, M. (2021). Effect of comorbid
- developmental dyslexia on oculomotor behavior in children with developmental
- 675 coordination disorder: A study with the Developmental Eye Movement test. *Human*

676 Movement Science, 76, 102764. doi: 10.1016/j.humov.2021.102764

- 677 Bellocchi, S., Mancini, J., Jover, M., Huau, A., Ghio, A., André, C., & Ducrot. S. (August-
- 678 September 2013a). *Dyslexic readers and saccade computation: Effects of reading*
- 679 *exposure and visuo-perceptual constraints*. Poster presented at the XVIIIth ESCoP
- 680 Conference. Budapest. Hungary.
- 681 Bellocchi, S., Massendari, D., Grainger, J., & Ducrot, S. (2019). Effects of inter-character
- 682 spacing on saccade programming in beginning readers and dyslexics. *Child*

- 683 Neuropsychology. A Journal on Normal and Abnormal Development in Childhood and
 684 Adolescence, 25(4), 482-506.
- Bellocchi, S., Muneaux, M., Bastien-Toniazzo, M., & Ducrot, S., (2013b). I can read it in
 your eyes: What eye movements tell us about visuo-attentional processes in
 developmental dyslexia. *Research in Developmental Disabilities*, *34*, 452-460.
- Bellocchi, S., Muneaux, M., Huau, A., Lévêque, Y., Jover, M., & Ducrot, S. (2017).
- Exploring the Link between Visual Perception, Visual-Motor Integration, and Reading in
- 690 Normal Developing and Impaired Children using DTVP-2. *Dyslexia*. *An International*

Journal of Research and Practice, *23(3)*, 296-315

- Bennett, I. J., Romano, J. C., Howard Jr, J. H., & Howard, D. V. (2008). Two forms of
- 693 implicit learning in young adults with dyslexia. *Annals of the New York Academy of*694 *Sciences*, *1145*(1), 184-198.
- Biotteau, M., Albaret, J.M., Lelong, S., & Chaix, Y. (2017). Neuropsychological status of
- 696 French children with developmental dyslexia and/or developmental coordination
- 697 disorder: Are both necessarily worse than one? *Child Neuropsychology. A Journal on*

698 Normal and Abnormal Development in Childhood and Adolescence, 23(4), 422-441.

- Blythe, H.I. (2014). Developmental changes in eye movements and visual information
- encoding associated with learning to read. *Current Directions in Psychological Science*,
 23(3), 201–207.
- 702 Borella, E., Chicherio, C., Re, A. M., Sensini, V., & Cornoldi, C. (2011). Increased
- intraindividual variability is a marker of ADHD but also of dyslexia: A study on
 handwriting. *Brain and cognition*, 77(1), 33-39.
- Bosse, M. L., & Valdois, S. (2009). Influence of the visual attention span on child reading
 performance: A cross-sectional study. *Journal of Research in Reading*, *32(2)*, 230–253.

- Brannan, J. & Williams, M. (1987). Allocation of visual attention in good and poor readers.
 Perception & Psychophysics, *41*, 23-28.
- 709 Brysbaert, M., & Nazir, T. A. (2005). Visual constraints on written word recognition:
- Find the optimal viewing position effect. *Journal of Research in Reading*,
 28(3), 216–228.
- 712 Brysbaert, M., Vitu, F., & Schroyens, W. (1996). The right visual field advantage and the
- optimal viewing position: On the relation between foveal and parafoveal word
 recognition. *Neuropsychology*, *18*, 385–395.
- 715 Chaix, Y., Albaret, J.M., Brassard, C., Cheuret, E., de Castelnau, P., Bénesteau, J., Karsenty,
- C., & Démonet, J.F. (2007). Motor impairment in dyslexia: The influence of attention
- disorders. *European Journal of Paediatric Neurology*, *11*, 368–374.
- Clark, J. J., & O'Regan, J. K. (1999). Word ambiguity and the optimal viewing position in
 reading. *Vision Research*, *39(4)*, 843–857.
- Clark, J. J., & O'Regan, J. K. (1999). Word ambiguity and the optimal viewing position in
 reading. *Vision Research*, *39(4)*, 843–857.
- 722 Danna, J., Massendari, D., Furnari, B., & Ducrot, S. (2018). The optimal viewing position
- effect in printed versus cursive words: Evidence of a reading cost for the cursive font.
- Acta Psychologica, 188, 110-121. doi: 10.1016/j.actpsy.2018.06.003
- Deutsch, A., & Rayner, K. (1999). Initial fixation location effects in reading Hebrew words. *Language & Cognitive Processes, 14,* 393–421.
- 727 Dubois, M. Lafaye De Micheaux, P., Noël, M. P. & Valdois, S. (2007). Pre-orthographical
- constraints on visual word recognition: Evidence from a case study of developmental
- surface dyslexia. *Cognitive Neuropsychology*, *24(6)*, 623-660.
- 730 Ducrot, S., & Grainger, J. (2007). Deployment of spatial attention to words in central and
- 731 peripheral vision. *Perception & Psychophysics*, 69(4), 578–590.

- Ducrot, S., & Pynte, J. (2002). What determines the eyes' landing position in words?
 Perception & Psychophysics, *64*, 1130–1144.
- 734 Ducrot, S., Ghio, A., Michaël, G., Muneaux, M., Rauzy, S., & Lété, B. (2008). The ADIVA
- 735 (*Aide au DIagnostic des déficits Visuo-Attentionnels chez l'enfant*) software package.
- 736 Unpublished Technical Report (69 p.), Aix-Marseille University.
- 737 Ducrot, S., Lété, B., Sprenger-Charolles, L., Pynte, J., & Billard, C. (2003). The optimal
- viewing position effect in beginning and dyslexic readers. *Current Psychology Letters : Behaviour, Brain and Cognition, 10*, 1-10.
- 740 Ducrot, S., Pynte, J., Ghio, A., & Lété, B. (2013). Visual and Linguistic Determinants of the
- Eyes' Initial Fixation Position in Reading Development. *Acta Psychologica*, *142*, 287298.
- 743 Dürrwächter, U., Sokolov, A.N., Reinhard, J., Klosinski, G., & Trauzettel-Klosinski, S.
- 744 (2010). Word length and word frequency affect eye movements in dyslexic children
- reading in a regular (German) orthography. *Annals of Dyslexia.*, *60(1)*, 86-101.
- Facoetti, A., Turatto, M., Lorusso, M. L., & Mascetti, G. G. (2001). Orienting of visual
- 747 attention in dyslexia: Evidence for asymmetric hemispheric control of attention.
- *Experimental Brain Research, 138, 46–53.*
- 749 Farid, M., & Grainger, J. (1996). How initial fixation position influences visual word
- recognition: A comparison of French and Arabic. *Brain and Language*, *53*, 681–690.
- Fawcett, A. J., & Nicolson, R. I. (1995). Persistent deficits in motor skill of children with
 dyslexia. *Journal of Motor Behavior*, 27(3), 235-240.
- Forster, K. I., & Forster, J. C. (2001). *DMDX version 2.9.01*. Retrieved from internet from
 http://www.u.arizona.edu/~iforster/dmdx.htm.
- Franceschini, S., Gori, S., Ruffino, M., Pedrolli, K., & Facoetti, A. (2012). A causal link
- between visual spatial attention and reading acquisition. *Current Biology*, 22, 814-819.

- 757 Gagl, B., Hawelka, S., & Hutzler, F. (2014). A similar correction mechanism in slow and
- fluent readers after suboptimal landing positions. *Frontiers in Human Neuroscience*, 8,355.
- Geiger, G., Lettvin, J. Y., & Zegarra Moran, O. (1992). Task-determined strategies of visual
 process. *Cognitive Brain Research*, *1*, 39-52.
- Goswami, U. (2015). Sensory theories of developmental dyslexia: Three challenges for
- research. *Nature Review Neuroscience*, *16*, 43–54.
- Goswami, U. C., & Bryant, P. (1990). *Phonological skills and learning to read*. New-York :
 Psychology Press.
- Grainger, J. (2017). Orthographic processing: A "mid-level" vision of reading. *The Quarterly Journal of Experimental Psychology*, *71 (2)*, 1-72.
- Grainger, J., Dufau, S., & Ziegler, J. C. (2016). A vision of reading. *Trends in Cognitive Science, 20*, 171–179.
- Hawelka, S., Gagl, B., & Wimmer, H. (2010). A dual-route perspective on eye movements of
 dyslexic readers. *Cognition*, *115*, 367–379.
- Huestegge, L., Radach, R., Corbic, D., & Huestegge, S. (2009). Oculomotor and linguistic
- determinants of reading development: A longitudinal study. *Vision Research, 49*, 2948–
 2959.
- 775 Iversen, S., Berg, K., Ellertsen, B., & Tønnessen, F. E. (2005). Motor coordination difficulties
- in a municipality group and in a clinical sample of poor readers. *Dyslexia*, *11*(3), 217231.
- Joseph, H.S.S.L. Liversedge, S.P., Blythe, H.I., White, S.J., & Rayner, K. (2009). Word
- length and landing position effects during reading in children and adults. *Vision Research,*49, 2078-2086.

- Jover, M., Ducrot, S., Huau, A., Bellocchi, S., Brun-Hénin, F., & Mancini, J. (2013). Les
 troubles moteurs chez les enfants dyslexiques : Revue de travaux et perspectives. *Enfance*, 4, 323-347.
- Kajii, N., & Osaka, N. (2000). Optimal viewing position in vertically and horizontally
 presented Japanese words. *Perception & Psychophysics*, *62(8)*, 1634-1644.
- Kaplan, B. J., Dewey, D. M., Crawford, S. G., & Wilson, B. N. (2001). The term comorbidity
- is of questionable value in reference to developmental disorders: Data and theory. *Journal of Learning Disabilities*, *34*(6), 555-565.
- 789 Kaplan, B., Crawford, S., Cantell, M., Kooistra, L., & Dewey, D. (2006). Comorbidity, co-

790 occurrence, continuum: What's in a name? *Child: Care, Health and Development,*791 *32*(6), 723-731.

- LaBerge, D., & Samuels, S.J. (1974). Toward a theory of automatic information process in
 reading. *Cognitive Psychology*, *6*, 293-323.
- Lam, S. S., Au, R. K., Leung, H. W., & Li-Tsang, C. W. (2011). Chinese handwriting
- performance of primary school children with dyslexia. *Research in Developmental Disabilities*, 32(5), 1745-1756.
- Lavidor, M., & Walsh, V. (2004). The nature of foveal representation. *Nature Reviews Neuroscience*, 5, 729–735.
- 799 Lefavrais, P. (2005). Test de l'Alouette-R. Paris : ECPA.
- Legge, G. E., Ahn, S. J., Klitz, T. S., & Luebker, A. (1997). Psychophysics of reading-XVI.
- The visual span in normal and low vision. *Vision Research*, *37*, 1999–2010.
- Leibnitz, L., Ducrot, S., Grainger, J., & Muneaux, M. (2014). Une batterie informatisée de
- 803 *dépistage des difficultés visuo-attentionnelles à destination des enfants de maternelle.*
- 804 Proceedings of the APPREC Conference, Learning Written Language: Diversity of
- languages, Uniqueness of disorders, December 3–5, Strasbourg, France.

- 806 Lété, B., Sprenger-Charolles, L., & Colé, P. (2004). Manulex: A grade-level lexical database
- 807 from French elementary-school readers. *Behavior Research Methods, Instruments, &*808 *Computers, 36*, 156–166.
- Li, X., Liu, P., & Rayner, K. (2011). Eye movement guidance in Chinese reading: Is there a
 preferred viewing location? *Vision Research*, *51*, 1146–1156.
- 811 MacKeben, M., Trauzettel-Klosinski, S., Reinhard, J., Durrwachter, U., Adler, M., &
- Klosinski, G. (2004). Eye movement control during single-word reading in dyslexics. *Journal of Vision*, 4(5), 388–402.
- Maziero, S., Tallet, J., Bellocchi, S., Jover, M., Chaix, Y. & Jucla, M. (2020). Influence of
- 815 Comorbidity on Working Memory Profile in Dyslexia and Developmental Coordination
 816 Disorder. *Journal of Clinical and Experimental Neuropsychology*, *42(7)*, 660-674.
- 817 McConkie, G. W., Kerr, P. W., Reddix, M. D., Zola, D., & Jacobs, A. M. (1989). Eye
- 818 movement control during reading: II. Frequency of refixating a word. *Perception &*819 *Psychophysics*, *46*, 245–253.
- 820 McConkie, G.W., Kerr, P.W., Reddix, M.D., & Zola, D. (1988). Eye movement control
- during reading: The location of initial eye fixations on words. *Vision Research*, 27, 227240.
- Montant, M., Nazir, T. A., & Poncet, M. (1998). Pure alexia and the viewing position effect in
 printed words. *Neuropsychology*, 15(1-2), 93-140.
- Nazir, T. A., Jacobs, A. M., O'Regan, J.K. (1998). Letter legibilityand visual word
 recognition. *Memory and Cognition*, 26(4), 810–821.
- 827 Nazir, T. A. (2000). *Traces of print along the visual pathway*. In A. Kennedy, R. Radach, D.
- Heller, & J. Pynte (Eds.). *Reading as a perceptual process* (pp. 3–23). Oxford: Elsevier.

- Nazir, T. A. (2003). On hemispheric specialization and visual field effects in the perception of
 print: A comment on Jordan, Patching and Thomas. *Cognitive Neuropsychology*, 20, 73–
 80.
- 832 Nazir, T. A., Ben-Boutayab, N., Decoppet, N., Deutsch, A., & Frost, R. (2004). Reading
- habits, perceptual learning, and recognition of printed words. *Brain and Language*, 88,
- 834 294–311.
- Nazir, T. A., O'Regan, J. K., & Jacobs, A. M. (1991). On words and their letters. *Bulletin of the Psychonomic Society*, *29*, 171–174.
- Nicolson, R. I., & Fawcett, A. J. (1994). Comparison of deficits in cognitive and motor skills
 among children with dyslexia. *Annals of Dyslexia*, *44*(1), 147-164.
- O'Hare, A., & Khalid, S. (2002). The association of abnormal cerebellar function in children
 with developmental coordination disorder and reading difficulties. *Dyslexia*, 8(4), 234248.
- O'Regan, J. K., & Jacobs, A. M. (1992). Optimal viewing position effect in word recognition:
 A challenge to current theory. *Journal of Experimental Psychology. Human Perception*
- *and Performance, 18,* 185–197.
- 845 O'Regan, J. K., Lévy-Schoen, A., Pynte, J., & Brugaillère, B. (1984). Convenient fixation
- 846 location within isolated words of different length and structure. *Journal of Experimental*
- 847 *Psychology. Human Perception and Performance, 10, 250–257.*
- 848 Pitcher, T. M., Piek, J. P., & Barrett, N. C. (2002). Timing and force control in boys with
- 849 attention deficit hyperactivity disorder: Subtype differences and the effect of comorbid
- developmental coordination disorder. *Human Movement Science*, 21(5–6), 919–945.
- Rayner, K. (1979). Eye guidance in reading: Fixation location within words. *Perception*, *8*,
 21-30.

- Rogé, B. (1984). Manuel de l'échelle de développement moteur de Lincoln-Oseretsky. Paris:
 ECPA.
- Schroeder, S., Hyönä, J., & Liversedge, S. P. (2015). Developmental eye-tracking research in
 reading: Introduction to the Special Issue. *Journal of Cognitive Psychology*, 27(5), 500-*510*.
- Soppelsa, R., & Albaret, J.-M. (2004). Manuel de la Batterie d'Evaluation du Mouvement *chez l'Enfant (MABC)*. Paris: ECPA.
- 860 Stenneken, P., van Eimeren, L., Keller, I., Jacobs, A. M., & Kerkhoff, G. (2008). Task-
- dependent modulation of neglect dyslexia? Novel evidence from the viewing position
- 862 effect. *Brain Research*, *1189*, 166–178.
- 863 Stevens, M., & Grainger, J. (2003). Letter visibility and the viewing position effect in visual
 864 word recognition. *Perception & Psychophysics*, 65(1), 133–151.
- Stevens, M., & Grainger, J. (2003). Letter visibility and the viewing position effect in visual
 word recognition. *Perception & Psychophysics*, *65(1)*, 133–151.
- 867 Tsai, C. L., & Wu, S. K. (2008). Relationship between visual-perceptual deficits and motor
- 868 impairments in children with developmental coordination disorder. *Perceptual and Motor*869 *Skills*, 107, 457–472.
- 870 Tsai, C.L. (2009). The effectiveness of exercise intervention on inhibitory control in children
- with developmental coordination disorder: using a visuospatial attention paradigm as a
- model. *Research in Developmental Disabilities*, *30(6)*, 1268-80.
- 873 Valdois, S. Guinet, E., & Embs, J. L. (2014). EVADYS: Outil diagnostic des troubles de
- 874 *l'empan VA (EVADYS: a diagnostic tool for VA span assessment).* Isbergues, France :
- 875 Ortho-Edition.

- Valdois, S., Bosse, M. L., & Tainturier, M. J. (2004). The cognitive deficits responsible for
 developmental dyslexia: Review of evidence for a selective visual attentional disorder. *Dyslexia*, 10, 339–363.
- Velay, J. L., Daffaure, V., Giraud, K., & Habib, M. (2002). Interhemispheric sensorimotor
 integration in pointing movements: A study on dyslexic adults. *Neuropsychologia*,

881 *40*(7), 827-834.

Vernet, M., Bellocchi, S., Leibnitz, L., Chaix, Y., & Ducrot, S. (2021). Predicting Future Poor
Readers from Pre-reading Visual Skills: A Longitudinal Study. *Applied*

884 *Neuropsychology: Child.*

- 885 Vitu, F. (1991). The existence of a center of gravity effect during reading. *Vision Research,*886 *31(7/8)*, 1289–1313.
- Vitu, F., O'Regan, J. K., & Mittau, M. (1990). Optimal landing position in reading isolated
 words and continuous text. *Perception & Psychophysics*, *47*, 583–600.
- Vorstius, C., Radach, R., & Lonigan, C.J. (2014). Eye movements in developing readers: A
 comparison of silent and oral sentence reading. *Visual Cognition*, 22(3–4), 458–485.
- Wechsler, D. (2005). *Echelle d'Intelligence pour Enfants et Adolescents, 4ème édition*. Paris:
 ECPA.
- White, S. J. (2008). Eye movement control during reading: Effects of word frequency and
 orthographic familiarity. *Journal of Experimental Psychology: Human Perception and Performance*, *34(1)*, 205.
- 896 Wilson, P. H., & McKenzie, B. E. (1998). Information processing deficits associated with
- 897 developmental coordination disorder: A meta-analysis of research findings. *Journal of*
- 898 *Child Psychology and Psychiatry, 39*, 829–840.

- 899 Wong, Y.K. & Hsiao, J.H. (2012). *Reading direction is sufficient to account for the optimal*
- 900 *viewing position in reading: The case of music reading.* Proceedings of the Thirty-Fourth
- 901 Annual Meeting of the Cognitive Science Society.
- World Health Organisation. (1992). *The ICD-10 classification of mental and behavioural disorders. Clinical descriptions and diagnostic guidelines.* Geneva: WHO.
- World Health Organisation. (2008). 59th general assembly. In: Association WM, editor.
 Seoul, Korea: WHO.
- 906 Yan, G., Tian, H., Bai, X., & Rayner, K. (2006). The effect of word and character frequency
- 907 on the eye movements of Chinese readers. *British Journal of Psychology*, *97(2)*, 259-268.