

The future of urban sound environments: Impacting mobility trends and insights for noise assessment and mitigation

Arnaud Can, Alain L'hostis, Pierre Aumond, Dick Botteldooren, Margarida C Coelho, Claudio Guarnaccia, Jian Kang

▶ To cite this version:

Arnaud Can, Alain L'hostis, Pierre Aumond, Dick Botteldooren, Margarida C Coelho, et al.. The future of urban sound environments: Impacting mobility trends and insights for noise assessment and mitigation. Applied Acoustics, 2020, 170, pp1-8. 10.1016/j.apacoust.2020.107518 . hal-03463030

HAL Id: hal-03463030 https://hal.science/hal-03463030v1

Submitted on 18 Jul 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Version of Record: https://www.sciencedirect.com/science/article/pii/S0003682X20306228 Manuscript_d26cde7034fab76c2dda0d24e934bb1a

The future of urban sound environments: Impacting mobility trends and insights for noise assessment and mitigation

1 Abstract

2 The degradation of the sound environment contributes significantly to the external costs of mobility 3 and is an obstacle to the development of cities. Action plans aiming at fighting traffic noise often take a long time to reach mature implementation. Therefore, it is advantageous to envisage how societal 4 5 and urban changes and associated changes in mobility practices will modify the urban sound 6 environment of tomorrow. In this article, an interdisciplinary team of seven researchers, whose work 7 focuses on different fields of acoustics and mobility, reviews the potential impact of ongoing mobility 8 and society changes on sound environments. First, the team identified the trends dealing with urban 9 renewal, societal changes and new mobility drivers that have the greatest influence on sound 10 environments, and analyzed in detail. From this analysis, insights emerged for urban noise impact and innovative noise mitigation solutions in the light of improved assessment of the links between mobility 11 12 and urban sound environments.

13 **1. Introduction**

Awareness of the health effects of noise progressively increased in the second half of the 20th century (Rueb, 2013). Noise refers to any acoustic phenomenon producing a generally unpleasant or disturbing sensation (ISO, 1996). The high noise levels, combined with the growing aspiration of city dwellers for a pleasant and environmentally friendly city, have quickly made noise a first-rate nuisance, to characterize and mitigate (WHO, 2011). Metropolitan urban areas, since they are both the place with highest noise levels and the highest population densities, concentrate the highest exposures and therefore most of the current efforts to contain noise.

City dwellers aspire for both calm sound environments and lively neighborhoods. These aspirations are 21 22 in contrast with the increasing urbanization observed, which is inseparable from movement and 23 therefore sound environments dominated by road traffic noise. The concentrated demand for mobility 24 inherent in the development of cities is a potential vector for the degradation of sound environments. 25 In practice, the urban planning decisions – including *laissez-faire* policies – of the second half of the 20th century left a significant place for the automobile in the city (Buchanan, 1963; Mumford, 1968; 26 27 Kenworthy and Laube, 1999), and road traffic is as a result now regularly cited as the most annoying 28 source of noise (Science for Environment Policy, 2017).

The urban and societal changes observed can also have a significant impact on sound environments.
The fluidification of living rhythms (Bauman, 2000), the urban development, sprawl and intensification,

or the changes in individual mobility practices modify the intensity and temporality of sound sources,

and thus shape sound environments. Studying the impact on the sound environments of these urban
 and societal changes is crucial because they will make the urban sound environments of tomorrow.
 Anticipating and adapting noise mitigation methods and modeling approaches to this evolution is also
 essential.

36 This article intends to highlight the key factors in the on-going changes in mobility practices that will 37 shape the urban sound environments of tomorrow. More specifically, a prospective analysis aims to 38 target factors that are a threat to urban sound environments, and to deduce from it the likely evolution 39 of urban sound environments. Insights are then provided for the mitigation of noise environments in 40 terms of actions to be taken, models to develop, and modes of governance to encourage. The article 41 is based on an interdisciplinary discussion, at the interface between several disciplinary fields dealing 42 with mobility and acoustics, and a review of the emerging noise abatement solutions. The discussion 43 aims to stress the levers for improved future sound environments. The paper is intended for researchers in both disciplinary fields, and recalls some basic knowledge to promote their 44 45 rapprochement.

Section 2 describes the followed methodology and the framework of this work. Section 3 reviews several on-going mobility and society changes and highlights their potential impact on sound environments. Section 4 underlines the methodological shortcomings in current methodologies for assessing the impacts of mobility on sound environments, and points out new insights for noise assessment and mitigation. Section 5 concludes on the findings from this discussion, and identifies the most promising current avenues of research for improving future sound environments.

52 2. Methods and materials

53 **2.1. Methods**

The prospective exercise on urban sound environments presented here required an interdisciplinary discussion at the interface of the fields of mobility and acoustics. The diversity of the experts' disciplinary fields of research, whose works focus on physical acoustics, soundscapes, noise and health, mobility, air pollution, indicators and urban planning, allowed a perspective to approach this question from various angles. The study partners met physically on 27/02/2019 for a discussion on the impact of changes in mobility practice on noise environments. The methodology was as follows:

Two weeks prior to the meeting each expert received a short description of the scope of this
 prospective study and was asked to prepare a 10 minute presentation on their view on
 emerging trends and methodologies;

3

- During the meeting, each participant highlighted his or her viewpoint followed by a generative
 discussion that resulted in an accumulation of ideas;
- At the end of the meeting a discussion was started that aimed at reaching consensus between
 the experts;
- 67 •

68

• After the meeting, a first draft of the consensus document circulated. This document was further amended and discussed over several months.

The selection of trends in societal change and mobility practices was based on literature, notably on 69 70 the deliverable D2.1 of the MOBILITY4EU project (L'Hostis et al., 2016). The selection of innovative 71 noise mitigation solutions resulted both from literature and the expertise of the participants. The 72 confrontation of sound and mobility knowledge highlighted the most impactful trends, which are those 73 presented here. In section 3, the impacting trends are analyzed in the light of current knowledge in 74 acoustics, in order to deduce the likely changes in urban noise environments in the coming years. These 75 trends point to insights in terms of modelling and noise mitigation policies, which are discussed in 76 section 4.

The empirical part is largely drawn from European countries, thus it directly applies to cities whose mobility trends are part of this context. However, the disparities between cities are such that applying the results of the general analysis proposed here for a given city requires that local specificities be taken into account, as each city's needs, context and aspirations are different (Anderton et al., 2015).

81 **2.2.** Material: foreground on urban sound environments

This section provides some background knowledge on urban acoustics and traffic noise, which is necessary for assessing in a prospective angle the links between mobility and urban sound environments. Most of the examples will be drawn from road traffic noise, which is generally declared as the most annoying source of noise in urban areas (Science for Environment Policy, 2017).

The noise impact of changes in mobility can be approximated on a macroscopic scale on the simple basis of the estimated increase or decrease in the number of vehicles (cars, airplanes, etc.) on a territory. Due to the decibel scale used in acoustics, emissions related to a traffic flow are proportional to the logarithm of the vehicle flow. It is for instance common to state that doubling the vehicle flow increases sound levels by 3 dB. This simple relation gives some insight into the links between the number of vehicles and the average sound level:

Reducing the number of vehicles by 10% will only reduce noise levels by up to 0.5 dB, which is
 hardly noticeable to listeners;

A strong reduction in the number of vehicles, for instance by 90% (for example in the context
 of a strong modal shift towards bicycles in traffic free city centers), will make average noise
 levels decrease by 10 dB.

97 The spatial distribution of noise is of great importance when assessing noise impacts. The spatial 98 variability of noise levels is indeed very high (Aumond et al., 2018), and closely linked to both urban 99 spatial characteristics (Liu et al., 2013) and the road network (Barrigon Morrillas et al., 2005). In 100 addition, links between sound levels and large scale urban spatial attributes can be found in the 101 literature. Salomons and Berghauser Pont (2012) showed that road traffic noise increases with the 102 road network density and the travelled distances by car per surface unit, but decreases as the building 103 density increases, resulting in a sound level decrease with increasing population density. A negative 104 correlation between sound levels and building densities is also found in Ryu et al. (2017).

The temporal evolution of noise is also a key element in the assessment of the impacts. The aggregated indicator promoted by the Directive 2002/49/EC, the L_{den}, underlines the specificity of noise exposure over evening and night periods by introducing respectively a 5 dB and 10 dB penalty for these periods. This specificity must thus be taken into account when assessing the impact of increased traffic flows during these periods.

3. On-going society and mobility changes and their impact on sound environments

The close links between society and mobility are widely accepted in the scientific literature (Urry, 2007). The observed trend of increased mobility is likely to continue: by 2050 passenger mobility should increase by 200-300 % and freight activity by as much as 150-250 % (Wilson 2011). In parallel with this increase, the forms of mobility are changing. L'Hostis *et al.* (2016) addressed the societal needs and requirements for future transportation and mobility, and listed the societal drivers that have an impact on mobility and logistics. Four identified trends in mobility are discussed in this section from a sound environments point of view.

3.1. Distribution of wealth and labour market developments

Direct consequence of the global economic growth will be an increase in flows, particularly freight. At the individual level, economic growth usually converts into more mobility, as illustrated by the growth of tourism (Dubois *et al.*, 2011). The number of air passengers carried worldwide grew for instance by 6.3% in 2016, and this trend is likely to continue as this increase has been during the past 40 years continuous and resilient to oil-price shocks or recessions (EC, 2017). This increase in flows is likely to result in an increase in noise emissions, whose the Advisory Council for Aeronautics Research in Europe (ACARE) is aware as it fixes the goal of reducing by 65% the perceived noise per passenger kilometer
by 2050 relative to the year 2000 (ACARE, 2015). This objective is however vague since the selected
indicators are not mentioned in the report.

128 In addition, the working arrangements are being restructured. Observations show that average daily 129 travel-time expenditures are stable over time (Stopher et al., 2017), giving credit to the idea of travel 130 time budget (Zahavi, 1976). It appears that increases in transport modes speed or new improvements 131 in mobility are spent into more kilometers travelled and hence more mobility. Telework and part-time 132 work are the two major foreseeable trends already happening that are expected to grow further in the 133 future. This trend leads to a drop in the number of trips to work and thus to a decrease in the peak 134 hour travel. On the other hand, these new working arrangements favorize urban sprawl, or even commuting from one city to another, with a probable associated increase in the number of trains 135 136 operating and the related noise. This trend is therefore a potential vector for a modification of the temporal and spatial structure of urban sound environments. 137

138 **3.2. Inclusive society, personalization, accessibility**

139 Life rhythms are changing. There is an emerging consensus among social scientists (Clegg and 140 Baumeler, 2010) around the idea of liquid modernity introduced by Z. Bauman (Bauman, 2000), but also on the acceleration of the social life (Rosa, 2003). Acceleration and flexibility provide an 141 142 explanation to the increase of leisure time and its associated mobility pattern, which tends to 143 desynchronizing the existing rhythm of mobility at the risk of exceeded noise annoyance over evening 144 and night periods. The flexibility in rhythms can also modify diurnal noise temporal patterns, with 145 longer rush hours and less breaks. For example, the average daily travel time for non-work or studies 146 activities increased from 40 min in 2001 to 52 min in 2010 in Île de France region, Paris (Courel & 147 Gloagen, 2016). The evolution towards instant delivery also affects logistics. For example, by 2025, 148 20% of retail sales are expected to be online, which will imply an increase in the demand for urban 149 parcel deliveries and smaller but more frequent shipments (Vidyasekar and Frost & Sullivan, 2013). 150 This might favor noise at sensible periods of the day. However, this depends on the modes of transport 151 chosen, which were at first mainly operated with bicycles (Dablanc et al., 2017). The example of 152 individual meal delivery companies, initially provided by cyclists but increasingly turning to motorized 153 deliveries and longer delivery distances, illustrates the potential danger to urban sound environments 154 of this trend (Aguilera et al., 2018). The arrival of drones for delivery, which might deteriorate sound 155 environments, is also subject to caution.

156 In addition, the move of city dwellers towards more active and healthy lifestyles implies a shift to soft 157 modes of transport (Davis et al., 2012) that are also known to be quieter. However, mobility trends 158 vary greatly from one segment of the population to another. Young generations are likely to use the 159 car less, but active mobility may be less plausible for all people within the older segments of society, which may result in more public services close to where people live (Anderton et al., 2015). Finally, car 160 161 ownership has been a status symbol since the introduction of mass production of private vehicles. But 162 in large cities, and among younger generations (Deloitte et al., 2015; McKinsey et al., 2012), mobility 163 is increasingly seen as a service that not necessarily includes private car ownership (Kamargianni et al., 164 2018).

165

3.3. Urbanization and new city management forms

166 Cities and city-regions are increasingly becoming the dominant forms of human habitat. They are 167 densifying and spatially extending. Growing cities lead to more intense and longer urban flows, both 168 for passengers and goods (Sena e Silva et al. 2013). Densification and urban sprawl are two processes 169 in progress and most likely to continue, which are factors of mobility and therefore potential noise 170 pollution. Density is generally associated with a decrease in road traffic noise levels, while urban 171 sprawl, by increasing the kilometers travelled, contributes to an increase in noise pollution. These 172 processes can also exacerbate environmental inequalities in noise, with: (i) gentrified city center 173 populations exposed to relatively low noise levels, as city centrums are marked by more and more 174 efficient public transport networks, traffic calming policies, and the development of active transport 175 modes, (ii) car-dependent populations on the inner periphery living in areas with high traffic density 176 and high noise levels exposure, (iii) external suburbs, despite being inhabited by heavy contributors to 177 traffic noise, remain relatively guieter than urban environments because of their lower density. Social 178 tensions could be exacerbated between these three urban configurations, that somewhat superposes 179 with the three speeds city model introduced by Donzelot: gentrification, periurbanisation and 180 marginalisation (Donzelot, 2006).

181 Regarding urban logistics, freight is an important component of traffic in cities (10 to 15 % of vehicle 182 equivalent miles), and this proportion is increasing due to the current spatial deconcentration of 183 logistics facilities (Dablanc *et al.*, 2016). The number of commercial vehicles increased by 32% from 184 2006 to 2014, and their contribution to both air and noise pollution is high. For instance, 10% of the 185 vehicles in London are commercial vehicles, and they contribute to 30% of the NO_x emissions 186 (McKinsey & Company, 2017). Night delivery is one of the targeted solutions, which would mean 187 degraded night sound environments, since an increase in flow rates inevitably entails an increase in noise emissions. This effect could nevertheless be mitigated by using hybrid or electric mid-sizedelivery vehicles.

In parallel, forms of city management are also changing. The development of the smart city aims at articulating human and social development with information and communication technologies in cities. These include actions for smart governance, economy, mobility, environment, people, and living (Giffinger et al. 2007). As regarding mobility, Intelligent Transportation Systems and its related services are a key lever to converge towards mobility efficiency. Environment-friendly solutions, including noise mitigation, is also a targeted objective of the smart city.

196 197

3.4. Environmental protection: climate change, pollution resource and energy efficiency "sustainable consumption"

198 Policies targeting the environmental impacts of transport are increasingly enacted, as an indirect 199 evidence of the rising awareness in society of environmental issues. Increased awareness of the impact 200 of local air quality (particulate matter) and the strengthening of EU emission regulations have urged 201 both regional and local initiatives to ban diesel vehicles and favor hybrid and electric cars. In addition, 202 climate change forces countries to act in favor of renewable energy, which will have a direct impact on 203 the choice of propulsion for private vehicles, public transport, and finally goods transport. Electric 204 vehicles are often seen as a solution to mitigate consumption issues. However, the resulting noise reduction might be disappointing. Following the simple rules recalled in section 2.2, the effects of 205 206 introducing 10% of electric vehicles would be about 0.5 dB. The real effects might be even less since 207 they mainly reduce engine noise whereas rolling noise is the main source of vehicles at speeds above 208 30 km/h (Pallas et al., 2016). However, optimistic scenarios estimate that electric vehicles could 209 account for 48% to 76% of the car fleet by 2030 (Mc Kinsey & Company, 2014). This share becomes 210 significant from the point of view of noise emissions. This trend also modifies consumption and 211 logistics, with for instance the development of short supply chains aiming at reducing traffic flows and 212 thus noise.

Policies targeting the environmental impacts of transport also include speed reduction, which led to a decrease in noise emission per vehicle. This measure, combined to the increase in the number of vehicle kilometers travelled, led to a significant change in the ratio of peak levels to the constant hum (Van Renterghem et al., 2012).

217

218

4. Insights in noise impact assessment and mitigation

220 221

4.1. Insights in noise impact assessment 4.1.1. New noise assessment trends

222 Noise impacts are first estimated in terms of exposure. Exposure calculations are often based on static 223 approaches, which cross-reference population density data with calculated noise maps to estimate the 224 number of people exposed to threshold levels. However, a recent work has shown the interest of 225 taking into account activity patterns to refine the calculation of exposures, showing that noise 226 exposures largely depend on the individual's within-day dynamics (Kaddoura et al., 2017). The context 227 of exposure also plays an important role, in particular calm sound environments at the residence place 228 is a strong demand of city dwellers. Geography, particularly renewed by time geography (Hagerstrand, 229 1970), has been much more interested in movement than in its necessary counterpoint, rest (Seamon, 230 1979). The affirmation of the restorative character of the use of the home in social practices and its 231 corollary need for calm would deserve to be investigated in the light of new knowledge in the human 232 sciences.

233 In addition, environmental acoustics is increasingly turning away from approaches based solely on 234 quantitative approaches. Raymond Murray Schafer's work in the 1970s led to the notion of 235 "soundscape" (Murray Schafer, 1979), now widely used, which can be defined as "the sound 236 environment as perceived, experienced or understood by one or more persons, in its context" (ISO 237 12913-1:2014; Aletta et al., 2016). Research in soundscape concentrates an increasing effort, as 238 underlined in Kang et al. (2016). In particular, research in sounds classification within urban sound 239 environments often highlights a distinction between mechanical, natural and human sounds. The 240 questions then arises as to the competition between the sources of these classes and their suitability 241 for a given environment. Interactions between road traffic noise, water and bird sounds have been extensively investigated in the literature, the latter two being perceived positively and the former 242 243 negatively (Jeon et al., 2010). As an example of the practical result in terms of urban planning, fountains are sometimes advocated to improve sound environments dominated by road traffic noise, 244 245 although recent research shows the limitation of such practice (De Coensel et al., 2011). In terms of 246 modeling, soundscape approaches target qualitative indicators, such as the sound pleasantness, which 247 better characterize the perceptual effects than the aggregated energetic indicators (Aletta, 2015; 248 Aumond, 2017), or the tranquility rating, which associates visual attributes such as the percentage of 249 natural features visible in the scene (Pheasant et al., 2008).

Soundscape approaches also emphasize the importance of preserving quiet urban neighborhoods,
with modalities for their identification and preservation described in (EEA, 2004). The interest in

preserving places with high quality acoustic environments, referred to as restorative places, has been demonstrated; they are proved to positively affect well-being and therefore require special attention (Van Kamp et al., 2016). In that perspective, metrics have been proposed, such as the perceived restorativeness soundscape scale (PRSS) introduced in Payne (2013) that is based on criteria such as the appealing, attention, notion of refuge, etc. Such metrics help rating the restorativeness of different soundscapes, which makes it possible to differentiate for example the soundscape of different urban parks.

Finally, noise is increasingly taking part of global assessment, as long with other environmental externalities, within integrated approaches. In particular, noise emissions are increasingly taking part of Life Cycle Assessment (LCA), whose methods of consideration are still debated (Cucurachi *et al.*, 2012). Meyer *et al.* (2019) showed for instance that integrating the impact of noise into LCA can double the estimated impact of road transport on human health.

264 **4.1.2.** Assessing the noise impact of urban renewal

265 Urban renewal, including densification and urban sprawl processes, requires revisiting noise modeling.
266 Urban-scale prediction and assessment of noise impacts faces several obstacles:

267 First of all, estimating the road traffic demand in view of potentially disruptive modal shifts for • 268 passengers and new distribution models for goods is a huge challenge. Not only, the L_{den} levels 269 may be affected, but also the number of noise peaks and quiet intervals. Today, we already 270 witness changes in exposure-annoyance relationships for railway noise and aircraft noise (WHO, 2018) that may be caused by such modal shifts and increased traffic intensities in air 271 272 and rail traffic. Therefore, developing integrated modelling chains that combine mobility and 273 noise and include a modelling of transportation modal shifts is a crucial research challenge for 274 the coming years;

275 Secondly, assignment of traffic to the road network has some uncertainty. The deterioration • 276 of traffic conditions induced by an increase in travel demands on the main arteries can load 277 residential areas, which is very difficult to model. Since noise is a very local phenomenon (propagation distances are short in a densely built network), this can result in breaking up quiet 278 279 areas and thus have significant consequences on the number of people exposed to traffic 280 noise. Moreover, reducing traffic in city centers, e.g. via low emission zones and traffic free areas may result in increased traffic in the periphery rather than inducing the modal shift that 281 282 planners hope for. Urban planners need models able to highlight this spatial modification in 283 sound environments. More generally, the digital twin technology applied to the city 284 environment is increasingly seen as a potential way to facilitate decision making (Mohammadi
285 & Taylor, 2017), which could also apply to the context of sound environments;

286 Finally, the assessment of environmental injustices in noise exposure is an exercise that 287 requires knowledge of both the spatial distribution of noise levels and the populations 288 affected, in terms of social conditions, age, etc. This necessarily entails the reinforcement, 289 already at work, of research groups involving environmental economists, epidemiologists, 290 geographers and acousticians. First findings on how noise influences urban landscape show 291 that the spatial noise distribution has a significant impact on the property market. Kim et al. 292 (2007) showed that a 1% highway traffic noise increase is associated with a 1.3 % decline in 293 land price. Such numbers are however hardly transferred to urban context, where a very low 294 association between price market and noise exposure is found in Brandt & Maennig (2011) 295 due to confounding factors. The spatial noise distribution also correlates with living spaces and 296 thus social groups, so that strong social inequalities in environmental noise exposure are 297 observed. Its processes are reviewed in Dreger et al. (2019): groups with lower socioeconomic 298 position suffer from a higher noise exposure, combined with an inability to afford more 299 effective noise insulation and an increased vulnerability to the effects of exposure (EC, 2016).

At the microscopic scale, the urban planning efforts in city centers are moving towards a more global reflection on health and quality of life that is in line with the on-going research on soundscape, which promotes holistic approaches (see section 4.1.1). The integration of soundscapes approaches into modeling frameworks shared by architects and acousticians is an important challenge to progress towards the design of high quality sound environments.

305

4.1.3. Assessing the noise impact of societal changes

The societal changes described by sociologists, which are a move towards more flexibility and an acceleration in life rhythms, have begun to disrupt relationships with mobility, with predictable consequences for urban sound environments. The individualization of living patterns, and the increasing instantaneous nature of deliveries, increase the number of trips during evening or even night periods, which are traditionally conducive to calm. These new noise nuisances question the indicators and models to evaluate them.

The acoustic indicators commonly used to describe night annoyance are criticized for not taking into account the impulsive nature of the noise associated with awakenings (Basner, 2018). In addition, evidences show the interest of taking into account the number of noise events when assessing perceptual effects of noise, in terms of the sound pleasantness of a scene (Gille et al., 2016; Ricciardi et al., 2015). As a result, noise indicators to assess the impacts of noise, both in terms of annoyance and health effects, are still under discussion (Lercher, 2018), with the aim to include the temporal structure of sound environments. Indicators have recently been proposed to summarize the temporal variations of noise, such as the Harmonica index which accounts for the sound levels amplitude (Harmonica, 2013), or the Intermittency Ratio (Wunderli et al., 2015), which highlights the proportion of the sound energy contained in noise peaks.

However, the estimation of noise event indicators remains difficult because the usual modelling frameworks for road traffic noise prediction do not adapt well enough to the dynamics of noise induced by road traffic, and even less so to the random nature of noise events. Recent modeling approaches, which rely on microscopic road traffic models, seem promising for estimating acoustic indicators characterizing noise peaks or calm periods (Can *et al.*, 2007; De Coensel *et al.*, 2016; Estevez-Mauriz & Forssen (2018).

328 4.1.4. Assessing the noise impact of new mobility drivers

329 Mobility is also changing in terms of nature. The development of smart cities and new transportation 330 devices can have a very beneficial effect on sound environments. The deployment of electric vehicles 331 contributes to a reduction in noise levels since they attenuate propulsion noise. However, their impact 332 on urban sound environments will remain limited, until a massive spread. The probable future 333 emergence of autonomous vehicles can also be a lever for reducing noise levels, with the 334 implementation of driving modes that are economical in terms of the noise pollution generated 335 (reduction of high accelerations and congestion). However, some rebound effects are under study, 336 these vehicles can for instance induce empty trips and even congestion (Millard-Ball, 2019).

On the other hand, the development of new modes of transport, in particular drones, person-carrying drones or urban helicopter transport, can lead to a significant deterioration in sound environments. Initial researches have focused on the characterization of drones' emissions (Kloet *et al.*, 2017), or in showing their increased annoyance compared with cars or trucks (Christian & Cabell, 2017; Torija et al., 2020). It seems crucial to intensify the efforts on researching the potential noise impact of new modes of transport, including beyond noise levels a research on the additional cognitive load induced by these new vehicles.

In view of the diversity of these new sources, estimating effects based on traditional subdivision on
 transport modes (air, rail, road) can no longer be defended. The development of new impact indicators
 that can lead to a unified theory for noise annoyance, sleep disturbance, and restoration is called for.

347

4.2. Insights in noise mitigation

348

4.2.1. Insights in road traffic management

349 The proximity between sources and exposed people in urban areas calls for a reduction of traffic noise 350 at source. The decibel scale recalled in section 2.2 draws direct conclusion in terms of road traffic 351 management. Indeed, a small proportion of noisy vehicles (for example logistic vans, motorcycles or 352 old vehicles), for instance 1% of vehicles that emit 20 dB more than the rest of the vehicle fleet, make 353 average sound levels increase by 3 dB. This result is a brake to legislating on vehicles noise limits to 354 reduce noise levels, as a small proportion of noisy vehicles, added to the inertia in the renewal of the 355 vehicle fleet, can contribute significantly to high ambient levels. But the opposite is true, a policy 356 targeting the 1% noisiest vehicles may reduce noise levels significantly. Acoustics radars are therefore 357 under testing and being deployed in some cities. They aim to identify noisy vehicles, pinpoint their 358 location and automatically ticket them. The sensor "Méduse" patented by BruitParif relies for instance 359 on an acoustic antenna composed of four microphones arranged in a regular tetrahedron (Mietlicki, 360 2018). Finally, the reduction of the engine component of vehicle noise, and the arrival of electric 361 vehicles on the market, bring out new opportunities for flanking noise control via quiet-tire policies 362 and road pavement choice and maintenance increase.

363 Acting on road traffic to mitigate noise requires the development of dedicated modeling chains. The 364 links between vehicle flows and sound power levels are indeed not trivial, since kinematics of single 365 vehicles is extremely important for noise emission. Thus, the effect of modifying the vehicle flow has 366 an effect on the vehicles kinematics and, consequently, on noise emissions. For example, reducing the 367 number of vehicles can be acoustically compensated by an increase in speeds that increases sound 368 levels. Recent advanced modelling approaches have been developed that rely on microscopic traffic 369 models, with the aim to capture the vehicle reassignments and the changes in traffic conditions, such 370 as traffic congestion, that may occur with acting on traffic management. These models work as follows: 371 the traffic model, originally designed for traffic management purposes, outputs vehicle trajectories on 372 an instantaneous basis, which feed noise emission models (De Coensel et al., 2005; Can et al., 2009). 373 The other advantage of this modelling approach is to enable the evaluation of sound level time series 374 and then the calculation of specific indicators that better describe sound environments (Can et al., 375 2008). These models have been used to evaluate the impact of speed reduction or specific intersection 376 designs on the sound levels distribution. For example, the sound environments associated with 377 roundabouts are improved compared with traffic light intersections, as they smooth traffic and reduce 378 the number of acceleration phases (Chevallier et al., 2009; Luo et al., 2012). De Coensel et al. (2010) 379 demonstrated the interest of low speed green waves for reducing noise levels. Finally, integrated approaches have combined noise and air pollution assessment within multi-criteria evaluations that showed that the effects can vary from one externality to the other (Fernandes *et al.*, 2019; Sampaio *et al.*, 2019). For example, De Coensel *et al.* (2012) proposed a case study in which a reduction in speeds is slightly beneficial from an acoustic point of view, while NO_x emissions strongly decrease but the number of particles emitted increases because vehicles operate in sub-regime speed.

385

4.2.2. New modes of governance

The emergence of new modes of governance and the growing diversity of stakeholders are changing 386 387 the way in which noise is being addressed. For instance, GPS applications available on the market, 388 whose objective is to optimize individual travel, shift traffic to residential streets, which can 389 significantly increase noise levels in initially quiet areas (Foderaro, 2017). This raises questions of 390 governance regarding sound environments in the smart-city context with private and public actors 391 (Courmont & Le Galès, 2019; Meijer & Bolivar, 2016). Decrease in private car ownership could also be 392 al lever to mitigate noise. Indeed, as soon as vehicles (cars, busses, trams, trains) are owned by a 393 limited number of operators, noise emission policy could take on new forms including stakeholder 394 negotiations and long-term planning.

In parallel, the rise of the soundscape approach, the deployment of urban sensor networks, and the general trend towards greater participation of the various stakeholders in decision-making argue for new modes of governance to mitigate urban sound environments. The association of different stakeholders and methods in sound planning have been discussed in (Alves et al., 2015) or (Gauvreau et al., 2016). The promoted holistic approach calls for instance for an active participation of citydwellers in the decision-making process, involving as well noise experts and city's players in focus groups.

402

4.2.3. Insights as concerning the smart city

403 The smart city is already very present in the acoustics context, particularly via the development of 404 connected sensor networks (Sevillano et al., 2016; Picaut et al., 2017; Mydlarz et al., 2019), which help 405 to monitor sound levels, but must be set to guarantee the privacy of city dwellers in response to 406 national laws. City-of-things distributed monitoring technology may be used directly in noise control 407 by adapting speed limits or variable access charging or tolling based on noise emission. However, the 408 smart governance dimension of smart cities, which could be defined as an hybrid governance 409 associating citizens to decisions made by pubic authorities, did not fully reached yet the acoustics 410 community. Sensor networks of the new generation might eventually participate in moving towards 411 an association of citizens in the decision-making process, and towards greater transparency in

412 governance models. Open data, such as the service offered by the New-York City that references and 413 shares on-line noise complaints (NYC, 2019), or smartphone noise applications that allow users to 414 measure and share the noise environment, such as Noisecapture (Picaut et al., 2019), can help to move 415 in this direction. This will in addition require the development of data visualization platforms that can 416 be easily interpreted, in order to test the impact of temporary policies.

Finally, the current development of intelligent measurement networks can be used to: (i) implement noise reduction solutions (such as speed reduction) adapted to the noise levels measured, (ii) detect noisy vehicles and decide on action concerning them, (iii) assess the benefits of local noise reduction policies, by measuring their effects.

421 **5. Conclusions**

The degradation of sound environments is mainly attributed to the mobility demand and an obstacle to the qualitative and quantitative development of cities. Societal and urban changes and the current changes in mobility practices make it difficult to anticipate the sound environments of tomorrow. However, this prospective analysis is essential to propose appropriate noise mitigation solutions.

426 The interdisciplinary discussion proposed in this article highlights the most influencing trends within 427 ongoing mobility and society changes on sound environments, and defines the consequences in terms 428 of noise assessment and mitigation. The selected trends that are likely to tend towards a deterioration 429 of sound environments are the global economic growth, the acceleration and fluidification of life rhythms, the increase of freight traffic, the appearance of new aerial sound sources, and the spatial 430 431 growth of cities. The selected trends that are moving towards an improvement of sound environments 432 are the development of active mobility, the development of short supply chains, the emerging electric 433 vehicles and new forms of mobility. The article sets however limits in terms of anticipation, so the most 434 studied trends have been favored. Trends in urban sound environments may differ from those 435 predicted here if unanticipated external factors, such as technological disruptions or a collapse in mobility, significantly alter mobility practices in the coming years (Urry, 2016; Scheel et al., 2015). 436

Finally, the paper builds on this discussion to propose and comment on insights for the assessmentand the mitigation of the noise impacts of mobility:

The development of integrated modelling chains combining urban morphology, mobility and
 noise is called for to assess the impact of the urban renewal on noise. In addition,
 interdisciplinary researches involving environmental economics and geographers are required

- 442 to better retroactively describe the impact on society of the evolution of urban sound 443 environments;
- The proposal of unified noise indicators that can handle a variety of noise sources and specific
 demands such as tranquility, restoration, and undisturbed sleep is required to better assess
 the impacts;
- Research efforts on the potential impact of new modes of transport are crucial to anticipate
 the acceptability of the evolution of future noise environments;
- The rise of new modes of governance associating all the stakeholders involved in the design of
 urban sound environments is encouraged to mitigate noise. It could benefit from the
 increasing amount of collected data as part of the smart city as long as decision-making
 methods are developed in parallel.

These research insights and their further continuation is crucial to make the development of cities andmobility compatible with sound environments of quality.

455

6. Acknowledgements

456 M.C. Coelho's research is supported by the projects UIDB/00481/2020 and UIDP/00481/2020 - FCT -Fundação para a Ciência e a Tecnologia; and CENTRO-01-0145-FEDER-022083 - Centro Portugal 457 458 Regional Operational Programme (Centro2020), under the PORTUGAL 2020 Partnership Agreement, 459 through the European Regional Development Fund; MobiWise (P2020 SAICTPAC/0011/2015), cofunded by COMPETE2020, Portugal2020 - Operational Program for Competitiveness and 460 461 Internationalization (POCI), European Union's ERDF (European Regional Development Fund), and FCT; DICA-VE (POCI-01-0145-FEDER-029463), funded by FEDER through COMPETE2020, and by National 462 463 funds (OE), through FCT/MCTES.

7. References

464 ACARE, "Activity Summary 2014-2015," 2015.

Aguilera, A., Dablanc, L. & Rallet, A. (2018). L'envers et l'endroit des plateformes de livraison
instantanée: Enquête sur les livreurs micro-entrepreneurs à Paris. *Réseaux*, 212(6), 23-49.
doi:10.3917/res.212.0023.

Aletta, F., Margaritis, E., Filipan, K., Puyana Romero, V., Axelsson, Ö., & Kang, J. (2015). Characterization
of the soundscape in Valley Gardens, Brighton, by a soundwalk prior to an urban design intervention.
Proceedings of the Euronoise 2015 Conference. Maastricht.

- 471 Aletta, F., Kang, J., & Axelsson, O. (2016). Soundscape descriptors and a conceptual framework for
 472 developing predictive soundscape models. Landscape and Urban Planning, 149, p.65-74.
- Alves, S., Estévez-Mauriz, L., Aletta, F., Echevarria-Sanchez, G.M., Puyana Romero, V.Towards the
 integration of urban sound planning in urban development processes: the study of four test sites within
 the SONORUS project. Noise Mapp. 2015; 2:57–85.
- Anderton, K., Åkerman, J., Brand, R., Chèze, C., Dotterud Leiren, M.D., Gudmundsson, H., Cornet, Y. *et al.* (2015). 'Strategic Outlook TRANSFORuM D6.3'. European Comission. http://www.transforumproject.eu/resources/library.html.
- 479 Aumond, P., Can, A., De Coensel, B., Botteldooren, D., Ribeiro, C., & Lavandier, C. (2017). Global and
 480 continuous pleasantness estimation of the soundscape perceived during walking trips through urban
 481 environments, January 2017, Applied Sciences, 7(2).
- Aumond, P., Can, A., Mallet, V., De Coensel, B., Ribeiro, C., Botteldooren, D., & Lavandier, C. (2018).
 Kriging-based spatial interpolation of mobile measurements for sound level mapping, Journal of
 Acoustical Society of America, 143(5), 2847-2857.
- Barrigon Morillas, J.M., Escobar, V.G., Sierra, J.A., Vilchez-Gomez, R., Vaquero, J.M., & Carmona, J.T.
 (2005). A categorization method applied to the study of urban road traffic noise. Journal of the
 Acoustical Society of America, 117 (5), 2844-2852.
- Basner, M., & McGuire, S. (2018). WHO Environmental Noise Guidelines for the European Region: A
 Systematic Review on Environmental Noise and Effects on Sleep, International Journal of
 Environmental Research and Public Health, 15(3), 519.
- 491 Bauman, Z. (2000). Liquid modernity. ISBN-13: 978-0745624105, 240p.
- Brandt, S, Maennig, W. (2011) Road noise exposure and residential property prices: evidence from
 Hamburg. Transport Res Part D, 16(1), 23–30.
- Buchanan, C. (1963). Traffic in towns: a study on the long term problems of traffic in urban areas (The
 Buchanan report), ISBN 1138775991, 254p.
- 496 Can, A., Leclercq, L., & Lelong, J. (2007). Dynamic urban traffic noise: do individualized emission laws
 497 improve estimation? In: Proceedings of the 19th International Congress on Acoustics (ICA), Madrid
 498 (Spain), 2007, 6 p.
- Can, A., Leclercq, L., Lelong, J., & Defrance, J. (2008). Capturing urban traffic noise dynamics through
 relevant descriptors. Applied Acoustics, 69(12), 1270-80.
- 501 Can, A., Leclercq, L., Lelong, J., & Defrance, J. (2009). Accounting for traffic dynamics improves noise 502 assessment: experimental evidence. Applied Acoustics, 70(6), 821–829.
- Christian, A., Cabell, R. (2017). Initial Investigation into the Psychoacoustic Properties of Small
 Unmanned Aerial System Noise. 17th AIAA Aviation Technology, Integration, and Operations
 Conference (AVIATION 2017); June 05, 2017 June 09, 2017; Denver, CO; United States.
- 506 Clegg, S., Baumeler, C. (2010). 'Essai: From Iron Cages to Liquid Modernity in Organization Analysis'.
 507 Organization Studies 31 (12): 1713–33. doi:10.1177/0170840610387240.
- 508 Courel, J., Gloagen, S. (2016). 'L'évolution des modes de vie accroît le temps passé à se déplacer'. 714.
- 509 Notes rapides. Paris: IAURIF. http://www.iau-idf.fr/savoir-faire/nos-travaux/edition/levolution-des-
- 510 modes-de-vie-accroit-le-temps-passe-a-se-deplacer.html.
- 511 Courmont, A., Le Galès, P. (2019). Gouverner la ville numérique. ISBN 978-2-13-081525-9, 112p.
- 512 Cucurachi, S., Heijungs, R., & Ohlau, K. (2012). Towards a general framework for including noise
- 513 impacts in LCA. International Journal of Life Cycle Assessment, 17, 471–487.

- Dablanc, L., Blanquart, C., Combes, F., Heitz, A., Klausberg, J., Koning, M., Liu, Z., Seidel, S. (2016).
- 515 'CITYLAB Observatory of Strategic Developments Impacting Urban Logistics (2016 Version)'.
 516 Deliverable 2-1 CITYLAB European Project. http://www.citylab-project.eu/deliverables/D2_1.pdf:
- 517 European Commission H2020 Programme. <u>http://www.citylab-project.eu/deliverables/D2_1.pdf</u>.
- 518 Dablanc, L., Morganti, E., Arvidsson, N., Woxenius, J., Browne, M., Saidi, N. (2017). The rise of on-519 demand 'Instant Deliveries' in European cities. Supply Chain Forum: An International Journal 18 (4):
- 520 203-17.
- 521 Davis, B., Dutzik, T., Baxandall, P. (2012). 'Transportation and the New Generation: Why Young People 522 Are Driving Less and What It Means for Transportation Policy'.
- 523 De Coensel, B., De Muer, T., Yperman, I., & Botteldoren, D. (2005). The influence of traffic flow 524 dynamics on urban soundscape. Applied Acoustics, 66, 175–194.
- 525 De Coensel, B., Vanwetswinkel, S., & Botteldooren, D. (2011). Effects of natural sounds on the 526 perception of road traffic noise. Journal of the Acoustical Society of America, 129(4).
- 527 De Coensel, B., Can, A., Madireddy, M., De Vlieger, I., & Botteldooren, D. (2010). Combined assessment
- of noise and air pollution caused by road traffic. Proceedings of the Institute of Acoustics & Belgium
 Acoustical Society, Noise in the Built Environment, Ghent (Belgium), 29-30 April 2010, 6p.
- 530 De Coensel, B., Can, A., & Botteldooren, D. (2012). Effect of traffic signal coordination on noise and air 531 pollutant emissions. Environmental Modelling and Softwares, 35, 74-83.
- 532 De Coensel, B., Brown, A.L., & Tomerini, D. (2016). A road traffic noise pattern simulation model that 533 includes distributions of vehicle sound power levels. Applied Acoustics, 111, 170-178.
- Deloitte, S.C., Vitale, J., Kelly, E. & Cathles, E. (2015). The Future of Mobility, How Transportation
 Technology and Social Trends Are Creating a New Business Ecosystem.
 http://www2.deloitte.com/ru/en/pages/manufacturing/articles/future-of-mobility.html.
- 537 Donzelot, J. (2006). The three-speed city Marginalisation, periurbanisation, gentrification. In Dialogues
 538 in Urban and Regional Planning 2 (pp.103-126).
- 539 Dreger, S., Schüle, S.A., Hilz, L.K., Bolte, G. (2019). Social Inequalities in Environmental Noise Exposure:
- A Review of Evidence in the WHO European Region. International Journal of Environmental Reseasch
 and Public Health. 2019 Mar 20;16(6). pii: E1011. doi: 10.3390/ijerph16061011.
- 542 EC. (2016). Science for Environment Policy. Links between Noise and Air Pollution and Socioeconomic 543 Status; In-depth report 13 produced for the European Commission, DF Environment by the Science 544 Communication Unit, UWE, Bristol; 2016.
- 545 EC. (2017). Annual Analyses related to the EU Air Transport Market 2016. March 2017, 244p.
- 546 EEA. (2014). Good practice guide on quiet areas. European Environment Agency. EEA Technical report
 547 n°4, ISSN 1725-2237. 58p.
- 548 END. (2002). Directive 2002/49/EC of the European parliament and the Council of 25 June 2002 relating
 549 to the assessment and management of environmental noise. Off J Eur Communities. 2002;189(12):12–
 550 25.
- 551 EU 2015/996. (2015). Commission Directive (EU) 2015/996 of 19 May 2015. Establishing common noise
- assessment methods according to Directive 2002/49/EC of the European Parliament and of the
- 553 Council.
- 554 Fernandes, P., Vilaça, M., Macedo, E., Sampaio, C., Bahmankhah, B., Bandeira, J., Guarnaccia, C., Rafael,
- 555 S., Fernandes, A., Relvas, H., Borrego, C., Coelho, M.C. (2019). Integrating road traffic externalities 556 through a Sustainability Indicator. Science for Total Environment, 691, 483-498.

- Foderaro, L.W. (2017, December 25). Section A, Page 1 of the New York edition with the headline:
 Choked by App-Driven Traffic, A Community Closes Its Roads. Available on-line:
 https://www.nytimes.com/2017/12/24/nyregion/traffic-apps-gps-neighborhoods.html.
- 560 Gauvreau, B., Guillaume, G., Can A., Lemonsu, A., Masson, V., Carissimo, B., Richard, I., Haoues-Jouve,

561 S. Environmental Quality at district scale: A transdisciplinary approach within the EUREQUA project, 562 Proceedings of FICUP, An International Conference on Urban Physics, B. Beckers, T. Pico, S. Jimenez

- 563 (Eds.), Quito Galápagos, Ecuador, 26 30 September 2016.
- 564 Giffinger, R., Kramar, H., Haindlmaier, G., Strohmayer, F. 2007. 'Smart Cities: Ranking of European 565 Medium-Sized Cities'. Vienna: Centre of Regional Science (SRF), Vienna University of Technology.
- 566 Gille, L.-A., Marquis-Favre, C., & Klein, A. (2016). Noise annoyance due to urban road traffic with 567 powered-two-wheelers: quiet periods, order and number of vehicles. Acta Acustica united with 568 Acustica, 102, 474 – 487.
- Hagerstrand, T. (1970). What about people in regional science? Papers of the Regional ScienceAssociation 24: 7-21.
- 571 Harmonica. (2013). <u>http://www.harmonica-project.eu/en. Cited 18 Jan 2013</u>.

ISO 1996-1:2016. Acoustics — Description, measurement and assessment of environmental noise —
 Part 1: Basic quantities and assessment procedures.

- 574 ISO 12913-1:2014. Acoustics -- Soundscape -- Part 1: Definition and conceptual framework.
- Jeon, J.Y., Lee, P.J., You, J., Kang, J. (2010). Perceptual assessment of quality of urban soundscapes with
 451 combined noise sources and water sounds. Journal of the Acoustical Society of America, 127(3),
 1357–66.
- 578 Kaddoura, I., Kröger, L., Nagel, K. (2017). An activity-based and dynamic approach to calculate road 579 traffic noise damages. Transportation Research Part D : Transport and Environment, 54 :335–347.
- Kamargianni, M., Matyas, M., Li, W., & Muscat, J. (2018). Londoners' attitudes towards car-ownership
 and Mobility-as-a-Service: Impact assessment and opportunities that lie ahead. MaaSLab UCL Energy
 Institute Report, Prepared for Transport for London.
- Kang, J., Aletta, F., Gjestland, T.T., Brown, L.A., Botteldooren, D., Schulte-Fortkamp, B., Lercher, P., van
 Kamp, I., Genuit, K., Fiebig, A., Bento Coehlo, J.L., Maffei L., & Lavia, L. (2016). Ten questions on the
 soundscapes of the built environment. Building and Environment, 108 (Supplement 455C), 284–294.
- Kenworthy, J.R., Laube, F.B. (1999). Patterns of automobile dependence in cities: an international
 overview of key physical and economic dimensions with some implications for urban policy.
 Transportation Research Part A: Policy and Practice 33 (7-8): 691.
- Kim, S.K., Park, S.J., Kweon, Y.J. (2007). Highway traffic noise effects on land price in an urban area.
 Transportation Research Part D 12, 275–280.
- 591 Kloet, N., Watkins, S., Clothier, R. (2017). Acoustic signature measurement of small multi-rotor 592 unmanned aircraft systems. International Journal of Micro Air Vehicles. 2017, Vol. 9(1) 3–14.
- Lercher, P. (2018) Noise in Cities: Urban and Transport Planning Determinants and Health in Cities. In:
 Integrating Human Health into Urban and Transport Planning, 443-481.
- L'Hostis, A., Muller, B., Meyer, G., Bruckner, A., Foldesi, E., et al.. (2016). MOBILITY4EU D2.1 Societal
- 596 needs and requirements for future transportation and mobility as well as opportunities and challenges
- 597 of current solutions. [Research Report] IFSTTAR Institut Français des Sciences et Technologies des
- 598 Transports, de l'Aménagement et des Réseaux. 2016, 85p. hal- 01486783v2.

- Liu, J., Kang, J., Luo, T., Behm, H., & Coppack, T. (2013). Spatiotemporal variability of soundscapes in a
 multiple functional urban area. Landscape and Urban Planning, 115, 1–9.
- Luo, W.L., Cai, M., Li, F., & Liu, J.K. (2012). Dynamic modeling of road traffic noise around buildings in an urban area. Noise Control Engineering Journal, 60(4).
- 603 McKinsey, Cornet, A, Moh, D., Weig, F., Zerlin, B. & Hein, A-.P. (2012). Mobility of the Future, 604 Opportunities for Automotive OEMs.
- 605 McKinsey & Company. (2014). EVolution, Electric Vehicles in Europe: Gearing up for a New Phase?,
- 606 60p. <u>https://www.mckinsey.com/featured-insights/europe/electric-vehicles-in-europe-gearing-up-</u> 607 <u>for-a-new-phase</u>.
- McKinsey & Company. (2017). An integrated perspective on the future of mobility, part 2: Transformingurban delivery. 48p.
- 610 Meijer, A., & Bolivar, M.P.R. (2016). Governing the smart city: a review of the literature on smart urban 611 governance. International Review of Administrative Sciences 2016, Vol. 82(2) 392–408.
- 612 Meyer, R., Benetto, E., Mauny, F., Lavandier, C. (2019). Characterization of damages from road traffic
- noise in life cycle impact assessment: A method based on emission and propagation models. Journal
- 614 of Cleaner Production. 231(10), 121-131.
- 615 Mietlicki, C., Mietlicki, F. (2018). Medusa: a new approach for noise management and control in urban 616 environment. Euronoise 2018, Creata, Greece.
- 617 Millard-Ball, A. (2019). The autonomous vehicle parking problem. Transport Policy, 75, 99-108.
- Mohammadi, N., Taylor, J.E. (2017). Smart city digital twins. IEEE Symposium Series on Computational
 Intelligence, pp. 4-5, 2017.
- Mumford, L. (1968). The City in History: Its Origins, Its Transformations, and Its Prospects. ISBN-13:978-0156180351784p.
- 622 Murray Schafer, R. (1979). Le Paysage sonore. Toute l'histoire de notre environnement sonore à
- travers les âges (édition originale : The Tuning of the World. Toward a Theory of Soundscape Design,
 1977), Paris : Éditions Jean-Claude Lattès.
- Mydlarz, C., Sharma, M., Lockerman, Y., Steers, B., Silva, C. Bello, J.P. (2019). The life of a New York City
 noise sensor network. Sensors 2019, 19(6), 1415.
- NYC. (2019). NYC OpenData. Retrieved from <u>https://data.cityofnewyork.us/Social-Services/311-Noise-</u>
 <u>Complaints/p5f6-bkga</u>.
- 629 Pallas, M-.A., Bérengier, M., Chatagnon, R., Czuka, M., Conter, M., Muirhead, M. (2016). Towards a
- 630 model for electric vehicle noise emission in the Europeanprediction method CNOSSOS-EU. Applied
- 631 Acoustics 113, 89-101.
- Payne, S. (2013). The production of a perceived restorativeness soundscape scale. Applied Acoustics,
 74(2), 255-263.
- 634 Pheasant, R.J., Horoshenkov, K.V., Watts, G.R., Barrett, B.T. (2008). The acoustic and visual factors 635 influencing the construction of tranquil space in urban and rural environments: Tranquil spaces – quiet
- 636 places?" J. Acoust. Soc. Am. 123, 1446 1457 (2008).
- 637 Picaut, J., Can, A., Ardouin, J., Crepeaux, P., Dhorne, T., Ecotiere, D., Lagrange, M., Lavandier, C., Mallet,
- 638 V., Mietlicki, C., & Paboeuf, M. (2017). CENSE project: characterization of urban sound environments
- 639 using a comprehensive approach combining open data, measurements and modeling. 173rd Meeting
- of the Acoustical Society of America and the 8th Forum Acusticum.

- Picaut, J., Fortin, N., Bocher, E., Petit, G., Aumond, P., Guillaume, G. (2019). An open-science
 crowdsourcing approach for producing community noise maps using smartphones. Building and
 Environment. 2019. Vol. 148, pp. 20-33.
- Pujol, S., Houot, H., Antoni, J-.P., Mauny, F. (2012). Linking traffic and noise models to explore spatiotemporal distribution of noise pollution: an example in Besançon (France) 19th International Congress
 on Sound and Vibration, Jul 2012, Vilnius, Lithuania.
- Ricciardi, P., Delaitre, P., Lavandier, C., Torchia, F., & Aumond, P. (2015). Sound quality indicators for
 urban places in Paris cross-validated by Milan data. Journal of the Acoustical Society of America,
 138(4), 2337–2348.
- Rosa, H. (2003). 'Social Acceleration: Ethical and Political Consequences of a Desynchronized High–
 Speed Society'. Constellations 10 (1): 3–33.
- Rueb, E.S. (2013). Many Pleas for Quiet, but City Still Thunders. New York edition 2013.13.07.
 <u>https://archive.nytimes.com/www.nytimes.com/2013/07/13/nyregion/many-pleas-for-quiet-but-</u>
 <u>city-still-thunders.html.</u>
- 655 Ryu, H., Park, I.W., Chun, B.S., & Chang, S.I. (2017). Spatial statistical analysis of the effects of urban
- 656 form indicators on road-traffic noise exposure of a city in South Korea. Applied Acoustics, 115(1), 93-657 100.
- Salomons, E. M., & Berghauser Pont, M. (2012). Urban traffic noise and the relation to urban density,
 form, and traffic elasticity. Landscape and Urban Planning, 108(1), 2–16.
- 660 Sampaio, C., Bandeira, J.M., Macedo, E., Vilaça, M., Guarnaccia, C., Friedrich, B., Relvas, H., Rafael, S.,
- Rodrigues, V., Coelho, M.C. (2019). A Dynamic Link-based Eco-indicator for supporting equitable traffic
- 662 management strategies. Transportation Research Procedia, 37, 43-50.
- Scheel, A.Z., De Meulder, B., Doevendans, K. (2015). Eindhoven as an example of pragmatic sustainable
 design: Preparing the period of post carbon city. In book: Architecture Anthology I: Sustainable Design
- 665 Edition: 1st Chapter: 7 Publisher: ATINER Editors: Fatih A. Rifki.
- 666 Science for Environment Policy (2017). Noise abatement approaches. Future Brief 17. Produced for the
- 667 European Commission DG Environment by the Science Communication Unit, UWE, Bristol. Available
- 668 at:http://ec.europa.eu/science-environment-policy.
- 669 Seamon, D. (1979). A Geography of the Lifeworld: Movement, Rest and Encounter. Routledge.
- 670 Sena e Silva, M., Oliveira, M. Ribeiro, N.S., Moraglio, M., Ludvigsen, J., Christ, A., Seppänen, T.M. et al.
- 671 (2013). 'RACE2050 D5.1 Current Transport Demand and Global Transport Outlook'. European
 672 Commission. <u>http://www.race2050.org/index.php?id=4#news</u>.
- Sevillano, X., Socoró, J.C., Alías, F., Bellucci, P., Peruzzi, L., Radaelli, S., Coppi, P., Nencini, L., Cerniglia,
 A., Bisceglie, A., Benocci, R., Zambon, G. (2016). DYNAMAP Development of low cost sensors
 networks for real time noise mapping. Noise Mapping, May 2016.
- 576 Stopher, P. R., Ahmed, A., & Liu, W. (2017). Travel time budgets: new evidence from multi-year, multi-577 day data. Transportation, 44(5), 1069-1082.
- Torija, A.J., Li, Z., Self, R.H. (2020). Effects of a Hovering Unmanned Aerial Vehicle on Urban
 Soundscapes Perception, Transportation Research Part D: Transport and Environment, 78, 102195.
- 680 Urry, J. (2007). Mobilities. Polity.
- Van Kamp, I., van Kempen, E., Klæboe, R., Kruize, H., Brown, A. L., & Lercher, P. (2016). Proceedings
 of Internoise 2016, Hambourg (Germany).

- Van Renterghem, T., Botteldooren, D., & Dekoninck, L. (2012). Evolution of building façade road traffic
 noise levels in Flanders. Journal of Environmental Monitoring, 14(2), 677-686.
- Vidyasekar, A., Frost & Sullivan. (2013). 'Delivering to Future Cities Mega Trends Driving Urban
 Logistics'. http://www.frost.com/prod/servlet/market-insight-print.pag?docid=272794509.
- WG-AEN. (2006). European Commission Working Group Assessment of Exposure to Noise. Good
 Practice Guide for Strategic Noise Mapping and the Production of Associated Data on Noise Exposure,
 2006. 129p.
- 690 WHO. (2011). World health Organization. Burden of disease from environmental noise. Quantification691 of healthy life years lost in Europe. ISBN: 978 92 890 0229 5., 126p.
- Wilson, S. (2011). 'Transport Outlook 2011: Meeting the Needs of 9 Billion People'. Text.
 <u>http://www.itf-oecd.org/transport-outlook-2011-meeting-needs-9-billion-people</u>.
- 694 Wunderli, J.M., Pieren, R., Habermacher, M., Vienneau, D., Cajochen, C., Probst-hensch, N., *et al.* 695 (2015). Intermittency ratio : A metric reflecting short-term temporal variations of transportation noise
- 696 exposure. J Expo Sci Environ Epidemiol. 2015;(April):1–11.
- 697 Zahavi, Yacov. 1976. 'Travel Characteristics in Cities of Developing and Developed Countries'. Staff
- 698 Working Paper 230. International Bank for Reconstruction and Development.