



HAL
open science

Comment on “Coral reef calcification and climate change: The effect of ocean warming”

Ja Kleypas, Rw Buddemeier, Cm Eakin, Jp Gattuso, J Guinotte, O Hoegh-Guldberg, R Iglesias-Prieto, Pl Jokiell, C Langdon, W Skirving, et al.

► To cite this version:

Ja Kleypas, Rw Buddemeier, Cm Eakin, Jp Gattuso, J Guinotte, et al.. Comment on “Coral reef calcification and climate change: The effect of ocean warming”. *Geophysical Research Letters*, 2005, 32 (8), 10.1029/2004GL022329 . hal-03494220

HAL Id: hal-03494220

<https://hal.science/hal-03494220v1>

Submitted on 24 Dec 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Copyright

Comment on “Coral reef calcification and climate change: The effect of ocean warming”

J. A. Kleypas,¹ R. W. Buddemeier,² C. M. Eakin,³ J.-P. Gattuso,⁴ J. Guinotte,⁵ O. Hoegh-Guldberg,⁶ R. Iglesias-Prieto,⁷ P. L. Jokiel,⁸ C. Langdon,⁹ W. Skirving,¹⁰ and A. E. Strong¹⁰

Received 28 December 2004; accepted 8 March 2005; published 20 April 2005.

Citation: Kleypas, J. A., et al. (2005), Comment on “Coral reef calcification and climate change: The effect of ocean warming,” *Geophys. Res. Lett.*, 32, L08601, doi:10.1029/2004GL022329.

1. Introduction

[1] *McNeil et al.* [2004] present an analysis indicating that rising sea surface temperature will have a uniformly positive effect on coral calcification over the coming century. The authors claim that this will outweigh the negative effects of declining carbonate ion concentration and result in a substantial increase in net coral reef calcification by the year 2100. We agree that temperature will play an important role in future coral reef calcification; this point is not new, and we find the authors’ statement that “Our analysis suggests that annual average coral reef calcification rate will increase with future ocean warming and eventually exceed pre-industrial rates by about 35% by 2100” to be seriously flawed. Many of their critical assumptions are not supported by existing information on the limits of coral growth and calcification, present day coral reef distributions, and temperature responses. We review their assumptions in the context of this existing knowledge.

2. Combining the Calcification: Temperature and Calcification: Ω_{arag} Relationships

[2] The authors assume that calcification in corals and other reef-building organisms is the sum of two linear responses to temperature and aragonite saturation state (Ω_{arag}). While the response of calcification to Ω_{arag} does

appear to be generally linear with increasing CO_2 [e.g., *Langdon et al.*, 2000; *Leclercq et al.*, 2000], coral response to increasing temperature is not linear. Calcification rates typically increase with temperature, eventually reaching a plateau at or below the normal peak summer temperature, and then decline rapidly beyond that [*Jokiel and Coles*, 1977; *Marshall and Clode*, 2004]. This optimum temperature varies according the ambient temperature of the coral’s environment (summarized by *Marshall and Clode* [2004]). That is, while coral calcification may initially increase with rising temperature, that increase is unlikely to continue throughout a 2–3°C rise.

[3] Many investigators recognize that temperature and CO_2 may interactively affect calcification. However, only one experimental study has been published on the combined effects of temperature and Ω_{arag} on calcification, and the results [*Reynaud et al.*, 2003] do not support the assumption that the calcification responses to temperature and Ω_{arag} are additive. Also, the authors’ assumption that *Porites* calcification is the same as net coral reef calcification is not supported by previous work.

3. The *Porites* Calcification: Temperature Relationship

[4] *McNeil et al.* [2004] largely base their predictions on an excellent dataset of painstakingly measured calcification rates from massive *Porites* cores [*Lough and Barnes*, 2000]. However, this is a calcification:temperature correlation and not a true calcification:temperature curve, as it was derived from corals spanning a range of latitudes with gradients not only in temperature, but also in light and Ω_{arag} , both of which co-vary with temperature [*Kleypas et al.*, 1999a, 1999b; *Gattuso and Buddemeier*, 2000]. For example, carbonate chemistry measurements from their locations are essentially lacking, but a quick estimate of Ω_{arag} across the temperature range they used (23–29°C) is about 3.9–4.7.

[5] In addition, this dataset covers the area where mean annual SST < ~27°C, with one point between 28–29°C that was obtained from a very different environment. Most of the world’s reefs occur in waters with present-day mean annual SSTs > 27°C [*Kleypas et al.*, 1999b]. Linear extrapolation of this relationship to higher temperatures is thus not appropriate.

[6] Finally, this spatially derived relationship should not be applied to temporal predictions. Changes from one latitude to another likely involve genetic differences between locally adapted (over thousands of years) corals and

¹National Center for Atmospheric Research, Boulder, Colorado, USA.

²Kansas Geological Survey, University of Kansas, Lawrence, Kansas, USA.

³NOAA/National Climatic Data Center, Boulder, Colorado, USA.

⁴Laboratoire d’Océanographie, CNRS-Univ. Paris VI, Villefranche-sur-mer Cedex, France.

⁵Marine Conservation Biology Institute, Redmond, Washington, DC, USA.

⁶Centre for Marine Studies, Univ. Queensland, St Lucia, Australia.

⁷Universidad Nacional Autónoma de México, Cancún, México.

⁸Hawaii Institute of Marine Biology, Kaneohe, Hawaii, USA.

⁹Rosenstiel School of Marine and Atmospheric Sciences, University of Miami, Miami, Florida, USA.

¹⁰Satellite Oceanography Division, Office of Research and Applications, National Environmental Satellite, Data, and Information Service, NOAA Science Center, Camp Springs, Maryland, USA.

are thus unrelated to the phenotypic changes that would occur within a single individual.

4. Other Temperature Affects

[7] The authors admit that their analysis ignores the likelihood of coral bleaching. This omission is unrealistic given the history of mass bleaching over the last few decades. Their model produces an average 3°C warming within their defined coral reef habitat, which based on current observations, would likely cause significant coral bleaching [Hoegh-Guldberg, 1999] that, even in corals that survive, causes calcification to slow down or stop. They also fail to consider a body of literature on the negative effects of elevated temperatures (regardless of bleaching) on coral metabolism [Coles and Jokiel, 1977, 1978; Leder et al., 1991; Fitt et al., 2001], reproduction [Szmant and Gassman, 1990], resistance to disease [Harvell et al., 2002], and larval settlement [Jokiel and Guinther, 1978]. All of these factors affect calcification, and including them would overturn the central thesis of McNeil et al. [2004] that ocean warming will lead to increased coral reef calcification by the end of this century.

[8] Also implicit in their analysis is that corals and coral reef communities will adapt/acclimatize to rising temperature. This assumption is overstated, as the mechanisms involved [Rowan, 2004] are likely to apply to a few survivors rather than whole intact communities. Further, it appears likely that the price of high-temperature survival will be a symbiotic coral/algal partnership that is less productive than those adapted to more optimal conditions [Ware et al., 1996; Baker et al., 2004]. Adaptation of coral communities has been documented only on the century-to-millennium time scales of natural climate change [Veron, 1995].

[9] Finally, the authors do not consider that temperature change is unlikely to be smooth and gradual. The IPCC projects that increases in temperature variability will be at least as important as increases in the mean, which for corals could mean more frequent exposure to bleaching-level thermal stress.

5. Definition of Coral Reef Habitat and Comparison With Previous Results

[10] McNeil et al. [2004] define coral reef habitat as the region where SST > 18°C. In reality, reef habitat is confined to a much smaller region (mainly, the additional constraint of water depth < 30 m). Their definition of habitat produces an average baseline temperature of 26°C, which is cooler than the present-day average temperature of reefs (average 27.6°C) [Kleypas et al., 1999b], and likely skews their results, particularly if their model predicts greater warming in the open ocean than in reef areas. Also, their definition of habitat does not take into account that poleward expansion of reef distribution due to warming is limited by other variables [Guinotte et al., 2003].

[11] McNeil et al. [2004] imply that the Kleypas et al. [1999a] estimate of future Ω_{arag} did not take into account temperature and alkalinity feedbacks on the carbonate system. In fact, the Kleypas et al. study included a

comparable temperature rise to that used by McNeil et al., as well as modeled feedbacks on alkalinity.

6. Summary

[12] McNeil et al. [2004] attempt to address an important question about the interactions of temperature and carbonate chemistry on calcification, but their projected values of reef calcification are based on assumptions that ignore critical observational and experimental literature. Certainly, more research is needed to better understand how changing temperatures and carbonate chemistry will affect not only coral reef calcification, but coral survival. As discussed above, the McNeil et al. [2004] analysis is based on assumptions that exclude potentially important factors and therefore needs to be viewed with caution.

[13] **Acknowledgment.** The views, opinions, and findings contained in this report are those of the authors and should not be construed as an official National Oceanic and Atmospheric Administration or U.S. Government position, policy, or decision.

References

- Baker, A. C., C. J. Starger, T. R. McClanahan, and P. W. Glynn (2004), Corals' adaptive response to climate change, *Nature*, *430*, 741, doi:10.1038/430741.
- Coles, S. L., and P. L. Jokiel (1977), Effects of temperature on photosynthesis and respiration in hermatypic corals, *Mar. Biol.*, *43*, 209–216.
- Coles, S. L., and P. L. Jokiel (1978), Synergistic effects of temperature, salinity and light on the hermatypic coral *Montipora verrucosa*, *Mar. Biol.*, *49*, 187–195.
- Fitt, W. K., B. E. Brown, M. E. Warner, and R. P. Dunne (2001), Coral bleaching: Interpretation of thermal tolerance limits and thermal thresholds in tropical corals, *Coral Reefs*, *20*, 51–65.
- Gattuso, J.-P., and R. W. Buddemeier (2000), Ocean biogeochemistry: Calcification and CO₂, *Nature*, *407*, 311–313.
- Guinotte, J. M., R. W. Buddemeier, and J. A. Kleypas (2003), Future coral reef habitat marginality: Temporal and spatial effects of climate change in the Pacific basin, *Coral Reefs*, *22*, 551–558.
- Harvell, D., C. E. Mitchell, J. R. Ward, S. Altizer, A. Dobson, R. S. Ostfeld, and M. D. Samuel (2002), Climate warming and disease risks for terrestrial and marine biota, *Science*, *296*, 2158–2162.
- Hoegh-Guldberg, O. (1999), Climate change, coral bleaching and the future of the world's coral reefs, *Mar. Freshw. Res.*, *50*, 839–866.
- Jokiel, P. L., and S. L. Coles (1977), Effects of temperature on the mortality and growth of Hawaiian reef corals, *Mar. Biol.*, *43*, 201–208.
- Jokiel, P. L., and E. B. Guinther (1978), Effects of temperature on reproduction in the hermatypic coral *Pocillopora damicornis*, *Bull. Mar. Sci.*, *28*, 786–789.
- Kleypas, J. A., R. W. Buddemeier, D. Archer, J.-P. Gattuso, C. Langdon, and B. N. Opdyke (1999a), Geochemical consequences of increased atmospheric carbon dioxide on coral reefs, *Science*, *284*, 118–120.
- Kleypas, J. A., J. W. McManus, and L. A. B. Meñez (1999b), Environmental limits to coral reef development: Where do we draw the line?, *Am. Zool.*, *39*, 146–159.
- Langdon, C., T. Takahashi, C. Sweeney, D. Chipman, J. Goddard, F. Marubini, H. Aceves, H. Barnett, and M. J. Atkinson (2000), Effect of calcium carbonate saturation state on the calcification rate of an experimental coral reef, *Global Biogeochem. Cycles*, *14*, 639–654.
- Leclercq, N., J.-P. Gattuso, and J. Jaubert (2000), CO₂ partial pressure controls the calcification rate of a coral community, *Global Change Biol.*, *6*, 329–334.
- Leder, J. J., A. M. Szmant, and P. K. Swart (1991), The effect of prolonged “bleaching” on skeletal banding and stable isotopic composition in *Montastrea annularis*, *Coral Reefs*, *10*, 19–27.
- Lough, J. M., and D. J. Barnes (2000), Environmental controls on growth of the massive coral *Porites*, *J. Exp. Mar. Biol. Ecol.*, *245*, 225–243.
- Marshall, A. T., and P. Clode (2004), Calcification rate and the effect of temperature in a zooxanthellate and an azooxanthellate scleractinian reef coral, *Coral Reefs*, *23*, 218–224.
- McNeil, B. I., R. J. Matear, and D. J. Barnes (2004), Coral reef calcification and climate change: The effect of ocean warming, *Geophys. Res. Lett.*, *31*, L22309, doi:10.1029/2004GL021541.
- Reynaud, S., N. Leclercq, S. Romaine-Lioud, C. Ferrier-Pages, J. Jaubert, and J.-P. Gattuso (2003), Interacting effects of CO₂ partial pressure and

- temperature on photosynthesis and calcification in a scleractinian coral, *Global Change Biol.*, *9*, 1660–1668.
- Rowan, R. (2004), Coral bleaching: Thermal adaptation in reef coral symbionts, *Nature*, *430*, 742, doi:10.1038/430742.
- Szmant, A. M., and N. J. Gassman (1990), The effects of prolonged “bleaching” on the tissue biomass and reproduction of the reef coral *Montastrea annularis*, *Coral Reefs*, *8*, 217–224.
- Veron, J. E. N. (1995), *Corals in Space and Time*, 321 pp., Univ. of New South Wales Press, Sydney, N. S. W., Australia.
- Ware, J. R., D. G. Fautin, and R. W. Buddemeier (1996), Patterns of coral bleaching: modeling the adaptive bleaching hypothesis, *Ecol. Model.*, *84*, 199–214.
- C. M. Eakin, NOAA/National Climatic Data Center, 325 Broadway E/CC23, Boulder, CO 80305–3328, USA.
- J.-P. Gattuso, Laboratoire d’Océanographie, CNRS-Universite Paris VI, BP 28, F-06234 Villefranche-sur-mer Cedex, France.
- J. Guinotte, Marine Conservation Biology Institute, 15805 NE 47th Court, Redmond, WA 98052, USA.
- O. Hoegh-Guldberg, Centre for Marine Studies, University of Queensland, St Lucia, QLD 4072, Australia.
- R. Iglesias-Prieto, Universidad Nacional Autónoma de México, Apartado Postal 1152, Cancún QR 77500, México.
- P. L. Jokiel, Hawaii Institute of Marine Biology, P.O. Box 1346, Kaneohe, HI 96744, USA.
- J. A. Kleypas, National Center for Atmospheric Research, P.O. Box 3000, Boulder, CO 80307–3000, USA. (kleypas@ucar.edu)
- C. Langdon, RSMAS, University of Miami, 4600 Rickenbacker Causeway, Miami, FL 33149, USA.
- W. Skirving and A. E. Strong, NOAA/NESDIS/ORR/SO – E/RA3, NOAA Science Center, 5200 Auth Road, Camp Springs, MD 20746–4304, USA.
-
- R. W. Buddemeier, Kansas Geological Survey, University of Kansas, 1930 Constant Avenue, Lawrence, KS 66047, USA.