



HAL
open science

Using a Deep Convolutional Neural Network for Extracting Morphological Traits from Herbarium Images

Yue Zhu, Thibaut Durand, Eric Chenin, Marc Pignal, Patrick Gallinari,
Régine Vignes-Lebbe

► To cite this version:

Yue Zhu, Thibaut Durand, Eric Chenin, Marc Pignal, Patrick Gallinari, et al.. Using a Deep Convolutional Neural Network for Extracting Morphological Traits from Herbarium Images. *Biodiversity Information Science and Standards*, 2017, 1, pp.e20400. 10.3897/tdwgproceedings.1.20400 . hal-03500379

HAL Id: hal-03500379

<https://hal.science/hal-03500379v1>

Submitted on 22 Dec 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Conference Abstract

Using a Deep Convolutional Neural Network for Extracting Morphological Traits from Herbarium Images

Yue Zhu[‡], Thibaut Durand[§], Eric Chenin[|], Marc Pignal[¶], Patrick Gallinari[§], Régine Vignes-Lebbe[#]

[‡] Ecole Polytechnique, Palaiseau, France

[§] UPMC Paris 6 - Sorbonne Universités -- LIP6, Paris, France

[|] IRD, Paris, France

[¶] Institut de Systématique, Évolution, Biodiversité ISYEB - UMR 7205 – CNRS, MNHN, UPMC, EPHE Muséum national d'Histoire naturelle, Sorbonne Universités, Paris, France

[#] Institut de Systématique, Évolution, Biodiversité ISYEB - UMR 7205 – CNRS, MNHN, UPMC, EPHE UPMC Univ. Paris 06, Sorbonne Universités, Paris, France

Corresponding author: Yue Zhu (yue.zhu@polytechnique.edu), Régine Vignes-Lebbe (regine.vignes_lebbe@upmc.fr)

Received: 17 Aug 2017 | Published: 18 Aug 2017

Citation: Zhu Y, Durand T, Chenin E, Pignal M, Gallinari P, Vignes-Lebbe R (2017) Using a Deep Convolutional Neural Network for Extracting Morphological Traits from Herbarium Images. Proceedings of TDWG 1: e20400. <https://doi.org/10.3897/tdwgproceedings.1.20400>

Abstract

Natural history collection data are now accessible through databases and web portals. However, ecological or morphological traits describing specimens are rarely recorded while gathering data. This lack limits queries and analyses. Manual tagging of millions of specimens will be a huge task even with the help of citizen science projects such as “les herbonautes” (<http://lesherbonautes.mnhn.fr>). On the other hand, deep learning methods that use convolutional neural networks (CNN) demonstrate their efficiency in various domains, such as computer vision (Krizhevsky et al. 2012, Azizpour et al. 2016), speech recognition (Abdel-Hamid et al. 2014) or face identification (Li et al. 2015, Freytag et al. 2016).

We aim to use deep learning to provide a visual representation of words used to describe plants (e.g. *simple*, or *compound* leaf), and to associate those words with specimens in the Paris herbarium. This will provide a semantic description of each of the 7 millions images

of the fully digitized collection of the Paris herbarium in the Muséum National d'Histoire Naturelle (MNHN, Paris, France). In a proof of concept project, we have used a CNN - pre-trained on the image database ImageNet (<http://www.image-net.org>) - in order to identify 4 morphological traits of leaves, using 103,000 herbarium images from 11 different taxa: margin (entire / dentate), leaf attachment (opposite / alternate), leaf organization (simple / compound), plant (woody / non-woody) (see Fig. 1) Seventy percent of images are used to train the weights of the model (in a supervised learning process that uses a training set already tagged for the 4 characteristics), 10% are used as validation set to tune the hyper-parameters of the model and to avoid overfitting, and 20% are used as test set to evaluate the generalization performances of the final neural network. The first results are encouraging with over 80% success on the test set. In a second step, we test if the neural network is not overfitting the training examples, and can generalize to new taxa. If we restrict the training set to a small number of taxa (4 taxa containing 76% of images), the success rate on the 7 other taxa (unseen during training) decreases drastically. A good sampling of the taxonomic diversity of plants appears crucial to train the neural network. A second method visualizes the area of each image that was detected by the CNN as the most important for morphological character recognition (Durand et al. 2017). This method provides an explanatory view of the automatic recognition process. In this poster we describe methods and results on botanical images for the different taxa. We discuss perspectives on image tagging of the Paris herbarium, and how to combine the citizen science project in order to annotate images with CNN automatic image description.




Figure 1.

The deep learning process using the convolutional neural network ResNet.

Keywords

Deep learning, convolutional neural network, herbarium, image, morphology

Presenting author

Régine Vignes-Lebbe

References

- Abdel-Hamid O, Mohamed A, Jiang H, Deng L, Penn G, Yu D (2014) Convolutional Neural Networks for Speech Recognition. *IEEE/ACM Transactions on Audio, Speech, and Language Processing* 22 (10): 1533-1545. <https://doi.org/10.1109/taslp.2014.2339736>
- Azizpour H, Razavian AS, Sullivan J, Maki A, Carlsson S (2016) Factors of Transferability for a Generic ConvNet Representation. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 38 (9): 1790-1802. <https://doi.org/10.1109/tpami.2015.2500224>
- Durand T, Mordan T, Thome N, Cord M (2017) WILDCAT: Weakly Supervised Learning of Deep ConvNets for Image Classification, Pointwise Localization and Segmentation. 29th IEEE Conference on Computer Vision and Pattern Recognition.
- Freytag A, Rodner E, Simon M, Loos A, Kühl HS, Denzler J (2016) Chimpanzee faces in the wild: Log-Euclidean CNNs for predicting identities and attributes of primates. In: Rosenhahn B, Bjoern A (Eds) *Pattern recognition 38th German conference, GCPR 2016*. Springer International Publishing AG, Hannover, Germany
- Krizhevsky A, Sutskever I, Hinton G (2012) ImageNet Classification with Deep Convolutional Neural Networks. NIPS 2012.
- Li H, Lin Z, Shen X, Brandt J, Hua G (2015) IEEE Conference on Computer Vision and Pattern Recognition (CVPR). 2015. <https://doi.org/10.1109/cvpr.2015.7299170>