



HAL
open science

Social pressure drives "conversational rules" in great apes

Loïc Pougnauld, Florence Levrero, Mael Leroux, Julien Paulet, Pablo Bombani, Fabrice Dentressangle, Laure Deruti, Baptiste Mulot, Alban Lemasson

► **To cite this version:**

Loïc Pougnauld, Florence Levrero, Mael Leroux, Julien Paulet, Pablo Bombani, et al.. Social pressure drives "conversational rules" in great apes. *Biological Reviews*, 2022, 97 (2), pp.749-765. 10.1111/brv.12821 . hal-03512764

HAL Id: hal-03512764

<https://hal.science/hal-03512764>

Submitted on 1 Apr 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

1 **Social pressure drives “conversational rules” in great apes**

2

3 Loïc Pougault^{1,2,3}, Florence Levréro^{2,†}, Maël Leroux^{4,5,6}, Julien Paulet¹, Pablo
4 Bombani⁷, Fabrice Dentressangle², Laure Deruti², Baptiste Mulo³ and Alban
5 Lemasson^{1,8,†,*}

6

7 ¹*Univ Rennes, Normandie Univ, CNRS, EthoS (Éthologie animale et humaine) - UMR 6552,*
8 *263 avenue du Général Leclerc, 35042 Rennes, France*

9 ²*Université de Lyon/Saint-Etienne, CNRS, Equipe Neuro-Ethologie Sensorielle, ENES /*
10 *CRNL, UMR5292, INSERM UMR_S 1028, 23 rue Paul Michelon, 42023 Saint-Etienne,*
11 *France*

12 ³*ZooParc de Beauval & Beauval Nature, Avenue du Blanc, 41110 Saint Aignan, France*

13 ⁴*Department of Comparative Linguistics, University of Zürich, Thurgauerstrasse 30, 8050*
14 *Zürich-Oerlikon, Switzerland*

15 ⁵*Budongo Conservation Field Station, Masindi, Uganda*

16 ⁶*Center for the Interdisciplinary Study of Language Evolution (ISLE), University of Zürich,*
17 *Plattenstrasse 54, 8032 Zürich, Switzerland*

18 ⁷*NGO Mbou-Mon-Tour, Nkala, Territoire de Bolodo, Mai-Ndombe, Republic Democratic of*
19 *Congo*

20 ⁸*Institut Universitaire de France, 1 rue Descartes, 75231 Paris, France*

21

22 * Author for correspondence (E-mail: alban.lemasson@univ-rennes1.fr; Tel.: +33223236820).

23 †These authors contributed equally.

24

25 ABSTRACT

26 In the last decade, two hypotheses, one on the evolution of animal vocal communication in
27 general and the other on the origins of human language, have gained ground. The first
28 hypothesis argues that the complexity of communication co-evolved with the complexity of
29 sociality. Species forming larger groups with complex social networks have more elaborate
30 vocal repertoires. The second hypothesis posits that the core of communication is represented
31 not only by what can be expressed by an isolated caller, but also by the way that vocal
32 interactions are structured, language being above all a social act. Primitive forms of
33 conversational rules based on a vocal turn-taking principle are thought to exist in primates. To
34 support and bring together these hypotheses, more comparative studies of socially diverse
35 species at different levels of the primate phylogeny are needed. However, the majority of
36 available studies focus on monkeys, primates that are distant from the human lineage. Great
37 apes represent excellent candidates for such comparative studies because of their phylogenetic
38 proximity to humans and their varied social lives. We propose that studying vocal turn-taking
39 in apes could address several major gaps regarding the social relevance of vocal turn-taking
40 and the evolutionary trajectory of this behaviour among anthropoids. Indeed, how the social
41 structure of a species may influence the vocal interaction patterns observed among group
42 members remains an open question. We gathered data from the literature as well as original
43 unpublished data (where absent in the literature) on four great ape species: chimpanzees *Pan*
44 *trogodytes*, bonobos *Pan paniscus*, western lowland gorillas *Gorilla gorilla gorilla* and
45 Bornean orang-utans *Pongo pygmaeus*. We found no clear-cut relationship between classical
46 social complexity metrics (e.g. number of group members, interaction rates) and vocal
47 complexity parameters (e.g. repertoire size, call rates). Nevertheless, the nature of the society
48 (i.e. group composition, diversity and valence of social bonds) and the type of vocal
49 interaction patterns (isolated calling, call overlap, turn-taking-based vocal exchanges) do

50 appear to be related. Isolated calling is the main vocal pattern found in the species with the
51 smallest social networks (orang-utan), while the other species show vocal interactions that are
52 structured according to temporal rules. A high proportion of overlapping vocalisations is
53 found in the most competitive species (chimpanzee), while vocal turn-taking predominates in
54 more tolerant bonobos and gorillas. Also, preferentially interacting individuals and call types
55 used to interact are not randomly distributed. Vocal overlap ('chorusing') and vocal exchange
56 ('conversing') appear as possible social strategies used to advertise/strengthen social bonds.
57 Our analyses highlight that: (1) vocal turn-taking is also observed in non-human great apes,
58 revealing universal rules for conversing that may be deeply rooted in the primate lineage; (2)
59 vocal interaction patterns match the species' social lifestyle; (3) although limited to four
60 species here, adopting a targeted comparative approach could help to identify the multiple and
61 subtle factors underlying social and vocal complexity. We believe that vocal interaction
62 patterns form the basis of a promising field of investigation that may ultimately improve our
63 understanding of the socially driven evolution of communication.

64

65 *Key words:* communication evolution, vocal communication, social communication, social
66 structure, social organization, vocal exchange, conversation, turn-taking, Primates,
67 Hominidae.

68

69 CONTENTS

70 I. Introduction

71 (1) Vocal communication organisation as a mirror of social complexity

72 (2) Vocal interactions in primates: a remarkable diversity of temporal calling patterns

73 (3) Turn-taking-based vocal exchange in primates: a social function

74 (4) Selection for vocal turn-taking systems from monkeys to humans: an open question

75	II. The socio ecology of great apes: similarities and differences
76	(1) Origins and habitat
77	(2) Social systems
78	III. Testing the social complexity hypothesis for communication in great apes
79	(1) Traditional vocal metrics (repertoire size, call rate)
80	(2) Vocal interaction patterns
81	IV. Conclusions
82	V. Acknowledgements
83	VI. References
84	VII. Supporting information

85

86 **I. INTRODUCTION**

87 **(1) Vocal communication organisation as a mirror of social complexity**

88 Possibly because communication is widespread across the animal kingdom and occurs
89 in a wide diversity of social contexts (Waser, 1977; McComb, 1991; Geissmann, 1999; Arlet
90 *et al.*, 2015), the evolutionary forces driving communication are still intensively debated.
91 Communication is indeed influenced by habitat quality, predation and life-history traits (e.g.
92 Lemasson, 2011; Freeberg, Dunbar & Ord, 2012; Mouterde *et al.*, 2014; Fischer *et al.*, 2017a;
93 Hammerschmidt & Fischer, 2019; Pisanski *et al.*, 2016). The hypothesis that social
94 complexity has been one of the driving forces shaping vocal complexity (or even *the* main
95 driving force for primates), as suggested by Darwin (1877), has recently received renewed
96 interest (Freeberg *et al.*, 2012; Bouchet, Blois-Heulin & Lemasson, 2013; Sewall, 2015). One
97 of the biggest challenges of this ‘social complexity hypothesis’ for communication is to define
98 and measure ‘complexity’ properly in terms of both social and communicative aspects

99 (Freeberg *et al.*, 2012, 2019; Manser *et al.*, 2014; Fischer, Wadewitz & Hammerschmidt,
100 2017b; Rebout *et al.*, 2021).

101 Several metrics have been used successfully as proxies for social complexity (Dunbar,
102 1998; McComb & Semple, 2005). The group's social structure (e.g. size, density and age–sex
103 composition) and social organisation (e.g. number of roles and variation in social bond
104 strength) are common key metrics used to quantify the degree of complexity of a social
105 system (Lemasson, 2011; Freeberg *et al.*, 2012; Pollard & Blumstein, 2012; Freeberg &
106 Krams, 2015; Fischer *et al.*, 2017a). The 'social brain hypothesis' proposes that the complex
107 social world of primates is especially cognitively demanding, and that this imposed an intense
108 selection pressure for increasingly large brains (Dunbar, 1998). It thus predicts that a greater
109 number of individuals and thus greater diversity of personalities and relationships requires
110 greater signalling complexity for effective manipulation of the behaviours of others (Freeberg
111 *et al.*, 2019). A key metric of social complexity is the number of differentiated relationships
112 that individuals have (Bergman & Beehner, 2015). In baboons, for instance, the diversity of
113 male–female social bonds may be responsible for the emergence of derived call types in the
114 vocal repertoires of some species (Gustison, le Roux & Bergman, 2012). An additional
115 important metric is group stability. Fission–fusion [i.e. group members regularly join (fusion)
116 or separate from (fission) one another] dynamics, for example, may constrain the regulation of
117 social relationships, introducing uncertainty in interactions between group members (Ramos-
118 Fernandez *et al.*, 2018).

119 Communicative complexity within a signalling system is commonly measured as the
120 number of structurally and functionally distinct elements (e.g. Jansen, Cant & Manser, 2012)
121 and/or the amount of bits of information in a call (Freeberg *et al.*, 2012). Interestingly, the
122 different call types of a given vocal repertoire have different potential for information coding.
123 For instance, in some species 'social' calls (such as contact calls) are more individually

124 variable than alarm calls (e.g. Lemasson & Hausberger, 2011; Bouchet *et al.*, 2013).
125 Nonetheless, it is not always easy to quantify communicative complexity using these features.
126 Very often, signals exist in a graded form, leading to difficulties in interpreting their functions
127 (Keenan, Lemasson & Zuberbühler, 2013; Fischer *et al.*, 2017b; Keenan *et al.*, 2020). On the
128 one hand, the existence of gradation may allow coding of information with greater subtlety,
129 including emotional states, but on the other hand it increases the risk of message confusion
130 due to physical constraints on acoustic structure during sound propagation in forested habitats.
131 Recently, Rebout *et al.* (2020) studied two components of vocal complexity: diversity (i.e.
132 number of call categories) and flexibility (i.e. degree of gradation between categories), and
133 compared the acoustic structure of vocal signals in groups of macaques belonging to four
134 species with varying levels of uncertainty in social tolerance (i.e. the higher the degree of
135 tolerance, the higher the degree of uncertainty). Tolerant macaques displayed higher levels of
136 diversity and flexibility than did intolerant macaques in situations with a greater number of
137 options and consequences (i.e. agonistic and affiliative contexts). Beyond the level of the call
138 structure, other relevant measures of communication complexity can be found at the level of
139 the vocal sequence (i.e. more- or less-complex strings of sounds) (Kershenbaum *et al.*, 2016).
140 In male gelada baboons *Theropithecus gelada*, sequence complexity and size function to
141 counteract the challenges of living in a large group (overcoming conspecific noise and
142 crowding) to maintain bonds with females (Gustison *et al.*, 2019).

143 The limits of these communication measures also come from the fact that they are
144 emitter-centred, while communication is two-sided (Freeberg *et al.*, 2019). First, focusing on
145 what a receiver perceives from the observed acoustic variations of a vocal signal is necessary
146 to assess how much meaningful information is encoded within that signal (Freeberg *et al.*,
147 2012; Manser *et al.*, 2014; Levréro *et al.*, 2015; Garcia *et al.*, 2020). Second, communicating
148 and socialising are above all acts of interaction. To explore the link between the

149 requirements/characteristics of social life and the expression/structure of vocal interactions is
150 another way to assess the social complexity hypothesis for communication. All the
151 aforementioned studies focused on vocal repertoire sizes and variations in acoustic structure,
152 thus with a focus on individuals as if they were isolated callers. However, the social core of
153 communication may also be found in the patterns and rules of vocal interactions among two
154 or more individuals (Lemasson, Hausberger & Zuberbühler, 2005; Lemasson, 2011; Fedurek
155 *et al.*, 2013a; Arlet *et al.*, 2015; Henry *et al.*, 2015; Pika *et al.*, 2018). Focusing on the co-
156 evolution of social lifestyle and vocal interaction patterns, as we do here, offers a promising
157 new field of investigation.

158

159 **(2) Vocal interactions in primates: a remarkable diversity of temporal calling patterns**

160 A vocal interaction is primarily defined by its temporal pattern, with comparisons
161 among species attracting interest due to the extensive diversity of existing temporal patterns.

162 When focusing on the temporal rules guiding call production in primates, three main
163 types of temporal calling patterns are typically found (Pougnault, Levréro & Lemasson,
164 2020a): (i) isolated calls (when only one individual produces a single call); (ii) a series of
165 consecutive calls (where a given individual repeats a call several times in a row); and (iii)
166 vocal interactions (when at least two individuals temporally coordinate their vocal
167 production). The frequency of use of these different calling patterns may depend on the
168 context and call type, but also on the identity (i.e. age, sex) and social characteristics of the
169 caller (Pougnault *et al.*, 2020a). But what motivates and structures the organisation of vocal
170 interactions still remains an open question.

171 Researchers distinguish several types of vocal interactions with more or less
172 predictable temporal patterns: (1) disorganised phonoresponses, occurring when one
173 individual produces a call, typically an alarm call that triggers calls in an apparently chaotic

174 way from other group members (e.g. blue monkey *Cercopithecus mitis stuhlmanni*; Papworth
175 *et al.*, 2008); (2) choruses, which result from simultaneous production of the same call type by
176 two or more individuals, implying causal interactions between individuals joining the chorus
177 in a synchronised way (Yoshida & Okanoya, 2005; Ravnani, Bowling & Fitch, 2014); (3)
178 duets, when two individuals synchronise or overlap long series of calls or songs with a
179 stereotyped temporal association (e.g. gibbon *Hylobates syndactylus*; Geissmann &
180 Orgeldinger, 2000), and (4) vocal exchanges involving individuals who alternate their calling
181 and vocally ‘respond’ to one another.

182 Among the different patterns of vocal interactions, vocal exchanges have recently
183 attracted a great deal of attention because of their complex organisation, possible prosocial
184 function, and implications for our understanding of language evolution (Chow, Mitchell &
185 Miller, 2015). Vocal exchanges are based on a turn-taking principle, and have been
186 documented in all main primate branches [e.g. Catarrhini: Campbell’s monkey *Cercopithecus*
187 *campbelli* (Lemasson *et al.*, 2011a), Japanese macaque *Macaca fuscata* (Sugiura, 1993);
188 Platyrrhini: squirrel monkey *Saimiri sciureus* (Masataka & Biben, 1987), pygmy marmoset
189 *Cebuella pygmaea* (Snowdon & Elowson, 1999), spider monkey *Ateles geoffroyi* (Briseño-
190 Jaramillo *et al.*, 2018); for a review, see Pougnault *et al.* (2020a)]. Turn-taking is defined as
191 the orderly exchange of communicative signals between individuals adjusting the timing of
192 their vocal responses by respecting a minimum silence gap (preventing call overlap), and a
193 maximum silence gap (allowing call coordination) (for a review see Pika *et al.*, 2018). They
194 are typically composed of one to three turns with individuals alternating their calls (e.g.
195 Lemasson, Gandon & Hausberger, 2010a; Levréro *et al.*, 2019), and thus are characterised by
196 short vocal sequences. The common response delay is rarely shorter than the average call
197 duration [e.g. Diana’s monkey *Cercopithecus diana* (Candiotti, Zuberbuhler & Lemasson,
198 2012); squirrel monkey (Masataka & Biben, 1987); Japanese macaque (Sugiura, 1993); spider

199 monkey (Briseño-Jaramillo *et al.*, 2018); western lowland gorilla *Gorilla gorilla gorilla*
200 (Lemasson, Pereira & Levréro, 2018); bonobo *Pan paniscus* (Levréro *et al.*, 2019).
201 Interestingly, speech overlap avoidance and turn-taking also represent the social core of
202 human vocal interactions and are found in all human cultures (Stivers *et al.*, 2009; Levinson,
203 2016).

204 In sum, turn-taking-based vocal exchanges represent one of a variety of methods that
205 allow group members to interact with one another. Vocal exchanges in some non-human
206 primate species appear highly similar to temporally and socially organised vocal interactions
207 in humans. How social structure influences the evolution of vocal turn-taking across the
208 primate phylogeny remains a focus of research interest.

209

210 **(3) Turn-taking-based vocal exchange in primates: a social function**

211 Beyond temporal aspects, turn-taking-based vocal exchanges in non-human primates
212 differ from other types of vocal interactions in several ways. First, they involve a diversity of
213 recurrent vocal partners [differing from duets (MacKinnon & MacKinnon, 1980; Geissmann
214 & Orgeldinger, 2000)]. Second, vocal exchange interlocutors can be of any age or either sex
215 (differing from choruses; Haimoff, 1986). Third, vocal exchanges are not restricted to a
216 specific context, time of day, or season, which differs from long-distance collective
217 communication associated with mate attraction, territory protection and environmental
218 disturbance (Gros-Louis & Mitani, 1998; Schel & Zuberbühler, 2012; Briseño-Jaramillo *et*
219 *al.*, 2017). Most commonly, vocal exchanges are observed daily in short-distance
220 communication, occur throughout the day, and consist mostly of soft calls exchanged in
221 peaceful and relaxed contexts (Pougnault *et al.*, 2020a).

222 Due to their role in within-group socio-spatial coordination (Pougnault *et al.*, 2020a),
223 turn-taking-based vocal exchanges represent an interesting vocal interaction metric to test the

224 proposed links between sociality and vocal complexity. The ‘grooming-at-distance’
225 hypothesis proposed by Dunbar (1996) highlighted the possible role played by vocal
226 exchanges during the evolution of primates. This hypothesis suggested that, in large social
227 groups and in groups with long-lasting bonds, the function of gestural grooming was partially
228 transferred to vocal exchanges. Gestural grooming plays an important role in forming new
229 bonds and strengthening existing ones in all primate species (Dunbar, 1991). As group size
230 and social network increased during our ancestral history, vocal exchanges may have
231 developed, as it ultimately would have become impossible to allocate sufficient time to
232 grooming all partners physically.

233 Vocal exchanges do indeed occur mostly between interlocutors that are non-randomly
234 chosen, depending on their affiliative bonds [e.g. bonobo (Levréro *et al.*, 2019), spider
235 monkey *Ateles geoffroyi* (Briseño-Jaramillo *et al.*, 2018), Japanese macaque (Arlet *et al.*,
236 2015), pygmy marmoset (Snowdon & Cleveland, 1984)] or ages [common marmoset
237 *Callithrix jacchus* (Chen, Kaplan & Rogers, 2009), Campbell’s monkey (Lemasson *et al.*,
238 2010a); for a review see Pougnault *et al.* (2020a)]. The temporal [squirrel monkey (Biben,
239 Symmes & Masataka, 1986; Masataka & Biben, 1987)] and acoustic [Japanese macaque
240 (Sugiura & Masataka, 1995); Diana monkey (Candiotti *et al.*, 2012); spider monkey (Briseño-
241 Jaramillo *et al.*, 2018)] organisation of vocal exchanges in monkeys is socially guided. These
242 vocal exchanges represent a significant cognitive demand, implying cooperation (Takahashi,
243 Narayanan & Ghazanfar 2013; Levinson & Holler, 2014; Levinson, 2016).

244 However, despite growing interest, many knowledge gaps remain to be filled to
245 comprehend fully the social relevance of vocal exchanges in non-human primates and the
246 evolutionary trajectory of this type of vocal interaction. One of the major missing elements is
247 comparative studies that are necessary to characterise the vocal exchange phenotype of a wide
248 diversity of primate species (Pika *et al.*, 2018).

249

250 **(4) Selection for vocal turn-taking systems from monkeys to humans: an open question**

251 The growing interest in turn-taking vocal exchanges in animals is partly due to their
252 many parallels with human conversations (Snowdon & Cleveland, 1984; Sugiura & Masataka,
253 1995; Lemasson *et al.*, 2011*b*; Henry *et al.*, 2015). Overlap avoidance, turn-taking, social
254 selection of interlocutors, varied contexts beyond a strict message-transmission function, and
255 acoustic convergence are all found in both non-human primate vocal exchanges and human
256 conversations. Researchers have thus questioned the role played by social factors during both
257 the development and evolution of vocal exchanges.

258 During development or ontogeny, the extent to which the abilities to converse in
259 primates are socially acquired or learned remains debated. The few available studies on
260 monkeys show that juveniles break conversational rules more often than do adults [howler
261 monkey *Alouatta pigra* (Briseño Jaramillo *et al.*, 2017); Campbell's monkey (Lemasson *et*
262 *al.*, 2011*a*)]. A recent study conducted on common marmosets (*Callithrix jacchus*) suggested
263 that, rather than parental influence (Chow *et al.*, 2015), the ability to participate in vocal turn-
264 taking might be due to self-monitoring that increases with age (Takahashi, Fenley &
265 Ghazanfar, 2016). Despite the lack of empirical evidence to answer this question, results from
266 playback experiments using a violation-of-expectation paradigm showed that adult monkeys
267 clearly discriminated between conversationally appropriate and inappropriate vocal-exchange
268 patterns, whereas socially inexperienced juveniles did not [Japanese macaque (Bouchet,
269 Koda, & Lemasson, 2017); Campbell's monkey (Lemasson *et al.*, 2011*a*)]. These findings
270 show that the social rules in vocal interactions are not a simple neurobiologically determined
271 behaviour, but rather, may represent an awareness of social rules.

272 Concerning their evolution, the debate likewise remains open, mainly because most
273 published research on vocal interactions has focused on Platyrrhini and Catarrhini monkeys or

274 lesser apes [e.g. agile gibbon *Hylobates agilis* (Koda *et al.*, 2013); siamang *Hylobates*
275 *syndactylus* (Geissmann & Orgeldinger, 2000)]. Remarkably, researchers have largely
276 neglected vocal interactions among great apes for decades. However, they are also excellent
277 candidates for such research given their well-described complex social structures with long-
278 term bonds and intricate social interactions [e.g. orang-utan *Pongo pygmaeus* (Delgado & van
279 Schaik, 2000); gorilla (Stokes, 2004); chimpanzee *Pan troglodytes* (van Lawick-Goodall,
280 1968; Goodall, 1986); bonobo (Kano, 1982, 1992)]. Moreover, vocal communication plays a
281 central role in their daily lives [e.g. orang-utan (Hardus *et al.*, 2009); gorilla (Salmi,
282 Hammerschmidt & Doran-Sheehy, 2013); chimpanzee (Slocombe & Zuberbühler, 2010);
283 bonobo (De Waal, 1988, Bermejo & Omedes, 1999)]. Great apes are also of interest because
284 of their close phylogenetic proximity to humans. As a result, the selective pressures that
285 maintain such vocal behaviours in non-human primates remain unclear, notably because the
286 current state of knowledge still prevents us from concluding in favour of a convergent-
287 evolution scenario (turn-taking has been favoured in some species more than others by the
288 requirements of social life) or a shared-inheritance scenario (turn-taking is universal
289 suggesting an ancient mechanism present deep within the primate lineage).

290 In the following section, we explore further explore how the requirements of a social
291 life may match the use of turn-taking, as well as other types of vocal interaction patterns, in
292 great apes. While comparisons between a limited number of species should be interpreted
293 cautiously, similar studies at the genus level have enabled a better understanding of some
294 aspects of social–vocal coevolution (see the studies cited above on macaques and baboons, for
295 example). The four species of great apes described herein are valuable candidates for a
296 comparative analysis of social and vocal features because they exhibit four very different and
297 well-described social systems.

298

299 **II. THE SOCIO ECOLOGY OF GREAT APES: SIMILARITIES AND**
300 **DIFFERENCES**

301 Current knowledge on the socio-ecology of great ape species, particularly in terms of
302 vocal communication, varies among species. We selected four species/sub-species for which
303 sufficient literature is available to perform a comparative analysis: (i) bonobo, (ii)
304 chimpanzee, (iii) western lowland gorilla, and (iv) Bornean orang-utan. All key references for
305 the phylogenetic and socio-ecological information discussed below are provided in Table 1.

306

307 **(1) Origins and habitat**

308 The evolution of vocal communication in great apes is likely to have been influenced
309 by phylogenetics, habitat use and social life-related factors. Genetic evidence indicates that
310 the last common ancestor to Ponginae and Homininae lived about 9–18 million years ago
311 (Mya) (Castellano & Munch, 2020). A second speciation, between ~8.6 and 11.5 Mya, led to
312 the separation of Gorillini and Hominini, and a final differentiation, between ~4.2 and 9 Mya,
313 gave rise to the Panina and Hominina clades. Given their phylogenetic proximity, the *Pan*
314 genus thus represent our closest living relatives. An evolutionary hypothesis based on
315 phylogeny would thus predict more vocal similarities between chimpanzees and bonobos than
316 between other pairs of these species, as well as more similarities between *Pan* spp. and
317 gorillas than with orang-utans.

318 Despite a growing body of evidence for an European origin of great apes (e.g. Begun,
319 2010; Böhme *et al.*, 2019), all currently living non-human great apes are located in tropical
320 and equatorial rain forests of Asia and Africa. The four species considered herein usually
321 occupy habitats with reduced visibility due to the density of the surrounding vegetation, and
322 travel, to some extent at least, in a three-dimensional space. These characteristics are known
323 to be suitable for vocal communication (Bradbury & Vehrencamp, 2011). However, these

324 four species do show differences in habitat preferences and modes of locomotion, which
325 could also influence vocal communication (Marler, 1965; Lemasson, 2011). Bornean orang-
326 utans live almost exclusively in the canopy of humid forests, while western lowland gorillas
327 are mainly terrestrial and inhabit both humid and *terra firma* lowland forests (Table 1).
328 Chimpanzees and bonobos mainly occupy primary and secondary humid forests but can
329 sometimes be found on savannah woodland mosaics. They travel in the trees as well as on the
330 ground according to their age. Therefore, a habitat-based evolutionary hypothesis would again
331 predict more similarities between chimpanzees and bonobos than between any other pair of
332 species.

333

334 **(2) Social systems**

335 The four great apes considered herein live in four different social systems that differ in
336 group size, group structure, and social organisation (see Table 1 for details and references).

337 Bornean orang-utans are known as the most solitary great ape species. Males
338 (particularly flanged males) generally live alone whereas females are typically found with
339 their infants. Orang-utans can be described as an individual-based fission–fusion species with
340 a mean party size of less than two independent individuals (usually related females or
341 unflanged males). Temporary groupings are peaceful, typically observed near food sources
342 (van Schaik, Marshall & Wich, 2009). Physical interactions are rare and a high level of
343 intolerance is generally reported between adult males for access to females (Galdikas, 1985).

344 In contrast to orang-utans, which are female-philopatric, chimpanzees and bonobos are
345 male-philopatric species that live in large multi-male multi-female and highly flexible fission–
346 fusion societies (i.e. with subgroups of variable size and composition; Kummer, 1971). Sub-
347 groups are typically composed of 20–100 individuals. Both species have a high rate of
348 physical interactions, notably very high grooming rates compared to the two other great apes

349 considered herein. Male chimpanzees are highly territorial. Related males form strong social
350 bonds on which they rely to manage inter- and intra-community competition, while females
351 have weaker social bonds with each other. This high level of competition leads to more
352 aggressive conflicts in chimpanzees and to the highest recorded death rate due to intra-
353 specific conflict among great apes (Table 1). Chimpanzees appear to perform fewer
354 cooperative behaviours than their bonobo relatives (Hare & Tomasello, 2004; Jensen *et al.*,
355 2006; Melis, Hare & Tomasello, 2006; Hare *et al.*, 2007; Hirata & Fuwa, 2007; Pelé *et al.*,
356 2009; Gruber & Clay, 2016; Suchak *et al.*, 2016), for whom inter- and intragroup interactions
357 are mostly tolerant. In bonobos, members from different communities regularly mix
358 peacefully to feed, and females have a central role in the community. They establish strong
359 affiliative bonds with other females independently of their kinship and also form bonds with
360 unrelated males.

361 Western lowland gorillas live in single-male/multi-female medium-sized groups of
362 10–20 individuals, and both sexes disperse. The sole adult male in a group develops strong
363 social bonds with adult females. He is the leader of the group, coordinating activities,
364 protecting the group and managing social interactions between females (Parnell, 2002;
365 Harcourt & Stewart, 2007). Despite the strong social bonds between the male and females,
366 individual gorillas appear to cooperate only rarely (Harcourt & Stewart, 2007; Pelé *et al.*,
367 2009).

368 Living in different society types will obviously require different daily social
369 interactions and it is important to consider how this may influence vocal interaction patterns.
370 Interestingly, all great ape species are known to have comparably high cognitive and social
371 skills (Chalmeau *et al.*, 1997; Pelé *et al.*, 2009; Dufour *et al.*, 2009), suggesting that any
372 differences in vocal communication among these species may be related more to social
373 differences than to habitat or cognitive differences.

374

375 **III. TESTING THE SOCIAL COMPLEXITY HYPOTHESIS FOR**

376 **COMMUNICATION IN GREAT APES**

377 **(1) Traditional vocal metrics (repertoire size, call rate)**

378 The social complexity hypothesis for communication predicts a higher number of
379 distinct call types in the vocal repertoires of more social species, hence increasing from orang-
380 utans to gorillas and then to bonobos and chimpanzees if group sizes and time spent grooming
381 are representative indices of social complexity (e.g. McComb & Semple, 2005; Gustison *et*
382 *al.*, 2012). Table 2 summarises findings from the literature on the vocal behaviour of the four
383 great ape species considered herein, supplemented where necessary with new data (see online
384 Supporting Information, Appendix S1–S3). Previous studies on wild free-ranging animals
385 show that the vocal repertoire size of Bornean orang-utans and chimpanzees is very similar
386 (25 for orang-utans and 13–29 for chimpanzees; Table2). A comparable vocal repertoire size
387 is reported for wild bonobos (15 call types) and gorillas (16 call types). In captivity, the
388 repertoire size of these great ape species contains fewer distinct call types than in wild
389 populations, with all species using only 8–12 distinct call types.

390 The hourly rate of vocal production is high for all great ape species. Even if the two
391 species forming multi-male multi-female groups appear to have higher call rate than the two
392 others, at least compared to gorillas in the wild, there are strong variations among study
393 populations and environmental contexts (Table 2). The relative richness of the environments
394 encountered by wild animals compared with those in captivity typically result in more call
395 types and higher call rates in free-ranging populations (Lameira & Call, 2020). As for vocal
396 repertoire size, any link between hourly vocalisation rate and social complexity appears very
397 weak (Table 2). This is particularly striking when considering the very large vocal repertoire
398 size of orang-utans, which are the most solitary species (Hardus *et al.*, 2009). This questions

399 the use of group size and grooming rate as measures of social complexity in the debated
400 hypotheses (McComb & Semple, 2005; Freeberg *et al.*, 2012; Kershenbaum, Freeberg &
401 Gammon, 2015).

402 Some methodological issues involved in the classification of call types, also need to be
403 addressed. Many reports of communicative repertoires reveal intermediate forms between
404 specific signals as well as variations within signal types. These so-called ‘graded repertoires’
405 are characteristic of great apes, particularly chimpanzees and bonobos, leading to difficulties
406 in identifying a specific number of stereotypic signals in a species’ repertoire (Keenan *et al.*,
407 2020). Experimental approaches using playback and systematic contextual studies of call
408 emission are still needed to test whether overly simplistic acoustic analyses may lead to
409 overestimation or underestimation of repertoire size, and thus bias interspecific comparisons.
410 Interestingly, a comparative study on macaques found more gradation of vocal
411 communication in tolerant than in despotic species (Rebout *et al.*, 2020). Thus whether vocal
412 interaction pattern measures are suitable candidates to assess the social complexity hypothesis
413 for communication remains unclear at this stage, and is considered in more detail in Section
414 III.2.

415

416 **(2) Vocal interaction patterns**

417 Vocal interaction patterns are not randomly distributed across the four great apes
418 studied herein (Table 2). Vocal interactions are most frequent in bonobos (53% of their calls
419 in wild animals; 74% in captivity), followed by gorillas (38% in captive animals; unstudied in
420 the wild) and then chimpanzees (19% in wild animals; 16% in captivity), and they seem to be
421 extremely rare in orang-utans. Vocal interactions, regardless of the species’ average group
422 size, typically concern only two or three coordinating partners. This parallels results for
423 monkeys’ conversation-like vocal exchanges (Pougnault *et al.*, 2020a). The typical pattern of

424 vocal production in the orang-utan is isolated calling. Chimpanzees also often emit isolated
425 calls, but most of their vocal production consists of series of repeated calls. However, all our
426 data on vocal interaction in orang-utans come from two captive groups, and this has never
427 been investigated in the wild. To draw firm conclusions about this species, future
428 investigations should focus on their call patterns in the wild during fusion periods.

429 Differences do exist among the three other great ape species. Considering the vocal
430 interactions (namely excluding isolated and repeated calls), most of chimpanzees'
431 vocalizations overlapped (58%) while it occurred in 27.5% in gorillas and 19% in bonobos
432 (Table 2 and Fig. 1c). Arcadi (2000) also identified an intriguing rarity of turn-taking in free-
433 ranging chimpanzees. Chimpanzees are known for their structured choruses, mainly based on
434 a superimposed pant-hoots (Gros-Louis & Mitani, 1998; Fedurek, Schel & Slocombe, 2013b;
435 Ravignani *et al.*, 2014), which seem to play a role in territory defence and in regulating group
436 dynamics facilitating fusion and changes in sub-group composition (Fedurek, Donnellan &
437 Slocombe, 2014). A pant-hoot vocalisation is composed of four distinct phases (Gros-Louis &
438 Mitani, 1998; Slocombe & Zuberbühler, 2010). During pant-hoot chorusing, interlocutors
439 adjust the duration of constituent phases, promoting choruses by mirroring the partner's call,
440 and revealing that the temporal structure of this rather stereotyped vocalisation is sensitive to
441 fine details of the vocal behaviour of the audience (Fedurek *et al.*, 2013b).

442 Conversely, bonobos, and to lesser extent gorillas, tend to avoid overlap when they
443 interact vocally (about 67% and up to 94% of the vocal interactions without overlap in
444 bonobos in captivity and in the wild, respectively (81% on average for both populations), and
445 72% in gorillas; Table 2 and Fig. 1c). As found in several monkey species and in humans,
446 gorillas and bonobos engage frequently in vocal exchanges that involve a turn-taking rule.
447 Their vocal exchanges are call-type dependent. For both species, soft contact calls, known to
448 be characteristic of peaceful contexts (grunts/double grunt in gorillas; peeps/peep-yelps in

449 bonobos), are predominantly used. The inter-call duration between two consecutive
450 interlocutors is also similar: a maximum of 3 s in gorillas (0.5 s median; Lemasson *et al.*,
451 2018) and a maximum between 2.1 and 2.5 s in bonobos [wild bonobos 0.7 s median (Cornec
452 *et al.*, in press); captive bonobos 0.4 s median (Levréro *et al.*, 2019). This inter-call duration is
453 consistent with those found in monkeys, i.e. it is rarely shorter than the mean duration of a
454 call, although most published maximum response delays appear slightly shorter in monkeys
455 (around 1 or 1.5 s). Recent playback experiments using violation-of-expectations on gorillas
456 and bonobos revealed that individuals could perceive whether a short silent gap between
457 vocalisations produced by different interlocutors is present (Levréro *et al.*, 2017; Pournault *et*
458 *al.*, 2020b). These results suggest that the presence of a response delay matters to the audience
459 (Levréro *et al.*, 2017; Pournault *et al.*, 2020b).

460 Our analysis does not support a strict correlation between group size, grooming rate
461 and vocal exchange rate, as would be expected from Dunbar's grooming-at-distance
462 hypothesis (Dunbar, 1996). However, a subtler link between social structure and type of vocal
463 interaction emerges from our comparative data. Call overlap and turn-taking exchanges may
464 represent two possible vocal alliance strategies to advertise or strengthen social bonds as
465 detailed in Section III.3.

466

467 **(3) Social structure as a defining factor of vocal interaction patterns**

468 In chimpanzees, pant-hoot choruses are mainly produced by high-ranking males
469 (Mitani & Nishida, 1993; Clark & Wrangham, 1994), with the aim of recruiting and
470 maintaining the company of close associates (Mitani & Nishida, 1993). Researchers highlight
471 that choruses occur between allies without consideration of kinship or age (Mitani & Nishida,
472 1993). Indeed, this vocal behaviour appears to be a strong indicator of affiliation between
473 males (Fedurek *et al.*, 2013a), and during a chorus, allies tend to match vocally the acoustic

474 features of a partner's calls (Mitani & Brandt, 1994; Gros-Louis & Mitani, 1998). Pant-hoot
475 choruses thus might represent a reliable social bonding signal in highly fluid fission–fusion
476 societies (Fedurek *et al.*, 2013a). The prevalence of pant-hoot chorusing in chimpanzee vocal
477 interactions could be explained by the fact that, in a context of highly risky intra- and inter-
478 community competition, opponents seem able to perceive the number of participants of a
479 pant-hoot chorus and to adapt their behaviour accordingly (Wilson, Hauser & Wrangham,
480 2001). By attesting to social affinities, such loud calls produced in a chorus might deter
481 potential rivals and avoid a costly fight (Wilson *et al.*, 2001).

482 In western lowland gorillas, the adult male responds vocally more to adult females
483 with whom he establishes durable social bonds, and less to individuals distant in age such as
484 sub-adults or juveniles (Lemasson *et al.*, 2018). The same is true for bonobos for which vocal
485 turn-taking occurs mainly between interlocutors with strong social affinities, and is not
486 influenced by the age, sex, hierarchical rank or kinship of interlocutors (Levréro *et al.*, 2019).
487 Experimental approaches using violation-of-expectation paradigms have been used to test the
488 relevance of social rules previously described in bonobos and western lowland gorillas. These
489 studies compared the attentional response of the audience towards vocal exchanges of
490 individuals with or without strong social affinities in bonobos (Levréro *et al.*, 2017) and close
491 or distant in age in gorillas (Pougnault *et al.*, 2020a). It seems clear that individuals have
492 some expectations about which individuals will interact vocally with them (Pougnault *et al.*,
493 2020a). Additional playback experiments are now needed to explore the social function of
494 vocal interaction patterns in more detail.

495 Our focused phylogenetic comparison provides evidence both in support of and
496 against the social complexity hypothesis for communication (Blumstein & Armitage, 1997;
497 Freeberg *et al.*, 2012; Pollard & Blumstein, 2012; Manser *et al.*, 2014). If we focus our
498 attention only on the number of different call types composing the vocal repertoire of each

499 great ape species and the nature of social interactions or the number of group members, the
500 results are not convincing. Such a comparison can be criticised for omitting potentially
501 important variables, such as relationship types between group members, or a subjective
502 classification of calls from a graded repertoire (Fischer *et al.*, 2017*a,b*; Hammerschmidt &
503 Fischer, 2019). However, by considering a more complex set with more subtle features, it
504 seems possible to structure a gradation in social–vocal complexity using the three social–
505 vocal patterns (see Fig. 1). Bornean orang-utans form dispersed single/multi-male groups with
506 extended solitary periods and favour the production of isolated calls. In chimpanzee societies,
507 which are mainly despotic with a strong male influence, consecutive calls from single callers
508 [i.e. characteristic of emotional discharge (Lemasson *et al.*, 2010*b*; Owren & Rendall, 1997;
509 Scherer, 2003)] are particularly common, and vocal interactions occur frequently in the form
510 of choruses of pant-hoots. On the contrary, gorillas and bonobos, who are more social than
511 orang-utans and have more peaceful intra-group interactions than do chimpanzees, show a
512 majority of vocal interactions characterised by overlap avoidance and turn-taking.

513 Interestingly, chimpanzees spend more time in social grooming than the other three
514 species (see Fig. 1). They appear to use dyadic mutual grooming (Fedurek & Dunbar, 2009)
515 in a fluid way to access a large number of grooming partners, changing partners more often
516 than do bonobos (Girard-Buttoz *et al.*, 2020). Moreover, a large part of their time spent in
517 social grooming is allocated to polyadic grooming [16% of total grooming time in
518 chimpanzees (Nakamura, 2003) against only 3% in bonobos (Sakamaki, 2013)]. Polyadic
519 grooming also involves a larger number of partners in chimpanzees than in bonobos (Girard-
520 Buttoz *et al.*, 2020). In this way, chimpanzees can reach the same efficiency as human
521 conversations in terms of number of partners accessed simultaneously in polyadic grooming
522 clusters (a mean of 2.72 partners in humans *versus* 2.18 partners in chimpanzees; Nakamura,
523 2000). These clusters occur particularly between males of similar hierarchical rank in

524 chimpanzees, while bonobos engage more often with conspecifics distant in dominance rank
525 (Girard-Buttoz *et al.*, 2020). Thus, at a first glance, the low rate of vocal exchanges in
526 chimpanzees appears counter-intuitive given their high rate of social grooming (see Fig. 1).
527 However, it is possible that the apparent efficiency of polyadic social grooming, its focus on a
528 limited number of close social partners, and high levels of intra-group competition could
529 explain why this species does not need to ‘groom-at-distance’ using vocal exchanges to
530 maintain their relationships (Dunbar, 1996). By contrast, in species displaying more tolerance
531 among group members, as bonobos and gorillas, vocal exchanges that follow temporal and
532 social rules may be favoured during vocal interactions. This interpretation must be considered
533 preliminary, given the representation of each social system by a single species here, but it
534 does highlight the potential for integrative approaches to investigate diverse complementary
535 social parameters.

536

537 **IV. CONCLUSIONS**

538 (1) Our goal herein was to highlight the necessity to include metrics at the vocal interaction
539 level when investigating the coevolution between social and vocal complexity in primates or
540 other animals. The limited number of species included here, and the limited number of
541 sampled populations per species, make our description of the potential relationships between
542 social bonds and vocal interaction patterns essentially qualitative. Although it does not allow
543 us to provide any evolutionary scenario across primate genera, we believe that this analysis
544 has several major implications for the field and opens interesting perspectives for future
545 studies.

546 (2) Vocal interaction patterns broadly map onto the quality of social bonds in apes, in
547 agreement with the predictions of a socially driven evolution of communication. A well-
548 targeted comparative approach could help to identify the multiple and probably subtle social

549 factors underlying social and vocal complexity, beyond a consideration of only social
550 structure or organisation. While focusing on four great apes provides only one template for
551 each different social system, we believe that focusing on our nearest living relatives is a
552 necessary step to a better understand of the social factors influencing different vocal
553 interaction patterns.

554 (3) It will be a difficult task to derive a scenario of the evolution of vocal interaction skills,
555 from the Strepsirhini to the genus *Homo*, because the emergence of social and vocal
556 complexity is found throughout the primate lineage and probably results from multiple
557 evolutionary pressures. However, some great apes (mainly bonobos and gorillas) and
558 monkeys share some temporal and social rules regulating their vocal exchanges that may
559 indicate similar constraints between primate ‘conversational’ vocal exchanges and human
560 conversations. It is possible that chimpanzees and orang-utans have been subject to different
561 selection pressures, due respectively to a strong male-despotic hierarchy and an extended
562 solitary life, leading to the appearance of derived traits.

563 (4) It is somewhat reductive to discuss the evolution of social life and vocal communication
564 without considering other modalities of communication (e.g. see the social complexity
565 hypothesis proposed for visual and chemical signals; Freeberg *et al.*, 2012). Human language
566 is likely to have multimodal origins (Prieur *et al.*, 2020). This is particularly true for some
567 great apes who are known to communicate intensively with gestures, with reported cases of
568 gestural turn-taking (Fröhlich *et al.*, 2016). Further research may extend this comparison to
569 visual and tactile communication and thereby highlight alternative options to vocal
570 interactions for short-range communication, adding even more complexity (Smith & Evans,
571 2013; Peckre, Kappeler & Fichtel, 2019).

572

573 **VI. ACKNOWLEDGMENTS**

574 This work was financially supported by a CIFRE grant (#2018_00074) funded by the
575 Association Beauval Nature pour la Conservation et la Recherche, Centre National de la
576 Recherche Scientifique, Rennes 1 University and Lyon/Saint-Etienne University. M.L. was
577 funded by the Swiss National Science Foundation (PP00P3_163850). This research was also
578 financially supported by the University of Lyon/Saint-Etienne, *Nature & Découverte*
579 foundation and WWF-Belgium. We are deeply grateful to the ZooParc de Beauval, the
580 Ouwehand Dierenpark and the orang-utan caregivers for their valuable assistance. Invaluable
581 help in the field was provided by the field assistants of WWF-DRC, of the NGO Mbou-Mon-
582 Tour and the management and staff of the Budongo Conservation Field Station. We also
583 warmly thank Jean-Christophe Bokika, president of the NGO Mbou-Mon-Tour, Raymond
584 Lumbuenamo, national coordinator of the WWF-DRC, Damien Vincent, general manager of
585 the WWF-Belgium and Gilbert Mame Ngonu, the chief of the village of Nkala, for their
586 support and permission to study the bonobos in the Nkala forest. We also thank the local
587 community at Nkala for their support which was greatly appreciated. We are very grateful to
588 the Uganda Wildlife Authority and the Uganda National Council for Science and Technology
589 for permission to conduct the study. We thank Katarzyna Pisanski for correcting our English.

590

591 **VII. REFERENCES**

592 ALTMANN, J. (1974). Observational study of behavior: sampling methods. *Behaviour* **49**, 227–
593 267.

594 ANCRENAZ, M., GUMAL, M., MARSHALL, A.J., MEIJAARD, E., WICH, S.A. & HUSSON, S.
595 (2018). *Pongo pygmaeus* (errata version published in 2018). The IUCN Red List of
596 Threatened Species 2016.

597 ARCADI, A.C. (2000). Vocal responsiveness in male wild chimpanzees: implications for the
598 evolution of language. *Journal of Human Evolution* **39**, 205–223.

599 ARLET, M., JUBIN, R., MASATAKA, N. & LEMASSON, A. (2015). Grooming-at-a-distance by
600 exchanging calls in non-human primates. *Biology Letters* **11**, 20150711–20150714.

601 ARORA, N., NATER, A., VAN SCHAIK, C.P., WILLEMS, E.P., VAN NOORDWIJK, M.A.,
602 GOOSSENS, B., MORF, N., BASTIAN, M., KNOTT, C., MORROGH-BERNARD, H., KUZE, N.,
603 KANAMORI, T., PAMUNGKAS, J., PERWITASARI-FARAJALLAH, D., VERSCHOOR, E., *ET AL.*
604 (2010). Effects of Pleistocene glaciations and rivers on the population structure of
605 Bornean orangutans (*Pongo pygmaeus*). *Proceedings of the National Academy of*
606 *Sciences of the United States of America* **107**, 21376–21381.

607 BEGUN, D.R. (2010). Miocene Hominids and the Origins of the African Apes and Humans.
608 *Annual Review of Anthropology* **39**, 67–84.

609 BERGMAN, T.J., & BEEHNER, J.C. (2015). Measuring social complexity. *Animal Behaviour*
610 **103**, 203-209

611 BERMEJO, M. & OMEDES, A. (1999). Preliminary Vocal Repertoire and Vocal Communication
612 of Wild Bonobos (*Pan paniscus*) at Lilungu (Democratic Republic of Congo). *Folia*
613 *Primatologica* **70**, 328–357.

614 BIBEN, M., SYMMES, D. & MASATAKA, N. (1986). Temporal and Structural Analysis of
615 Affiliative Vocal Exchanges in Squirrel Monkeys (*Saimiri sciureus*). *Behaviour* **98**, 259–
616 273.

617 BLUMSTEIN, D.T. & ARMITAGE, K.B. (1997). Does sociality drive the evolution of
618 communicative complexity? A comparative test with ground-dwelling sciurid alarm calls.
619 *The American Naturalist* **150**, 179–200.

620 BÖHME, M., SPASSOV, N., FUSS, J., TRÖSCHER, A., DEANE, A.S., PRIETO, J., KIRSCHER, U.,
621 LECHNER, T. & BEGUN, D.R. (2019). A new Miocene ape and locomotion in the ancestor
622 of great apes and humans. *Nature* **575**, 489–493.

623 BOUCHET, H., BLOIS-HEULIN, C. & LEMASSON, A. (2013). Social complexity parallels vocal

- 624 complexity: A comparison of three non-human primate species. *Frontiers in Psychology*
625 **4**, 1–15.
- 626 BOUCHET, H., KODA, H. & LEMASSON, A. (2017). Age-dependent change in attention paid to
627 vocal exchange rules in Japanese macaques. *Animal Behaviour* **129**, 81–92.
- 628 BOUCHET, H., PELLIER, A.S., BLOIS-HEULIN, C. & LEMASSON, A. (2010). Sex differences in
629 the vocal repertoire of adult red-capped mangabeys (*Cercocebus torquatus*): A multi-
630 level acoustic analysis. *American Journal of Primatology* **72**, 360–375.
- 631 BRADBURY, J.W. & VEHRENCAMP, S.L. (2011). *Principles of animal communication (2nd*
632 *ed.)*. Sinauer Associates.
- 633 BRISEÑO-JARAMILLO, M., RAMOS-FERNÁNDEZ, G., PALACIOS-ROMO, T.M., SOSA-LÓPEZ, &
634 J.R., LEMASSON, & A., SOSA-LÓPEZ, J.R. & LEMASSON, A. (2018). Age and social
635 affinity effects on contact call interactions in free-ranging spider monkeys. *Behavioral*
636 *Ecology and Sociobiology* **72**, 192.
- 637 BRISEÑO-JARAMILLO, M., GUYOT-BIQUAND, V., ESTRADA, A. & LEMASSON, A. (2017). Vocal
638 repertoire of free-ranging black howler monkeys' (*Alouatta pigra*): call types, contexts
639 and sex-related contributions. *American Journal of Primatology* **79**, 22630–10.
- 640 CANDIOTTI, A., ZUBERBUHLER, K. & LEMASSON, A. (2012). Convergence and divergence in
641 Diana monkey vocalizations. *Biology Letters* **8**, 382–385.
- 642 CASTELLANO, D. & MUNCH, K. (2020). Populations Genomics in the Great apes. In *Statistical*
643 *Population Genomics* (ed JULIEN Y. DUTHEIL), pp. 453–468. Humana Press. Springer
644 Protocols, Plön, Germany.
- 645 CHALMEAU, R., LARDEU, K., BRANDILLAS, P. & GALLO, A. (1997). Cooperative Problem
646 Solving by Orangutans (*Pongo pygmaeus*). *International Journal of Primatology* **18**, 23–
647 32.
- 648 CHEN, H.C., KAPLAN, G. & ROGERS, L.J. (2009). Contact calls of common marmosets

649 (*Callithrix jacchus*): Influence of age of caller on antiphonal calling and other vocal
650 responses. *American Journal of Primatology* **71**, 165–170.

651 CHOW, C.P., MITCHELL, J.F. & MILLER, C.T. (2015). Vocal turn-taking in a non-human
652 primate is learned during ontogeny. *Proceedings of the Royal Society B: Biological*
653 *Sciences* **282**, 20150069.

654 CLARK, A.P. & WRANGHAM, R.W. (1994). Chimpanzee arrival pant-hoots: do signify food or
655 status? *International Journal of Primatology* **15**, 185–205.

656 CLAY, Z., ARCHBOLD, J. & ZUBERBÜHLER, K. (2015). Functional flexibility in wild bonobo
657 vocal behaviour. *Peer J.* **3**, e1124.

658 CLAY, Z., PIKA, S., GRUBER, T. & ZUBERBÜHLER, K. (2011). Female bonobos use copulation
659 calls as social signals. *Biology Letters* **7**, 513–516.

660 CLAY, Z. & ZUBERBÜHLER, K. (2009). Food-associated calling sequences in bonobos. *Animal*
661 *Behaviour* **77**, 1387–1396.

662 CLAY, Z. & ZUBERBÜHLER, K. (2011). Bonobos extract meaning from call sequences. *PLoS*
663 *ONE* **6**, e18786.

664 CORNEC, C., MUZUNGU, N., LEMASSON, A., MONGHIEMO, C, NARAT, V. & LEVRÉRO, F. A
665 pilot study of calling patterns in wild bonobos *Pan paniscus*: vocal turn-taking evidence.
666 *Ethology Ecology & Evolution. In press.*

667 DARWIN, C. (1877). L'expression des émotions chez l'homme et les animaux. *Gallica*,
668 *Bibliothèque Nationale de France*, 203.

669 DE WAAL, F.B.M. (1988). The communicative repertoire of captive bonobos (*Pan paniscus*),
670 compared to that of chimpanzees. *Behaviour* **106**, 183–251.

671 DE WAAL, F.B.M. (1995). Primates: sex and societies. Collective matriarchat in Bonobo.
672 *Scientific American* **272**, 82–88.

673 DELGADO, R.A. & VAN SCHAIK, C.P. (2000). The behavioral ecology and conservation of the
674 orangutan (*Pongo pygmaeus*): A tale of two islands. *Evolutionary Anthropology: Issues*,

675 *News, and Reviews* **9**, 1520–6505.

676 DUFOUR, V., PELÉ, M., NEUMANN, M., THIERRY, B. & CALL, J. (2009). Calculated reciprocity
677 after all: Computation behind token transfers in orang-utans. *Biology Letters* **5**, 172–175.

678 DUNBAR, R.I.M. (1991) Functional significance of social grooming in primates. *Folia*
679 *Primatologica* **57**, 121–131.

680 DUNBAR, R.I.M. (1996). *Grooming, gossip and the evolution of language*. Faber & Faber,
681 London, United Kingdom.

682 DUNBAR, R.I.M. (1998). The Social Brain Hypothesis. *Evolutionary Anthropology* **6**, 178-
683 190.

684 FEDUREK, P., DONNELLAN, E. & SLOCOMBE, K.E. (2014). Social and ecological correlates of
685 long-distance pant hoot calls in male chimpanzees. *Behavioral Ecology and Sociobiology*
686 **68**, 1345–1355.

687 FEDUREK, P. & DUNBAR, R.I.M. (2009). What does mutual grooming tell us about Why
688 chimpanzees groom? *Ethology* **115**, 566–575.

689 FEDUREK, P., MACHANDA, Z.P., SCHEL, A.M. & SLOCOMBE, K.E. (2013a). Pant hoot
690 chorusing and social bonds in male chimpanzees. *Animal Behaviour* **86**, 189–196.

691 FEDUREK, P., SCHEL, A.M. & SLOCOMBE, K.E. (2013b). The acoustic structure of chimpanzee
692 pant-hooting facilitates chorusing. *Behavioral Ecology and Sociobiology* **67**, 1781–1789.

693 FISCHER, J., FARNWORTH, M.S., SENNHENN-REULEN, H. & HAMMERSCHMIDT, K. (2017a)
694 Quantifying social complexity. *Animal Behaviour* **130**, 57–66.

695 FISCHER, J., WADEWITZ, P. & HAMMERSCHMIDT, K. (2017b). Structural variability and
696 communicative complexity in acoustic communication. *Animal Behaviour* **134**, 229–237.

697 FORCINA, G., VALLET, D., LE GOUAR, P.J., BERNARDO-MADRID, R., ILLERA, G., MOLINA-
698 VACAS, G., DRÉANO, S., REVILLA, E., RODRÍGUEZ-TEIJEIRO, J.D., MÉNARD, N., BERMEJO,
699 M. & VILÀ, C. (2019). From groups to communities in western lowland gorillas.

700 *Proceedings of the Royal Society B: Biological Sciences* **286**, 20182019.

701 FREEBERG, T.M., DUNBAR, R.I.M. & ORD, T.J. (2012). Social complexity as a proximate and
702 ultimate factor in communicative complexity. *Philosophical Transactions of the Royal*
703 *Society B: Biological Sciences* **367**, 1785–1801.

704 FREEBERG, T.M. & KRAMS, I. (2015). Does social complexity link vocal complexity and
705 cooperation? Springer Verlag. *Journal of Ornithology* **156**, 125-132.

706 FREEBERG, T.M., GENTRY, K.E., SIEVING, K.E., LUCAS, J.R. (2019). On understanding the
707 nature and evolution of social cognition: a need for study of communication. *Animal*
708 *Behaviour* **155**, 279-286.

709 FRÖHLICH, M., KUCHENBUCH, P., MÜLLER, G., FRUTH, B., FURUICHI, T., WITTIG, R.M. &
710 PIKA, S. (2016). Unpeeling the layers of language: Bonobos and chimpanzees engage in
711 cooperative turn-taking sequences. *Scientific Reports* **6**, 1–14.

712 FRUTH, B., HICKEY, J.R., ANDRÉ, C., FURUICHI, T., HART, J., HART, T., KUEHL, H., MAISELS,
713 F., NACKONEY, J., REINARTZ, G., SOP, T., THOMPSON, J. & WILLIAMSON, E.A. (2016).
714 *Pan paniscus* (errata version published in 2016). The IUCN Red List of Threatened
715 Species 2016.

716 FRUTH, B., WILLIAMSON, E.A. & RICHARDSON, M.C. (2013). Bonobo *Pan paniscus*. In
717 *Handbook of the Mammals of the World Volume 3: Primates* (ed A.B.R. AND D.E.W.
718 R.A. MITTERMEIER), pp. 853–854 Lynx Edicions. Barcelona, Spain.

719 FURUICHI, T. (2011). Female contributions to the peaceful nature of bonobo society.
720 *Evolutionary Anthropology* **20**, 131–142.

721 FURUICHI, T., IDANI, G., IHOBE, H., HASHIMOTO, C., TASHIRO, Y., SAKAMAKI, T., MULAVWA,
722 M.N., YANGOZENE, K. & KURODA, S. (2012). Long-term studies on wild bonobos at
723 Wamba, Luo Scientific Reserve, D. R. Congo: Towards the understanding of female life
724 history in a male-philopatric species. In *Long-Term Field Studies of Primates* (ed

- 725 HEIDELBERG), pp. 413–433 Springer-Verlag Heidelberg, Berlin.
- 726 GALDIKAS, B.M.F. (1985). Adult male sociality and reproductive tactics among orangutans at
727 Tanjung Puting. *Folia Primatologica* **45**, 9–24.
- 728 GARCIA, M., THEUNISSEN, F., SÈBE, F., CLAVEL, J., RAVIGNANI, A., MARIN-CUDRAZ, T.,
729 FUCHS, J. & MATHEVON, N. (2020). Evolution of communication signals and information
730 during species radiation. *Nature Communications* **11**, 4970.
- 731 GATTI, S., LEVRERO, F., MENARD, N. & GAUTIERHION, A. (2004). Population and group
732 structure of western Lowland Gorillas (*Gorilla gorilla gorilla*) at Lokoué, Republic of
733 Congo. *American Journal of Primatology* **63**, 111–123.
- 734 GEISSMANN, T. (1999). Duet songs of the siamang, *Hylobates syndactylus*: II. Testing the
735 pair-bonding hypothesis during a partner exchange. *Behaviour* **136**, 1005–1039.
- 736 GEISSMANN, T. & ORGELDINGER, M. (2000). The relationship between duet songs and pair
737 bonds in siamangs, *Hylobates syndactylus*. *Animal Behaviour* **60**, 805–809.
- 738 GILBY, I.C. & WRANGHAM, R.W. (2008). Association patterns among wild chimpanzees (*Pan*
739 *troglydites schweinfurthii*) reflect sex differences in cooperation. *Behavioral Ecology*
740 *and Sociobiology* **62**, 1831–1842.
- 741 GIRARD-BUTTOZ, C., SURBECK, M., SAMUNI, L., BOESCH, C., FRUTH, B., CROCKFORD, C.,
742 HOHMANN, G. & WITTIG, R.M. (2020). Variable use of polyadic grooming and its effect
743 on access to social partners in wild chimpanzees and bonobos. *Animal Behaviour* **168**,
744 211–224.
- 745 GÓMEZ, J.M., VERDÚ, M., GONZÁLEZ-MEGÍAS, A. & MÉNDEZ, M. (2016). The phylogenetic
746 roots of human lethal violence. *Nature* **538**, 233–237.
- 747 GOODALL, J. (1986). *The Chimpanzees of Gombe: Patterns of Behavior*. Belknap Press of
748 Harvard University Press, Cambridge.
- 749 GROS-LOUIS, J. & MITANI, J. (1998). Chorusing and call convergence in chimpanzees: Tests

750 of three hypotheses. *Behaviour* **135**, 1041–1064.

751 GRUBER, T. & CLAY, Z. (2016). A Comparison Between Bonobos and Chimpanzees: A
752 Review and Update. *Evolutionary Anthropology* **25**, 239–252.

753 GUSTISON, M.L., LE ROUX, A. & BERGMAN, T.J. (2012). Derived vocalizations of geladas
754 (*Theropithecus gelada*) and the evolution of vocal complexity in primates. *Philosophical
755 Transactions of the Royal Society B: Biological Sciences* **367**, 1847–1859.

756 GUSTISON, M.L., JOHNSON, E.T., BEEHNER, J.C., & BERGMAN, T.J. (2019). The social
757 functions of complex vocal sequences in wild geladas. *Behavioral Ecology and
758 Sociobiology* **73**, 14.

759 HAGEMANN, L., BOESCH, C., ROBBINS, M.M., ARANDJELOVIC, M., DESCHNER, T., LEWIS, M.,
760 FROESE, G. & VIGILANT, L. (2018). Long-term group membership and dynamics in a wild
761 western lowland gorilla population (*Gorilla gorilla gorilla*) inferred using non-invasive
762 genetics. *American Journal of Primatology* **80**, e22898.

763 HAIMOFF, E.H. (1986). Convergence in the duetting of monogamous Old World primates.
764 *Journal of Human Evolution* **15**, 51–59.

765 HAMMERSCHMIDT, K. & FISCHER, J. (2019). Baboon vocal repertoires and the evolution of
766 primate vocal diversity. *Journal of Human Evolution* **126**, 1–13.

767 HARCOURT, A. & STEWART, K. (1996). Function and Meaning of Wild Gorilla ‘Close’ Calls
768 II. Correlations with Ranks and Relatedness. *Behaviour*, 827–845.

769 HARCOURT, A.H. & STEWART, K.J. (2007). *Gorilla society: conflict, compromise, and
770 cooperation between the sexes*. The University of Chicago Press, Chicago.

771 HARDUS, M.E., LAMEIRA, A.R., SINGLETON, I., MORROGH-BERNARD, H.C., KNOTT, C.D.,
772 ANCRENAZ, M., UTAMI ATMOKO, S.S. & WICH, S.A. (2009). A description of the
773 orangutan’s vocal and sound repertoire, with a focus on geographic variation. In
774 *Orangutans: Geographic Variation in Behavioral Ecology and Conservation* (ed

775 OXFORD UNIVERSITY PRESS), pp. 49–64. New-York.

776 HARE, B., MELIS, A.P., WOODS, V., HASTINGS, S. & WRANGHAM, R. (2007). Tolerance
777 Allows Bonobos to Outperform Chimpanzees on a Cooperative Task. *Current Biology*
778 **17**, 619–623.

779 HARE, B. & TOMASELLO, M. (2004). Chimpanzees are more skilful in competitive than in
780 cooperative cognitive tasks. *Animal Behaviour* **68**, 571–581.

781 HEDWIG, D., MUNDRY, R., ROBBINS, M.M. & BOESCH, C. (2015a). Audience effects, but not
782 environmental influences, explain variation in gorilla close distance vocalizations-A test
783 of the acoustic adaptation hypothesis. *American Journal of Primatology* **77**, 1239–1252.

784 HEDWIG, D., MUNDRY, R., ROBBINS, M.M. & BOESCH, C. (2015b). Contextual correlates of
785 syntactic variation in mountain and western gorilla close-distance vocalizations:
786 Indications for lexical or phonological syntax? *Animal Cognition* **18**, 423–435.

787 HENRY, L., CRAIG, A.J.F.K., LEMASSON, A. & HAUSBERGER, M. (2015). Social coordination
788 in animal vocal interactions. Is there any evidence of turn-taking? The starling as an
789 animal model. *Frontiers in Psychology* **6**, 1416.

790 HIRATA, S. & FUWA, K. (2007). Chimpanzees (*Pan troglodytes*) learn to act with other
791 individuals in a cooperative task. *Primates* **48**, 13–21.

792 HOBOLTH, A., DUTHEIL, J.Y., HAWKS, J., SCHIERUP, M.H. & MAILUND, T. (2011). Incomplete
793 lineage sorting patterns among human, chimpanzee, and orangutan suggest recent
794 orangutan speciation and widespread selection. *Genome Research* **21**, 349–356.

795 HOHMANN, G. & FRUTH, B. (1994). Structure and use of distance calls in wild bonobos (*Pan*
796 *paniscus*). *International Journal of Primatology* **15**, 767–782.

797 IDANI, G., MWANZA, N., IHOBE, H., HASHIMOTO, C., TASHIRO, Y. & FURUICHI, T. (2008).
798 Changes in the status of bonobos, their habitat, and the situation of humans at Wamba in
799 the Luo Scientific Reserve, Democratic Republic of Congo. In *The bonobos: behavior,*

800 *ecology, and conservation* (ed J. FURUICHI, T. & THOMPSON), pp. 121–134 Springer. New
801 York.

802 INOGWABINI, B.I., BEWA, M., LONGWANGO, M., ABOKOME, M. & VUVU, M. (2008). The
803 bonobos of the Lake Tumba–Lake Maindombe hinterland: threats and opportunities for
804 population conservation. In *The Bonobos* (pp. 273–290). Springer, New York, NY.

805 JANSEN, D.A., CANT, M.A., & MANSER, M.B. (2012). Segmental concatenation of individual
806 signatures and context cues in banded mongoose (*Mungos mungo*) close calls. *BMC*
807 *Biology* **10**, 97

808 JENSEN, K., HARE, B., CALL, J. & TOMASELLO, M. (2006). What’s in it for me? Self-regard
809 precludes altruism and spite in chimpanzees. *Proceedings of the Royal Society B:*
810 *Biological Sciences* **273**, 1013–1021.

811 KANO, T. (1982). The Social Group of Pygmy Chimpanzees (*Pan paniscus*) of Wamba.
812 *Primates* **23**, 171–188.

813 KANO, T. (1992). *The last ape: Pygmy chimpanzee behavior and ecology*. Stanford University
814 Press, Stanford, California.

815 KEENAN, S., LEMASSON, A. & ZUBERBÜHLER, K. (2013). Graded or discrete? A quantitative
816 analysis of Campbell’s monkey alarm calls. *Animal Behaviour* **85**, 109–118.

817 KEENAN, S., MATHEVON, N., STEVENS, J.M.G., NICOLÈ, F., ZUBERBÜHLER, K., GUÉRY, J.-P.
818 & LEVRÉRO, F. (2020). The reliability of individual vocal signature varies across the
819 bonobo’s graded repertoire. *Animal Behaviour* **169**, 9–21.

820 KERSHENBAUM, A., FREEBERG, T.M. & GAMMON, D.E. (2015). Estimating vocal repertoire
821 size is like collecting coupons: A theoretical framework with heterogeneity in signal
822 abundance. *Journal of Theoretical Biology* **373**, 1e11.

823 KERSHENBAUM, A., BLUMSTEIN, D.T., ROCH, M.A., AKCAY, C., BACKUS, G., BEE, M.A., BOHN,
824 K., CAO, Y., CARTER, G., CÄSAR, C., COEN, M., DERUITER, S.L., DOYLE, L., EDELMAN, S.,

- 825 FERRER-I-CANCHO, R. et al. (2016). Acoustic sequences in non-human animals: a tutorial
826 review and prospectus. *Biological Review* **91** (1), 13-52.
- 827 KNOTT, C., BEAUDROT, L., SNAITH, T., WHITE, S., TSCHAUNER, H. & PLANANSKY, G. (2008).
828 Female-female competition in Bornean orangutans. *International Journal of Primatology*
829 **29**, 975–997.
- 830 KODA, H. (2004). Flexibility and context-sensitivity during the vocal exchange of coo calls in
831 wild Japanese macaques (*Macaca fuscata yakui*). *Behaviour* **141**, 1279–1296.
- 832 KODA, H., LEMASSON, A., OYAKAWA, C., RIZALDI, PAMUNGKAS, J. & MASATAKA, N. (2013).
833 Possible Role of Mother-Daughter Vocal Interactions on the Development of Species-
834 Specific Song in Gibbons. *PLoS ONE* **8**, e71432.
- 835 KUMMER, H. (1971). *Primate Societies: Group Techniques of Ecological Adaptation*. Aldine,
836 Chicago.
- 837 KURODA, S. (1980). Social Behavior of the Pygmy Chimpanzees. *Primates* **21**, 181–197.
- 838 LAMEIRA, A.R. & CALL, J. (2020). Understanding language evolution: beyond pan-centrism.
839 *BioEssays* **42**, 1900102.
- 840 LANGERGRABER, K.E., MITANI, J.C., WATTS, D.P. & VIGILANT, L. (2013). Male-female socio-
841 spatial relationships and reproduction in wild chimpanzees. *Behavioral Ecology and*
842 *Sociobiology* **67**, 861–873.
- 843 LAPORTE, M.N.C. & ZUBERBÜHLER, K. (2010). Vocal greeting behaviour in wild chimpanzee
844 females. *Animal Behaviour* **80**, 467–473.
- 845 LEHMANN, J. & BOESCH, C. (2008). Sexual differences in chimpanzee sociality. *International*
846 *Journal of Primatology* **29**, 65–81.
- 847 LEHMANN, J. & BOESCH, C. (2009). Sociality of the dispersing sex: the nature of social bonds
848 in West African female chimpanzees, *Pan troglodytes*. *Animal Behaviour* **77**, 377–387.
- 849 LEHMANN, J., KORSTJENS, A.H. & DUNBAR, R.I.M. (2007). Group size, grooming and social

850 cohesion in primates. *Animal Behaviour* **74**, 1617–1629.

851 LEMASSON, A. (2011). What can forest guenons « tell » us about the origin of language? In
852 *Primate Communication and Human Language: Vocalisation, gestures, imitation and*
853 *deixis in humans and non-humans* (eds A. VILAIN, A., SCHWARTZ, J. L. & J. C.,
854 VAUCLAIR), pp. 39–70. John Benjamins Publishing Company, Amsterdam.

855 LEMASSON, A., GANDON, E. & HAUSBERGER, M. (2010a). Attention to elders' voice in non-
856 human primates. *Biology Letters* **6**, 325–328.

857 LEMASSON, A., GLAS, L., BARBU, S., LACROIX, A., GUILLOUX, M., REMEUF, K. & KODA, H.
858 (2011a). Youngsters do not pay attention to conversational rules: Is this so for non-
859 human primates? *Scientific Reports* **1**, 1-4.

860 LEMASSON, A., GUILLOUX, M., RIZALDI, BARBU, S., LACROIX, A. & KODA, H. (2013). Age-
861 and sex-dependent contact call usage in Japanese macaques. *Primates* **54**, 283–291.

862 LEMASSON, A. & HAUSBERGER, M. (2011). Acoustic variability and social significance of
863 calls in female Campbell's monkeys (*Cercopithecus campbelli campbelli*). *The Journal*
864 *of the Acoustical Society of America* **129**, 3341–3352.

865 LEMASSON, A., HAUSBERGER, M. & ZUBERBÜHLER, K. (2005). Socially meaningful vocal
866 plasticity in adult Campbell's monkeys (*Cercopithecus campbelli*). *Journal of*
867 *Comparative Psychology* **119**, 220–229.

868 LEMASSON, A., OUATTARA, K., BOUCHET, H. & ZUBERBÜHLER, K. (2010b). Speed of call
869 delivery is related to context and caller identity in Campbell's monkey male.
870 *Naturwissenschaften* **97**, 1–5.

871 LEMASSON, A., OUATTARA, K., PETIT, E.J. & ZUBERBÜHLER, K. (2011b). Social learning of
872 vocal structure in a non-human primate? *BMC Evolutionary Biology* **11**, 1–7.

873 LEMASSON, A., PEREIRA, H. & LEVRÉRO, F. (2018). Social basis of vocal interactions in
874 western lowland gorillas (*Gorilla g. gorilla*). *Journal of Comparative Psychology* **132**,

875 141–151.

876 LEVINSON, S.C. (2016). Turn-taking in Human Communication – Origins and Implications for
877 Language Processing. *Trends in Cognitive Sciences* **20**, 6–14.

878 LEVINSON, S.C. & HOLLER, J. (2014). The origin of human multi-modal communication.
879 *Philosophical Transactions of the Royal Society B: Biological Sciences* **369**, 20130302.

880 LEVRÉRO, F. (2005). Structure d'une population de gorilles (*Gorilla g. gorilla*) visitant une
881 clairière forestière: nature et rôle des rencontres intergroupes dans sa dynamique. PhD
882 thesis. Université Rennes 1.

883 LEVRERO, F., CARRETE-VEGA, G., HERBERT, A., LAWABI, I., COURTIOL, A., WILLAUME, E.,
884 KAPPELER, P.M., & CHARPENTIER, M.J.E. (2015). Social shaping of voices does not
885 impair phenotype matching of kinship in mandrills. *Nature Communication* **6**, 1-7.

886 LEVRERO, F., CLERC, O., TOUITOU, S., FREDET, J., GUERY, J.-P. & LEMASSON, A. (2017).
887 Bonobos converse and pay attention to breaking conversational rules. In *Behaviour 2017*
888 - *35th International Ethological Conference* (ed S. E DA V. (ISPA); A. FOR THE S. OF A.B.
889 (ASAB) INSTITUTO UNIVERSITÁRIO DE CIÊNCIAS PSICOLÓGICAS), p. hal-01576988.
890 Estoril, Portugal.

891 LEVRERO, F., GATTI, S., MENARD, N., PETIT, E., CAILLAUD, D. & GAUTIER-HION, A. (2006).
892 Living in nonbreeding groups: An alternative strategy for maturing gorillas. *American*
893 *Journal of Primatology* **68**, 275–291.

894 LEVRÉRO, F., TOUITOU, S., FRÉDET, J., NAIRAUD, B., GUÉRY, J.-P. & LEMASSON, A. (2019).
895 Social bonding drives vocal exchanges in Bonobos. *Scientific Reports* **9**, 711.

896 MACKINNON, J. & MACKINNON, K. (1980). The behavior of wild spectral tarsiers.
897 *International Journal of Primatology* **1**, 361–379.

898 MAISELS, F., STRINDBERG, S., BREUER, T., GREER, D., JEFFERY, K. & STOKES, E. (2018).
899 *Gorilla gorilla ssp. gorilla* (amended version of 2016 assessment). The IUCN Red List of

900 Threatened Species 2018.

901 MANSER, M.B., JANSEN, D.A.W.A.M., GRAW, B., HOLLÉN, L.I., BOUSQUET, C.A.H., FURRER,
902 R.D. & LE ROUX, A. (2014). Vocal complexity in meerkats and other mongoose species.
903 In *Advances in the Study of Behavior* pp. 281–310.

904 MARLER, P. (1965). Communication in monkeys and apes. In: *Primate behavior: Field studies*
905 of monkeys and apes. Ed: Devore I. New York, Holt, Rinehart and Winston. pp 236-265.

906 MARLER, P. & TENAZA, R. (1977). Signaling behavior of apes with special reference to
907 vocalizations. In *How Animals Communicate* (ed T.A. SEBEOK), pp. 965–1033. Indiana
908 University Press, Bloomington.

909 MASATAKA, N. & BIBEN, M. (1987). Temporal Rules Regulating Affiliative Vocal
910 Exchanges of Squirrel Monkeys. *Behaviour* **101**, 311–319.

911 MCCOMB, K. & SEMPLE, S. (2005). Coevolution of vocal communication and sociality in
912 primates. *Biology Letters* **1**, 381–385.

913 MCCOMB, K.E. (1991). Female choice for high roaring rates in red deer, *Cervus elaphus*.
914 *Animal Behaviour* **41**, 79–88.

915 MELIS, A.P., HARE, B. & TOMASELLO, M. (2006). Engineering cooperation in chimpanzees:
916 tolerance constraints on cooperation. *Animal Behaviour* **72**, 275–286.

917 MITANI, J.C. (2009a). Cooperation and competition in chimpanzees: Current understanding
918 and future challenges. *Evolutionary Anthropology* **18**, 215–227.

919 MITANI, J.C. (2009b). Male chimpanzees form enduring and equitable social bonds. *Animal*
920 *Behaviour* **77**, 633–640.

921 MITANI, J.C. & BRANDT, K.L. (1994). Social Factors Influence the Acoustic Variability in the
922 Long Distance Calls of Male Chimpanzees. *Ethology* **96**, 233–252.

923 MITANI, J.C. & NISHIDA, T. (1993). Contexts and social correlates of long-distance calling by
924 male chimpanzees. *Animal Behaviour* **45**, 735–746.

- 925 MITANI, J.C., WATTS, D. & AMSLER, S. (2010). Lethal intergroup aggression leads to
926 territorial expansion in wild chimpanzees. *Current biology* **20**, R507-R508.
- 927 MOUTERDE, S.C., THEUNISSEN, F.E., ELIE, J.E., VIGNAL, C., MATHEVON, N. (2014). Acoustic
928 communication and sound degradation: how do the individual signatures of male and
929 female zebra finch calls transmit over distance? *PloS One* **9**, e102842
- 930 MORROGH-BERNARD, H.C., MORF, N. V., CHIVERS, D.J. & KRÜTZEN, M. (2011). Dispersal
931 patterns of orang-utans (*Pongo spp.*) in a Bornean peat-swamp forest. *International*
932 *Journal of Primatology* **32**, 362–376.
- 933 MULLER, M.N. & MITANI, J.C. (2005). Conflict and Cooperation in Wild Chimpanzees.
934 *Advances in the Study of Behavior* **35**, 275–331.
- 935 NAKAMURA, M. (2000). Is human conversation more efficient than chimpanzee grooming ?
936 comparison of clique sizes. *Human Nature* **11**, 281–297.
- 937 NAKAMURA, M. (2003). ‘Gathering’ of social grooming among wild chimpanzees:
938 Implications for evolution of sociality. *Journal of Human Evolution* **44**, 59–71.
- 939 NARAT, V., PENNEC, F., SIMMEN, B., NGAWOLO, J.C.B. & KRIEF, S. (2015). Bonobo
940 habituation in a forest–savanna mosaic habitat: influence of ape species, habitat type, and
941 sociocultural context. *Primates* **56**, 339–349.
- 942 NATER, A., NIETLISBACH, P., ARORA, N., VAN SCHAIK, C.P., VAN NOORDWIJK, M.A.,
943 WILLEMS, E.P., SINGLETON, I., WICH, S.A., GOOSSENS, B., WARREN, K.S., VERSCHOOR,
944 E.J., PERWITASARI-FARAJALLAH, D., PAMUNGKAS, J. & KRÜTZEN, M. (2011). Sex-biased
945 dispersal and volcanic activities shaped phylogeographic patterns of extant orangutans
946 (genus: *Pongo*). *Molecular Biology and Evolution* **28**, 2275–2288.
- 947 NISHIDA, T. (1968). The social group of wild chimpanzees in the Mahali Mountains. *Primates*
948 **9**, 167–224.
- 949 OATES, J.F., TUTIN, C.E.G., HUMLE, T., WILSON, M.L., BAILLIE, J.E.M., BALMFORTH, Z.,

950 BLOM, A., BOESCH, C., COX, D., DAVENPORT, T., DUNN, A., DUPAIN, J., DUVALL, C.,
951 ELLIS, C.M., FARMER, K.H., *ET AL.* (2007). *Pan troglodytes*: IUCN Red List of Threatened
952 Species.

953 OWREN, M.J. & RENDALL, D. (1997). An Affect-Conditioning Model of Non-human Primate
954 Vocal Signaling. In *Perspective in Ethology, Volume 12* (ed OWINGS ET AL.), pp. 299–
955 346. Plenum Press, New York.

956 PAPWORTH, S., BÖSE, A.-S., BARKER, J., SCHEL, A.-M. & ZUBERBÜHLER, K. (2008). Male
957 blue monkeys alarm call in response to danger experienced by others. *Biology Letters* **4**,
958 472–475.

959 PARNELL, R.J. (2002). Group size and structure in western lowland gorillas (*Gorilla gorilla*
960 *gorilla*) at Mbeli Bai, Republic of Congo. *American Journal of Primatology* **56**, 193–206.

961 PATTERSON, N., RICHTER, D.J., GNERRE, S., LANDER, E.S. & REICH, D. (2006). Genetic
962 evidence for complex speciation of humans and chimpanzees. *Nature* **441**, 1103–1108.

963 PECKRE, L., KAPPELER, P.M., & FICHTEL, C. (2019). Clarifying and expanding the social
964 complexity hypothesis for communicative complexity. *Behavioral Ecology and*
965 *Sociobiology* **73**, 11

966 PELÉ, M., DUFOUR, V., THIERRY, B. & CALL, J. (2009). Token transfers among great apes
967 (*Gorilla gorilla*, *Pongo pygmaeus*, *Pan paniscus*, and *Pan troglodytes*): Species
968 Differences, Gestural Requests, and Reciprocal Exchange. *Journal of Comparative*
969 *Psychology* **123**, 375–384.

970 PIKA, S., WILKINSON, R., KENDRICK, K.H. & VERNES, S.C. (2018). Taking turns: bridging the
971 gap between human and animal communication. *Proceedings of the Royal Society B* **285**,
972 1–9.

973 PISANSKI, K., CARTEI, V., MCGETTIGAN, C., RAINE, J. & REBY, D. (2016.) Voice Modulation:
974 A Window into the Origins of Human Vocal Control? *Trends in Cognitive Sciences*, **20**,

975 304-308.

976 POLLARD, K.A. & BLUMSTEIN, D.T. (2012). Evolving communicative complexity: Insights
977 from rodents and beyond. *Philosophical Transactions of the Royal Society B: Biological*
978 *Sciences*, **367**, 1869-1878. .

979 POOLE, T.B. (1987). Social behavior of a group of orangutans (*Pongo pygmaeus*) on an
980 artificial island in Singapore Zoological Gardens. *Zoo Biology* **6**, 315–330.

981 POUGNAULT, L. (2020). Sur les traces de l'origine de nos conversations : étude comparative
982 des interactions vocales chez les grands singes. PhD thesis. Université Rennes 1. (NNT :
983 2021REN1B002).

984 POUGNAULT, L., LEVRERO, F. & LEMASSON, A. (2020a). Conversation among primate species.
985 In *The Origins of Language Revisited - Differentiation from Music and the Emergence of*
986 *Neurodiversity and Autism* (ed N. MASATAKA), pp. 73-96. Springer, Singapor.

987 POUGNAULT, L., LEVRÉRO, F., MULOT, B. & LEMASSON, A. (2020b). Breaking conversational
988 rules matters to captive gorillas: A playback experiment. *Scientific Reports* **10**, 6947.

989 POUGNAULT, L., LEMASSON, A., MULOT, B. & LEVRÉRO, F. Temporal calling patterns of a
990 captive group of chimpanzees. *International Journal of Primatology*, *In press*.

991 PRIEUR, J., BARBU, S., BLOIS-HEULIN, C., & LEMASSON, A. (2020). The origins of gestures
992 and language: history, current advances and proposed theories. *Biological Reviews* **95**,
993 531-554.

994 PRÜFER, K., MUNCH, K., HELLMANN, I., AKAGI, K., MILLER, J.R., WALENZ, B., KOREN, S.,
995 SUTTON, G., KODIRA, C., WINER, R., KNIGHT, J.R., MULLIKIN, J.C., MEADER, S.J.,
996 PONTING, C.P., LUNTER, G., *ET AL.* (2012). The bonobo genome compared with the
997 chimpanzee and human genomes. *Nature* **486**, 527–531.

998 RAMOS-FERNANDEZ, G., KING, A.J., BEEHNER, J.C., BERGMAN, T.J., CROFOOT, M.C., DI
999 FIORE, A., LEHMANN, J., SCHAFFNER, C.M., SNYDER-MACKLER, N., ZUBERBÜHLER, K.,

1000 AURELI, F. & BOYER D. (2018). Quantifying uncertainty due to fission-fusion dynamics as
1001 a component of social complexity. *Proceedings of the Royal Society B* **285**, 20180532

1002 RAVIGNANI, A., BOWLING, D. & FITCH, W.T. (2014). Chorusing, synchrony and the
1003 evolutionary functions of rhythm. *Frontiers in Psychology* **5**, 1118.

1004 REBOUT, N., DE MARCO, A., LONE, J.-C., SANNA, A., COZZOLINO, R., MICHELETTA, J.,
1005 STERCK, E.H.M., LANGERMANS, J.A.M., LEMASSON, A. & THIERRY, B. (2020). Tolerant
1006 and intolerant macaques show different levels of structural complexity in their vocal
1007 communication. *Proceedings of the Royal Society B: Biological Sciences* **287**, 20200439.

1008 REBOUT, N., LONE, J.-C., DE MARCO, A., COZZOLINO, R., LEMASSON, A., THIERRY, B. (2021).
1009 Measuring complexity in organisms and organizations. *Royal Society Open Science* **8**,
1010 200895

1011 REYNOLDS, V. (2005). *The chimpanzees of the Budongo Forest*. Oxford University Press,
1012 Oxford.

1013 ROBBINS, M.M., BERMEJO, M., CIPOLLETTA, C., MAGLIOCCA, F., PARNELL, R.J. & STOKES, E.
1014 (2004). Social structure and life-history patterns in western gorillas (*Gorilla gorilla*
1015 *gorilla*). *American Journal of Primatology* **64**, 145–159.

1016 ROGERS, J. & GIBBS, R.A. (2014). Comparative primate genomics: Emerging patterns of
1017 genome content and dynamics. *Nature Reviews Genetics* **15**, 347–359.

1018 SAKAMAKI, T. (2013). Social grooming among wild bonobos (*Pan paniscus*) at Wamba in the
1019 Luo Scientific Reserve, DR Congo, with special reference to the formation of grooming
1020 gatherings. *Primates* **54**, 349–359.

1021 SALMI, R., HAMMERSCHMIDT, K. & DORAN-SHEEHY, D.M. (2013). Western gorilla vocal
1022 repertoire and contextual use of vocalizations. *Ethology* **119**, 831–847.

1023 SCHAMBERG, I., CHENEY, D.L., CLAY, Z., HOHMANN, G. & SEYFARTH, R.M. (2016). Call
1024 combinations, vocal exchanges and interparty movement in wild bonobos. *Animal*

- 1025 *Behaviour* **122**, 109–116.
- 1026 SCHAMBERG, I., CHENEY, D.L., CLAY, Z., HOHMANN, G. & SEYFARTH, R.M. (2017). Bonobos
1027 use call combinations to facilitate inter-party travel recruitment. *Behavioral Ecology and*
1028 *Sociobiology* **71**, 75.
- 1029 SCHEL, A.M. & ZUBERBÜHLER, K. (2012). Dawn chorusing in guereza colobus monkeys.
1030 *Behavioral Ecology and Sociobiology* **66**, 361–373.
- 1031 SCHERER, K.R. (2003). Vocal communication of emotion: A review of research paradigms.
1032 *Speech Communication* **40**, 227–256.
- 1033 SEWALL, K.B. (2015). Social complexity as a driver of communication and cognition. In
1034 *Integrative and Comparative Biology* pp. 384–395. Oxford University Press.
- 1035 SINGLETON, I., KNOTT, C.D., MORROGH-BERNARD, H.C., WICH, S.A. & VAN SCHAIK, C.P.
1036 (2009). Ranging behavior of orangutan females and social organization. In *Orangutans:*
1037 *Geographic Variation in Behavioral Ecology and Conservation*.
- 1038 SLOCOMBE, K. & ZUBERBÜHLER, K. (2010). Vocal Communication in Chimpanzees. In *The*
1039 *Mind of the Chimpanzee: Ecological and Experimental Perspectives* p. University of
1040 Chicago Press, Chicago & London.
- 1041 SMITH, C.L., & EVANS, C.S. (2013). A new heuristic for capturing the complexity of
1042 multimodal signals. *Behavioral Ecology and Sociobiology* **67**, 1389–1398.
- 1043 SNOWDON, C.T. & CLEVELAND, J. (1984). “Conversations” among pygmy marmosets.
1044 *American Journal of Primatology* **7**, 15–20.
- 1045 SNOWDON, C.T. & ELOWSON, A.M. (1999). Pygmy marmosets modify call structure when
1046 paired. *Ethology* **105**, 893–908.
- 1047 STIVERS, T., ENFIELD, N.J., BROWN, P., ENGLERT, C., HAYASHI, M., HEINEMANN, T.,
1048 HOYMAN, G., ROSSANO, F., DE RUITER, J.P., YOON, K.-E. & LEVINSON, S.C. (2009).
1049 Universals and cultural variation in turn-taking in conversation. *Proceedings of the*

- 1050 *National Academy of Sciences* **106**, 10587–10592.
- 1051 STOKES, E.J. (2004). Within-group social relationships among females and adult males in wild
1052 western lowland gorillas (*Gorilla gorilla gorilla*). In *American Journal of Primatology*
1053 pp. 233–246.
- 1054 STOKES, E.J., PARNELL, R.J. & OLEJNICZAK, C. (2003). Female dispersal and reproductive
1055 success in wild western lowland gorillas (*Gorilla gorilla gorilla*). *Behavioral Ecology*
1056 *and Sociobiology* **54**, 329–339.
- 1057 SUCHAK, M., EPPLEY, T.M., CAMPBELL, M.W., FELDMAN, R.A., QUARLES, L.F. & DE WAAL,
1058 F.B.M. (2016). How chimpanzees cooperate in a competitive world. *Proceedings of the*
1059 *National Academy of Sciences* **113**, 10215–10220.
- 1060 SUGIURA, H. (1993). Temporal and acoustic correlates in vocal exchange of coo calls in
1061 Japanese macaques. *Behaviour* **124**, 3–4.
- 1062 SUGIURA, H. & MASATAKA, N. (1995). Temporal and acoustic flexibility in vocal exchanges
1063 of coo calls in Japanese macaques (*Macaca fuscata*). In *Current topics in primate vocal*
1064 *communication* (eds E. ZIMMERMANN, J.D. NEWMAN & U. JÜRGENS), pp. 121–140.
1065 Plenum Press, New York.
- 1066 SURBECK, M., GIRARD-BUTTOZ, C., BOESCH, C., CROCKFORD, C., FRUTH, B., HOHMANN, G.,
1067 LANGERGRABER, K.E., ZUBERBÜHLER, K., WITTIG, R.M. & MUNDY, R. (2017). Sex-
1068 specific association patterns in bonobos and chimpanzees reflect species differences in
1069 cooperation. *Royal Society Open Science* **4**, 1–20.
- 1070 TAKAHASHI, D.Y., FENLEY, A.R. & GHAZANFAR, A.A. (2016). Early development of turn-
1071 taking with parents shapes vocal acoustics in infant marmoset monkeys. *Philosophical*
1072 *Transactions of the Royal Society B: Biological Sciences* **371**, 20150370.
- 1073 TAKAHASHI, D.Y., NARAYANAN, D.Z. & GHAZANFAR, A.A. (2013). Coupled oscillator
1074 dynamics of vocal turn-taking in monkeys. *Current Biology* **23**, 2162–2168.

- 1075 UPHAM, N.S., ESSELSTYN, J.A. & JETZ, W. (2019). Inferring the mammal tree: Species-level
1076 sets of phylogenies for questions in ecology, evolution, and conservation. *PLoS Biology*
1077 **17**, 1-44.
- 1078 VAN ELSACKER, L., VERVAECKE, H. & VERHEYEN, R.F. (1995). A review of terminology on
1079 aggregation patterns in bonobos (*Pan paniscus*). In *International Journal of Primatology*
1080 **16(1)**, 37–52.
- 1081 VAN HOOFF, J.A.R.A.M. & VAN SCHAİK, C.P. (1994). Male bonds: Affiliative relationships
1082 among non-human primate males. *Behaviour*, 309–337.
- 1083 VAN LAWICK-GOODALL, J. (1968). The Behaviour of Free-living Chimpanzees in the Gombe
1084 Stream Reserve. *Animal Behaviour Monographs* **1**, 165–311.
- 1085 VAN NOORDWIJK, M.A., ARORA, N., WILLEMS, E.P., DUNKEL, L.P., AMDA, R.N.,
1086 MARDIANAH, N., ACKERMANN, C., KRÜTZEN, M. & VAN SCHAİK, C.P. (2012). Female
1087 philopatry and its social benefits among Bornean orangutans. *Behavioral Ecology and*
1088 *Sociobiology* **66**, 823–834.
- 1089 VAN SCHAİK, C.P. (1999). The socioecology of fission-fusion sociality in Orangutans.
1090 *Primates* **40**, 69-86.
- 1091 VAN SCHAİK, C.P., MARSHALL, A.J. & WICH, S.A. (2009). Geographic variation in orangutan
1092 behavior and biology. Its functional interpretation and its mechanistic basis. In
1093 *Orangutans: Geographic variation in behavioral ecology and conservation* (ed C.P.
1094 WICH, S.A., UTAMI-ATMOKO, S.S., SETIA, T.M., AND VAN SCHAİK), pp. 351–361. Oxford
1095 University Press, New York.
- 1096 WASER, P.M. (1977). Individual Recognition, Intragroup Cohesion and Intergroup Spacing:
1097 Evidence From Sound Playback to Forest Monkeys. *Behaviour* **60**, 28–73.
- 1098 WATTS, D.P. & MITANI, J.C. (2001). Boundary Patrols and Intergroup Encounters in Wild
1099 Chimpanzees. *Behaviour* **138**, 299–327.

- 1100 WHITE, F.J., WALLER, M., BOOSE, K., MERRILL, M.Y. & WOOD, K.D. (2015). Function of
1101 loud calls in wild bonobos. *Journal of Anthropological Sciences* **93**, 1–13.
- 1102 WICH, S.A., UTAMI-ATMOKO, S.S., MITRA SETIA, T., RIJKSEN, H.D., SCHÜRMAN, C., VAN
1103 HOOFF, J.A.R.A.M. & VAN SCHAİK, C.P. (2004). Life history of wild Sumatran
1104 orangutans (*Pongo abelii*). *Journal of Human Evolution* **47**, 385–398.
- 1105 WILLIAMSON, E.A. & BUTYNSKI, T.M. (2013). *Gorilla gorilla* Western Gorilla. In *Mammals*
1106 *of Africa* (ed J.K. AND J.K. T.M. BUTYNSKI), pp. 39–45. Bloomsbury Publishing, London,
1107 UK.
- 1108 WILSON, M.L., HAUSER, M.D. & WRANGHAM, R.W. (2001). Does participation in intergroup
1109 conflict depend on numerical assessment, range location, or rank for wild chimpanzees?
1110 *Animal Behaviour* **61**, 1203–1216.
- 1111 WILSON, M.L., KAHLENBERG, S.M., WELLS, M. & WRANGHAM, R.W. (2012). Ecological and
1112 social factors affect the occurrence and outcomes of intergroup encounters in
1113 chimpanzees. *Animal Behaviour* **83**, 277–291.
- 1114 WRANGHAM, R.W. (1999). Evolution of Coalitionary Killing. *Yearbook of Physical*
1115 *Anthropology* **42**, 1–30.
- 1116 WRANGHAM, R.W. & SMUTS, B.B. (1980). Sex differences in the behavioural ecology of
1117 chimpanzees in the Gombe National Park, Tanzania. *Journal of Reproduction and*
1118 *fertility Supplement*, 13–31.
- 1119 YOSHIDA, S. & OKANOYA, K. (2005). Evolution of turntaking: a bio-cognitive perspective.
1120 *Cognitive Studies* **12**, 153–165.
- 1121
- 1122


1123 **VII. SUPPORTING INFORMATION**

1124 Additional supporting information may be found online in the Supporting Information section
1125 at the end of the article.

1126 **Appendix S1.** Details of new data for wild free-ranging chimpanzees.

1127 **Appendix S2.** Details of new data for wild free-ranging bonobos.

1128 **Appendix S3.** Details of new data for captive orang-utans.



1129

1130

Fig. 1. Synthesis of the social structure, distribution of calling patterns and interaction

1131

patterns (percentage of lethal intra-specific aggression and time spent in social grooming) for

1132

each of the four great ape species considered herein. The data used for B and C were obtained

1133

by averaging data collected from the wild and captivity ((2 groups for each species except for

1134

gorillas, for which data came from one group; see Tables 1 and 2 for data and references).

1135

Values are means + SD.

1136

1137

1138 Table 1. Socio-ecology of four great ape species. Mya, million years ago.

	Bornean orang-utan (<i>Pongo pygmaeus</i>)	Western lowland gorilla (<i>Gorilla gorilla gorilla</i>)	Chimpanzee (<i>Pan troglodytes</i>)	Bonobo (<i>Pan paniscus</i>)
Last common ancestor with humans	~9 Mya to ~18 Mya (Hobolth <i>et al.</i> , 2011; Castellano & Munch, 2020)	~8.6 to ~11.5 Mya (Upham <i>et al.</i> , 2019; Castellano & Munch, 2020)	~4.2 to ~9 Mya (Patterson <i>et al.</i> , 2006; Hobolth <i>et al.</i> , 2011; Prüfer <i>et al.</i> , 2012; Rogers & Gibbs, 2014; Upham <i>et al.</i> , 2019)	~4.2 to ~9 Mya (Patterson <i>et al.</i> , 2006; Hobolth <i>et al.</i> , 2011; Prüfer <i>et al.</i> , 2012; Rogers & Gibbs, 2014; Upham <i>et al.</i> , 2019)
Geographical distribution	South-east equatorial Asia (Ancrenaz <i>et al.</i> , 2018)	Western equatorial Africa (Maisels <i>et al.</i> , 2018)	Western, central and eastern Africa (Oates <i>et al.</i> , 2007)	Central Africa (Kano, 1992; Idani <i>et al.</i> , 2008; Fruth <i>et al.</i> , 2016)
Main habitat type	Humid forest (Delgado & van Schaik, 2000; Ancrenaz <i>et al.</i> , 2018)	Humid and <i>terra firma</i> lowland forests (Gatti <i>et al.</i> , 2004; Levréro <i>et al.</i> , 2006; Maisels <i>et al.</i> , 2018; Forcina <i>et al.</i> , 2019)	Humid forest (sometimes savannah woodland) (Nishida, 1968; van Lawick-Goodall, 1968; Goodall, 1986; Oates <i>et al.</i> , 2007)	Humid forest (sometimes forest-savannah mosaics) (Kano, 1982; Narat <i>et al.</i> , 2015; Fruth <i>et al.</i> , 2016)
Group size	Small (1–2 adults) (Delgado & van Schaik, 2000; van Noordwijk <i>et al.</i> , 2012)	Medium (10, occasionally up to 20) (Williamson & Butynski, 2013)	Large (20 to 120) (Muller & Mitani, 2005)	Large (30 to 80) (Fruth <i>et al.</i> , 2013, 2016)
Social group pattern	Mix of solitary life and temporary ♂ / ♀ grouping (fission–fusion society) (Delgado & van Schaik, 2000; van Noordwijk <i>et al.</i> , 2012; van Schaik 1999)	Single ♂/multi ♀ and temporary grouping composed mainly of immature ♂♂ (Gatti <i>et al.</i> , 2004; Robbins <i>et al.</i> , 2004; Levréro <i>et al.</i> , 2006; Harcourt & Stewart, 2007)	Multi-♂/multi-♀ (fission–fusion society) (Wrangham & Smuts, 1980; Muller & Mitani, 2005)	Multi-♂/multi-♀ (fission–fusion society) (Kano, 1982; van Elsacker <i>et al.</i> , 1995; Furuichi <i>et al.</i> , 2012)
Sex dispersal ♂	Disperse	Disperse (Stokes <i>et al.</i> , 2003; Forcina <i>et al.</i> , 2019)	Philopatric (Nishida, 1968; Wrangham & Smuts, 1980)	Philopatric (Kano, 1982; van Elsacker <i>et al.</i> , 1995; Furuichi <i>et al.</i> , 2012)

	(Morrogh-Bernard <i>et al.</i> , 2011; van Noordwijk <i>et al.</i> , 2012)			
♀	Philopatric (Arora <i>et al.</i> , 2010; Morrogh-Bernard <i>et al.</i> , 2011; Nater <i>et al.</i> , 2011)	Disperse (Stokes <i>et al.</i> , 2003; Forcina <i>et al.</i> , 2019)	Disperse (Nishida, 1968; Wrangham & Smuts, 1980)	Disperse (Kano, 1982; van Elsacker <i>et al.</i> , 1995; Furuichi <i>et al.</i> , 2012)
♂-♂	Weak [medium if immature (unflanged)] (Delgado & van Schaik, 2000)	Weak (Robbins <i>et al.</i> , 2004; Hagemann <i>et al.</i> , 2018)	Strong (van Hooff & van Schaik, 1994; Watts & Mitani, 2001; Gilby & Wrangham, 2008; Mitani, 2009b; Surbeck <i>et al.</i> , 2017)	Weak (Kano, 1992; De Waal, 1995; Surbeck <i>et al.</i> , 2017)
♀-♀	Weak (medium if kin) (Delgado & van Schaik, 2000; Knott <i>et al.</i> , 2008; Singleton <i>et al.</i> , 2009)	Weak (medium if kin) (Robbins <i>et al.</i> , 2004; Hagemann <i>et al.</i> , 2018)	Medium (Lehmann & Boesch, 2008, 2009; Langergraber <i>et al.</i> , 2013; Surbeck <i>et al.</i> , 2017)	Strong (Kano, 1992; De Waal, 1995; Surbeck <i>et al.</i> , 2017)
♂-♀	Weak (medium if kin) (Delgado & van Schaik, 2000; Knott <i>et al.</i> , 2008; Singleton <i>et al.</i> , 2009)	Strong (Robbins <i>et al.</i> , 2004; Hagemann <i>et al.</i> , 2018)	Medium (van Hooff & van Schaik, 1994; Watts & Mitani, 2001; Lehmann & Boesch, 2008; Gilby & Wrangham, 2008; Mitani, 2009b; Langergraber <i>et al.</i> , 2013; Surbeck <i>et al.</i> , 2017)	Strong (Kano, 1992; De Waal, 1995; Surbeck <i>et al.</i> , 2017)
Inter-group competition	Medium (♀) to strong (♂) (Poole, 1987; Delgado & van Schaik, 2000; Knott <i>et al.</i> , 2008; van Noordwijk <i>et al.</i> , 2012)	Medium (Levréro, 2005; Harcourt & Stewart, 2007; Forcina <i>et al.</i> , 2019)	Strong (Wrangham, 1999; Mitani, 2009a; Mitani <i>et al.</i> , 2010; Wilson <i>et al.</i> , 2012)	Weak (Kuroda, 1980; Furuichi, 2011)

Percentage of lethal intra-specific aggression	0.08% (Gómez <i>et al.</i> , 2016)	0.14% (Gómez <i>et al.</i> , 2016)	4.49% (Gómez <i>et al.</i> , 2016)	0.68% (Gómez <i>et al.</i> , 2016)
Percentage of time spent on social grooming	0% (Dunbar, 1991; McComb & Semple, 2005)	0.09% (Lehmann <i>et al.</i> , 2007)	8.3-11.7% (Lehmann <i>et al.</i> , 2007)	5.7% (Lehmann <i>et al.</i> , 2007))

Table 2. Vocal behaviour of four great ape species.

		Bornean orang-utan (<i>Pongo pygmaeus</i>)	Western lowland gorilla (<i>Gorilla gorilla gorilla</i>)	Chimpanzee (<i>Pan troglodytes</i>)	Bonobo (<i>Pan paniscus</i>)
Vocal repertoire size (number of call types)	Wild	25 (Hardus <i>et al.</i> , 2009)	16 (Salmi <i>et al.</i> , 2013)	13–29 (Marler & Tenaza, 1977; Goodall, 1986; Arcadi, 2000; Slocombe & Zuberbühler, 2010)	15 (Bermejo & Omedes, 1999)
	Captivity	8 (new data ^{#3})	11 (Lemasson <i>et al.</i> , 2018)	10 (Pougnault <i>et al.</i> , in press)	12 (De Waal, 1988)
Hourly rate of vocal production: entire group call rate (G) or individual call rate (I)	Wild	?	G: 12.8 I: 8.7 (Salmi <i>et al.</i> , 2013)	G: 29.4 I: 2.3–2 (Arcadi, 2000; new data ^{#1})	G: 23.3 (new data ^{#2})
	Captivity	G: 0.7–1.9 I: 0–5.3 (new data ^{#3})	G: 65 (Lemasson <i>et al.</i> , 2018)	G: 22.8 I: 0.15–0.8 (Pougnault <i>et al.</i> , in press)	G: 4.8–8.4 (De Waal, 1988; Levréro <i>et al.</i> , 2019)
Percentage of calls uttered in vocal interaction	Wild	?	?	19% (new data ^{#1})	53 % (Cornec <i>et al.</i> , in press)
	Captivity	0% (new data ^{#3})	38% (Lemasson <i>et al.</i> , 2018)	16% (Pougnault <i>et al.</i> , in press)	74% (Levréro <i>et al.</i> , 2019)

Main call type used during vocal interactions			None (new data ^{#3})	Grunts (turn-taking) (Harcourt & Stewart, 1996; Hedwig <i>et al.</i> , 2015a,b)	Pant-hoots (overlap) (Mitani & Nishida, 1993; Mitani & Brandt, 1994; Gros-Louis & Mitani, 1998; Fedurek <i>et al.</i> , 2013a,b, 2014; new data ^{#1})	Hooting and barks (overlap); peeps (turn-taking) (De Waal, 1988; Hohmann & Fruth, 1994; Bermejo & Omedes, 1999)
Mean number of interacting partners			0 (new data ^{#3})	2.4±0.06 (Lemasson <i>et al.</i> , 2018)	0.34±0.7 (new data ^{#1})	2.2±0.5 (Levréro <i>et al.</i> , 2019)
Outside vocal interactions	Percentage of isolated calls	Wild	?	?	11% (new data ^{#1})	52% (Cornec <i>et al.</i> , in press)
		Captive	11–50% (new data ^{#3})	15% (calculated from Lemasson <i>et al.</i> , 2018)	14% (calculated from Pougnauld thesis's data, 2020)	14% (calculated from Pougnauld thesis's data, 2020)
	Percentage of repeated calls	Wild	?	?	89% (new data ^{#1})	48% (Cornec <i>et al.</i> , in press)
		Captive	89–50% (new data ^{#3})	85% (calculated from Lemasson <i>et al.</i> , 2018)	86% (calculated from Pougnauld thesis's data, 2020)	31% (calculated from Pougnauld thesis's data, 2020)
Within vocal interactions	Percentage of calls in overlap	Wild	?	?	53% (new data ^{#1})	6% (Cornec <i>et al.</i> , in press)
		Captive	0% (new data ^{#3})	27.5% (Lemasson <i>et al.</i> , 2018)	63% (calculated from Pougnauld thesis's data, 2020)	33% (Levréro <i>et al.</i> , 2019)
	Temporal organisation of overlap		None (new data ^{#3})	?	♂♂ adjust constituent phrases to promote chorusing (Fedurek <i>et al.</i> , 2013b)	Perfect synchronisation/alternation of <i>high-hoot</i> vocalisation (De Waal, 1988; Hohmann & Fruth, 1994)

	Social organisation of overlap	None (new data ^{#3})	?	Interlocutors are mainly adult ♂♂ with affiliative bonds (Fedurek <i>et al.</i> , 2013a)	Interlocutors can be ♂ or ♀ with strong affiliative bonds (Hohmann & Fruth, 1994)	
	Percentage of calls in turn-taking	Wild	?	?	47% (new data ^{#1})	94% (Cornec <i>et al.</i> , in press)
		Captive	0% (new data ^{#3})	72.5% (Lemasson <i>et al.</i> , 2018)	37% (Pougnault <i>et al.</i> , in press)	67% (Levréro <i>et al.</i> , 2019)
	Temporal organisation of turn-taking	None (new data ^{#3})	Maximum inter-call delay of 3 s (mean 0.5 s) (Lemasson <i>et al.</i> , 2018)	Maximum inter-call delay of 1.5 s (mean 0.5 s) (Pougnault <i>et al.</i> , in press; new data ^{#1})	Maximum inter-call delay of 2.5 s (mean 0.4 s) (Levréro <i>et al.</i> , 2019)	
	Playback experiment confirmation of turn-taking	?	Yes (Pougnault <i>et al.</i> , 2020b)	?	Yes (Levréro <i>et al.</i> , 2017)	
	Social organisation of turn-taking	None (new data ^{#3})	High rate of interactions between the dominant adult ♂ and adult ♀♀, and low rate of interactions between ♀♀ (Lemasson <i>et al.</i> , 2018; Pougnault <i>et al.</i> , 2020b)	None (Arcadi, 2000; Pougnault <i>et al.</i> , in press)	Adults of both sexes (66%) and sub-adults ♂ (37%) (Cornec <i>et al.</i> , in press) Interlocutors with strong affiliative social bonds (Levréro <i>et al.</i> , 2019)	

?: no information available.

Definitions of calling patterns (Pougnault *et al.*, 2020a): **isolated calls** occur when one call is emitted in isolation with no other calls in close proximity; **repeated calls** occur when the same individual calls several times in a row; **calls in overlap** involve partial (or total) superposition of calls from two or more callers; **calls in turn-taking** involve an orderly exchange of vocalisations between individuals, adjusting the timing of their vocal responses by including a minimum silence gap (preventing call overlap), and a maximum silence gap (ensuring call coordination).

New data: #1 for wild chimpanzees, Budongo Forest Reserve, Uganda, details of these unpublished data are given as online Supporting Information in Appendix S1, N=1 wild chimpanzee group including 35 identified individuals; #2 for wild bonobos, Nkala forest in Bolobo Territory, Democratic Republic of Congo, see Appendix S2, N=1 wild bonobo group including 19 identified individuals; #3 for orang-utans, ZooParc de Beauval (France) and Ouweland Dierenpark (Netherlands), see Appendix S3, N=2 captive orang-utan groups including 8 identified individuals in each zoo.

