

Dust, Field and Plasma instrument onboard ESA's Comet Interceptor mission

Hanna Rothkaehl, Nicolas Andre, Uli Auster, Vincenzo Della Corte, Niklas Edberg, Marina Galand, Pierre Henri, Johan de Keyser, Ivana Kolmasova, Marek Morawski, et al.

▶ To cite this version:

Hanna Rothkaehl, Nicolas Andre, Uli Auster, Vincenzo Della Corte, Niklas Edberg, et al.. Dust, Field and Plasma instrument onboard ESA's Comet Interceptor mission. Europlanet Science Congress 2021, Sep 2021, Virtual Meeting, France. hal-03536600

HAL Id: hal-03536600 https://hal.science/hal-03536600v1

Submitted on 20 Jan 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





EPSC Abstracts

Vol. 15, EPSC2021-399, 2021 https://doi.org/10.5194/epsc2021-399 Europlanet Science Congress 2021 © Author(s) 2022. This work is distributed under the Creative Commons Attribution 4.0 License.



Dust, Field and Plasma instrument onboard ESA's Comet Interceptor mission

Hanna Rothkaehl¹, Nicolas Andre², Uli Auster³, vincenzo Della Corte⁴, Niklas Edberg⁵, Marina Galand⁶, Pierre Henri⁷, Johan De Keyser⁸, Ivana Kolmasova⁹, Marek Morawski¹⁰, Hans Nilsson¹¹, Lubomir Prech¹², Martin Volwerk¹³, Charlotte Goetz¹⁴, Herbert Gunell¹⁵, Benoit Lavraud¹⁶, Alessandra Rotundi¹⁷, and Jan Soucek¹⁸

¹Space Research Centre Polish Academy of Sciences, Warsaw, Poland (hrot@cbk.waw.pl)

The main goal of ESA's F-1 class Comet Interceptor mission is to characterise, for the first time, a long period comet; preferably a dynamically-new or an interstellar object. The main spacecraft, will have its trajectory outside of the inner coma, whereas two sub-spacecrafts will be targeted inside the inner coma, closer to the nucleus. The flyby of such a comet will offer unique multipoint measurement opportunity to study the comet's dusty and ionised environment in ways exceeding that of the previous cometary missions, including Rosetta.

The Dust Field and Plasma (DFP) instruments located on both the main spacecraft A and on the subspacecraft B2, is a combined experiment dedicated to the in situ, multi-point study of the multi-phased ionized and dusty environment in the coma of the target and its interaction with the surrounding space environment and the Sun.

The DFP instruments will be present in different configurations on the Comet Interceptor spacecraft A and B2. To enable the measurements on spacecraft A, the DFP is composed of 5 sensors; Fluxgate magnetometer DFP-FGM-A, Plasma instrument with nanodust and E-field measurements capabilities

²RAP/CNRS, PEPS, Toulouse, France

³IGeP TUB, Germany

⁴INAF-IAPS, Italy

⁵Swedish Institute of Space Physics, Uppsala

⁶Department of Physics, Imperial College London, UK

⁷Lagrange, OCA, UCA, CNRS, Nice, France and (ii) LPC2E, CNRS, Orléans, France

⁸BIRA, Belgium

⁹IAP, Czech Republic

¹⁰Centrum Badań Kosmicznych PAN Warszawa, Poland

¹¹Swedish Institute of Space Physics, Kiruna, Sweden

¹²Charles University, Czech Republic

¹³IWF/ÖAW, Austria

¹⁴ESTEC, European Space Agency

¹⁵Department of Physics, Umeå University, Umeå, Sweden

¹⁶Laboratoire d'Astrophysique de Bordeaux, Univ. Bordeaux, CNRS, Pessac, France

¹⁷Univ Parthenope di Napoli

¹⁸IAP, Czech Republic

DFP-COMPLIMENT, Electron spectrometer DFP-LEES, Ion and energetic neutrals spectrometer DFP-SCIENA and Dust detector DFP-DISC. On board of spacecraft B2 the DFP is composed of 2 sensors: Fluxgate magnetometer DFP-FGM-B2 and Cometary dust detector DFP-DISC.

The DFP instrument will measure magnetic field, the electric field, plasma parameters (density, temperature, speed), the distribution functions of electrons, ions and energetic neutrals, spacecraft potential, mass, number and spatial density of cometary dust particles and the dust impacts.

The full set of DFP sensors will allow to model the comet plasma environment and its interaction with the solar wind. It will also allow to describe the complex physical processes including wave particle interaction in dusty cometary plasma.