



HAL
open science

Non-metric dental analysis of human interactions around the Pyrenees during the Neolithic and their biological impact

Diego López-Onaindia, Aurore Schmitt, Juan F Gibaja, M Eulàlia Subirà

► **To cite this version:**

Diego López-Onaindia, Aurore Schmitt, Juan F Gibaja, M Eulàlia Subirà. Non-metric dental analysis of human interactions around the Pyrenees during the Neolithic and their biological impact. *Annals of Anatomy*, 2022, 242, pp.151895. 10.1016/j.aanat.2022.151895 . hal-03545273

HAL Id: hal-03545273

<https://hal.science/hal-03545273v1>

Submitted on 27 Jan 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Non-metric dental analysis of human interactions around the Pyrenees during the Neolithic and their biological impact

Diego López-Onaindia^{1,2,3*}, Aurore Schmitt⁴, Juan F. Gibaja⁵, M. Eulàlia Subirà^{2,3}

¹ Univ. Bordeaux, CNRS, MCC, PACEA, UMR 5199, F-33600 Pessac, France.
diego.lopez.onaindia@mail.com
orcid.org/0000-0002-5266-6416

² Unitat d'Antropologia Biològica, Departament de Biologia Animal, Biologia Vegetal i Ecologia, Facultat de Biociències, Universitat Autònoma de Barcelona, 08193 Bellaterra, Spain
eulalia.subira@uab.cat
orcid.org/0000-0001-5315-0051

³ GREAB. Research Group in Biological Anthropology, Spain

⁴ Archéologie des Sociétés Méditerranéennes, UMR 5140, Université Paul-Valéry, Montpellier, France.
aurore.schmitt@cnsr.fr

⁵ Escuela Española de Historia y Arqueología en Roma (EEHAR-CSIC). Via di Sant'Eufemia 13, 00187, Rome, Italy.
juan.gibaja@eehar.csic.es
orcid.org/0000-0002-0830-3570

*Corresponding autor: diego.lopez.onaindia@gmail.com

Abstract

Background: Interactions across the Pyreneans during the Middle-Neolithic (V-IV millennium BCE) have been described for a long time. Nevertheless, except for a few examples and attempts to describe it, the biological impact of these interactions on the human groups' make-up is not yet understood. The present work analyses the biological affinities of different groups from both sides of these mountains that represent the Populations of the Middle- and Late-Neolithic by means of the dental morphology.

Methods: We present novel dental morphological data of 221 individuals from 11 archaeological sites. These data have been analysed and compared to those from previously published 20 Iberian sites and one French site. Data were recovered following the ASUDAS protocol, and MMD biological measure was calculated between groups.

Results: Our results suggest that there were some differences between the analysed populations. These differences are observed at each side of the Pyrenees, but also across them. Concretely, the coastal groups across the mountains show more affinities between each other than the inland groups. In addition, the differences between groups decrease by the end of the Neolithic.

Conclusions: Therefore, our results indicate that the intense trade activities registered in the coastal area between both sides of the Pyrenees would have had the greatest biological impacts in the homogenisation of the groups. Although less intense, the across mountain network and coastal to mountain area trade networks to the south of Pyreneans, also influenced the biological make-up of the groups.

Key words: Exchange, dental morphology, biological affinities, Western Mediterranean, V-III millennium cal BCE

Introduction

Anatomical variations have been used to understand the biological impact of population interactions and migrations, to determine or to discriminate the geographic or biological origin of human populations, both ancient and modern, for a long time now (Howells, 1973; Berry, 1974; Milne et al., 1983; Rubini, 1996; Crubézy et al., 1999; Hanihara and Ishida, 2001a, 2001b, 2001c; Puişoru et al., 2006; Ricaut & Waelkens, 2008; Burnett et al., 2015). Concretely, in archaeological collections teeth are amongst the best-preserved osteological materials. This occurs mainly due to the hardness of the enamel, which is 96% mineral in composition (Simmer & Fincham, 1995; Nanci, 2008).

The study of dental morphology is based on the analysis of the phenotypic variation of teeth, by considering discrete traits such as cusps, tubercles, grooves and ridges from the crown and roots (Scott & Turner, 1997). These anatomical variations of teeth have increasingly been studied since the first quarter of the 20th century and applied to understand migration movements and origins of different human populations (Hrdlička, 1921; Gregory, 1922; Campbell, 1925; Shaw, 1931; Dahlberg, 1945, 1951; Pedersen, 1949). Since the 1990's a selection of traits identified by Turner and collaborators in their ASUDAS protocol (1991) has mainly been used to score variability in ancient populations of different periods and regions (Irish, 2006; Coppa et al. 2007; Desideri, 2011; Irish et al., 2017; López-Onaindia & Subirà, 2017; López-Onaindia et al., 2018, 2019). This protocol includes 36 standardised traits, chosen because of the lack of sexual dimorphism and because they are overall considered to be neutral to selection (Scott and Turner, 1997).

Although it has been determined that severe environmental stress during development might affect the expression of certain crown traits (Riga et al., 2014), the significant genetic inheritance in the expression of these discrete traits is consistent (Scott and Turner, 1997; Hlusko, 2016). This is further backed by the evidences that the heritability estimates for several traits in Australian twin studies are higher than 0.60 (Higgins, Hughes, James, & Townsend, 2009; Hughes & Townsend,

2011, 2013; Hughes, Townsend, & Bockmann, 2016), and in any case between 0.40-0.80 (Paul et al., 2020). Even, some syndromes characterised by strong genetic components show particular dental morphology manifestations that are inherited in the families (Skrinjaric et al., 2016). In addition, in recent years several studies have analysed the capability and reliability of dental non-metric traits for determining population dynamics and biological relationships between groups compared to genetic data. In this sense, the works by Hubbard and collaborators (2015) and Rathmann and Reyes-Centeno (2020) are worth mentioning. Comparing nine dental traits to 41 neutral nuclear STRs in several Kenyan populations, they were able to reconstruct a similar population history with both methods, thus validating the applicability of the dental traits as proxies for inferring biological distances between human populations (Hubbard et al., 2015). In addition, the work by Rathmann and Reyes-Centeno (2020) has confirmed this utility, but also remarked that there are certain sets of traits that are more useful and significant than other combinations. Nonetheless, although that as an analysis of population history this tool is reliable, it is not always as useful to predict ancestry at individual's level (Delgado et al., 2019).

The first Neolithic evidences in the Northwestern Mediterranean date from the middle of the 6th millennium cal BCE. The origin of these populations and the process known as Neolithisation has been debated throughout the last decades. These debates have been based on two different points of view for the interpretation of Neolithisation, the autoctonists and diffusionists, in the way to evaluate in combination the last Hunter-Gatherer communities from the Mesolithic and the first Farmers from the Neolithic (Vicent, 1997; Zilhao, 1997; Bernabeu, 2006; Binder & Perrin, 2014). Nevertheless, in the latest years, mixed proposals have also been suggested and encouraged by diverse data (Isern et al. 2014; Perrin et al. 2018). In the case of the Northeast of the Iberian Peninsula there is little information regarding the moment of transition, due to the relative scarceness of sites from the end of the 7th and beginnings of the 6th millennium cal BCE. This rare presence of remains might be related to a climatic cooling event around 8,200 BP and the abandonment of several territories (Berger

& Guilaine, 2008; Morales & Oms, 2012), but further radiocarbon dating on Mesolithic materials must confirm this correlation.

Taking into account the archaeological data recovered to date, the Neolithisation in the Northwestern area of the Mediterranean can be linked to two events (García Martínez de Lagrán, 2015). The first of the events, after 5,800 cal BCE, is characterised by pottery with *Impressa-Ligur* style decoration (Bernabeu et al. 2011; Oms, 2014). These first Neolithic evidences are scarce, and related to an economy based on agriculture and livestock, dominated by herds of goats (*Capra hircus*) and emmer wheat (*Triticum disccocum*) crops. These archaeological sites are localised in zones near the Mediterranean sea; both in Southeast France, represented by the cases of Peito Signado and Pont de Roque-Haute (Briois & Manen, 2009; Guilaine et al., 2017), and in the East of the Iberian Peninsula with the sites of Guixeres de Vilobí and El Barranquet (Bernabéu et al., 2011; Oms et al., 2014).

The second event was related to the presence of Cardial decoration in the pottery, and is documented after 5,600-5,500 cal BCE (Guilaine et al., 2007; Oms et al., 2016). The sites that represent this moment are also found near the coastal and pre-coastal areas of the Northwest Mediterranean, and in isolated cases also in inland areas. At this time the economy was dominated by the culture of naked wheat (*Triticum aestivum/durum*) and barley (*Hordeum vulgare*), and by herds of ovicaprids (*Ovis* and *Capra*) (Saña, 2013), while the bovine and swine domestication was still of little importance.

The quantity of burials discovered in the Iberian Peninsula between the middle of the 6th and the middle of the 5th Millennium cal. BCE is fairly anecdotal (Bosch and Tarrús 1991; Blasco et al., 2005; Gonzalez et al. 2011; Oms et al. 2017). In the northeast of the peninsula, only around 10 sites with funerary structures of this period are known to date (García, 2007; García and Sesma, 2007; Pou

et al., 2010; López Quintana et al., 2015; Oms et al., 2016; 2017; Garcia-Sagastibeltza et al., 2020a; 2020b). Nevertheless, the situation changes if the focus moves towards the second half of the 5th Millennium cal BCE. It was then when a proliferation of funerary evidence becomes available, either in the form of necropolises or as isolated burials in different areas of Northwestern Mediterranean, and in the Northeast of the Peninsula (Martín 2009, Gibaja & Clop, 2012, Gibaja et al., 2016 a).

As regards to the funerary structures, between the end of the 5th and a long period during the 4th millennium cal BCE, two main burial groups can be identified in the Northeast of the Iberian Peninsula: burial pits dug in the soil, and sepulchres made of stone cists. The pit structures are usually found in areas near the coast, while the cists are found in the inland and Pyreneans. These two groups equally exhibit certain variations concerning their morphology, size, and the employed constructive elements (Martín et al., 2016). At the same time, some of the burials were not made *ex profeso*, but by re-using different kinds of structures; we refer to the re-use of silos in which the wastes include one or several individuals or the re-use of mines as burial places, which is the case of the Prehistoric Mines of Can Tintorer/Gavà (Villalba, 1999; Bosch and Borrell, 2009). These kinds of funerary structures are also found in southern France from the beginning of the Middle Neolithic (Schmitt et al., 2017), which mainly comprises the Midi-Pyrénées, Languedoc and Provence-Alpes-Côte d’Azur areas.

Although there is some diversity on the funerary gestures, there are some common characteristics in both sides of the Pyreneans for the main defining structures of the mentioned cultures. In these “classic” structures, burials usually contain one or two individuals: either men, women, or child. Bodies were usually deposited in supine *de cubitus* with folded legs and arms in variable positions. Occasionally bodies are found fully stretched or in *lateral de cubitus*. Nevertheless, in both sides of the Pyreneans there were variations of these patterns. Certain graves exhibit bodies with no anatomical connection, or displaying only a partial connection, in unusual positions, as if they had

been thrown in the pit. Some graves contain multiple burials, where the bones from the primary burials were displaced towards the sides of the tomb or withdrawn from the tomb to make room for those buried later (Perrin et al., 2016; Allières et al., 2016; Martín et al., 2016; Schmitt & Michel, 2016; Gibaja et al., 2017; 2018; 2019).

Recent studies on funeral taphonomy have provided important information about certain aspects that help better understand these funerary behaviours. For example, today we know that these individuals were not simply deposited in the bottom of the funerary structure, but occasionally placed in the interior of the tomb within rigid boxes, probably wooden, or in bags (Allières et al., 2014).

During this period, there are evidences of exchange networks at different levels that connect both sides of the Pyrenees (Gibaja et al., 2016 b; Terradas et al., 2016). According to the evidence, these exchanges were stronger on an East-to-West direction than in the opposite sense (Gibaja et al., 2016 b; Terradas et al., 2016). In this context, researchers have found imported materials in the sepulchres from the Northeast of the Iberian Peninsula. These materials include Barrémo-Bédoulian Flint from Vaucluse (Provence) (Binder, 1998; Léa, 2004; Briois, 2005; Gassin et al., 2011; Gibaja et al., 2013), polished axes originated in the Alps (Léa, 2005; Vaquer et al., 2011; Pétrequin et al., 2012), and Obsidian blades and nuclei from Sardinia (Gibaja et al., 2013; Terradas et al., 2014). On the other hand, pieces made from Variscite exploited at Can Tintorer mines from Gava (Barcelona) appeared in Chasséen sites to the west of the Rhone (Terradas et al., 2016).

The relationship between these cultural changes with demographic changes and the biological composition of the involved populations has therefore been a subject of interest in different fields of physical anthropology (Schmitt, 2008; Allières, 2016; Le Luyer, 2016; Lopez-Onaindia and Subirà, 2017). In these latest years, the study of this subject from a paleogenetic perspective has added incredible amounts of information. From the first studies, focused on mitochondrial DNA (Hervella

et al., 2012; de la Rúa et al., 2015; Szécsény-Nagi et al., 2017) to nuclear genome studies (Olalde et al., 2019; Villalba-Mouco et al., 2019; Rivollat et al., 2020), all of them indicate that the process was complicated and heterogeneous both geographically and diachronically. In this sense, it has been reported that the hunter-gatherer signal is preserved in the Neolithic group, but that the intensity of this signal varies amongst regions (Olalde et al., 2015, 2019; Szécsény-Nagi et al., 2017; Villalba-Mouco et al., 2019; Rivollat et al., 2020).

In addition, our previous results based on dental morphology suggest that there is a difference in the biological composition of the Neolithic groups from different regions of Northern Iberia (Subirà et al., 2016; López-Onaindia & Subirà, 2017; López-Onaindia et al., 2018). We have observed that these differences have both a microreographical (López-Onaindia et al., 2018) and cultural (López-Onaindia & Subirà, 2017; López-Onaindia et al., 2018) component. We specially were able to distinguish how the populations from the North East Ebro basin and the pre-pyrenean region differ from the coastal Mediterranean population in their biological composition (López-Onaindia & Subirà, 2017; López-Onaindia et al., 2018).

The aim of this work is to analyse the biological relationship amongst both Middle and Late Neolithic groups from both sides of the Pyreneans. This topic has scarcely been explored to date. In this work we aim to understand the effects on the populations of these geographic region of the demic migrations that affected the biological composition of the Iberian populations, the implications of the cultural similarities observed in both sides of the Pyreneans during the Neolithic and the effect of trade activities in the biological make up of these groups.

Materials and methods

This work presents novel data from 221 individuals and 3,977 human teeth from 11 southern French Neolithic and Chalcolithic sites (Table 1). In addition, these data have been used in combination to already published 20 Iberian sites and the French Les Crès site (255 individuals and their 3,661 teeth) (Schmitt, 2008; López-Onaindia & Subirà, 2017; López-Onaindia et al., 2018; Pascual et al., 2018; Subirà et al., 2016) (Supplementary Table S1). Thus, the whole corpus of this work includes dental morphological data from 31 Neolithic and Chalcolithic sites from the Northwest Mediterranean region (Figure 1).

The French samples belong both to the Middle- and Late-Neolithic, and almost the full extension (West-to-East) of the Southern part of the country. The Middle-Neolithic samples are grouped in three ensembles regarding their geographical and cultural characteristics: Middle-Neolithic from Languedoc-Midi Pyrénées; Middle-Neolithic from Provence-Alpes-Côte d'Azur; and Montbolò Neolithic (Supplementary Table S1).

The Middle-Neolithic from Languedoc-Midi Pyrénées is formed by the samples from, La Terrasse (La Vimona, Zac Agora), Narbons, Saint Gely-du-Fesc, et Le Crès. La Terrasse site is formed by hundreds of pits in the area of Toulouse, of which 20 were burials (Gandelin & Vaquer, 2008; Marlière et al. 2008). Narbons is located to the southeast of Montesquieu-de-Lauragais (Haute-Garonne) and provided six pit structures at the time of the archaeological intervention (Tchéremissinof et al., 2005). Four of these structures resulted to be sepulchres. Three are attributed to the Chasséen culture, and number 1020 is situated at the end of Middle Neolithic. The interventions in Saint Gely du Fesc were held in 1996 (Hérault), provided four burial pits in a concentrated area of less than 25m², each of them containing a single individual (Schmitt et al., in press). Radiocarbon dates on each subject indicate that three belonged to the end of Middle Neolithic and one to the beginning of Middle Neolithic (“Néolithique moyen I” according to the French chronological system for the south of France). Le Crès site (Hérault) provided 190 negative structures, of which 31 were

burials that were excavated during 2000 and 2001 (Loison et al., 2004; Loison et Schmitt, 2009). 30 of these pits correspond to Chasséen burials and contained 49 individuals from this period. Moreover, compared to other sites this represented a wide variety of tomb typologies, from simple pits to proto-megalithic structures.

The Middle-Neolithic from Provence group includes the samples from Clos de Roque, Les Clavelles, Les Martins and Le Collet Redon. This last site is the sole collective burial of this group, located in La Couronne (Schmitt et al., 2018); the radiocarbon dates give a chronological interval situated between Middle and Late Neolithic. The burial provided a minimum number of 11 individuals in primary and secondary deposits. The tomb is installed in a quadrangular feature measuring 2.4 x 2.2 m. The walls of the pit are built with piled up stones. Les Martins is a site excavated in 1986 that produced two Middle-Neolithic burials (St. 6 and St. 8), consisting of individual burials in pits with a child and an adult male (d'Anna 1993; Van Willigen et al., 2014). In the case of Clos de Roque, 6 pits containing individual burials were discovered in 2011 (Remicourt et al., 2014; Schmitt et al., 2017 ; Olalde et al., 2018). From these six individuals, four belong to the beginning of the Middle-Neolithic (called “Néolithique moyen I” (St. 2209, 2215; 2205, 2224)).

Les Clavelles is an unpublished site. It provided a circular pit composed of two layers. 5 individuals were buried in this feature. An unpublished radiocarbon date on human bone indicates its belonging to the end of the 5th millennium cal BCE. The hypogeum of “les Crottes” was excavated in 1966. It is composed of 5 layers. Two of them are funerary collective deposits, level 2 and 5 (Courtin, 1974; Sauzade, 1983). The latest dates from the last quarter of the 4th millennium cal BCE.

The remains from the caves of Bélesta and Montou form the Montbolò group, in the Roussillon area. La Caune de Bélesta was excavated in 1983, when remains of a collective burial were identified together with many pieces of pottery (Claustre et al., 1993) that are attributed to the Montbolò culture.

Montou is located in Corbères-les-Cabanes (Eastern Pyrenees), and it represents a collective burial like Bélesta (Claustre & Ponsich, 2000; Valentin et al., 2003).

The last site analysed for the work is Grôte Mykolas cave which was excavated in 2007 (Chancerel et al., 2007). This site is located to the North of Bugue (Aquitania) and its chronological affiliation corresponds to the Late-Neolithic age, the only French site from this period. According to the initial report an MNI of 9 individuals was calculated, but dental remains indicate that there were at least 12 inhumated individuals.

The analysis of the teeth was carried out following the Arizona State University's Dental Anthropology System (ASUDAS) (Turner et al. 1991) for scoring 35 non-metric dental traits. In individuals with full dentition, these 35 traits provide 121 variables for individual. Most traits are not just present or absent, but ranked in a scale of expression, and the level at which they are represented in each of the antimers of an individual may vary. For this reason, the antimer showing the highest level of expression, which is believed to be the one representing the trait's maximum potential for the individual and be genetically more reliable, is selected in each individual (Turner, 1985; Turner et al., 1991).

In order to identify correlations between traits, Kendall's Tau-b analysis was done on the ranked data (Irish, 2010) with IBM SPSS 20.00. A correlation was considered strong when the Tau-b value is superior to 0.5, and for it to be statistically significant we considered that the N must be >10 and the p value <0.05. This step is necessary to edit the database before calculating the biological distances, as one of the traits of the correlated pair was eliminated in order to avoid differential weighting of the underlying dimensions that might yield erroneous results (Sjøvold, 1977; Irish, 2010).

The ranked ASUDAS values were later dichotomised into presence or absence values, based on their reported morphological thresholds (Nichols, 1989) and according to standard procedure (Turner, 1985; 1987). From these dichotomised data, frequencies for the expression of traits were calculated for the different samples and groups.

Together with one of each pair of correlated traits, those traits that presented no frequency differences in the various samples were excluded from further analysis, because they were non-informative. The Mean Measure of Divergence (MMD) (Smith, 1972) was calculated between samples as an among-samples phenetic dissimilarity measure. The formula used to calculate the MMD contains Freeman and Tukey's angular transformation to correct for low or high trait frequencies and small sample sizes (Harris & Sjøvold, 2004). Nevertheless, each trait used must have been scored at least 10 times (including present and absent) in each sample. In order to determine if two samples are significantly different, the MMD has to be compared to its standard deviation (SD). Therefore, if $MMD > 2 \times SD$, the null hypothesis of $P_1 = P_2$ is rejected at the 0.025 level. In some cases, when the internal variability of a sample resulted greater to that between the two samples compared negative MMD values might result. These values are statistical artefacts, and therefore, they were set to 0 (Vargiu et al., 2009; Irish, 2010).

The matrices obtained with the MMD calculation were graphically represented in Multi-Dimensional Scaling (MDS) (Kruskal & Wish, 1978) using PAST software (Hammer et al. 2001). This representation is useful to obtain further information beyond if two samples are significantly different or not. The representations offer a stress value that indicates the accuracy with which the matrix has been represented. Usually, stress values < 0.10 are considered excellent, while ≥ 0.15 are unacceptable (Borgatti, 1997). Moreover, Principal Component Analysis (PCA) were carried out based on the same traits used to calculate the MMD. These analyses usually provide complementary

information on which traits are more involved in the distribution observed on the MDS representations.

Due to the different conservation state and sample size of the collections included in this work, it was necessary to carry out a series of different analyses including different variables and samples at each of them to maximise the information. Two different sets of MMD calculations were carried out: one that included all the French and Iberian samples except for the Montbolò group, and was based on 10 traits. The other excluded some more French and Iberian samples, but included Italian samples (Coppa et al., 2007) in order to get a broader context on the relationships observed with the previous analysis.

The Montbolò samples were especially small, and after trait editing to avoid the non-informative and correlated variables, very few variables could be included in MMD calculation. For this reason, this group was compared with Fisher's exact test to the Iberian and French samples, for all those traits scoring more than 5 observations, to see which groups present less differences with it.

Results

The number of times a trait was scored in each group, the frequency for the presence of the traits and dichotomic breaking-point for each of them are shown in Table 2.

Some traits provided significant correlation values when analysed with Kendal's Tau-b. These traits were: *UM2 cusp5* was correlated to *UP4 m&d cusps* (Tau-b=0.716, N=25) and *UM3 cusp5* (Tau-b=0.642, N=19); on the other hand *UM1 Metacone* and *UM3 Carabelli's tubercle* were also correlated (Tau-b= 0.725, N=12).

The MMD analysis based on 10 variables that included both French and Iberian samples (Table 3), showed a complex scenario with significant differences among samples from each side of the Pyrenees, while there are no differences between some of the samples across the mountains. Those samples presenting significant differences at the 0.025 level are the Languedoc-Midi Pyrenees group and the Late Neolithic Mediterranean groups (Roaix, Cova del Pantà de Foix and Can Sadurní). On the other hand, those samples that presented no differences with any other sample were the Middle-Neolithic sample from Provence and Grôte Mykolas.

When this matrix was represented (Figure 2) we obtained a MDS plot that provided a grouping of samples to the right end of the horizontal axis where two sites from the Iberian Peninsula with pit burials were registered (Los Cascajos, Early- and Middle-Neolithic from Navarre, and Bòbila Madurell) and a Chalcolithic cave from the Mediterranean coast of the same area (Cova del Pantà de Foix). On the other extreme we observe the Middle-Neolithic sample from Languedoc and Midi-Pyrénées area, and the rest of the samples appear in the centre between them. Therefore, the biggest differences are observed between Middle-Neolithic samples from both sides of the Pyreneans.

The PCA analysis for the same traits provides a similar representation to the MDS with the two first components (83.5% of the total variance explained): the Languedoc/Midi-Pyrénées sample was the most divergent from the rest, which was determined by higher frequencies of *LM1 cusp6* and *LM2 cusp 7* (Table 4). On the opposite side the Middle-Neolithic samples from Provence, Bòbila Madurell and Cascajos together with Cova del Pantà de Foix were characterised for having high frequencies for *LP4 cusp number* and relatively high presences of *Hypocone* in both UM1 and UM2.

When we excluded the smallest samples from the analysis (Grôte Mykolas, Middle-Neolithic from Provence, and Cova del Pantà de Foix) and compared the other samples to Italian samples using 8 traits we obtained the matrix shown in Table 5. With the distance data, we observed that Italian

samples significantly differed from all Iberian and French samples. In the same sense, the French and Iberian samples differed between each other too. Nevertheless, these distance values were smaller than those any of both groups presented compared to the Italians.

The MDS representation of this matrix (Figure 3) shows the Italian Upper-Palaeolithic and Mesolithic sample appeared separated from all the other samples and the Italian Neolithic sample stands in the centre of the plot, while in the other corner French and Iberian samples appeared separated between them as well. From the Iberian and French samples those showing more affinities to the Italian Neolithic were Cascajos (Early- and Middle-Neolithic from Navarre), Bòbila Madurell (Middle-Neolithic from Catalonia) and Roaix (Late-Neolithic from Provence), while the Languedoc and Solsonian samples appeared farther.

When correlations between the main components in the PCA analysis and the variables were analysed (Table 6), we observed that the Italian groups present *UM2 cusp5* and *UM1 Carabelli's tubercle* in higher frequencies than Iberian and French groups, while the latter had overall more presence of *UI2 shovelling*, this differentiation occurs in the first component. The second component split the French and Iberian samples, although not in the same manner as the MDS. We observe the Languedoc and Solsonian Middle-Neolithic groups on one side and the other groups (Middle- and Late-Neolithic samples) on the other corner. In this sense, the most significant trait was the presence of *multiple lingual cusps in LP4*, which was most common in Late-Neolithic samples and the Middle-Neolithic samples of Bòbila Madurell and Los Cascajos.

The Montbolò sample did not show differences for most of the 18 analysed traits with the rest of samples when this was analysed by Fisher's exact test (Table 7). Moreover, when Bonferroni's correction was applied to the significance level ($p < 0.0002777$), this sample only differed significantly in one trait from Los Cascajos sample: *LMI Cusp5*.

Discussion

Although there are many cultural similarities between the two main Middle-Neolithic cultures from Catalonia and Mediterranean France (Sepulcres de Fossa Culture and Chasséen), our results indicate that in the biological background of the defined human groups there is some variance. This variance, though, is not a simple divergence between French and Iberian samples. As it has previously been mentioned, many studies support a dual dispersion model for the Neolithic in the Northeastern area from the Mediterranean (Guilaine, 2003; Cruz-Berrocal, 2013).

In their recent work, Molist and collaborators (2016) analyse different material evidence between the Chasséen and the Sepulcres de Fossa cultures. This study suggests that although the affinities and the common elements between both cultures, each of them has singular elements related to the previous background in the territories. Nevertheless, they do also observe that the similarities between the two groups are greater than that each of them has with any other surrounding area. Moreover, both share common characteristics that can be interpreted as heritage from the Montbolò and Molinot cultures that spread through the eastern Pyrenees. Finally, as it has previously been mentioned, according to many evidence pieces, the exchange networks between these groups at both sides of the Pyrenees were strongly rooted (Gibaja et al., 2013; Terradas et al., 2014; 2016; Molist et al., 2016;).

Ancient DNA (aDNA) analyses of the region show that although there is an important new genetic component in the Neolithic individuals from Southwestern Europe, there is a persistence of the Hunter-Gatherer component too (Villalba-Mouco et al., 2019; Brunel et al., 2020; Rivollat et al., 2020; Seguin-Orlando et al., 2021). Focusing in the Neolithic individuals from the Iberian Peninsula different studies show complex scenarios: while in some cases the Neolithic samples have signals similar to those from Eastern Mediterranean and LBK culture (Olalde et al., 2015), other studies show mixed signals in the different areas of the Iberian Peninsula (de la Rúa et al., 2015; Szécsény-Nagy

et al., 2017). Therefore, a mixed model would be the most accurate one explaining the current evidences. In this sense, some of our previous results evidence slight biological differences amongst some Iberian samples (López-Onaindia & Subirà, 2017; López-Onaindia et al., 2018). These works, in the same way as aDNA works remark, show that in the Northeast of the Iberian Peninsula there was biological variability during the Neolithic. These differences are observed sometimes related to funerary practices (López-Onaindia & Subirà, 2017), where the individuals buried in Megaliths significantly diverged from the rest of groups. Moreover, and still related to a different funerary structure represented by stone cists burials, we observed differences between mountain and coastal groups in the east of the Peninsula (López-Onaindia et al., 2018). In addition, a first exploration of the relationship between Iberian Hunter Gatherers and first farmers analysing dental morphology suggested that there were some affinities between them, suggesting a certain degree of continuity (López-Onaindia et al., 2019).

The present results show that, overall, those groups from coastal areas or valleys near the coast present differences with fewer groups than non-coastal samples. These differences of the inland groups are present at each side of the Pyreneans and between sides. Exchanges of materials and therefore potential population movements and mixtures are well recorded for the Neolithic in western Europe. The presence of raw materials like the Barrémo-Bédoulian flint (honey flint) from Vaucluse (Provence, France) in cist-like and pit burials from Northeastern Iberia and Southern France (Binder, 1998; Léa, 2004; Briois, 2005; Gibaja et al., 2010; Gassin et al., 2011); the presence of polished axes originated in the Alps in Iberian sites (Léa, 2005; Vaquer et al., 2011; Pétrequin et al., 2012); and the evidence of the trade of variscite from Gavà to the Rhone's valley (Terradas et al., 2016) are good examples for this trans-pyrenean trade. This trade seems especially intense throughout the coast compared to more mountainous regions (Terradas et al., 2011), which is further supported by the discovery of obsidian from Sardinia in some Catalan sites (Gibaja et al., 2013; Terradas et al., 2014). If we assume a more intense coastal trading, the populations from these regions would be exposed to

a more diverse biological background than those from inner land. In contrast, the sample from Los Cascajos, although it is inland, shows affinities similar to those from the Catalanian coastal samples, separating from the Pyrenean samples. In this case, aDNA analyses have shown that Los Cascajos is a sample with high genetic variability and would not be an isolated group (Hervella et al., 2016). Los Cascajos is situated in the Ebro basin, where there was an intense exchange network that intensely ran Northwest to Southeast and *vice versa* following the river, from inland to the Mediterranean coast (Cava et al., 2008; Baldellou et al., 2011; Montes and Alday, 2011; Tarrío and Terradas, 2013). This network was more intense than the trades documented between coastal valley and mountainous areas in the Catalan region (Villalba et al., 1986; Bosch and Borrel, 2009).

Although the following interpretations should be taken cautiously due to the lack of interobserver error test between our samples and the Italian data (Coppa et al., 2007), all French and Iberian samples significantly diverge from the Italian groups. However, these differences are smaller with the Neolithic than with the Hunter-Gatherer sample. Concretely, the Languedoc-Midi Pyrenees and Solsonian samples (inland) are the most divergent from the Italian Neolithic one, while Bòbila Madurell (Vallès area) and Los Cascajos present slighter differences with it. Hence, it is plausible that some of the migration from the East that arrived into French and Iberian territory with the spread of the agriculture had the same substrate as the Italian. Nevertheless, this seems to have been less intense than that observed in the Italian Peninsula (Coppa et al., 2007). Furthermore, the Italian Palaeolithic-Mesolithic sample diverges significantly from the Iberian one when dental morphology is analysed (López-Onaindia et al., 2019), which would result in different previous biologic backgrounds in each area.

Finally, it must also be mentioned that in those two Middle-Neolithic groups that diverge most from the rest, Solsonian area and Languedoc-Midi Pyrenees, there are representations of burials done in stone slab cists, while in the other studied areas these are not present. In the case of the Late-

Neolithic, these samples are also diverse, but show similar affinities with most Middle-Neolithic samples. This trend has previously been observed in our works, as groups get uniform between them towards the Bronze Age (López-Onaindia & Subirà, 2017; López-Onaindia et al., 2018). This trend towards the uniformity of the biological make-up of the population by the end of the Neolithic is also observed in the genetic studies (Szécsény-Nagy et al., 2017; Olalde et al., 2019; Villalba-Mouco et al., 2019). These studies also show that the Hunter-Gatherer component becomes more important at this period.

In summary, our results are compatible with a dual pattern model for the dispersion of the Neolithic in the Northwest of the Mediterranean, although the impact of incoming eastern farmers would not be as important as in other areas of the Mediterranean. In addition, we observe that this effect is similar in the Iberian Peninsula and South of France, and that the affinities that are observed in material culture between the Chasséen and Sepulcres de Fossa cultures have a parallel in biological means. Lastly, the similarities between inhabitants from coastal areas are greater, as probably these were more open to external influences related to exchange networks; moreover, the inner groups also present some variation in funerary culture with the presence of burials in cists.

Acknowledgments

We would like to thank F. Valentin (UMR 7041, Arscan, Ethnologie préhistorique), M. Gandelin, Y. Tchérémissinoff, R. Donat (INRAP, France), and P. Courtaud (UMR 5199 PACEA, Bordeaux) for providing the samples analysed for this work and their help on concrete questions about the contexts. We are especially thankful the museums and archaeological deposits: Maison du Patrimoine Française-Claustre and Château-Musée de Bélesta. Lastly great thanks to the curators from these centres Gilles Peyre and Tarek Kuteni for their help during the study of the materials. Moreover, this work has been funded by the project HAR2015-67323-C2-1-P of Ministerio de

Ciencia y Economía, and been posible thanks to the 2017 SGR 1630 Grup de recerca en Antropologia Biològica (GREAB) and project PID2020-112513RB-I00 of Ministerio de Ciencia e Innovación. DLO was supported by the Basque Governments postdoctoral Fellowship (POS_2019_1_0024) and MSC Actions project N° 895713.

References

- Allièse, F. 2016. Les sépultures de la Bòbila Madurell-Can Gambús (Vallès occidental). Éclairages sur les pratiques funéraires du nord-est de la péninsule Ibérique à la fin du Ve et au début du IVe millénaire. PhD dissertation, L'Université de Paris 1 Panthéon-Sorbonne and Universitat Autònoma de Barcelona, France and Spain.
- Allièse, F., Roig, J., Coll, J. M., Subirà, M. E., Ruíz, J., Chambon, P., Gibaja, J. 2014. Les pratiques funéraires dans la nécropole néolithique de Can Gambús-1 (Sabadell, Espagne) : de la préparation du corps à la fermeture de la tombe. *Bull. Soc. Préhist. Franç.* 111 (3), 453-468.
- Allièse, F., Gibaja, J.F., Subirà, M.E., Chambon, P. 2016. Quelques réflexions sur les pratiques funéraires du nord-est de la péninsule Ibérique à la fin du Ve et au début du IVe millénaire. In: T. Perrin, P. Chambon, J.F. Gibaja, G. Goude (Dirs.) *Le Chasséen, des Chasséens... Retour sur une culture nationale et ses parallèles, Sepulcres de fossa, Cortaloid, Lagozza*. Archives d'Écologie Préhistorique, Toulouse, pp. 397-406.
- Antolín, F. 2015. Entre agricultores primitivos, cultivos de rozas y pastores transhumantes. Una mirada crítica a los modelos económicos propuestos para los grupos neolíticos del noreste peninsular y una aportación desde el registro carpológico. *Revista d'Arqueologia de Ponent* 25, 11-45.
- Baldellou, V., Utrilla, P., García-Gazólaz, J. 2011. Variscita de Can Tintorer en el Neolítico Antiguo del Valle Medio del Ebro. *Rubricatum* 5, 307-314.

- Berger, J.F., Guilaine, J. 2008. The 8200 cal BP abrupt environmental change and the Neolithic transition: A Mediterranean perspective. *Quat. Int.* 200 (1), 31-49.
<https://doi.org/10.1016/j.quaint.2008.05.013>
- Bernabeu, J. 2006. Una visión actual sobre el origen y difusión del Neolítico en la península Ibérica” en: O. García y J.E. Aura (eds.): *El Abric de la Falguera (Alcoi, Alacant). 8000 años de ocupación humana en la cabecera del río de Alcoi*. Ajuntament d’Alcoi, Alicante, pp. 189-211.
- Bernabéu, J., Rojo, M.A., Molina, Ll. 2011. Las primeras producciones cerámicas: el VI milenio cal AC en la Península Ibérica. *Saguntum PLAV Extra-12*, Universitat de València, 270pp.
- Berry, A.C. 1974. The use of non-metric variations of the cranium in the study of scandinavian population movements. *Am. J. Phys. Anth.* 117, 157-168.
<https://doi.org/10.1002/ajpa.1330400306>
- Binder, D. 1998. Silex blond et complexité des assemblages lithiques dans le Néolithique liguro-provençal. In: A. D’Anna, D. Binder (dirs.), *Production et identité culturelle. Actualité de la recherche*. Antibes: Éditions APDCA: 111-128.
- Binder, D., Perrin, T. 2014. Le Mésolithique à trapèzes et la néolithisation de l’Europe sud-occidentale. In: C. Manen, T. Perrin, J. Guilaine (dirs.). *La Transition Néolithique en Méditerranée*. Errance, Archives d’Ecologie Préhistorique. Toulouse, pp. 271-281.
- Blasco, A., Edo, M., Villalba, M.J. 2005. Cardial, epicardial y postcardial en Can Sadurní (Begues, Baix Llobregat). El largo fin del Neolítico Antiguo en Cataluña. *Actas III Congreso del Neolítico en la Península Ibérica*, 867-878.
- Bosch, J., Borrell, F. 2009. *Intervencions arqueològiques a les mines de Gavà (sector serra de les Ferreres). Anys 1998–2009. De la variscita al ferro: neolític i antiguitat*. Museu de Gavà, Rubricatum 4. Gavà.
- Bosch, A., Tarrús, J. 1991. *La cova sepulcral del Neolític antic de l’Avellaner, Cogolls, Les Planes d’Hostoles (La Garrotxa)*. Sèrie Monogràfica 11, Centre d’Investigacions Arqueològiques. Girona.

- Borgatti, S.P. 1997. Multidimensional Scaling. Available at:
www.analytictech.com/borgatti/mds.htm
- Briois, F. 2005. *Les industries de pierre taillée néolithiques en Languedoc occidental*. CNRS. Monographies d'Archéologie Méditerranéenne 20. Lattes.
- Briois, F., Manen, C. 2009. L'habitat néolithique ancien de Peiro Signado à Portiragnes (Hérault). *Mém. Soc. Préhist. Franç.* 48, 31-37.
- Brunel, S., Bennett, E.A., Cardin, L., Garraud, D., Barrand Emam, H., Beylier, A., Boulestin, B., Chenal, F., Ciesielski, E., Convertini, F., Dedet, B., Debrosse-Degobertiere, S., Desenne, S., Dubouloz, J., Duday, H., Escalon, G., Fabre, V., Gailledrat, E., Gandelin, M., Gleize, Y., Goepfert, S., Guilaine, J., Hachem, L., Ilett, M., Lambach, F., Maziere, F., Perrin, B., Plouin, S., Pinard, E., Praud, I., Richard, I., Riquier, V., Roure, R., Sendra, B., Thevenet, C., Thiol, S., Vauquelin, E., Vergnaud, L., Grange, T., Geigl, E.-M., Pruvost, M. 2020. Ancient genomes from present-day France unveil 7,000 years of its demographic history. *Proc. Nat. Acad. Sci. USA* 117, 12791-12798. <https://doi.org/10.1073/pnas.1918034117>
- Burnett, S.E., Stojanowski, C.M., Mahakkanukrauh, P. 2015. Six new examples of the bipartite trapezoid bone: Morphology, significant population variation, and an examination of pre-existing criteria to identify bipartition of individual carpal bones. *Ann. Anat.* 198, 58-65. <https://doi.org/10.1016/j.aanat.2014.11.002>
- Campbell, T.D. 1925. *The Dentition and Palate of Australian Aboriginal*. Hassel Press, Adelaide.
- Cava, A., Alday, A., Tarrío, A. 2008. La circulación de materias primas líticas en la transición Mesolítico/Neolítico antiguo en el País Vasco. Los abrigos de Mendandía, Kanpanoste y Aizpea. *Veleya* 24-25, 581-609.
- Chancerel, A., Courtaud, P., M'Trengoueni, M. 2007. *La grotte du Piale (dite Mykolas) commune du Bugue (Dordogne). Rapport de fouille programmée*. Direction régionale des affaires culturelles

d'Aquitaine. Service régional d'archéologie. Conseil Général de la Dordogne, Service archéologie départemental.

Claustre, F., Ponsich, P. 2000. Complément à l'étude de la céramique néolithique de la galerie close de Montou. *Études roussillonnaises* 13: 79-96.

Claustre, F., Zammit, J., Blaize Y. 1993. *La Cauna de Belesta : une tombe collective il y a 6000 ans*. Centre d'Anthropologie des sociétés rurales CNRS/EHESS. Toulouse, Bélesta.

Coppa, A., Cucina, A., Lucci, M., Mancinelli, D., Vargiu, R. 2007. Origins and Spread of Agriculture in Italy: A Nonmetric Dental Analysis. *Am. J. Phys. Anthr.* 133, 918-930. DOI: 10.1002/ajpa.20620.

Courtin, J. 1974. *Le Néolithique de la Provence*. Éditions Klincksieck (Mémoire de la Société Préhistorique Française, 11). Paris.

Crubézy, E., Telmon, N., Sevin, A., Picard, J., Rougé, D., Larrouy, G., Braga, J., Ludes, B., Murail, P. 1999. Microévolution d'une population historique: Etude des caractères discrets d'une population Missiminia (Soudan, III-IVe siècle). *Bulls. Mém. Soc. Anthr. Paris* 11, 1-213.

Cruz-Berrocal, M. 2012. The Early Neolithic in the Iberian Peninsula and the Western Mediterranean: A Review of the Evidence on Migration. *J. World Prehist.* 25, 123-156.

Dahlberg, A.A. 1945. The changing dentition of man. *J. Am. Dent. Assoc.* 32, 676-690.

Dahlberg, A.A. 1951. The dentition of the American Indian. In: W.S. Laughlin (Ed.), *The Physical Anthropology of the American Indian*. The Viking Fund, New York, pp. 138-176.

D'Anna, A. 1993. L'habitat de plein air en Provence : recherches récentes. In: J.C. Blanchet, A. Bulard, C. Constantin (Eds.) *Le Néolithique au quotidien, actes du XVIe colloque interrégional sur le Néolithique (Paris, 1989)*. Édition de La Maison Des Sciences De L'Homme (Document d'Archéologie Française 39). Paris, pp. 72-83.

Delgado, M., Ramírez, L.M., Adhikari, K., Fuentes-Guajardo, M., Zanolli, C., Gonzalez-José, R., Canizales, S., Bortolini, M.C., Pletti, G., Gallo, C., Rothhammer, F., Bedoya, G., Ruiz-Linares, A.

2019. Variation in dental morphology and inference of continental ancestry in admixed Latin Americans. *Am. J. Phys. Anthropol.* 168, 438-447. <https://doi.org/10.1002/ajpa.23756>
- Desideri, J. 2011. *When Beakers Met Bell Beakers: an analysis of dental remains*. British archaeological Reports-International Series. Oxford.
- Gandelin, M., Vaquer, J. 2008. Présentation des sites chasséens de Villeneuve-Tolosane et de Cugnaux (Haute-Garonne) et localisation des faits funéraires. In: J. Vaquer, M. Gandelin, M. Rémicourt, Y. Tcheremissinoff (Eds.) *Défunts néolithiques en Toulousain*. Archives d'Écologie Préhistorique, Toulouse, pp. 33-44.
- García, J. 2007. Los enterramientos neolíticos del yacimiento de Paternabidea (Ibero). In: J. Sesma, M.I. Tabar, J. García (Eds.) *La tierra te sea leve. Arqueología de la Muerte en Navarra*. Diputación Foral de Navarra. Pamplona, pp. 59-65.
- García, J., Sesma, J. Enterramientos en el poblado neolítico de Los Cascajos. In: J. Sesma, M.I. Tabar, J. García (Eds.) *La tierra te sea leve. Arqueología de la Muerte en Navarra*. Diputación Foral de Navarra. Pamplona, pp. 52-58.
- García-Martínez De Lagrán, I. 2015. Recent Data and Approaches on the Neolithization of the Iberian Peninsula. *Europ. J. Archaeol.* 18 (3), 429–453. <https://doi.org/10.1179/1461957114Y.0000000084>
- García-Sagastibelza, A., Arribas, J.L., López-Onaindia, D., Pomeroy, E., Rodríguez-Hidalgo, A., Castex, D., Couture-Veschambre, C., Gómez-Olivencia, A. 2020a. The human remains from the Lumentxa cave (Lekeitio, Biscay, Northern Iberian Peninsula): Paleobiology, Taphonomy and Chronology. *Quat. Int.* 566-567, 191-210. <https://doi.org/10.1016/j.quaint.2020.06.043>
- García-Sagastibelza, A., López-Onaindia, D., Lambacher, N., Pomeroy, E., Cubas, M., Subirà, M.E., Castex, D., Couture-Veschambre, C., Gómez-Olivencia, A. 2020b. The funerary use of caves during the Holocene in the Atlantic Western Pyrenees: New information from Atxuri-I and Txotxinkoba caves (Biscay, Northern Iberian Peninsula). *Quat. Int.* 566-567, 171-190. <https://doi.org/10.1016/j.quaint.2020.09.029>

- Gassin, B., Léa, V., Astruc, L., Linton J. 2011. Lithic Management in the Chassey Culture Neolithic. *Hum. Evol.* 25, 125-142.
- Gibaja, J.F., Majo, T., Chambon, P., Ruíz, J., Subirà, M.E. 2010. Prácticas funerarias durante el neolítico. Los enterramientos infantiles en el noreste de la Península Ibérica (Neolithic Funeral rituals: child burials in the Northeastern Iberian Peninsula). *Complutum* 21, 47-68.
- Gibaja, J.F., Clop, X. 2012. El neolítico en Cataluña. In: M. Rojo, R. Garrido, I. García (Coord.) *El neolítico en la Península Ibérica y su contexto europeo*. Ed. Catedra, Madrid, pp. 333-370.
- Gibaja, J.F., Léa, V., Lugliè, C., Bosch, J., Gassin, B., Terradas X. 2013. Between sardinia and Catalonia: contacts and relationships during the Neolithic. In: E. Blasco, P. Francalacci, A. Nocentini (Eds.). *Iberia e Sardegna. Legami linguistici, archeologici e genetici dal Mesolitico all'Età del Bronzo*. Mondadori Education S.p.A, Milano, pp. 214-233.
- Gibaja, J.F., Duboscq S., Esteve, X., Coll, J.M., Martí, M., Martín, A., Mestres, J., Oms, X., Pou, R., Roig, J., Subirà, M.E. 2016a. Restes humans dans des structures néolithiques du nord-est de la péninsule Ibérique : dépôts ou sépultures ?. In: M. Lauwers, A. Zémour (Eds.) *Qu'est-ce qu'une sépulture ? Humanités et systèmes funéraires de la Préhistoire à nos jours. XXXVIè rencontres internationales d'archéologie et d'histoire d'Antibes*. Éditions APDCA: 179-195.
- Gibaja, J.F., Torchy, L., Gassin, B. 2016b. L'utilisation de l'outillage lithique taillé destiné à l'acquisition et à la transformation des aliments au Néolithique moyen en Méditerranée nord-occidentale". In: T. Perrin, P. Chambon, J.F. Gibaja, G. Goude (Dirs.) *Le Chasséen, des Chasséens... Retour sur une culture nationale et ses parallèles, Sepulcres de fossa, Cortalloid, Lagozza*. Archives d'Écologie Préhistorique, Toulouse, pp. 273-285.
- Gibaja, J.F., Mozota, M., Subirà, M.E., Martín, A. 2017. *Mirando a la muerte: Las prácticas funerarias durante el Neolítico en el noreste peninsular. Vol I*. E-DITARX, Valencia, 380 pp.
- Gibaja, J.F., Mozota, M., Subirà, M.E., Martín, A. 2018. *Mirando a la muerte: Las prácticas funerarias durante el Neolítico en el noreste peninsular. Vol II*. E-DITARX, Valencia, 340 pp.

- Gibaja, J.F., Mozota, M., Subirà, M.E., Martín, A. 2019. *Mirando a la muerte: Las prácticas funerarias durante el Neolítico en el noreste peninsular. Vol III*. E-DITARX, Valencia, 388 pp.
- González, J., Harzbecher, K., Molist, M. 2011. Un nou assentament del V mil.leni a la costa de Barcelona. *Quarhis* 7, 86-100.
- Gregory, W.W. 1922. *The Origin and Evolution of the Human Dentition*. Williams and Wilkins, Baltimore.
- Guilaine, J. 2003. *De la vague à la tombe. La conquête néolithique de la Méditerranée*. Seuil, Paris.
- Guilaine, J. 2007. Du concept de céramique imprimée méditerranéenne à la genèse du Cardial. In: J. Guilaine, C. Manen, J.D. Vigne (Eds.), *Pont du Roque-Haute. Nouveaux regards sur la néolithisation de la France Méditerranéenne*. Archives d'Ecologie Préhistorique, Toulouse, pp. 21-38.
- Guilaine, J., Manen, C., Vigne, J.D. 2017. *Pont de Roque-Haute. Nouveaux regards sur la néolithisation de la France Méditerranéenne*. Archives d'Écologie Préhistorique, Toulouse.
- Hammer, Ø., Harper, D.A.T., Ryan P.D. 2001. PAST: Paleontological Statistics Software Package for Education and Data Analysis. *Palaeont. Electron.* 4, 1-9.
- Hanihara, T., Ishida, H. 2001a. Frequency variations of discrete cranial traits in major human populations. I. Supernumerary ossicle variations. *J. Anat.* 198, 689-706. <https://doi.org/10.1046/j.1469-7580.2001.19860689.x>
- Haihara, T., Ishida, H. 2001b. Frequency variations of discrete cranial traits in major human populations. II. Hypostotic variations. *J. Anat.* 198, 707-725. <https://doi.org/10.1046/j.1469-7580.2001.19860707.x>
- Haihara, T., Ishida, H. 2001c. Frequency variations of discrete cranial traits in major human populations. III. Hyperostotic variations. *J. Anat.* 199, 251-272. <https://doi.org/10.1046/j.1469-7580.2001.19930251.x>

- Harris, E.F., Sjøvold T. 2004. Calculation of Smith's Mean Measure of Divergence for Intergroup Comparisons Using Nonmetric Data. *Dent. Anthropol.* 17, 83-93.
<https://doi.org/10.26575/daj.v17i3.152>
- Hervella, M., Izagirre, N., Alonso, S., Fregel, R., Alonso, A., Cabrera, V.M. 2012. Ancient DNA from Hunter-Gatherer and Farmer Groups from Northern Spain Supports a Random Dispersion Model for the Neolithic Expansion into Europe. *PLOS ONE* 7, 1371.
<https://doi.org/10.1371/annotation/3dac0b4f-f76e-4bc1-8559-acb41b87b02c>
- Hervella, M., Izagirre, N., Alonso, S., Fregel, R., de la Rúa, C. 2016. Early Neolithic funerary diversity and mitochondrial variability of two Iberian sites. *Archaeol. Anthropol. Sci.* 8, 97-106.
<https://doi.org/10.1007/s12520-014-0216-1>
- Higgins, D., Hughes, T.E., James, H., Townsend, G.C. 2009. Strong genetic influence on hypocone expression of permanent maxillary molars in South Australian twins. *Dent. Anthropol.* 22: 1-7.
<https://doi.org/10.26575/daj.v22i1.83>
- Hlusko, L.J. 2016. Elucidating the evolution of hominid dentition in the age of phenomics, modularity, and quantitative genetics. *Ann. Anat.* 203, 3-11. <https://doi.org/10.1016/j.aanat.2015.05.001>
- Howells, W.W. 1973. *Cranial variation in man; a study by multivariate analysis of patterns of difference among recent human populations*. Harvard University, Cambridge, 259 pp.
- Hrdlicka, A. 1921. Further studies of tooth morphology. *Am. J. Phys. Anthropol.* 4, 141-176.
- Hubbard, A.R., Guatelli-Steinberg, D., Irish, J.D. 2015. Do Nuclear DNA and Dental Nonmetric Data Produce Similar Reconstructions of Regional Population History? An Example From Modern Coastal Kenya. *Am. J. Phys. Anthropol.* 157, 295-304. <https://doi.org/10.1002/ajpa.22714>
- Hughes, T.E., Townsend, G.C. 2011. Twin studies of dental crown morphology: genetic and environmental determinants of the cusp of Carabelli. *15th International Symposium on Dental Morphology*. Newcastle, UK.
- Hughes, T.E., Townsend, G.C. 2013. Twin and family studies of human dental crown morphology: genetic, epigenetic, and environmental determinants of the modern human dentition. In: Scott,

- G.R., Irish, J.D. (Eds.) *Anthropological Perspectives on Tooth Morphology: Genetics, Evolution, Variation*. Cambridge, Cambridge University Press, pp. 31-68.
- Hughes, T.E., Townsend, G., Bockmann, M. 2016. An overview of dental genetics. In: Irish, J.D., Scott, G.R. (Eds.) *A Companion to Dental Anthropology*. Oxford: John Wiley, pp. 123-141.
- Irish, J.D. 2006. Who Were the Ancient Egyptians? Dental Affinities Among Neolithic Through Postdynastic Peoples. *Am. J. Phys. Anthropol.* 129, 529-543. <https://doi.org/10.1002/ajpa.20261>
- Irish, J.D. 2010. The Mean Measure of Divergence: Its Utility in Model-Free and Model Bound Analyses Relative to the Mahalanobis D2 Distance for Nonmetric Traits. *Am. J. Hum. Biol.* 22, 378-395. <https://doi.org/10.1002/ajhb.21010>
- Irish, J.D., Lillios, K.T., Waterman, A.J., Silva A.M. 2017. Other" possibilities? Assessing regional and extra-regional dental affinities of populations in the Portuguese Estremadura to explore the roots of Iberia's Late Neolithic-Copper Age. *J. Archaeol. Sci. Rep.* 11, 224-236. <https://doi.org/10.1016/j.jasrep.2016.12.003>
- Isern, N., Fort, J., Carvalho, A.F., Gibaja, J.F., Ibáñez, J.J. 2014. The Neolithic Transition in the Iberian Peninsula: Data Analysis and Modeling. *J. Archaeol. Meth. Theor.* 21, 447-461. <https://doi.org/10.1007/s10816-013-9193-4>
- Kruskal, J.B., Wish, M. 1978. *Multidimensional scaling*. Sage Publications: Beverly Hills, CA.
- Léa, V. 2004. *Les industries lithiques du Chasséen en Languedoc occidental. Caractérisation per l'analyse technologique*. Oxford Archaeopress, BAR international series S1232.
- Léa V. 2005. Raw, pre-heated or ready to use: discovering specialists supply system for flint industries in mid-Neolithic (Chassey culture) communities in Southern France. *Antiquity* 79, 51-65. <https://doi.org/10.1017/S0003598X00113699>
- Le Luyer, M. 2016. *Évolution dentaire dans les populations humaines de la fin du Pléistocène et du début de l'Holocène (19000 – 5500 cal. BP) : une approche intégrée des structures externe et interne des couronnes pour le Bassin aquitain et ses marges*. PhD Dissertation, Université de Bordeaux, France.

- Loison, G., Fabre, V., Villemeur I. 2004. *Le Crès. Habitats préhistoriques en bordure de l'Orb. Structures domestiques et sépulture du Chasséen ancien*. Rapport final d'opération. INRAP. Montpellier.
- Loison, G., Schmitt, A. 2009. Diversité des pratiques funéraires et espaces sépulcraux sectorisés au Chasséen ancien sur le site de Crès à Béziers (Hérault): croisement des données archéologiques et anthropologiques. *Gallia Préhistoire* 51: 245-272.
- López-Onaindia, D., Subirà, M.E. 2017. Prehistoric funerary complexity in northern Iberia studied by using dental morphology. *Homo. J. Comp. Hum. Biol.* 68, 122-133. <http://dx.doi.org/10.1016/j.jchb.2017.03.002>
- López-Onaindia, D., Coca, M., Gibaja, J.F., Subirà M.E. 2018. Biological Differences Related to Cultural Variability during the Neolithic in a Micro-Geographical area of the Iberian Peninsula. *Archaeol. Anthropol. Sci.* 10, 1957-1969. <https://doi.org/10.1007/s12520-017-0515-4>
- López-Onaindia, D., Gibaja, J.F., Subirà, M.E. 2019. Heirs of the glacial maximum: Dental Morphology suggests Mesolithic human groups along the Iberian Peninsula shared the same biological origins. *Archaeol. Anthropol. Sci.* 11, 5499-5512. <https://doi.org/10.1007/s12520-019-00877-6>
- López Quintana, J.C., Guenaga Lizasu, A., Etxeberria F., Herrasti L., Martínez de Pancorbo, M.A., Palencia, L., Valverde, L., Cardoso, S. 2015. Nuevos datos sobre la secuencia de uso sepulcral de la cueva de Santimamiñe (Kortezubi, Bizkaia). In: P. Bueno Ramírez, R. Barroso (Eds.), ARPI 03 Extra. Homenaje a Rodrigo de Balbín Berhmann, Universidad de Alcalá de Henares. Alcalá de Henares, 180-196.
- Marlière, P., Vaquer, J., Texier, M., Gandelin, M., Giraud, J.-P., Rémicourt, M. 2008. Les sépultures de Cugnaux, La Vimona et la ZAC Agora. In: J. Vaquer, M. Gandelin, M. Rémicourt, Y. Tcheremissinoff (Eds.) *Défunts néolithiques en Toulousain*, Archives d'Écologie Préhistorique, Toulouse, pp. 99-148.

- Martín, A. 2009. Les sociétés du Néolithique moyen en Catalogne et leur gestion funéraire. In: J. Guilaine (Dir.) *Sépultures et sociétés. Du Néolithique à l'Histoire*. Séminaire du Collège de France. Collection des Hesperides. Editions Errance, Paris, pp. 45-67.
- Martín, A., Pou, R., Oms, F.X., Mestres, J., Martí, M., Esteve, X., Duboscq, S., Gibaja, J.F., Subirà, M.E. 2016. La question de l'homogénéité des pratiques funéraires dans la « Culture des Sepulcres de Fossa » du Néolithique moyen. Révision des typologies a la lumiere des dernieres découvertes. In: T. Perrin, P. Chambon, J.F. Gibaja, G. Goude (Dir.) *Le Chasséen, des Chasséens... Retour sur une culture nationale et ses parallèles, Sepulcres de fossa, Cortaloid, Lagozza*. Archives d'Écologie Préhistorique, Toulouse, pp. 407-420.
- Mestres, J., Tarrús, J. 2016. Las estructuras de hábitat en Catalunya durante el Neolítico medio: entre el Chassey y los Sepulcres de Fossa. En: T. Perrin, P. Chambon, J.F. Gibaja, G. Goude (Dir.). *Le Chasséen, des Chasséens... Retour sur une culture nationale et ses parallèles, Sepulcres de fossa, Cortaloid, Lagozza*. Archives d'Écologie Préhistorique. Toulouse, pp. 289-302.
- Milne, N., Schmitt, L.H., Freedman, L. 1983. Discrete trait variation in Western Australian Aboriginal skulls. *J. Hum. Evol.* 12, 157-168. [https://doi.org/10.1016/S0047-2484\(83\)80021-9](https://doi.org/10.1016/S0047-2484(83)80021-9)
- Molist, M., Gómez, A., Borrell, F., Rios, P., Bosch, J. 2016. El "Chassense" y los "Sepulcros de Fosa de Cataluña": relaciones complejas entre culturas arqueológicas vecinas. In: T. Perrin, P. Chambon, J.F. Gibaja, G. Goude (Dir.). *Le Chasséen, des Chasséens... Retour sur une culture nationale et ses parallèles, Sepulcres de fossa, Cortaloid, Lagozza*. Archives d'Écologie Préhistorique. Toulouse, pp. 143-158.
- Montes, L., Alday, A. 2011. Enredados en la Malla Neolítica de la Cuenca del Río Ebro. Redes, Continuidades y Cambios. In: M. Borrell, F. Borrell, J. Bosch, X. Clop, M. Mplist (Eds.) *Xarxes Al Neolític. Circulació i Intercanvi de materies, productes i idees a la Mediterrànea occidental (VII-III mil.leni aC)*. Rubricatum, Gava, pp. 51-60.
- Morales, J.I., Oms, X. 2012. Las últimas evidencias mesolíticas del NE peninsular y el vacío pre-neolítico. *Xarxes al Neolitic. Rubricatum* 5, 35-42

- Nichol, C.R. 1989. Complex segregation analysis of dental morphological variants. *Am. J. Phys. Anthropol.* 78, 37-59. <https://doi.org/10.1002/ajpa.1330780106>
- Olalde, I. Schroeder, H., Sandoval-Velasco M., Vinner, L., Lobón, I., Ramirez, O., Civit, S., García Borja, P., Salazar-García, D.C., Talamo, S., Fullola, J.M., Oms, F.X., Pedro, M., Martínez, P., Sanz, M., Daura, J., Zilhão, J., Marçès-Bonet, T., Gilbert, M.T.P., Lalueza-Fox, C. 2015. A Common Genetic Origin for Early Farmers from Mediterranean Cardial and Central European LBK Cultures. *Mol. Biol. Evol.* 32, 3132-3142. <https://doi.org/10.1093/molbev/msv181>
- Olalde I. Brace S., Allentoft M.E., [...], Reich D. 2018. The Beaker phenomenon and the genomic transformation of northwest Europe. *Nature* 555, 190-196. <https://doi.org/10.1038/nature25738>
- Olalde, I., Mallick, S., Patterson, N., et al., 2019. The genomic history of the Iberian Peninsula over the past 8000 years. *Science* 363, 1230-1234. <https://doi.org/10.1126/science.aav4040>
- Oms, F.X., Esteve, X., Mestres, J., Martín, P., Martins, H. 2014. La neolitización del nordeste de la Península Ibérica: datos radiocarbónicos y culturales de los asentamientos al aire libre del Penedès. *Trab. Prehist.* 71 (1), 42-55. <https://doi.org/10.3989/tp.2014.12123>
- Oms, F.X., Martín, A., Esteve, X., Mestres, B., Subirà, M.E., Gibaja J.F. 2016. The Neolithic in Northeast Iberia: Chronological phases and ¹⁴C. *Radiocarbon* 58, 291-309. <https://doi.org/10.1017/RDC.2015.14>
- Oms, F.X., Daura, J., Sanz, J., Mendiola, S., Pedro, M., Martínez, P. 2017. First evidence of a collective human inhumation from the Cardial groups (Cova Bonica, Barcelona, NE Iberian Peninsula). *J. Field Archaeol.* 42, 43-53. <https://doi.org/10.1080/00934690.2016.1260407>
- Pascual, I., López-Onaindia, D., Gibaja, J.F. y Subirà M.E. 2018. La població neolítica barcelonina des de la morfologia dental. Dades de la població de la serralada prelitoral. *Cypsel* 21, 23-41.

- Paul, K.S., Stojanowski, C.M., Hughes, T.E., Brook, A.H., Townsend, G.C. 2020. Patterns of heritability across the human diphyodont dental complex: Crown morphology of Australian twins and families. *Am. J. Phys. Anthropol.* 172: 447-461. <https://doi.org/10.1002/ajpa.24019>
- Pedersen, P.O. 1949. The East Greenland Eskimo dentition. *Meddelelser on Gronland* 142, 1-244.
- Perrin, T., Chambon, P., Gibaja, J.F., Goude, G. 2016. *Le Chasséen, des Chasséens... Retour sur une culture nationale et ses parallèles, Sepulcres de fossa, Cortalloid, Lagozza*. Archives d'Écologie Préhistorique, Toulouse, 556 pp.
- Perrin, T., Manen, C., Valdeyron, N., Guilane, J. 2018. Beyond the sea... The Neolithic transition in the southwest of France. *Quat. Int.* 470, 318-332. <https://doi.org/10.1016/j.quaint.2017.05.027>
- Pétrequin, P., Errera, M., Martín, A., Fabregars, R., Vaquer J. 2012. Les haches en jades alpins pendant les V^e et IV^e millénaires. L'exemple de l'Espagne et du Portugal dans une perspective européenne. *Rubricatum* 5, 213-222.
- Pou, R., Martí, M., Jordana, X., Malgosa, A., Gibaja, J.F. 2010. L'enterrament del Neolític antic de la Plaça de la Vila de Madrid (Barcelona), una estructura funerària del VI^e mil·lenni aC. *Quarhis* 6, 94-107.
- Puişoru, M., Forma, N., Fătu, A.M., Fătu, R., Fătu, C. 2006. Analysis of mandibular variability in humans of different geographic areas. *Ann. Anat.* 188, 547-554. <https://doi.org/10.1016/j.aanat.2006.05.015>
- Rathmann, H., Reyes Centeno, H. 2020. Testing the utility of dental morphological trait combinations for inferring human neutral genetic variation. *Proc. Nat. Acad. Sci. USA* 117, 10769-10777. <https://doi.org/10.1073/pnas.1914330117>
- Remicourt, M., Andrieu-Ponel, V., Audibert, C., Baradat, A., Battentier, J., Blaise, É., Bonnardin, S., Caverne, J.-B., Fernandes, P., Furestier, R., Girard, B., Lachenal, T., Lepère, C., Locatelli, C., Martin, L., Parisot, N., Ponel, P., Pousset, D., Rué, M., Schmitt, A., Sénépart, I., Thirault, É. 2014. Les occupations pré- et protohistoriques du Clos de Roque à Saint-

- Maximin-la-Sainte-Baume dans le Var. In: I. Sénépart, F. Léandri, J. Cauliez, T. Perrin, É. Thirault (Dirs.). *Chronologie de la Préhistoire récente dans le Sud de la France – Actualité de la recherche, actes des 10e Rencontres Méridionales de Préhistoire Récente (Porticcio, 2012)*. Archives d'Ecologie Préhistorique. Toulouse, pp. 523-548.
- Ricaut, F.X., Waelkens, M. 2008. Cranial Discrete Traits in a Byzantine Population and Eastern Mediterranean Population Movements. *Hum. Biol.* 80, 535-564. <https://doi.org/10.3378/1534-6617-80.5.535>
- Rivollat, M., Jeong, C., Schiffels, S., Küçükkalıpcı, I., Pemonge, M.-H., Rohrlach, A.B., Alt, K.A., Binder, D., Friederich, S., Ghesquière, E., Gronenborn, D., Laporte, L., Lefranc, P., Meller, H., Réveillas, H., Rosenstock, E., Rottier, S., Scarre, C., Soler, L., Wahl, J., Krause, J., Deguilloux, M.-F., Haak, W. 2020. Ancient genome-wide DNA from France highlights the complexity of interactions between Mesolithic hunter-gatherers and Neolithic farmers. *Sci. Advan.* 6 (22), <https://doi.org/10.1126/sciadv.aaz5344>
- de la Rua, C., Izagirre, N., Alonso, S., Hervella, M. 2015. Ancient DNA in the Cantabrian fringe populations: A mtDNA study from Prehistory to Late Antiquity. *Quat. Inter.* 364, 306-311. <https://doi.org/10.1016/j.quaint.2015.01.035>
- Rubini, M. 1996. Biological Homogeneity and Familial Segregation in the Iron Age Population of Alfedena (Abruzzo, Italy), Based on Cranial Discrete Traits Analysis. *Int. J. Osteoarchaeol.* 6, 454-462. [https://doi.org/10.1002/\(SICI\)1099-1212\(199612\)6:5<454::AID-OA295>3.0.CO;2-R](https://doi.org/10.1002/(SICI)1099-1212(199612)6:5<454::AID-OA295>3.0.CO;2-R)
- Saña, M. 2013. Domestication of animals in the Iberian Peninsula. In: S. Colledge, J. Connolly, K. Dobney, K. Manning, S. Shennan (Eds.). *The Origins and Spread of Domestic Animals in Southwest Asia and Europe*. Left Coast Press, Inc., pp. 195-219.
- Sauzade, G. 1983. *Les Sépultures du Vaucluse, du Néolithique à l'Age du Bronze*. Laboratoire de Paléontologie humaine et de Préhistoire et Institut de Paléontologie humaine. Paris.

- Schmitt, A. 2008. La population Chasséenne du gisement du Crès (Hérault): caractéristiques métriques et anatomiques. *Bulls. Mém. Soc. Anthropol. Paris* 20, 105-124.
- Schmitt, A., Michel, J. 2016. Le traitement des défunts dans le midi de la France entre 4400 et 3500 avant notre ère. In: T. Perrin, P. Chambon, J.F. Gibaja, G. Goude (Dirs.). *Le Chasséen, des Chasséens... Retour sur une culture nationale et ses parallèles, Sepulcres de fossa, Cortalloid, Lagozza*. Archives d'Écologie Préhistorique. Toulouse, pp. 381-396.
- Schmitt A., Remicourt M., Baradat A. 2017. Les inhumations du site du Clos de Roque (Saint-Maximin-la-Sainte-Baume). *Bull. archéol. Provence* 38, 29-63.
- Schmitt A., Bizot B., Ollivier V., Canut V., Guendon J-L., Viel L. 2018. Un exemple inédit en Provence de sépulture collective du Néolithique récent/final: le site de Collet-Redon (Martigues). *Gallia Préhistoire* 58, 5-45.
- Schmitt A., van Willigen S., Vignaud A. *in press*. Les inhumations du Néolithique et de l'âge du Bronze du Rouergas (Saint-Gély-du-Fesc). *Bull. Soc. Préhist. française*.
- Shaw, J.C.M. 1931. *The Teeth, the Bony Palate, and the Mandible in the Bantu Races of South Africa*. Bale and Danielsson, London.
- Sjøvold, T. 1977. Non-metrical divergence between skeletal populations: the theoretical foundation and biological importance of C.A.B. Smith's mean measure of divergence. *Ossa* 4 (Suppl. 1), 1-133.
- Skrinjaric, T., Gorseta, K., Skrinjaric, I. Lobodontia: Genetic entity with specific pattern of dental dysmorphology. *Ann. Anat.* 203, 100-107. <https://doi.org/10.1016/j.aanat.2015.04.007>
- Smith, C.A.B. 1972. Coefficients of biological distance. *Annals Hum. Genet.* 36, 241-245.
- Subirà, M.E., López-Onaindia, D., Yll R. 2016. Cultural Changes in Funeral Rites During the Neolithic in the Northeast of the Iberian Peninsula? The Cave of Pantà de Foix (Barcelona). *Int. J. Osteoarchaeol.* 26, 104-113. <https://doi.org/10.1002/oa.2400>
- Szécsény-Nagi, A., Roth, C., Brandt, G., Rihuete-Herrada, C., Tejedor-Rodríguez, C., Held, P., García-Martínez-de-Lagrán, I., Arcusa-Magallón, H., Zesch, S., Knipper, C., Bánffy, E.,

Friederich, S., Meller, H., Bueno-Ramírez, P., Barroso-Bermejo, R., de Balbín-Behrmann, R., Herrero-Corral, A.M., Flores-Fernández, R., Alonso-Fernández, C., Jiménez-Echevarria, J., Rindlisbacher, L., Oliart, C., Fregeiro, M.I., Soriano, I., Vicente, O., Micó, R., Lull, V., Soler-Díaz, J., López-Padilla, J.A., Roca de Togores-Muñoz, C., Hernández-Pérez, M.S., Jover-Maestre, F.J., Lomba-Maurandi, J., Avilés-Fernández, A., Lillios, K.T., Silva, A.M., Magalhães-Ramalho, M., Oosterbeek, L.M., Cunha, C., Waterman, A.J., Roig-Buxó, J., Martínez, A., Ponce-Martínez, J., Hunt-Ortiz, M., Mejías-García, J.C., Pecero-Espín, J.C., Cruz-Auñón-Briones, R., Tomé, T., Carmona-Ballester, E., Cardoso, J.L., Araújo, A.C., Liesau von Lettow-Vorbeck, C., Blasco-Bosqued, C., Ríos-Mendoza, P., Pujante, A., Royo-Guillén, J.I., Esquembre-Beviá, M.A., Dos Santos Goncalves, V.M., Parreira, R., Morán-Hernández, E., Méndez-Izquierdo, E., Vega de Miguel, J., Mendiña-García, R., Martínez-Calvo, V., López-Jiménez, O., Krause, J., Pichler, S.L., Garrido-Pena, R., Kunst, M., Risch, R., Rojo-Guerra, M.A., Haak, W., Alt, K.W. 2017. The maternal genetic make-up of the Iberian Peninsula between the Neolithic and Early Bronze Age. *Sci. Rep.* 7, 15644. <https://doi.org/10.1038/s41598-017-15480-9>

Tarriño, A., Terradas, X. 2013. Materias primas líticas. In: García-Díez M., Zapata L. (Eds.) *Métodos y Técnicas de análisis y estudio en arqueología prehistórica. De lo técnico a la reconstrucción de grupos humanos*. Euskal Herriko Unibertsitatea (UPV/EHU), Vitoria/Gasteiz, pp. 439-452.

Tchéremissinoff, Y., Martin, H., Texier, M., Vaquer, J. 2005. Les sépultures chasséennes du site de Narbons à Montesquieu-de-Lauragais (Haute-Garonne). *Gallia Préhistoire* 47, 1-32.

Terradas, X., Antolín, F., Bosch, A., Buxò, R., Chinchilla, J., Clop, X., Gibaja, J.F., Oliva, M., Palomo, A., Piqué, R., Saña, M., Tarrús, J. 2011. Áreas de aprovisionamiento, territorios de subsistencia y producciones técnicas en el Neolítico Antiguo de La Draga. *Rubricatum* 5, 441-448.

- Terradas, X., Grautze, B., Bosch, J., Enrich, R., Esteve, X., Oms, F.X., Ribé G. 2014. Neolithic diffusion of obsidian in the western Mediterranean: new data from Iberia. *J. Archaeol. Sci.* 41, 69-78. <https://doi.org/10.1016/j.jas.2013.07.023>
- Terradas, X., Gibaja, J.F., Borrell, F., Bosch, J., Palomo A. 2016. Des réseaux d'échanges entre les vallées du Rhône et de l'Èbre: un point de vue du nord-est de la péninsule Ibérique. In: T. Perrin, P. Chambon, J.F. Gibaja, G. Goude (Dir.), *Le Chasséen, des Chasséens... Retour sur une culture nationale et ses parallèles, Sepulcres de fossa, Cortalloid, Lagozza*. Archives d'Écologie Préhistorique. Toulouse, pp. 191-202.
- Turner, C.G. II. 1985. Expression count: a method for calculating morphological dental trait frequencies by using adjustable weighting coefficients. *Am. J. Phys. Anthropol.* 68, 263-268. <https://doi.org/10.1002/ajpa.1330680213>
- Turner, C.G. II. 1987. Late Pleistocene and Holocene population history of East Asia based on dental variation. *Am. J. Phys. Anthropol.* 73, 305-322. <https://doi.org/10.1002/ajpa.1330730304>
- Turner, C.G. II., Nichol, C.R., Scott G.R. 1991. Scoring Procedures for Key Morphological Traits of the Permanent Dentition: The Arizona State University Dental Anthropology System. In: M.A. Kelley (Ed.). *Advances in Dental Anthropology*. Wiley-Liss. New York, pp. 13-31.
- Valentin, F., Donat, R., Claustre, F. 2003. La gestion de l'espace sépulcral Néolithique moyen de la grotte de Montou (Pyrénées-orientales): un essai d'interprétation. *Bull. Soc. Préhist. Française* 23, 301-314.
- Van Willigen, S., Brochier, J.-E., Renault, S., Sargiano, J.-P. 2014. Chronologie relative et chronologie absolue du Néolithique moyen dans le sud-est de la France: l'apport de l'analyse des données et de la modélisation chronologique bayésienne. In : I. Sénépart, F. Léandri, J. Cauliez, T. Perrin, É. Thirault (Dir.). *Chronologie de la Préhistoire récente dans le Sud de la France, actes des 10e rencontres méridionales de Préhistoire récente (Porticcio, 2012)*. Archives d'Écologie Préhistorique. Toulouse, pp. 63-74.

- Vaquer, J., Castany, J., Martín, A. 2011. Le rôle du silex bédoulien du Vaucluse dans la compréhension de la chronologie et des relations culturelles du Néolithique moyen solsonien. In: *Darreres investigacions al Pre-pirineu lleidatà 2009-2011*. Grup de Prehistòria del Solsonès Solsona: 35-46.
- Vargiu, R., Cucina, A., Coppa, A. 2009. Italian populations during the Copper Age: assessment of biological affinities through morphological dental traits. *Hum. Biol.* 81, 479-493. <https://doi.org/10.3378/027.081.0406>
- Vicent, J.M. 1997. The Island Filter Model revisited. In: M.S. Balmuth, A. Gilman, L. Prados (Eds.). *Encounters and transformations. The Archaeology of Iberia in Transition*, Monographs in Mediterranean Archaeology 7, Sheffield Academic Press, Sheffield, pp 1-13.
- Vignaud, A., Raux, D. 1997. *Intervention Archéologique Saint Gély-Du-Fesc "Le Rouergas" (Hérault)*. Association pour les Fouilles Archéologiques Nationales Antenne Méditerranée. Service Régional d'Archéologie du Languedoc Rousillon. Montpellier.
- Villalba, M.J. 1999: Las sepulturas neolíticas del complejo de Can Tintorer y el modelo social de la población minera. *Revista d'Arqueologia de Ponent* 9, 41-73.
- Villalba, M.J., Bañolas, L., Arenas, J., Alonso, M. 1986. *Les mines neolítiques de Can Tintorer (Gavà). Excavacions 1978-1980*. Barcelona: Generalitat de Catalunya (Excavacions arqueològiques a Catalunya 6).
- Villalba-Mouco, V., van de Loosdrecht, M.S., Posth, C., Mora, R., Martínez-Moreno, J., Rojo-Guerra, M., Salazar-García, D.C., Royo-Guillén, J.I., Kunst, M., Rougier, H., Crevecoeur, I., Arcusa-Magallón, H., Tejedor-Rodríguez, C., García-Martínez de Lagrán, I., Garrido-Pena, R., Alt, K., Jeong, C., Schiffels, S., Utrilla, P., Krause, J., Haak, W. 2019. Survival of Late Pleistocene Hunter-Gatherer Ancestry in the Iberian Peninsula. *Curr. Biol.* 29, 1169-1177.e7. <https://doi.org/10.1016/j.cub.2019.02.006>
- Zilhão, J. 1997. Maritime pioneer colonization in the Early Neolithic of the West Mediterranean. Testing the model against the evidence. *Documenta Praehistorica* 24, 19-42.