



HAL
open science

Mantle flow and deforming continents, insights from the Tethys realm

Laurent Jolivet, Claudio Faccenna, Thorsten Becker, Magdala Tesauro

► To cite this version:

Laurent Jolivet, Claudio Faccenna, Thorsten Becker, Magdala Tesauro. Mantle flow and deforming continents, insights from the Tethys realm. 19th EGU General Assembly, 2017, Vienne, Austria. pp.4131. hal-03552761

HAL Id: hal-03552761

<https://hal.science/hal-03552761>

Submitted on 2 Feb 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License



Mantle flow and deforming continents, insights from the Tethys realm

Laurent Jolivet (1), Claudio Faccenna (2), Thorsten Becker (3), and Magdala Tesauero (4)

(1) ISTO, Université d'Orléans, Orléans, France (laurent.jolivet@univ-orleans.fr), (2) Dipartimento Scienze, Università Roma Tre, Roma, Italy (faccenna@uniroma3.it), (3) Jackson School of Geosciences, UT Austin, USA (twb@ig.utexas.edu), (4) Dipartimento di Matematica e Geoscienze, Università degli Studi di Trieste, Italy (mtesauero@units.it)

Continent deformation is partly a consequence of plate motion along plate boundaries. Whether underlying asthenospheric flow can also deform continents through basal shear or push on topographic irregularities of the base of the lithosphere is an open question. Eurasia has been extending at different scales since 50 Ma, from the Mediterranean back-arc domains to extension of Asia between the India-Asia collision zone and the Pacific subduction zones. While compression at plate margins, in subduction or collision zones can propagate far within continents, the mechanism explaining extension distributed over thousands of kilometres is unclear. We use trajectories of continental plates and continental fragments since 50 Ma in different kinematic frames and compare them with various proxies of asthenospheric flow such as seismic anisotropy at various depths. These trajectories partly fit sub-lithospheric seismic anisotropy with two main circulations, one carrying Africa and Eurasia away from the large low velocity anomaly (LLSVP) underlying South and West Africa and one carrying the Pacific plate away from the LLSVP underlying the southern Pacific. Under eastern Eurasia the flow converges with the Pacific flow and distributed extension affects eastern Asia all the way to Western Pacific back-arc basins. We speculate that the flow carrying India northward and Eurasia eastward has invaded the Pacific domain and caused this widely distributed extension that interferes with the strike-slip faults issued from the Himalaya-Tibet collision zone. This model is in line with earlier propositions based on geochemical proxies. We discuss this model and compare it to other widely distributed extensional deformation episodes such as the Early Cretaceous extension of Africa and lastly propose a scheme of large-scale continental deformation in relation to underlying mantle convection at different scales.