



Dominica: transcrustal magmatic system and eruptive halogen budgets

Thiebaut d'Augustin, Hélène Balcone-Boissard, Georges Boudon, Caroline Martel, Etienne Deloule, Pierre Bürckel

► To cite this version:

Thiebaut d'Augustin, Hélène Balcone-Boissard, Georges Boudon, Caroline Martel, Etienne Deloule, et al.. Dominica: transcrustal magmatic system and eruptive halogen budgets. EGU General Assembly 2020, May 2020, Online, France. 10.5194/egusphere-egu2020-13591 . hal-03554409

HAL Id: hal-03554409

<https://hal.science/hal-03554409>

Submitted on 4 Feb 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

EGU2020-13591

<https://doi.org/10.5194/egusphere-egu2020-13591>

EGU General Assembly 2020

© Author(s) 2022. This work is distributed under
the Creative Commons Attribution 4.0 License.



Dominica: transcrustal magmatic system and eruptive halogen budgets

Thiebaut d'Augustin¹, Hélène Balcone-Boissard¹, Georges Boudon², Caroline Martel³, Etienne Deloule⁴, and Pierre Bürckel²

¹Sorbonne Université, Institut des Sciences de la Terre de Paris (UMR 7193), France (thiebaut.daugustin@sorbonne-universite.fr)

²Institut de Physique du Globe de Paris (IPGP), CNRS, Université de Paris

³Institut des Sciences de la Terre d'Orléans (ISTO), UMR 7327, Université d'Orléans-CNRS/INSU- BRGM

⁴CRPG, UMR 5873 CNRS-Université de Lorraine

Dominica island experienced the largest explosive eruptions (ignimbrites) of the Lesser Antilles arc. The recent revised chronostratigraphy of the Morne Trois Pitons – Micotrin eruptive activity evidenced a series of plinian eruptions that occurred between 18 ka and 9 ka BP. Here we focus on these recent eruptions in order to determine the magma storage conditions at depth and volatile degassing budget. Volatile concentrations (H_2O , CO_2) in melt inclusions indicate storage conditions of 200 MPa (~6-8 km deep) and 860-880°C in agreement with experimental constraints from phase-equilibrium data. The magmas were thus stored shallower than those involved during the ignimbritic eruptions (~16 km deep). Magma composition and halogen ratios suggest a common magma origin for all eruptions of Morne Trois Pitons Micotrin volcano in the last 60 kyrs. In addition, for the first time, a complete degassing budget including H_2O , CO_2 , SO_2 , F, Cl, and Br has been established for all these explosive eruptions. The estimation of their eruptive fluxes towards the atmosphere supports the potential important role of halogen elements in the modification of atmosphere chemistry. Br degassing budget was the same order of magnitude as S whereas F and Cl budgets were 1 and 2 orders of magnitude higher than these two species.