

Assessing the heteroaggregation of manufactured nanoparticles with naturally occurring colloids in a typical surface water

Danielle L Slomberg, J Labille, A Praetorius, C Harns, J-y Bottero, P Ollivier, M Scheringer, N Sani-Kast, S Ilina, J Brant

▶ To cite this version:

Danielle L Slomberg, J Labille, A Praetorius, C Harns, J-y Bottero, et al.. Assessing the heteroaggregation of manufactured nanoparticles with naturally occurring colloids in a typical surface water. SETAC Europe 26th Annual Meeting, May 2016, Nantes, France. hal-03572358

HAL Id: hal-03572358 https://hal.science/hal-03572358

Submitted on 14 Feb 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Assessing the heteroaggregation of manufactured nanoparticles with naturally occurring colloids in a typical surface water

D. Slomberg¹, J. Labille¹, A. Praetorius², C. Harns³, J-Y. Bottero¹, P. Ollivier⁴, M. Scheringer², N. Sani-Kast², S. Ilina⁴, J. Brant³

 ¹Labex Serenade, CEREGE, Aix-Marseille Université, BP80, 13545 Aix en Provence cedex 4, France ²Institute for Chemical and Bioengineering, ETH Zurich, 8093 Zurich, Switzerland
³University of Wyoming, Department of Civil and Architectural Engineering, 1000 E. University Avenue, Laramie, WY 82071, USA
⁴BRGM, UMR 7327, BP 36009, 45060 Orléans, France E-mail contact: labille@cerege.fr

1. Introduction

To assess the risk posed by nanotechnology-enabled products, it is necessary to consider the likelihood of engineered nanoparticle exposure through aqueous media, as it is a receptacle of these materials throughout their lifecycle. Many factors influence the balance between nanoparticle dispersion/transport and aggregation/deposition in aqueous systems, both environmental and intrinsic to the nanoparticles themselves. The predicted concentrations of engineered nanoparticles in surface water systems are expected in the µg/L level for nano-TiO₂, and even lower for many other types such as nano-ZnO and nano-Ag. Consequently, in real aquatic systems, the probability that nanoparticles interact with each other may be lower relative to their collision frequency with naturally occurring colloids that are present at substantially higher concentrations. Suspended particulate matter (SPM) in surface water indeed ranges from a few mg/L in a river with low discharge to tens of g/L during flood conditions. Due to the high specific surface area and reactivity of colloids, they may act as a carrier phase in the water column and strongly affect the fate and transport of nanoparticles via the heteroaggregation process.

Thus, fate models aimed at predicting nanoparticle behaviour and concentration profiles at the river scale must account for heteroaggregation. A nanoparticle-colloid sticking efficiency, independent of nanoparticle or colloid concentrations and only dependent on the solution chemistry, here after called α_{hetero} , is well suited as an input for such fate models. However, α_{hetero} remains a challenge to determine experimentally.

Here, we present a novel method for determining α_{hetero} values at environmentally relevant nanoparticle concentrations by using a combination of laser diffraction measurements and aggregation modeling based on the Smoluchowski equation. Interactions between titanium dioxide nanoparticles (TiO₂ NPs, 15 nm) and different types of larger mineral colloids were used to demonstrate this new approach.

2. Materials and methods

In this work, we developed a mechanistic experimental approach based on laser diffraction that enabled the measurement of heteroaggregation kinetics for TiO_2 nanoparticles and micrometric colloids. The objective was to elucidate the fundamental mechanisms and to identify the key variables governing the evolution of homo- and heteroaggregation kinetics for the colloids and nanoparticles. This was done at low nanoparticle concentrations (0.1 to 4 mg/L) with regard to the colloid occurrence (100 mg/L) to develop realistic fate scenarios for surface water systems. The impact of pH and natural organic matter on nanoparticle heteroaggregation was also explored.

Silica microspheres (dia. = 0.5μ m) were first used as a model analog of natural colloids. Heteroaggregation was evaluated as a function of water salinity (10^{-3} and 10^{-1} M NaCl), pH (5 and 8), and nanoparticle concentration.

In a second step, because natural colloids are rarely monodisperse suspensions of homogenous composition and surface charge like the silica microspheres, smectite clay was used as a more relevant analog of natural colloids. Smectite exhibits a lamellar shape and a heterogeneous surface charge. The effect of the initial aggregation state of the clay was studied by adjusting the solution ionic strength. Preparation in 10^{-3} M NaCl lead to dispersed colloids with lamellar shape and high specific surface area, whereas preparation in 10^{-1} M NaCl lead to the clay being homoaggregated in large and rather spherical units with low surface area.

Finally, to validate this mechanistic approach, a holistic approach was also completed with natural surface water sampled on-field from the Rhone River (France). The suspended particulate and dissolved matter naturally occurring in this water were characterised, and the heteroaggregation of TiO_2 nanoparticles spiked into the system was measured and modeled at varied SPM and nanoparticle concentrations.

3. Results and discussion

3.1. Heteroaggregation of nano-TiO₂ with silica colloids

We demonstrated that α_{hetero} could be determined from the combination of laser diffraction experiments and an aggregation model, using the surface area ratio of nanoparticles attached to the colloids due to the fact that this ratio drives the probability that nanoparticles bridge the colliding colloids [1].

At pH 5, the TiO₂ NPs and the SiO₂ particles are of opposite charge, resulting in α_{hetero} values close to 1. At pH 8, where all the particles are negatively charged, α_{hetero} was strongly affected by the solution conditions, with α_{hetero} ranging from <0.001 at low ionic strength to 1 at conditions with high NaCl or CaCl₂ concentrations. The presence of humic acid stabilised the system against heteroaggregation.

3.2. Heteroaggregation of nano-TiO₂ with smectite

The TiO₂ nanoparticle affinity for clay is driven by electrostatic interactions. Opposite surface charges and/or high ionic strength favoured the formation of heteroaggregates via the attachment of nanoparticles to the clay. The initial shape and dispersion state of the clay as well as the nanoparticle/clay concentration ratio also affected the nature of the heteroaggregation mechanism. With dispersed clay platelets (10^{-3} M NaCl), larger heteroaggregation, driven by bridging nanoparticles, occured at a nanoparticle/clay number ratio > 0.5. In 10^{-1} M NaCl, the clay was pre-aggregated into larger and more spherical units. This favoured larger heteroaggregation at lower nanoparticle concentrations that correlated to the nanoparticle/clay surface area ratio. In this latter case, a nanoparticle to clay sticking efficiency could be determined. Similar to the silica-TiO₂ system, the presence of humic acid also exhibited a stabilising effect on the clay-TiO₂ system.

3.3. Heteroaggregation of nano-TiO₂ with natural river colloids

The TiO_2 nanoparticles demonstrated a significant affinity for the mineral SPM, with rapid heteroaggregation and subsequent sedimentation of the resulting aggregates. This mechanism was heavily dependent on the nanoparticle/SPM number ratio. The mineralogical characterisation of the SPM heteroaggregated with the nanoparticles suggested that the efficiency for SPM to bind with nanoparticles is driven more by the probability of collision than by the sticking efficiency.

4. Conclusions

Our data show that at relevant concentrations, nanoparticle behaviour is mainly driven by heteroaggregation with colloids, while homoaggregation remains negligible. The dimensionless α_{hetero} value is a key parameter needed to feed environmental fate models and was calculated in this work with model and natural colloids under defined conditions. These considerations are of high importance in the field of risk assessment of engineered nanoparticles, as they contribute to better predict the exposure aspect in aqueous systems with continuously increasing relevance.

5. References

[1] Praetorius A. et al. 2014. Heteroaggregation of titanium dioxide nanoparticles with model natural colloids under environmentally relevant conditions. Environ. Sci. Technol. 48, 10690-10698

[2] Labille J. et al. 2015. Heteroaggregation of titanium dioxide nanoparticles with natural clay colloids. Environ. Sci. Technol. 49, 11, 6608–6616

[3] Slomberg D. et al. Revised. Characterization of suspended particulate matter in the Rhône

River: Insights into selecting surface water analogues, Environmental Chemistry

[4] Sani-Kast N. et al. 2015. Addressing the Complexity of Water Chemistry in Environmental

Fate Modeling for Enginered Nanoparticles, Science of the Total Environment. 535, 150-159

Acknowledgement - This work was funded by the French National Research Agency as NANOHETER program under the frame of SIINN, the ERA-NET for a Safe Implementation of Innovative Nanoscience and Nanotechnology, and the Environmental Research and Educational Foundation (EREF). The France – U.S. bridge was funded by the Partner University Fund Program (PUF) "Mechanistic Assessment of Manufactured Nanomaterial Behavior in Engineered Environments". http://nanoheter.cerege.fr