

Supporting Information

Metallogels from Glycolipid Biosurfactant

Alexandre Poirier,^a Patrick Le Griet,^a Javier Perez,^b Daniel Hermida-Merino,^c Petra Pernot,^d Niki Baccile,^{a,*}

^a Sorbonne Université, Laboratoire de Chimie de la Matière Condensée de Paris (LCMCP), UMR CNRS 7574, 4 place Jussieu, Paris, F-75005, France

^b Synchrotron SOLEIL, L'Orme des Merisiers Saint-Aubin, BP 48 91192 Gif-sur-Yvette Cedex, France

^c Netherlands Organisation for Scientific Research (NWO), DUBBLE@ESRF BP CS40220, 38043 Grenoble, France

^d ESRF – The European Synchrotron, CS40220, 38043 Grenoble, France

Table S 1 – List of polymers, peptides, peptide-derivatives, low-molecular weight gelators (LMWG), lipids, surfactants and biosurfactants in their interaction with metal salts. The type of phase is given as well as the discussion on the speciation of the metal ion.

Polymers				
Molecule	Cation(s)	Phase(s)	Speciation of metal ion discussed	References
Polymers (polygalacturonate)	Mg ²⁺ , Ca ²⁺ , Ba ²⁺ , Zn ²⁺ , Fe ²⁺	Fibrous gel	Yes	(1–4)
Polymer (A-PEG-His)	Co ²⁺	Gel phase	Yes	(5)
Low molecular weight (CTV, CTG)	Cu ²⁺ , Ag ⁺	Fibrous gel	No	(6)
Polymer based (alginate, SiO ₂)	Al ³⁺	Fibrous gel	No	(7)
Polymer (PNIPAM)	Cu ²⁺	Fibrous gel	No	(8)
Polymer (saccharide)	Mg ²⁺ , Ca ²⁺	Fibrous gel	No	(9)
Colloids (cellulose nanocrystal)	Na ⁺ , K ⁺ , Mg ²⁺ , Ca ²⁺	Fibrous gel	No	(10)
Peptides, Peptide derivatives and LMWG				
Peptides (marino bactine)	Fe ³⁺	Micelles to vesicles	No	(11)
			Yes	(12,13)
Peptide (Histidine)	Zn ²⁺	Fibrous gel	Yes	(14)
LMW	Pb ²⁺	Micelles to fibers	Yes	(15)
Peptide (N'FF)	Ca ²⁺	Micelle to fibers	No	(16)
Peptide based (oSt(His) ₆)	Ni ²⁺ , Cd ²⁺	Micelles	No	(17)
	Co ²⁺ , Cu ²⁺	Aggregated micelles	No	
	Mn ²⁺	Multilamellar Vesicles	No	
Peptide based	K ⁺ , Ca ²⁺	Fibrous gel	No	(16,18–21)
Peptide based (LysTPY)	Al ³⁺ , Pb ²⁺ , Zn ²⁺ , Tb ³⁺ , Bi ³⁺	Fibrous/sheets gel	No	(22)
Peptide based (FmocFF)	Na ⁺ , K ⁺ , Zn ²⁺ , Cu ²⁺ , Fe ³⁺ , Al ³⁺	β-sheet, random coil, helix	No	(23)
Bile salt	Ag ⁺	Fibers	No	(24)
Surfactants, Lipids and Biosurfactants				
Surfactant (SDS)	Al ³⁺ , Na ⁺ , Ca ²⁺	Micelles to elongated micelles and aggregates	No	(25–27)
	Na ⁺ , Al ³⁺ , Ca ²⁺ , Fe ²⁺	Micelles to aggregates, lamellar, vesicles, wormlike	Yes	(27–32)
Surfactant (DDBS, DDS)	Al ³⁺	Micelles to aggregates	Yes	(33)
surfactant (iso-stearic acid)	Ca ²⁺	Micelles to oil phase	No	(34)
Surfactant (SLES)	Al ³⁺	Micelles to lamellae	No	(35)
Surfactant (SDUC)	Cu ²⁺	Micelles to vesicles	No	(36)
Surfactant (SLE _{(1–3)S})	Al ³⁺	Micelle to lamellar	No	(35,37)
Surfactant (SDE ₂ S)	Na ⁺ , Ca ²⁺ , Al ³⁺	Spherical to cylindrical micelles	No	(38)
Surfactant (SDS/TPS)	Na ⁺ , Mg ²⁺ , Zn ²⁺ , and Al ³⁺	Spherical to wormlike micelles	No	(39)
Surfactant (SDP2S)	Al ³⁺ , Ca ²⁺	Spherical to wormlike micelles	No	(40–42)

Surfactant (DoBS)	Na^+ , K^+ , Li^+ , Cs^+ , Ca^{2+}	Micelles to lamellar, hexagonal	No	(43)
Lipids (DLPC)	Ca^{2+}	Lamellar phase	No	(44)
Lipids (DLPS, DOPS)	Na^+	Lamellar to crystal phase	No	(45)
Biosurfactant (rhamnolipids)	Ca^{2+}	Micelles to lamellar	No	(46)
Biosurfactant (surfactin)	K^+ , Li^+ , Ca^{2+} , Ba^{2+}	Micelles to rod to lamellar	No	(47)
Biosurfactant (rhamnolipids)	Cu^{2+} , Zn^{2+} , Ni^{2+}	Micelles, vesicles, large structures	No	(48)

1. Maire du Poset A, Zitolo A, Cousin F, Assifaoui A, Lerbret A. Evidence for an egg-box-like structure in iron(II)-polygalacturonate hydrogels: a combined EXAFS and molecular dynamics simulation study. *Phys Chem Chem Phys.* 2019;2019-Novem.
2. Maire Du Poset A, Lerbret A, Boué F, Zitolo A, Assifaoui A, Cousin F. Tuning the Structure of Galacturonate Hydrogels: External Gelation by Ca, Zn, or Fe Cationic Cross-Linkers. *Biomacromolecules.* 2019;20(7):2864–72.
3. Huynh UTD, Lerbret A, Neiers F, Chambin O, Assifaoui A. Binding of Divalent Cations to Polygalacturonate: A Mechanism Driven by the Hydration Water. *J Phys Chem B.* 2016;120(5):1021–32.
4. Assifaoui A, Lerbret A, Uyen HTD, Neiers F, Chambin O, Loupiac C, et al. Structural behaviour differences in low methoxy pectin solutions in the presence of divalent cations (Ca^{2+} and Zn^{2+}): A process driven by the binding mechanism of the cation with the galacturonate unit. *Soft Matter.* 2015;11(3):551–60.
5. Wegner S V., Schenk FC, Witzel S, Bialas F, Spatz JP. Cobalt Cross-Linked Redox-Responsive PEG Hydrogels: From Viscoelastic Liquids to Elastic Solids. *Macromolecules.* 2016;49(11):4229–35.
6. Westcott A, Sumby CJ, Walshaw RD, Hardie MJ. Metallo-gels and organo-gels with tripodal cyclotrimerylene-type and 1,3,5-substituted benzene-type ligands. *New J Chem.* 2009;33(4):902–12.
7. Si Y, Wang L, Wang X, Tang N, Yu J, Ding B. Ultrahigh-Water-Content, Superelastic, and Shape-Memory Nanofiber-Assembled Hydrogels Exhibiting Pressure-Responsive Conductivity. *Adv Mater.* 2017;29(24):1–7.
8. Cheng J, Shan G, Pan P. Triple Stimuli-Responsive N-Isopropylacrylamide Copolymer toward Metal Ion Recognition and Adsorption via a Thermally Induced Sol-Gel Transition. *Ind Eng Chem Res.* 2017;56(5):1223–32.
9. Diener M, Adamcik J, Bergfreund J, Catalini S, Fischer P, Mezzenga R. Rigid, Fibrillar Quaternary Structures Induced by Divalent Ions in a Carboxylated Linear Polysaccharide. *ACS Macro Lett.* 2020;9(1):115–21.
10. Bertsch P, Isabettini S, Fischer P. Ion-Induced Hydrogel Formation and Nematic Ordering of Nanocrystalline Cellulose Suspensions. *Biomacromolecules.* 2017;18(12):4060–6.
11. Martinez JS, Zhang GP, Holt PD, Jung H-T. Self -Assembling Amphiphilic Siderophores from Marine Bacteria. *Science (80-).* 2000;287(February):1245–7.
12. Bednarova L, Brandel J, Du Moulinet D'Hardemare A, Bednar J, Serratrice G, Pierre JL. Vesicles

- to concentrate iron in low-iron media: An attempt to mimic marine siderophores. *Chem - A Eur J.* 2008;14(12):3680–6.
13. Owen T, Butler A. Metallosurfactants of bioinorganic interest: Coordination-induced self assembly. *Coord Chem Rev.* 2011;255(7–8):678–87.
 14. Sharma B, Singh A, Sarma TK, Sardana N, Pal A. Chirality control of multi-stimuli responsive and self-healing supramolecular metallo-hydrogels. *New J Chem.* 2018;42(8):6427–32.
 15. Wei T, Dang J, Lin Q, Yao H, Liu Y, Zhang W, et al. Novel smart supramolecular metallo-hydrogel that could selectively recognize and effectively remove Pb²⁺ in aqueous solution. *Sci China Chem.* 2012;55(12):2554–61.
 16. Shi J, Gao Y, Zhang Y, Pan Y, Xu B. Calcium ions to cross-link supramolecular nanofibers to tune the elasticity of hydrogels over orders of magnitude. *Langmuir.* 2011;27(23):14425–31.
 17. Knight AS, Larsson J, Ren JM, Bou Zerdan R, Seguin S, Vrahas R, et al. Control of Amphiphile Self-Assembly via Bioinspired Metal Ion Coordination. *J Am Chem Soc.* 2018;140(4):1409–14.
 18. Chen L, McDonald TO, Adams DJ. Salt-induced hydrogels from functionalised-dipeptides. *RSC Adv.* 2013;3(23):8714–20.
 19. Zhou XR, Ge R, Luo SZ. Self-assembly of pH and calcium dual-responsive peptide-amphiphilic hydrogel. *J Pept Sci.* 2013;19(12):737–44.
 20. Xie Y, Zhao J, Huang R, Qi W, Wang Y, Su R, et al. Calcium-Ion-Triggered Co-assembly of Peptide and Polysaccharide into a Hybrid Hydrogel for Drug Delivery. *Nanoscale Res Lett.* 2016;11(1).
 21. Greenfield MA, Hoffman JR, De La Cruz MO, Stupp SI. Tunable mechanics of peptide nanofiber gels. *Langmuir.* 2010;26(5):3641–7.
 22. Guo J, Li Y, Zhang Y, Ren J, Yu X, Cao X. Switchable Supramolecular Configurations of Al³⁺/LysTPY Coordination Polymers in a Hydrogel Network Controlled by Ultrasound and Heat. *ACS Appl Mater Interfaces.* 2021;13(33):40079–87.
 23. Ji W, Yuan C, Zilberzwige-Tal S, Xing R, Chakraborty P, Tao K, et al. Metal-Ion Modulated Structural Transformation of Amyloid-Like Dipeptide Supramolecular Self-Assembly. *ACS Nano.* 2019;
 24. Kim J, Park CH, Kim SH, Yoon S, Piao L. Mechanism of organogel formation from mixed-ligand silver (I) carboxylates. *Bull Korean Chem Soc.* 2011;32(9):3267–73.
 25. Sammalkorpi M, Karttunen M, Haataja M. Ionic surfactant aggregates in saline solutions: Sodium dodecyl sulfate (SDS) in the presence of excess sodium chloride (NaCl) or calcium chloride (CaCl₂). *J Phys Chem B.* 2009;113(17):5863–70.
 26. Stellner KL, Scamehorn JF. Hardness Tolerance of Anionic Surfactant Solutions. 2. Effect of Added Nonionic Surfactant. *Langmuir.* 1989;5(1):77–84.
 27. Paton P, Talens-Alesson FI. Effect of pH on the Flocculation of SDS micelles by Al³⁺. *Colloid Polym Sci.* 2001;279(2):196–9.
 28. Jian-Xiao L V., Dong W, Ji-Ti Z. Interaction mechanisms between anionic surfactant micelles and different metal ions in aqueous solutions. *J Dispers Sci Technol.* 2006;27(8):1073–7.
 29. Angelescu D, Calderaru H, Khan A. Some observations on the effect of the trivalent counterion Al³⁺ to the self-assembly of sodium dodecyl sulphate in water. *Colloids Surfaces A Physicochem Eng Asp.* 2004;245(1–3):49–60.

30. Vasilescu M, Angelescu D, Calderaru H, Almgren M, Khan A. Fluorescence study on the size and shape of sodium dodecyl sulphate-aluminium salt micelles. *Colloids Surfaces A Physicochem Eng Asp.* 2004;235(1–3):57–64.
31. Paton-Morales P, Talens-Alesson FI. Effect of Competitive Adsorption of Zn²⁺ on the. *Langmuir.* 2002;18(2):8295–301.
32. Paton-Morales P, Talens-alesson FI. Na⁺ on the Flocculation of Lauryl Sulfate Micelles. *Langmuir.* 2001;20(13):6059–64.
33. Somasundaran P, Ananthapadmanabhar KP, Celik MS. Precipitation-Redissolution Phenomena in Sulfonate-AlCl₃ Solutions. *Langmuir.* 1988;4(4):1061–3.
34. Yamamoto Y, Kakehashi R, Aramaki K, Nonomura Y. Phase Transitions of Branched Fatty-Acid Calcium Salt/Water Systems. *J Surfactants Deterg.* 2019;22(1):131–6.
35. Xu H, Penfold J, Thomas RK, Petkov JT, Tucker I, Grillo I, et al. Impact of AlCl₃ on the self-assembly of the anionic surfactant sodium polyethylene glycol monoalkyl ether sulfate in aqueous solution. *Langmuir.* 2013;29(44):13359–66.
36. Huang X, Cao M, Wang J, Wang Y. Controllable organization of a carboxylic acid type gemini surfactant at different pH values by adding copper(II) ions. *J Phys Chem B.* 2006;110(39):19479–86.
37. Petkov JT, Tucker IM, Penfold J, Thomas RK, Petsev DN, Dong CC, et al. The impact of multivalent counterions, Al³⁺, on the surface adsorption and self-assembly of the anionic surfactant alkylxyethylene sulfate and anionic/nonionic surfactant mixtures. *Langmuir [Internet].* 2010 Nov 16 [cited 2013 May 27];26(22):16699–709. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20919688>
38. Srinivasan V, Blankschtein D. Effect of Counterion Binding on Micellar Solution Behavior: 2. Prediction of Micellar Solution Properties of Ionic Surfactant-Electrolyte Systems. *Langmuir.* 2003;19:9946–61.
39. Qiao Y, Lin Y, Wang Y, Li Z, Huang J. Metal-driven viscoelastic wormlike micelle in anionic/zwitterionic surfactant systems and template-directed synthesis of dendritic silver nanostructures. *Langmuir.* 2011;27(5):1718–23.
40. Alargova RG, Danov KD, Kralchevsky PA, Broze G, Mehreteab A. Growth of giant rodlike micelles of ionic surfactant in the presence of Al³⁺ counterions. *Langmuir.* 1998;14(15):4036–49.
41. Alargova RG, Ivanova VP, Kralchevsky PA, Mehreteab A, Broze G. Growth of rod-like micelles in anionic surfactant solutions in the presence of Ca²⁺ counterions. *Colloids Surfaces A Physicochem Eng Asp.* 1998;142(2–3):201–18.
42. Alargova RG, Petkov JT, Petsev DN. Micellization and interfacial properties of alkylxyethylene sulfate surfactants in the presence of multivalent counterions. *J Colloid Interface Sci.* 2003;261(1):1–11.
43. Sein A, Engberts JBFN, Van Der Linden E, Van De Pas JC. Lyotropic phases of dodecylbenzenesulfonates with different counterions in water. *Langmuir.* 1996;12(12):2913–23.
44. Lotan O, Fink L, Shemesh A, Tamburu C, Raviv U. Critical Conditions for Adsorption of Calcium Ions onto Dipolar Lipid Membranes. *J Phys Chem A.* 2016;120(19):3390–6.
45. Dvir T, Fink L, Asor R, Schilt Y, Steinar A, Raviv U. Charged membranes under confinement

- induced by polymer-, salt-, or ionic liquid solutions. *Soft Matter* [Internet]. 2013;9(44):10640. Available from: <http://xlink.rsc.org/?DOI=c3sm51916c>
46. Chen M, Dong C, Penfold J, Thomas RK, Smyth TJP, Perfumo A, et al. Influence of calcium ions on rhamnolipid and rhamnolipid/anionic surfactant adsorption and self-assembly. *Langmuir* [Internet]. 2013 Mar 26;29(12):3912–23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23445348>
47. Shen H-HH, Lin T-WW, Thomas RK, Taylor DJFF, Penfold J. Surfactin structures at interfaces and in solution: The effect of pH and cations. *J Phys Chem B* [Internet]. 2011 Apr 21 [cited 2020 Dec 11];115(15):4427–35. Available from: <https://pubs.acs.org/doi/10.1021/jp109360h>
48. Dahrazma B, Mulligan CN, Nieh MP. Effects of additives on the structure of rhamnolipid (biosurfactant): A small-angle neutron scattering (SANS) study. *J Colloid Interface Sci.* 2008;319(2):590–3.