

Computed Results

Contents

1	R_2	2
2	R_4	3
2.1	$R_{4,2}$	3
2.1.1	$R_{4,2}, N^\nu \neq 0$	3
2.1.2	$R_{4,2}, N^\nu = 0$	3
2.1.3	$R_{4,2}, \text{non simplified}, N^\nu \neq 0$	4
2.1.4	$R_{4,2}, \text{non simplified}, N^\nu = 0$	4
2.2	$R_{4,3}$	6
2.2.1	$R_{4,3}, N^\nu \neq 0$	6
2.2.2	$R_{4,3}, N^\nu = 0$	7
2.2.3	$R_{4,3}, \text{non simplified}, N^\nu \neq 0$	7
2.2.4	$R_{4,3}, \text{non simplified}, N^\nu = 0$	8
2.3	$R_{4,4}$	9
2.4	$R_{4,0}$	10
2.4.1	$R_{4,0}, N^\nu \neq 0$	10
2.4.2	$R_{4,0}, N^\nu = 0$	41
2.4.3	$R_{4,0}, \text{non simplified}, N^\nu \neq 0$	50
2.4.4	$R_{4,0}, \text{non simplified}, N^\nu = 0$	80
3	R_4 for u parallel	89
3.1	Case $N^\mu \neq 0$	89
3.2	Case $N^\mu = 0$	92
4	R_2 for Non Commutative Torus	93
4.1	R_2 for P_1	93
4.2	R_2 for P_2	93
4.3	R_2 for $P_1 + P_2$	95
4.4	R_2 for $P_1 + P_2$ with $d = 2$	97

1 R_2

The following result has been checked from expression computed by hand in terms of p^μ .

$$\begin{aligned}
R_2 = & \frac{1}{6} \Re X_1[u] \quad (\#1) \\
& - (d+2) g^{\nu_1 \nu_2} X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#2) \\
& + \frac{1}{2}(d+2)(d+4) g^{\nu_1 \nu_2} X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#3) \\
& + X_2[u \otimes (\widehat{\Delta} u)] \quad (\#4) \\
& - \frac{1}{2}(d+2) X_3[u \otimes (\widehat{\Delta} u) \otimes u] \quad (\#5) \\
& + X_1[q] \quad (\#6) \\
& + X_2[N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#7) \\
& - \frac{1}{2}(d+2) X_3[N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u] \quad (\#8) \\
& + \frac{1}{2}(d+2) X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes N^{\nu_1}] \quad (\#9) \\
& - \frac{1}{2} g_{\nu_1 \nu_2} X_2[N^{\nu_1} \otimes N^{\nu_2}] \quad (\#10) \\
& - X_2[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1})] \quad (\#11)
\end{aligned}$$

$$\begin{aligned}
R_2(N=0) = & \frac{1}{6} \Re X_1[u] \quad (\#1) \\
& - (d+2) g^{\nu_1 \nu_2} X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#2) \\
& + \frac{1}{2}(d+2)(d+4) g^{\nu_1 \nu_2} X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#3) \\
& + X_2[u \otimes (\widehat{\Delta} u)] \quad (\#4) \\
& - \frac{1}{2}(d+2) X_3[u \otimes (\widehat{\Delta} u) \otimes u] \quad (\#5) \\
& + X_1[q] \quad (\#6)
\end{aligned}$$

2 R_4

2.1 $R_{4,2}$

2.1.1 $R_{4,2}, N^\nu \neq 0$

$$\begin{aligned}
R_{4,2} = & 2g^{\nu_2 \nu_3} X_4[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_3} u)] F_{\nu_1 \nu_2} \quad (\#1) \\
& - \frac{1}{2}d g^{\nu_2 \nu_3} X_4[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_3} u) \otimes u] F_{\nu_1 \nu_2} \quad (\#2) \\
& - 2g^{\nu_2 \nu_3} X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_3} u)] F_{\nu_1 \nu_2} \quad (\#3) \\
& + \frac{1}{2}d g^{\nu_2 \nu_3} X_4[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_3} u) \otimes u] F_{\nu_1 \nu_2} \quad (\#4) \\
& + 2g^{\nu_2 \nu_3} X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_3} u) \otimes N^{\nu_1}] F_{\nu_1 \nu_2} \quad (\#5) \\
& - \frac{1}{2}d g^{\nu_2 \nu_3} X_4[u \otimes (\widehat{\nabla}_{\nu_3} u) \otimes u \otimes N^{\nu_1}] F_{\nu_1 \nu_2} \quad (\#6) \\
& + \frac{1}{2}(d+4) g^{\nu_2 \nu_3} X_4[u \otimes (\widehat{\nabla}_{\nu_3} u) \otimes N^{\nu_1} \otimes u] F_{\nu_1 \nu_2} \quad (\#7) \\
& + \frac{1}{2}X_3[u \otimes N^{\nu_1} \otimes N^{\nu_2}] F_{\nu_1 \nu_2} \quad (\#8) \\
& - \frac{1}{2}X_3[N^{\nu_1} \otimes u \otimes N^{\nu_2}] F_{\nu_1 \nu_2} \quad (\#9) \\
& + \frac{1}{2}X_3[N^{\nu_1} \otimes N^{\nu_2} \otimes u] F_{\nu_1 \nu_2} \quad (\#10) \\
& - g^{\nu_2 \nu_3} X_3[u \otimes (\widehat{\nabla}_{\nu_3} N^{\nu_1}) \otimes u] F_{\nu_1 \nu_2} \quad (\#11) \\
& - 8(d-2) X_6[u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#12) \\
& + (d^2 - 4d + 16) X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#13) \\
& - 8(d-2) X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] F^{\nu_1 \nu_2} \quad (\#14) \\
& + (d^2 - 2d + 16) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#15) \\
& - 6d X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#16) \\
& + (d^2 + 8) X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] F^{\nu_1 \nu_2} \quad (\#17) \\
& + (d^2 - 4d + 8) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] F^{\nu_1 \nu_2} \quad (\#18) \\
& - 8(d-1) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] F^{\nu_1 \nu_2} \quad (\#19) \\
& + (d^2 + 8) X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] F^{\nu_1 \nu_2} \quad (\#20) \\
& - 6d X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u \otimes u] F^{\nu_1 \nu_2} \quad (\#21) \\
& - 4(d-1) X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u) \otimes u] F^{\nu_1 \nu_2} \quad (\#22) \\
& - 2d X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u) \otimes u \otimes u] F^{\nu_1 \nu_2} \quad (\#23) \\
& - 2(3d-4) X_5[u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u)] F^{\nu_1 \nu_2} \quad (\#24)
\end{aligned}$$

2.1.2 $R_{4,2}, N^\nu = 0$

$$\begin{aligned}
R_{4,2}(N=0) = & -8(d-2) X_6[u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#1) \\
& + (d^2 - 4d + 16) X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#2) \\
& - 8(d-2) X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] F^{\nu_1 \nu_2} \quad (\#3) \\
& + (d^2 - 2d + 16) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#4) \\
& - 6d X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#5) \\
& + (d^2 + 8) X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] F^{\nu_1 \nu_2} \quad (\#6) \\
& + (d^2 - 4d + 8) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] F^{\nu_1 \nu_2} \quad (\#7) \\
& - 8(d-1) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] F^{\nu_1 \nu_2} \quad (\#8) \\
& + (d^2 + 8) X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] F^{\nu_1 \nu_2} \quad (\#9)
\end{aligned}$$

$$\begin{aligned}
& -6d X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u \otimes u] F^{\nu_1 \nu_2} \quad (\#10) \\
& -4(d-1) X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u) \otimes u] F^{\nu_1 \nu_2} \quad (\#11) \\
& -2d X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u) \otimes u \otimes u] F^{\nu_1 \nu_2} \quad (\#12) \\
& -2(3d-4) X_5[u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u)] F^{\nu_1 \nu_2} \quad (\#13)
\end{aligned}$$

2.1.3 $R_{4,2}$, non simplified, $N^\nu \neq 0$

$$\begin{aligned}
R_{4,2}(\text{n.s.}) = & \frac{1}{2}(d+4) g^{\nu_2 \nu_3} X_3[u \otimes (\widehat{\nabla}_{\nu_3} u) \otimes N^{\nu_1}] F_{\nu_1 \nu_2} \quad (\#1) \\
& + \frac{1}{2}d g^{\nu_2 \nu_3} X_3[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_3} u)] F_{\nu_1 \nu_2} \quad (\#2) \\
& - \frac{1}{2}d g^{\nu_2 \nu_3} X_3[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_3} u)] F_{\nu_1 \nu_2} \quad (\#3) \\
& + (d+2) g^{\nu_2 \nu_3} X_4[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_3} u)] F_{\nu_1 \nu_2} \quad (\#4) \\
& - (d+2) g^{\nu_2 \nu_3} X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_3} u) \otimes N^{\nu_1}] F_{\nu_1 \nu_2} \quad (\#5) \\
& - (d+2) g^{\nu_2 \nu_3} X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_3} u)] F_{\nu_1 \nu_2} \quad (\#6) \\
& - (d+2) g^{\nu_2 \nu_3} X_4[u \otimes (\widehat{\nabla}_{\nu_3} u) \otimes u \otimes N^{\nu_1}] F_{\nu_1 \nu_2} \quad (\#7) \\
& + \frac{1}{2} X_2[N^{\nu_1} \otimes N^{\nu_2}] F_{\nu_1 \nu_2} \quad (\#8) \\
& - X_3[N^{\nu_1} \otimes u \otimes N^{\nu_2}] F_{\nu_1 \nu_2} \quad (\#9) \\
& - g^{\nu_2 \nu_3} X_2[u \otimes (\widehat{\nabla}_{\nu_3} N^{\nu_1})] F_{\nu_1 \nu_2} \quad (\#10) \\
& + 2g^{\nu_2 \nu_3} X_3[u \otimes u \otimes (\widehat{\nabla}_{\nu_3} N^{\nu_1})] F_{\nu_1 \nu_2} \quad (\#11) \\
& - d X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#12) \\
& + \frac{1}{2}(d+2)(d+4) X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#13) \\
& + 2(d+2) X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#14) \\
& - (d+4)^2 X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#15) \\
& - 2(d+4) X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#16) \\
& - (d+2)(d+4) X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#17) \\
& + (d+4)(d+6) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#18) \\
& + (d+4)(d+6) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#19) \\
& - d X_3[u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u)] F^{\nu_1 \nu_2} \quad (\#20) \\
& + 2(d+2) X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u)] F^{\nu_1 \nu_2} \quad (\#21) \\
& - 2(d+4) X_5[u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u)] F^{\nu_1 \nu_2} \quad (\#22)
\end{aligned}$$

2.1.4 $R_{4,2}$, non simplified, $N^\nu = 0$

$$\begin{aligned}
R_{4,2}(\text{n.s., } N=0) = & -d X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#1) \\
& + \frac{1}{2}(d+2)(d+4) X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#2) \\
& + 2(d+2) X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#3) \\
& - (d+4)^2 X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#4) \\
& - 2(d+4) X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#5) \\
& - (d+2)(d+4) X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#6) \\
& + (d+4)(d+6) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#7) \\
& + (d+4)(d+6) X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] F^{\nu_1 \nu_2} \quad (\#8) \\
& - d X_3[u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u)] F^{\nu_1 \nu_2} \quad (\#9)
\end{aligned}$$

$$+ 2(d+2) X_4 [u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u)] F^{\nu_1 \nu_2} \quad (\#10)$$

$$- 2(d+4) X_5 [u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 u)] F^{\nu_1 \nu_2} \quad (\#11)$$

2.2 $R_{4,3}$

2.2.1 $R_{4,3}, N^\nu \neq 0$

$$\begin{aligned}
R_{4,3} = & 8g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_5 [u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#1) \\
& - (d+2)g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_5 [u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#2) \\
& - 4g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_5 [u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#3) \\
& + (d-2)g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_5 [u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#4) \\
& + 8g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5 [u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#5) \\
& - (d+2)g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5 [u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#6) \\
& - 4g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5 [u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#7) \\
& + (d-2)g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5 [u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#8) \\
& + 8g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5 [u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#9) \\
& - 2(d-2)g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5 [u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#10) \\
& + 2(d+2)g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5 [u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#11) \\
& - 16g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5 [u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#12) \\
& + g^{\nu_1 \nu_2} X_4 [u \otimes N^{\nu_3} \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#13) \\
& - g^{\nu_1 \nu_2} X_4 [N^{\nu_3} \otimes u \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#14) \\
& - g^{\nu_1 \nu_2} X_4 [u \otimes u \otimes u \otimes N^{\nu_3}] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#15) \\
& + g^{\nu_1 \nu_2} X_4 [u \otimes u \otimes N^{\nu_3} \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#16) \\
& - g^{\nu_2 \nu_3} X_4 [u \otimes u \otimes u \otimes N^{\nu_1}] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#17) \\
& + g^{\nu_2 \nu_3} X_4 [u \otimes u \otimes N^{\nu_1} \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#18) \\
& + g^{\nu_2 \nu_3} X_4 [u \otimes N^{\nu_1} \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#19) \\
& - g^{\nu_2 \nu_3} X_4 [N^{\nu_1} \otimes u \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#20) \\
& - 2g^{\nu_1 \nu_3} X_4 [u \otimes u \otimes N^{\nu_2} \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#21) \\
& - 2g^{\nu_1 \nu_3} X_4 [u \otimes N^{\nu_2} \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#22) \\
& + 2g^{\nu_1 \nu_3} X_4 [N^{\nu_2} \otimes u \otimes u \otimes u] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#23) \\
& + 2g^{\nu_1 \nu_3} X_4 [u \otimes u \otimes u \otimes N^{\nu_2}] (\nabla^3_{\nu_1 \nu_2 \nu_3} \mathbf{1}) \quad (\#24)
\end{aligned}$$

$$\begin{aligned}
& -4(d+4)g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#23) \\
& -4(d+4)g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#24) \\
& -2(d+4)g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5[u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#25) \\
& -2(d+4)g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5[u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#26) \\
& -2(d+4)g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_5[u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#27) \\
& +g^{\nu_1 \nu_2} X_2[u \otimes N^{\nu_3}](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#28) \\
& +g^{\nu_2 \nu_3} X_2[N^{\nu_1} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#29) \\
& -3g^{\nu_2 \nu_3} X_3[N^{\nu_1} \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#30) \\
& -g^{\nu_2 \nu_3} X_3[u \otimes N^{\nu_1} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#31) \\
& -3g^{\nu_1 \nu_2} X_3[u \otimes u \otimes N^{\nu_3}](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#32) \\
& -g^{\nu_1 \nu_2} X_3[N^{\nu_3} \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#33) \\
& -g^{\nu_2 \nu_3} X_3[u \otimes u \otimes N^{\nu_1}](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#34) \\
& -2g^{\nu_1 \nu_3} X_3[u \otimes N^{\nu_2} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#35) \\
& -g^{\nu_1 \nu_2} X_3[u \otimes N^{\nu_3} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#36) \\
& +2g^{\nu_1 \nu_2} X_4[N^{\nu_3} \otimes u \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#37) \\
& +2g^{\nu_1 \nu_3} X_4[N^{\nu_2} \otimes u \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#38) \\
& +2g^{\nu_2 \nu_3} X_4[N^{\nu_1} \otimes u \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#39) \\
& +2g^{\nu_1 \nu_2} X_4[u \otimes N^{\nu_3} \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#40) \\
& +2g^{\nu_1 \nu_3} X_4[u \otimes N^{\nu_2} \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#41) \\
& +2g^{\nu_2 \nu_3} X_4[u \otimes N^{\nu_1} \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#42) \\
& +2g^{\nu_1 \nu_2} X_4[u \otimes u \otimes N^{\nu_3} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#43) \\
& +2g^{\nu_1 \nu_3} X_4[u \otimes u \otimes N^{\nu_2} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#44) \\
& +2g^{\nu_2 \nu_3} X_4[u \otimes u \otimes N^{\nu_1} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#45) \\
& +2g^{\nu_1 \nu_2} X_4[u \otimes u \otimes u \otimes N^{\nu_3}](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#46) \\
& +2g^{\nu_1 \nu_3} X_4[u \otimes u \otimes u \otimes N^{\nu_2}](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#47) \\
& +2g^{\nu_2 \nu_3} X_4[u \otimes u \otimes u \otimes N^{\nu_1}](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#48)
\end{aligned}$$

2.2.4 $R_{4,3}$, non simplified, $N^\nu = 0$

$$\begin{aligned}
R_{4,3}(\text{n.s., } N=0) &= 2g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_2[u \otimes (\widehat{\nabla}_{\nu_4} u)](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#1) \\
& -(d+4)g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_3[u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#2) \\
& -(d+6)g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_3[u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#3) \\
& -(d+8)g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_3[u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#4) \\
& -4g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_3[u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#5) \\
& -2g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_3[u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#6) \\
& +(5d+22)g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#7) \\
& +4(d+4)g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#8) \\
& +(5d+22)g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#9) \\
& +(3d+10)g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_4[u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#10)
\end{aligned}$$

$$\begin{aligned}
& + 2(d+6) g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_4 [u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#11) \\
& + 2(d+8) g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_4 [u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#12) \\
& + (d+6) g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_4 [u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#13) \\
& + 2(d+6) g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_4 [u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#14) \\
& + 4 g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_4 [u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#15) \\
& - 8(d+4) g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5 [u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#16) \\
& - 8(d+4) g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5 [u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#17) \\
& - 8(d+4) g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_5 [u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u)] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#18) \\
& - 6(d+4) g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5 [u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#19) \\
& - 6(d+4) g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_5 [u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#20) \\
& - 6(d+4) g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5 [u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#21) \\
& - 4(d+4) g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_5 [u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#22) \\
& - 4(d+4) g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5 [u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#23) \\
& - 4(d+4) g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5 [u \otimes u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#24) \\
& - 2(d+4) g^{\nu_1 \nu_2} g^{\nu_3 \nu_4} X_5 [u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#25) \\
& - 2(d+4) g^{\nu_1 \nu_3} g^{\nu_2 \nu_4} X_5 [u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#26) \\
& - 2(d+4) g^{\nu_1 \nu_4} g^{\nu_2 \nu_3} X_5 [u \otimes (\widehat{\nabla}_{\nu_4} u) \otimes u \otimes u \otimes u] (\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#27)
\end{aligned}$$

2.3 $R_{4,4}$

$$R_{4,4} = \frac{1}{12} X_1 [u] F^{\nu_1 \nu_2} F_{\nu_1 \nu_2} \quad (\#1)$$

2.4 $R_{4,0}$

2.4.1 $R_{4,0}, N^\nu \neq 0$

$$\begin{aligned}
& + \frac{1}{2}(d^2 + 8)X_6[u \otimes (\widehat{\Delta}u) \otimes u \otimes u \otimes (\widehat{\Delta}u) \otimes u] \quad (\#361) \\
& + \frac{1}{2}d(d - 6)X_6[u \otimes u \otimes (\widehat{\Delta}u) \otimes u \otimes (\widehat{\Delta}u) \otimes u] \quad (\#362) \\
& + (d^2 + 2d + 12)X_6[u \otimes u \otimes (\widehat{\Delta}u) \otimes (\widehat{\Delta}u) \otimes u \otimes u] \quad (\#363) \\
& + \frac{1}{2}(d^2 + 8)X_6[u \otimes (\widehat{\Delta}u) \otimes u \otimes (\widehat{\Delta}u) \otimes u \otimes u] \quad (\#364) \\
& - 3dX_6[u \otimes (\widehat{\Delta}u) \otimes (\widehat{\Delta}u) \otimes u \otimes u \otimes u] \quad (\#365) \\
& + \frac{1}{3}\Re X_3[u \otimes u \otimes q] \quad (\#366) \\
& + \frac{1}{3}\Re X_3[u \otimes q \otimes u] \quad (\#367) \\
& + \frac{1}{3}\Re X_3[q \otimes u \otimes u] \quad (\#368) \\
& - 2(d + 2)g^{\nu_1 \nu_2}X_5[u \otimes q \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#369) \\
& - 2(d + 2)g^{\nu_1 \nu_2}X_5[q \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#370) \\
& - (d + 2)g^{\nu_1 \nu_2}X_5[q \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes u \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#371) \\
& + \frac{1}{2}(d + 2)^2g^{\nu_1 \nu_2}X_5[q \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#372) \\
& - 2(d + 2)g^{\nu_1 \nu_2}X_5[u \otimes u \otimes q \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#373) \\
& - (d + 2)g^{\nu_1 \nu_2}X_5[u \otimes q \otimes (\widehat{\nabla}_{\nu_1}u) \otimes u \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#374) \\
& + \frac{1}{2}(d + 2)^2g^{\nu_1 \nu_2}X_5[u \otimes q \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#375) \\
& - 2(d + 2)g^{\nu_1 \nu_2}X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes q] \quad (\#376) \\
& - (d + 2)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes u \otimes (\widehat{\nabla}_{\nu_2}u) \otimes q] \quad (\#377) \\
& + \frac{1}{2}(d + 2)^2g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u \otimes q] \quad (\#378) \\
& + \frac{1}{2}(d + 2)^2g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes q \otimes u] \quad (\#379) \\
& - 2(d + 2)g^{\nu_1 \nu_2}X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes q \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#380) \\
& - (d + 2)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes u \otimes q \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#381) \\
& - (d + 2)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes q \otimes u \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#382) \\
& + \frac{1}{2}(d + 2)^2g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes q \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#383) \\
& + 2X_4[u \otimes q \otimes u \otimes (\widehat{\Delta}u)] \quad (\#384) \\
& + 2X_4[q \otimes u \otimes u \otimes (\widehat{\Delta}u)] \quad (\#385) \\
& - \frac{1}{2}dX_4[q \otimes u \otimes (\widehat{\Delta}u) \otimes u] \quad (\#386) \\
& + 2X_4[u \otimes u \otimes q \otimes (\widehat{\Delta}u)] \quad (\#387) \\
& - \frac{1}{2}dX_4[u \otimes q \otimes (\widehat{\Delta}u) \otimes u] \quad (\#388) \\
& + 2X_4[u \otimes u \otimes (\widehat{\Delta}u) \otimes q] \quad (\#389) \\
& - \frac{1}{2}dX_4[u \otimes (\widehat{\Delta}u) \otimes u \otimes q] \quad (\#390) \\
& - \frac{1}{2}dX_4[u \otimes (\widehat{\Delta}u) \otimes q \otimes u] \quad (\#391) \\
& + X_2[q \otimes q] \quad (\#392) \\
& - (d + 2)g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}q) \otimes u] \quad (\#393) \\
& + 4g^{\nu_1 \nu_2}X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1}q) \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#394) \\
& + 2g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1}q) \otimes u \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#395) \\
& - d g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1}q) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#396) \\
& + X_3[u \otimes (\widehat{\Delta}q) \otimes u] \quad (\#397) \\
& + \frac{1}{2}(\widehat{\nabla}_{\nu_1}\Re)X_4[u \otimes N^{\nu_1} \otimes u \otimes u] \quad (\#398) \\
& + \frac{1}{2}(\widehat{\nabla}_{\nu_1}\Re)X_4[N^{\nu_1} \otimes u \otimes u \otimes u] \quad (\#399) \\
& - (\widehat{\nabla}_{\nu_1}\Re)X_4[u \otimes u \otimes u \otimes N^{\nu_1}] \quad (\#400) \\
& - \frac{1}{6}(d - 6)g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_5[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#401) \\
& - \frac{1}{3}2d g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_5[u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#402) \\
& - \frac{1}{3}d g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_5[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u \otimes u] \quad (\#403) \\
& + \frac{1}{2}(d + 6)g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_5[u \otimes u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#404) \\
& - \frac{1}{2}(d - 2)g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_5[u \otimes u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#405) \\
& - \frac{1}{6}(d - 6)g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_5[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#406) \\
& - \frac{1}{3}d g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_5[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u \otimes u] \quad (\#407)
\end{aligned}$$

$$\begin{aligned}
& + \frac{1}{2} g_{v_1 v_2} X_4[N^{v_1} \otimes u \otimes N^{v_2} \otimes (\widehat{\nabla}_{v_3} N^{v_3})] \quad (\#1321) \\
& + \frac{1}{2} g_{v_1 v_2} X_4[u \otimes N^{v_1} \otimes N^{v_2} \otimes (\widehat{\nabla}_{v_3} N^{v_3})] \quad (\#1322) \\
& + \frac{1}{2} g_{v_1 v_3} X_4[N^{v_1} \otimes u \otimes (\widehat{\nabla}_{v_2} N^{v_2}) \otimes N^{v_3}] \quad (\#1323) \\
& + \frac{1}{2} g_{v_1 v_3} X_4[u \otimes N^{v_1} \otimes (\widehat{\nabla}_{v_2} N^{v_2}) \otimes N^{v_3}] \quad (\#1324) \\
& + \frac{1}{2} g_{v_1 v_3} X_4[N^{v_1} \otimes u \otimes (\widehat{\nabla}_{v_2} N^{v_3}) \otimes N^{v_2}] \quad (\#1325) \\
& + \frac{1}{2} g_{v_1 v_3} X_4[u \otimes N^{v_1} \otimes (\widehat{\nabla}_{v_2} N^{v_3}) \otimes N^{v_2}] \quad (\#1326) \\
& + \frac{1}{2} g_{v_2 v_3} X_4[u \otimes (\widehat{\nabla}_{v_1} N^{v_1}) \otimes N^{v_2} \otimes N^{v_3}] \quad (\#1327) \\
& + \frac{1}{2} g_{v_2 v_3} X_4[u \otimes (\widehat{\nabla}_{v_1} N^{v_2}) \otimes N^{v_1} \otimes N^{v_3}] \quad (\#1328) \\
& + \frac{1}{2} g_{v_2 v_3} X_4[u \otimes (\widehat{\nabla}_{v_1} N^{v_2}) \otimes N^{v_3} \otimes N^{v_1}] \quad (\#1329) \\
& - g_{v_2 v_4} g^{v_1 v_3} X_4[u \otimes (\widehat{\nabla}_{v_1} N^{v_2}) \otimes (\widehat{\nabla}_{v_3} N^{v_4}) \otimes u] \quad (\#1330) \\
& - X_4[u \otimes (\widehat{\nabla}_{v_1} N^{v_2}) \otimes (\widehat{\nabla}_{v_2} N^{v_1}) \otimes u] \quad (\#1331) \\
& + X_4[u \otimes (\widehat{\nabla}_{v_1} N^{v_1}) \otimes u \otimes (\widehat{\nabla}_{v_2} N^{v_2})] \quad (\#1332) \\
& + 2 X_4[u \otimes u \otimes (\widehat{\nabla}_{v_1} N^{v_1}) \otimes (\widehat{\nabla}_{v_2} N^{v_2})] \quad (\#1333) \\
& + (d-2) g^{v_1 v_2} X_5[u \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_3}) \otimes u] \quad (\#1334) \\
& + d g^{v_1 v_2} X_5[u \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_3}) \otimes u] \quad (\#1335) \\
& - 4 g^{v_1 v_2} X_5[u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_3}) \otimes u \otimes u] \quad (\#1336) \\
& + (d-2) g^{v_1 v_2} X_5[u \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_3})] \quad (\#1337) \\
& + d g^{v_1 v_2} X_5[u \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_3})] \quad (\#1338) \\
& - 6 g^{v_1 v_2} X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_3})] \quad (\#1339) \\
& - (d-2) g^{v_1 v_3} X_5[u \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_2})] \quad (\#1340) \\
& - d g^{v_1 v_3} X_5[u \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_2})] \quad (\#1341) \\
& + 2 g^{v_1 v_3} X_5[u \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_2}) \otimes u] \quad (\#1342) \\
& + 6 g^{v_1 v_3} X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_2})] \quad (\#1343) \\
& + (d+6) g^{v_1 v_3} X_5[u \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\nabla}_{v_2 v_3}^2 N^{v_2}) \otimes u] \quad (\#1344) \\
& - 6 g^{v_2 v_3} X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_1}) \otimes (\widehat{\nabla}_{v_3} u)] \quad (\#1345) \\
& - 2 g^{v_2 v_3} X_5[u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_1}) \otimes u \otimes (\widehat{\nabla}_{v_3} u)] \quad (\#1346) \\
& + (d+2) g^{v_2 v_3} X_5[u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_1}) \otimes (\widehat{\nabla}_{v_3} u) \otimes u] \quad (\#1347) \\
& - 6 g^{v_1 v_3} X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_2}) \otimes (\widehat{\nabla}_{v_3} u)] \quad (\#1348) \\
& - 2 g^{v_1 v_3} X_5[u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_2}) \otimes u \otimes (\widehat{\nabla}_{v_3} u)] \quad (\#1349) \\
& + (d+2) g^{v_1 v_3} X_5[u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_2}) \otimes (\widehat{\nabla}_{v_3} u) \otimes u] \quad (\#1350) \\
& - X_4[u \otimes u \otimes N^{v_1} \otimes (\widehat{\nabla}_{v_2 v_1}^2 N^{v_2})] \quad (\#1351) \\
& - X_4[u \otimes N^{v_1} \otimes (\widehat{\nabla}_{v_2 v_1}^2 N^{v_2}) \otimes u] \quad (\#1352) \\
& + X_4[N^{v_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{v_2 v_1}^2 N^{v_2})] \quad (\#1353) \\
& - X_4[N^{v_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_2})] \quad (\#1354) \\
& - X_4[N^{v_1} \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_2}) \otimes u] \quad (\#1355) \\
& + X_4[u \otimes u \otimes N^{v_1} \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_2})] \quad (\#1356) \\
& + X_4[u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_1}) \otimes N^{v_2}] \quad (\#1357) \\
& + X_4[u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2}^2 N^{v_2}) \otimes N^{v_1}] \quad (\#1358) \\
& + 2 g^{v_1 v_3} X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2 v_3}^3 N^{v_2})] \quad (\#1359) \\
& + 4 X_5[u \otimes u \otimes (\widehat{\Delta}N^{v_1}) \otimes (\widehat{\nabla}_{v_1} u) \otimes u] \quad (\#1360) \\
& - \frac{1}{2}(d-2) X_5[u \otimes (\widehat{\Delta}N^{v_1}) \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes u] \quad (\#1361) \\
& - d X_5[u \otimes (\widehat{\Delta}N^{v_1}) \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes u] \quad (\#1362) \\
& + 2 X_5[u \otimes u \otimes (\widehat{\Delta}N^{v_1}) \otimes u \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#1363) \\
& + 2 X_5[u \otimes (\widehat{\Delta}N^{v_1}) \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#1364) \\
& + (d+2) X_5[u \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\Delta}N^{v_1}) \otimes u] \quad (\#1365)
\end{aligned}$$

$$+ \frac{1}{2}(d+2)X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes u] \quad (\#1366)$$

$$- 2X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\Delta}N^{\nu_1}) \otimes u \otimes u] \quad (\#1367)$$

$$- \frac{1}{2}g_{\nu_1 \nu_2}X_4[u \otimes N^{\nu_1} \otimes (\widehat{\Delta}N^{\nu_2}) \otimes u] \quad (\#1368)$$

$$- \frac{1}{2}g_{\nu_1 \nu_2}X_4[N^{\nu_1} \otimes u \otimes (\widehat{\Delta}N^{\nu_2}) \otimes u] \quad (\#1369)$$

$$- \frac{1}{2}g_{\nu_1 \nu_2}X_4[u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes u \otimes N^{\nu_2}] \quad (\#1370)$$

$$- \frac{1}{2}g_{\nu_1 \nu_2}X_4[u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes N^{\nu_2} \otimes u] \quad (\#1371)$$

$$- X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1}(\widehat{\Delta}N^{\nu_1}))] \quad (\#1372)$$

$$- X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1}(\widehat{\Delta}N^{\nu_1})) \otimes u] \quad (\#1373)$$

$$- X_4[u \otimes u \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{\nu_1}N^{\nu_1}))] \quad (\#1374)$$

$$- X_4[u \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{\nu_1}N^{\nu_1})) \otimes u] \quad (\#1375)$$

2.4.2 $R_{4,0}, N^\nu = 0$

$$\begin{aligned}
& + \frac{1}{2}d(d-6)X_6[u \otimes u \otimes (\widehat{\Delta}u) \otimes u \otimes (\widehat{\Delta}u) \otimes u] \quad (\#362) \\
& + (d^2 + 2d + 12)X_6[u \otimes u \otimes (\widehat{\Delta}u) \otimes (\widehat{\Delta}u) \otimes u \otimes u] \quad (\#363) \\
& + \frac{1}{2}(d^2 + 8)X_6[u \otimes (\widehat{\Delta}u) \otimes u \otimes (\widehat{\Delta}u) \otimes u \otimes u] \quad (\#364) \\
& - 3dX_6[u \otimes (\widehat{\Delta}u) \otimes (\widehat{\Delta}u) \otimes u \otimes u \otimes u] \quad (\#365) \\
& + \frac{1}{3}\Re X_3[u \otimes u \otimes q] \quad (\#366) \\
& + \frac{1}{3}\Re X_3[u \otimes q \otimes u] \quad (\#367) \\
& + \frac{1}{3}\Re X_3[q \otimes u \otimes u] \quad (\#368) \\
& - 2(d+2)g^{\nu_1 \nu_2}X_5[u \otimes q \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#369) \\
& - 2(d+2)g^{\nu_1 \nu_2}X_5[q \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#370) \\
& - (d+2)g^{\nu_1 \nu_2}X_5[q \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes u \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#371) \\
& + \frac{1}{2}(d+2)^2g^{\nu_1 \nu_2}X_5[q \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#372) \\
& - 2(d+2)g^{\nu_1 \nu_2}X_5[u \otimes u \otimes q \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#373) \\
& - (d+2)g^{\nu_1 \nu_2}X_5[u \otimes q \otimes (\widehat{\nabla}_{\nu_1}u) \otimes u \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#374) \\
& + \frac{1}{2}(d+2)^2g^{\nu_1 \nu_2}X_5[u \otimes q \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#375) \\
& - 2(d+2)g^{\nu_1 \nu_2}X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes q] \quad (\#376) \\
& - (d+2)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes u \otimes (\widehat{\nabla}_{\nu_2}u) \otimes q] \quad (\#377) \\
& + \frac{1}{2}(d+2)^2g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u \otimes q] \quad (\#378) \\
& + \frac{1}{2}(d+2)^2g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes q \otimes u] \quad (\#379) \\
& - 2(d+2)g^{\nu_1 \nu_2}X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes q \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#380) \\
& - (d+2)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes u \otimes q \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#381) \\
& - (d+2)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes q \otimes u \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#382) \\
& + \frac{1}{2}(d+2)^2g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes q \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#383) \\
& + 2X_4[u \otimes q \otimes u \otimes (\widehat{\Delta}u)] \quad (\#384) \\
& + 2X_4[q \otimes u \otimes u \otimes (\widehat{\Delta}u)] \quad (\#385) \\
& - \frac{1}{2}dX_4[q \otimes u \otimes (\widehat{\Delta}u) \otimes u] \quad (\#386) \\
& + 2X_4[u \otimes u \otimes q \otimes (\widehat{\Delta}u)] \quad (\#387) \\
& - \frac{1}{2}dX_4[u \otimes q \otimes (\widehat{\Delta}u) \otimes u] \quad (\#388) \\
& + 2X_4[u \otimes u \otimes (\widehat{\Delta}u) \otimes q] \quad (\#389) \\
& - \frac{1}{2}dX_4[u \otimes (\widehat{\Delta}u) \otimes u \otimes q] \quad (\#390) \\
& - \frac{1}{2}dX_4[u \otimes (\widehat{\Delta}u) \otimes q \otimes u] \quad (\#391) \\
& + X_2[q \otimes q] \quad (\#392) \\
& - (d+2)g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1}u) \otimes (\widehat{\nabla}_{\nu_2}q) \otimes u] \quad (\#393) \\
& + 4g^{\nu_1 \nu_2}X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1}q) \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#394) \\
& + 2g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1}q) \otimes u \otimes (\widehat{\nabla}_{\nu_2}u)] \quad (\#395) \\
& - d g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1}q) \otimes (\widehat{\nabla}_{\nu_2}u) \otimes u] \quad (\#396) \\
& + X_3[u \otimes (\widehat{\Delta}q) \otimes u] \quad (\#397)
\end{aligned}$$

2.4.3 $R_{4,0}$, non simplified, $N^\nu \neq 0$

$$\begin{aligned}
R_{4,0}(\text{n.s.}) = & \frac{1}{180} |R|^2 X_1[u] \quad (\#1) \\
& - \frac{1}{180} |\text{Ric}|^2 X_1[u] \quad (\#2) \\
& + \frac{1}{30} (\widehat{\Delta} \mathfrak{R}) X_1[u] \quad (\#3) \\
& + \frac{1}{72} \mathfrak{R}^2 X_1[u] \quad (\#4) \\
& + g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \mathfrak{R}) X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u] \quad (\#5) \\
& + 2g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \mathfrak{R}) X_3[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#6) \\
& - (d+8) g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \mathfrak{R}) X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#7) \\
& - (d+6) g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \mathfrak{R}) X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u] \quad (\#8) \\
& - \frac{1}{2}(d+6) g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \mathfrak{R}) X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u] \quad (\#9) \\
& + (d+4) g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \mathfrak{R}) X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes u] \quad (\#10) \\
& + 2(d+4) g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \mathfrak{R}) X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u] \quad (\#11) \\
& + 3(d+4) g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \mathfrak{R}) X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u] \quad (\#12) \\
& + 4(d+4) g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \mathfrak{R}) X_5[u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#13) \\
& + \frac{1}{3} 4 \text{Ric}^{\nu_1 \nu_2} X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#14) \\
& + \frac{1}{3} 2 g^{\nu_1 \nu_2} \mathfrak{R} X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#15) \\
& - \frac{1}{3}(9d+34) \text{Ric}^{\nu_1 \nu_2} X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#16) \\
& - \frac{1}{3}(3d+14) \text{Ric}^{\nu_1 \nu_2} X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#17) \\
& - \frac{1}{3} 2(d+4) \text{Ric}^{\nu_1 \nu_2} X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#18) \\
& - \frac{1}{3} 4(d+4) g^{\nu_1 \nu_2} \mathfrak{R} X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#19) \\
& - \frac{1}{3} 2(d+4) g^{\nu_1 \nu_2} \mathfrak{R} X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#20) \\
& - \frac{1}{3} 2(d+3) g^{\nu_1 \nu_2} \mathfrak{R} X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#21) \\
& + \frac{1}{6}(d+4)(d+22) \text{Ric}^{\nu_1 \nu_2} X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#22) \\
& + \frac{1}{6} 5(d+4)(d+10) \text{Ric}^{\nu_1 \nu_2} X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#23) \\
& + (d+4)(d+12) \text{Ric}^{\nu_1 \nu_2} X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#24) \\
& + \frac{1}{3}(d+4)(d+8) \text{Ric}^{\nu_1 \nu_2} X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#25) \\
& + \frac{1}{3} 2(d+4)(d+8) \text{Ric}^{\nu_1 \nu_2} X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#26) \\
& + \frac{1}{3} 2(d+4) \text{Ric}^{\nu_1 \nu_2} X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] \quad (\#27) \\
& + \frac{1}{2}(d+4)(d+12) g^{\nu_1 \nu_2} \mathfrak{R} X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#28) \\
& + \frac{1}{3}(d+4)(d+12) g^{\nu_1 \nu_2} \mathfrak{R} X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#29) \\
& + \frac{1}{6}(d+4)(d+12) g^{\nu_1 \nu_2} \mathfrak{R} X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#30) \\
& + \frac{1}{6}(d+4)^2 g^{\nu_1 \nu_2} \mathfrak{R} X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] \quad (\#31) \\
& + \frac{1}{6}(d+4)(d+8) g^{\nu_1 \nu_2} \mathfrak{R} X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#32) \\
& + \frac{1}{3}(d+4)(d+8) g^{\nu_1 \nu_2} \mathfrak{R} X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#33) \\
& - (d+4)(d+6) \text{Ric}^{\nu_1 \nu_2} X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#34) \\
& - 2(d+4)(d+6) \text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#35) \\
& - 3(d+4)(d+6) \text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#36) \\
& - 4(d+4)(d+6) \text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#37) \\
& - \frac{1}{3}(d+4)(d+6) \text{Ric}^{\nu_1 \nu_2} X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] \quad (\#38) \\
& - \frac{1}{3} 2(d+4)(d+6) \text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] \quad (\#39) \\
& - \frac{1}{3} 4(d+4)(d+6) \text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#40) \\
& - \frac{1}{3} 2(d+4)(d+6) \text{Ric}^{\nu_1 \nu_2} X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#41) \\
& - 2(d+4)(d+6) \text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#42) \\
& - \frac{1}{2}(d+4)(d+6) g^{\nu_1 \nu_2} \mathfrak{R} X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#43) \\
& - (d+4)(d+6) g^{\nu_1 \nu_2} \mathfrak{R} X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#44) \\
& - \frac{1}{2} 3(d+4)(d+6) g^{\nu_1 \nu_2} \mathfrak{R} X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#45)
\end{aligned}$$

$$\begin{aligned}
& -\frac{1}{2}(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes q \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#362) \\
& -(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes u \otimes q \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#363) \\
& -\frac{1}{2}(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes q \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#364) \\
& -\frac{1}{2}(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes q \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#365) \\
& -(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes q \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#366) \\
& -\frac{1}{2}(d+2)(d+4)g^{\nu_1 \nu_2}X_5[q \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#367) \\
& -(d+2)(d+4)g^{\nu_1 \nu_2}X_5[q \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#368) \\
& -\frac{1}{2}dX_3[u \otimes (\widehat{\Delta}u) \otimes q] \quad (\#369) \\
& -\frac{1}{2}dX_3[u \otimes q \otimes (\widehat{\Delta}u)] \quad (\#370) \\
& -\frac{1}{2}dX_3[q \otimes u \otimes (\widehat{\Delta}u)] \quad (\#371) \\
& +(d+2)X_4[u \otimes u \otimes (\widehat{\Delta}u) \otimes q] \quad (\#372) \\
& +(d+2)X_4[u \otimes u \otimes q \otimes (\widehat{\Delta}u)] \quad (\#373) \\
& +(d+2)X_4[u \otimes q \otimes u \otimes (\widehat{\Delta}u)] \quad (\#374) \\
& +(d+2)X_4[q \otimes u \otimes u \otimes (\widehat{\Delta}u)] \quad (\#375) \\
& +X_2[q \otimes q] \quad (\#376) \\
& -(d+2)g^{\nu_1 \nu_2}X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} q)] \quad (\#377) \\
& -d g^{\nu_1 \nu_2}X_3[u \otimes (\widehat{\nabla}_{\nu_1} q) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#378) \\
& +(d+2)g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} q)] \quad (\#379) \\
& +2(d+2)g^{\nu_1 \nu_2}X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} q)] \quad (\#380) \\
& +2(d+2)g^{\nu_1 \nu_2}X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} q) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#381) \\
& +(d+2)g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1} q) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#382) \\
& +X_2[u \otimes (\widehat{\Delta}q)] \quad (\#383) \\
& -2X_3[u \otimes u \otimes (\widehat{\Delta}q)] \quad (\#384) \\
& +\frac{1}{2}(\widehat{\nabla}_{\nu_1} \Re)X_3[u \otimes N^{\nu_1} \otimes u] \quad (\#385) \\
& +\frac{1}{2}(\widehat{\nabla}_{\nu_1} \Re)X_3[N^{\nu_1} \otimes u \otimes u] \quad (\#386) \\
& -(\widehat{\nabla}_{\nu_1} \Re)X_4[u \otimes u \otimes N^{\nu_1} \otimes u] \quad (\#387) \\
& -(\widehat{\nabla}_{\nu_1} \Re)X_4[u \otimes N^{\nu_1} \otimes u \otimes u] \quad (\#388) \\
& -(\widehat{\nabla}_{\nu_1} \Re)X_4[N^{\nu_1} \otimes u \otimes u \otimes u] \quad (\#389) \\
& -(\widehat{\nabla}_{\nu_1} \Re)X_4[u \otimes u \otimes u \otimes N^{\nu_1}] \quad (\#390) \\
& +\frac{1}{3}2g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_3[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#391) \\
& -\frac{1}{3}g^{\nu_1 \nu_3}\text{Ric}_{\nu_2 \nu_3}X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes N^{\nu_2}] \quad (\#392) \\
& +\frac{1}{3}2g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_3[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#393) \\
& +\frac{1}{3}\Re X_3[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#394) \\
& +\frac{1}{3}\Re X_3[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#395) \\
& +\frac{1}{3}\Re X_3[N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u] \quad (\#396) \\
& -\frac{1}{6}(d+10)g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#397) \\
& -\frac{1}{3}2(d+4)g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_4[u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#398) \\
& -\frac{1}{6}(d+10)g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_4[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#399) \\
& +\frac{1}{6}(d-2)g^{\nu_1 \nu_3}\text{Ric}_{\nu_2 \nu_3}X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes N^{\nu_2}] \quad (\#400) \\
& -\frac{1}{6}(d+10)g^{\nu_1 \nu_3}\text{Ric}_{\nu_2 \nu_3}X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes N^{\nu_2}] \quad (\#401) \\
& -\frac{1}{3}(d+4)g^{\nu_1 \nu_3}\text{Ric}_{\nu_2 \nu_3}X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes N^{\nu_2} \otimes u] \quad (\#402) \\
& -\frac{1}{3}(d+4)g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_4[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#403) \\
& -\frac{1}{3}(d+4)g^{\nu_2 \nu_3}\text{Ric}_{\nu_1 \nu_3}X_4[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#404) \\
& -\frac{1}{6}(d+6)\Re X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#405) \\
& -\frac{1}{6}(d+6)\Re X_4[u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#406) \\
& -\frac{1}{6}(d+6)\Re X_4[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#407) \\
& -\frac{1}{3}2\Re X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes N^{\nu_1}] \quad (\#408)
\end{aligned}$$

$$\begin{aligned}
& -(d+4)g^{v_2 v_3} X_5[N^{\nu_1} \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{v_2 v_1 v_3}^3 u)] \quad (\#724) \\
& -(d+4)g^{v_2 v_3} X_5[u \otimes N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{v_2 v_1 v_3}^3 u)] \quad (\#725) \\
& -(d+4)g^{v_2 v_3} X_5[u \otimes u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{v_2 v_1 v_3}^3 u)] \quad (\#726) \\
& -(d+4)g^{\nu_1 v_3} X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1 v_2 v_3}^3 u) \otimes N^{\nu_2}] \quad (\#727) \\
& -(d+4)g^{v_2 v_3} X_5[u \otimes u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{v_2 v_1 v_3}^3 u)] \quad (\#728) \\
& -\frac{1}{2}d X_3[u \otimes N^{\nu_1} \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u))] \quad (\#729) \\
& -\frac{1}{2}d X_3[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u))] \quad (\#730) \\
& +\frac{1}{2}3(d+2) X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u))] \quad (\#731) \\
& +\frac{1}{2}3(d+2) X_4[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u))] \quad (\#732) \\
& +\frac{1}{2}(d+2) X_4[u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u))] \quad (\#733) \\
& +\frac{1}{2}(d+2) X_4[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u))] \quad (\#734) \\
& +\frac{1}{2}(d+2) X_4[u \otimes u \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u)) \otimes N^{\nu_1}] \quad (\#735) \\
& +\frac{1}{2}(d+2) X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u))] \quad (\#736) \\
& +\frac{1}{2}(d+2) X_4[u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u))] \quad (\#737) \\
& +\frac{1}{2}(d+2) X_4[u \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u)) \otimes N^{\nu_1}] \quad (\#738) \\
& -(d+4) X_5[N^{\nu_1} \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u))] \quad (\#739) \\
& -(d+4) X_5[N^{\nu_1} \otimes u \otimes u \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u))] \quad (\#740) \\
& -(d+4) X_5[u \otimes N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u))] \quad (\#741) \\
& -(d+4) X_5[u \otimes N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u))] \quad (\#742) \\
& -(d+4) X_5[u \otimes u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u))] \quad (\#743) \\
& -(d+4) X_5[u \otimes u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u))] \quad (\#744) \\
& -(d+4) X_5[u \otimes u \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u)) \otimes N^{\nu_1}] \quad (\#745) \\
& -(d+4) X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u)) \otimes N^{\nu_1}] \quad (\#746) \\
& -(d+4) X_5[u \otimes u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{v_1} (\widehat{\Delta}u))] \quad (\#747) \\
& -(d+4) X_5[u \otimes u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\Delta}(\widehat{\nabla}_{v_1} u))] \quad (\#748) \\
& -\frac{1}{2}d X_3[N^{\nu_1} \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\Delta}u)] \quad (\#749) \\
& +\frac{1}{4}(d+2)^2 X_4[u \otimes (\widehat{\Delta}u) \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#750) \\
& +\frac{1}{4}(d+2)^2 X_4[u \otimes N^{\nu_1} \otimes (\widehat{\Delta}u) \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#751) \\
& +\frac{1}{4}(d+2)(d+6) X_4[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\Delta}u)] \quad (\#752) \\
& +\frac{1}{4}(d+2)(d+4) X_4[N^{\nu_1} \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes (\widehat{\Delta}u)] \quad (\#753) \\
& +\frac{1}{4}(d+2)(d+6) X_4[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\Delta}u)] \quad (\#754) \\
& +\frac{1}{4}(d+2)^2 X_4[N^{\nu_1} \otimes u \otimes (\widehat{\Delta}u) \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#755) \\
& +\frac{1}{2}(d+2) X_4[u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\Delta}u) \otimes N^{\nu_1}] \quad (\#756) \\
& +\frac{1}{2}(d+2) X_4[u \otimes (\widehat{\nabla}_{v_1} u) \otimes N^{\nu_1} \otimes (\widehat{\Delta}u)] \quad (\#757) \\
& +\frac{1}{2}(d+2) X_4[u \otimes (\widehat{\Delta}u) \otimes (\widehat{\nabla}_{v_1} u) \otimes N^{\nu_1}] \quad (\#758) \\
& -\frac{1}{4}(d+4)(3d+10) X_5[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes (\widehat{\Delta}u)] \quad (\#759) \\
& -(d+4)^2 X_5[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\Delta}u)] \quad (\#760) \\
& -(d+3)(d+4) X_5[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\Delta}u) \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#761) \\
& -\frac{1}{4}(d+4)(d+6) X_5[u \otimes (\widehat{\nabla}_{v_1} u) \otimes N^{\nu_1} \otimes u \otimes (\widehat{\Delta}u)] \quad (\#762) \\
& -\frac{1}{4}(d+4)(3d+10) X_5[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{v_1} u) \otimes u \otimes (\widehat{\Delta}u)] \quad (\#763) \\
& -(d+4)^2 X_5[u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\Delta}u)] \quad (\#764) \\
& -(d+3)(d+4) X_5[u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\Delta}u) \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#765) \\
& -(d+3)(d+4) X_5[u \otimes u \otimes (\widehat{\Delta}u) \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#766) \\
& -(d+3)(d+4) X_5[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\Delta}u) \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#767) \\
& -(d+4)^2 X_5[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{v_1} u) \otimes (\widehat{\Delta}u)] \quad (\#768) \\
& -\frac{1}{4}(d+2)(d+4) X_5[N^{\nu_1} \otimes u \otimes (\widehat{\Delta}u) \otimes u \otimes (\widehat{\nabla}_{v_1} u)] \quad (\#769)
\end{aligned}$$

$$\begin{aligned}
& + X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2 \nu_1}^2 N^{\nu_2})] \quad (\#1318) \\
& + 2g^{\nu_1 \nu_3} X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2 \nu_3}^3 N^{\nu_2})] \quad (\#1319) \\
& - \frac{1}{2}d X_3[u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#1320) \\
& - X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\Delta}N^{\nu_1})] \quad (\#1321) \\
& + 2(d+2) X_4[u \otimes u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#1322) \\
& + \frac{1}{2}(d+6) X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\Delta}N^{\nu_1})] \quad (\#1323) \\
& + (d+6) X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\Delta}N^{\nu_1})] \quad (\#1324) \\
& + \frac{1}{2}(d+2) X_4[u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#1325) \\
& - (d+4) X_5[u \otimes u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#1326) \\
& - (d+4) X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\Delta}N^{\nu_1})] \quad (\#1327) \\
& - 2(d+4) X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\Delta}N^{\nu_1})] \quad (\#1328) \\
& - 3(d+4) X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\Delta}N^{\nu_1})] \quad (\#1329) \\
& - 3(d+4) X_5[u \otimes u \otimes u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#1330) \\
& - \frac{1}{2}g_{\nu_1 \nu_2} X_3[N^{\nu_1} \otimes u \otimes (\widehat{\Delta}N^{\nu_2})] \quad (\#1331) \\
& - \frac{1}{2}g_{\nu_1 \nu_2} X_3[u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes N^{\nu_2}] \quad (\#1332) \\
& - \frac{1}{2}g_{\nu_1 \nu_2} X_3[u \otimes N^{\nu_1} \otimes (\widehat{\Delta}N^{\nu_2})] \quad (\#1333) \\
& + g_{\nu_1 \nu_2} X_4[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\Delta}N^{\nu_2})] \quad (\#1334) \\
& + g_{\nu_1 \nu_2} X_4[u \otimes N^{\nu_1} \otimes u \otimes (\widehat{\Delta}N^{\nu_2})] \quad (\#1335) \\
& + g_{\nu_1 \nu_2} X_4[u \otimes u \otimes (\widehat{\Delta}N^{\nu_1}) \otimes N^{\nu_2}] \quad (\#1336) \\
& + g_{\nu_1 \nu_2} X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\Delta}N^{\nu_2})] \quad (\#1337) \\
& - X_3[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} (\widehat{\Delta}N^{\nu_1}))] \quad (\#1338) \\
& - X_3[u \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{\nu_1} N^{\nu_1}))] \quad (\#1339) \\
& + 2X_4[u \otimes u \otimes u \otimes (\widehat{\Delta}(\widehat{\nabla}_{\nu_1} N^{\nu_1}))] \quad (\#1340) \\
& + 2X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} (\widehat{\Delta}N^{\nu_1}))] \quad (\#1341)
\end{aligned}$$

2.4.4 $R_{4,0}$, non simplified, $N^\nu = 0$

$$\begin{aligned}
R_{4,0}(\text{n.s.}, N=0) &= \frac{1}{180} |R|^2 X_1[u] \quad (\#1) \\
&\quad - \frac{1}{180} |\text{Ric}|^2 X_1[u] \quad (\#2) \\
&\quad + \frac{1}{30} (\widehat{\Delta}\Re) X_1[u] \quad (\#3) \\
&\quad + \frac{1}{72} \Re^2 X_1[u] \quad (\#4) \\
&\quad + g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \Re) X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u] \quad (\#5) \\
&\quad + 2g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \Re) X_3[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#6) \\
&\quad - (d+8)g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \Re) X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#7) \\
&\quad - (d+6)g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \Re) X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u] \quad (\#8) \\
&\quad - \frac{1}{2}(d+6)g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \Re) X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u] \quad (\#9) \\
&\quad + (d+4)g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \Re) X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes u] \quad (\#10) \\
&\quad + 2(d+4)g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \Re) X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u] \quad (\#11) \\
&\quad + 3(d+4)g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \Re) X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u] \quad (\#12) \\
&\quad + 4(d+4)g^{\nu_1 \nu_2} (\widehat{\nabla}_{\nu_2} \Re) X_5[u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u)] \quad (\#13) \\
&\quad + \frac{1}{3}4\text{Ric}^{\nu_1 \nu_2} X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#14) \\
&\quad + \frac{1}{3}2g^{\nu_1 \nu_2} \Re X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#15) \\
&\quad - \frac{1}{3}(9d+34)\text{Ric}^{\nu_1 \nu_2} X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#16) \\
&\quad - \frac{1}{3}(3d+14)\text{Ric}^{\nu_1 \nu_2} X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#17) \\
&\quad - \frac{1}{3}2(d+4)\text{Ric}^{\nu_1 \nu_2} X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#18) \\
&\quad - \frac{1}{3}4(d+4)g^{\nu_1 \nu_2} \Re X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#19) \\
&\quad - \frac{1}{3}2(d+4)g^{\nu_1 \nu_2} \Re X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#20) \\
&\quad - \frac{1}{3}2(d+3)g^{\nu_1 \nu_2} \Re X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#21) \\
&\quad + \frac{1}{6}(d+4)(d+22)\text{Ric}^{\nu_1 \nu_2} X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#22) \\
&\quad + \frac{1}{6}5(d+4)(d+10)\text{Ric}^{\nu_1 \nu_2} X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#23) \\
&\quad + (d+4)(d+12)\text{Ric}^{\nu_1 \nu_2} X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#24) \\
&\quad + \frac{1}{3}(d+4)(d+8)\text{Ric}^{\nu_1 \nu_2} X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#25) \\
&\quad + \frac{1}{3}2(d+4)(d+8)\text{Ric}^{\nu_1 \nu_2} X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#26) \\
&\quad + \frac{1}{3}2(d+4)\text{Ric}^{\nu_1 \nu_2} X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] \quad (\#27) \\
&\quad + \frac{1}{2}(d+4)(d+12)g^{\nu_1 \nu_2} \Re X_5[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#28) \\
&\quad + \frac{1}{3}(d+4)(d+12)g^{\nu_1 \nu_2} \Re X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#29) \\
&\quad + \frac{1}{6}(d+4)(d+12)g^{\nu_1 \nu_2} \Re X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#30) \\
&\quad + \frac{1}{6}(d+4)^2 g^{\nu_1 \nu_2} \Re X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] \quad (\#31) \\
&\quad + \frac{1}{6}(d+4)(d+8)g^{\nu_1 \nu_2} \Re X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#32) \\
&\quad + \frac{1}{3}(d+4)(d+8)g^{\nu_1 \nu_2} \Re X_5[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#33) \\
&\quad - (d+4)(d+6)\text{Ric}^{\nu_1 \nu_2} X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#34) \\
&\quad - 2(d+4)(d+6)\text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#35) \\
&\quad - 3(d+4)(d+6)\text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#36) \\
&\quad - 4(d+4)(d+6)\text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#37) \\
&\quad - \frac{1}{3}(d+4)(d+6)\text{Ric}^{\nu_1 \nu_2} X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] \quad (\#38) \\
&\quad - \frac{1}{3}2(d+4)(d+6)\text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u \otimes u] \quad (\#39) \\
&\quad - \frac{1}{3}4(d+4)(d+6)\text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#40) \\
&\quad - \frac{1}{3}2(d+4)(d+6)\text{Ric}^{\nu_1 \nu_2} X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#41) \\
&\quad - 2(d+4)(d+6)\text{Ric}^{\nu_1 \nu_2} X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u) \otimes u] \quad (\#42) \\
&\quad - \frac{1}{2}(d+4)(d+6)g^{\nu_1 \nu_2} \Re X_6[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#43) \\
&\quad - (d+4)(d+6)g^{\nu_1 \nu_2} \Re X_6[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#44) \\
&\quad - \frac{1}{2}3(d+4)(d+6)g^{\nu_1 \nu_2} \Re X_6[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#45)
\end{aligned}$$

$$\begin{aligned}
& -\frac{1}{2}(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes q \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#362) \\
& -(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes u \otimes q \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#363) \\
& -\frac{1}{2}(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes q \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#364) \\
& -\frac{1}{2}(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes q \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#365) \\
& -(d+2)(d+4)g^{\nu_1 \nu_2}X_5[u \otimes q \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#366) \\
& -\frac{1}{2}(d+2)(d+4)g^{\nu_1 \nu_2}X_5[q \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#367) \\
& -(d+2)(d+4)g^{\nu_1 \nu_2}X_5[q \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#368) \\
& -\frac{1}{2}dX_3[u \otimes (\widehat{\Delta}u) \otimes q] \quad (\#369) \\
& -\frac{1}{2}dX_3[u \otimes q \otimes (\widehat{\Delta}u)] \quad (\#370) \\
& -\frac{1}{2}dX_3[q \otimes u \otimes (\widehat{\Delta}u)] \quad (\#371) \\
& +(d+2)X_4[u \otimes u \otimes (\widehat{\Delta}u) \otimes q] \quad (\#372) \\
& +(d+2)X_4[u \otimes u \otimes q \otimes (\widehat{\Delta}u)] \quad (\#373) \\
& +(d+2)X_4[u \otimes q \otimes u \otimes (\widehat{\Delta}u)] \quad (\#374) \\
& +(d+2)X_4[q \otimes u \otimes u \otimes (\widehat{\Delta}u)] \quad (\#375) \\
& +X_2[q \otimes q] \quad (\#376) \\
& -(d+2)g^{\nu_1 \nu_2}X_3[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} q)] \quad (\#377) \\
& -d g^{\nu_1 \nu_2}X_3[u \otimes (\widehat{\nabla}_{\nu_1} q) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#378) \\
& +(d+2)g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes u \otimes (\widehat{\nabla}_{\nu_2} q)] \quad (\#379) \\
& +2(d+2)g^{\nu_1 \nu_2}X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} u) \otimes (\widehat{\nabla}_{\nu_2} q)] \quad (\#380) \\
& +2(d+2)g^{\nu_1 \nu_2}X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} q) \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#381) \\
& +(d+2)g^{\nu_1 \nu_2}X_4[u \otimes (\widehat{\nabla}_{\nu_1} q) \otimes u \otimes (\widehat{\nabla}_{\nu_2} u)] \quad (\#382) \\
& +X_2[u \otimes (\widehat{\Delta}q)] \quad (\#383) \\
& -2X_3[u \otimes u \otimes (\widehat{\Delta}q)] \quad (\#384)
\end{aligned}$$

3 R_4 for u parallel

3.1 Case $N^\mu \neq 0$

$$\begin{aligned}
R_{4,0}(u = \text{parallel}) &= \frac{1}{180} |R|^2 X_1[u] \quad (\#1) \\
&\quad - \frac{1}{180} |\text{Ric}|^2 X_1[u] \quad (\#2) \\
&\quad + \frac{1}{30} (\widehat{\Delta} \Re) X_1[u] \quad (\#3) \\
&\quad + \frac{1}{72} \Re^2 X_1[u] \quad (\#4) \\
&\quad + \frac{1}{3} \Re X_3[u \otimes u \otimes q] \quad (\#5) \\
&\quad + \frac{1}{3} \Re X_3[u \otimes q \otimes u] \quad (\#6) \\
&\quad + \frac{1}{3} \Re X_3[q \otimes u \otimes u] \quad (\#7) \\
&\quad + X_2[q \otimes q] \quad (\#8) \\
&\quad + X_3[u \otimes (\widehat{\Delta} q) \otimes u] \quad (\#9) \\
&\quad + \frac{1}{2} (\widehat{\nabla}_{\nu_1} \Re) X_4[u \otimes N^{\nu_1} \otimes u \otimes u] \quad (\#10) \\
&\quad + \frac{1}{2} (\widehat{\nabla}_{\nu_1} \Re) X_4[N^{\nu_1} \otimes u \otimes u \otimes u] \quad (\#11) \\
&\quad - (\widehat{\nabla}_{\nu_1} \Re) X_4[u \otimes u \otimes u \otimes N^{\nu_1}] \quad (\#12) \\
&\quad + X_3[N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_1} q) \otimes u] \quad (\#13) \\
&\quad - X_3[u \otimes (\widehat{\nabla}_{\nu_1} q) \otimes N^{\nu_1}] \quad (\#14) \\
&\quad + \frac{1}{3} \text{Ric}_{\nu_1 \nu_2} X_4[u \otimes N^{\nu_1} \otimes N^{\nu_2} \otimes u] \quad (\#15) \\
&\quad - \frac{1}{6} \text{Ric}_{\nu_1 \nu_2} X_4[N^{\nu_1} \otimes u \otimes N^{\nu_2} \otimes u] \quad (\#16) \\
&\quad + \frac{1}{3} \text{Ric}_{\nu_1 \nu_2} X_4[N^{\nu_1} \otimes N^{\nu_2} \otimes u \otimes u] \quad (\#17) \\
&\quad + \frac{1}{3} \text{Ric}_{\nu_1 \nu_2} X_4[u \otimes u \otimes N^{\nu_1} \otimes N^{\nu_2}] \quad (\#18) \\
&\quad - \frac{1}{6} \text{Ric}_{\nu_1 \nu_2} X_4[u \otimes N^{\nu_1} \otimes u \otimes N^{\nu_2}] \quad (\#19) \\
&\quad - \frac{1}{3} 2 \text{Ric}_{\nu_1 \nu_2} X_4[N^{\nu_1} \otimes u \otimes u \otimes N^{\nu_2}] \quad (\#20) \\
&\quad - \frac{1}{6} g_{\nu_1 \nu_2} \Re X_4[N^{\nu_1} \otimes N^{\nu_2} \otimes u \otimes u] \quad (\#21) \\
&\quad - \frac{1}{6} g_{\nu_1 \nu_2} \Re X_4[N^{\nu_1} \otimes u \otimes u \otimes N^{\nu_2}] \quad (\#22) \\
&\quad - \frac{1}{6} g_{\nu_1 \nu_2} \Re X_4[N^{\nu_1} \otimes u \otimes N^{\nu_2} \otimes u] \quad (\#23) \\
&\quad - \frac{1}{6} g_{\nu_1 \nu_2} \Re X_4[u \otimes u \otimes N^{\nu_1} \otimes N^{\nu_2}] \quad (\#24) \\
&\quad - \frac{1}{6} g_{\nu_1 \nu_2} \Re X_4[u \otimes N^{\nu_1} \otimes u \otimes N^{\nu_2}] \quad (\#25) \\
&\quad - \frac{1}{6} g_{\nu_1 \nu_2} \Re X_4[u \otimes N^{\nu_1} \otimes N^{\nu_2} \otimes u] \quad (\#26) \\
&\quad - \frac{1}{2} g_{\nu_1 \nu_2} X_3[N^{\nu_1} \otimes N^{\nu_2} \otimes q] \quad (\#27) \\
&\quad - \frac{1}{2} g_{\nu_1 \nu_2} X_3[N^{\nu_1} \otimes q \otimes N^{\nu_2}] \quad (\#28) \\
&\quad - \frac{1}{2} g_{\nu_1 \nu_2} X_3[q \otimes N^{\nu_1} \otimes N^{\nu_2}] \quad (\#29) \\
&\quad + \frac{1}{4} g_{\nu_1 \nu_2} g_{\nu_3 \nu_4} X_4[N^{\nu_1} \otimes N^{\nu_2} \otimes N^{\nu_3} \otimes N^{\nu_4}] \quad (\#30) \\
&\quad + \frac{1}{4} g_{\nu_1 \nu_3} g_{\nu_2 \nu_4} X_4[N^{\nu_1} \otimes N^{\nu_2} \otimes N^{\nu_3} \otimes N^{\nu_4}] \quad (\#31) \\
&\quad + \frac{1}{4} g_{\nu_1 \nu_4} g_{\nu_2 \nu_3} X_4[N^{\nu_1} \otimes N^{\nu_2} \otimes N^{\nu_3} \otimes N^{\nu_4}] \quad (\#32) \\
&\quad + \frac{1}{3} g^{\nu_1 \nu_3} \text{Ric}_{\nu_2 \nu_3} X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_2}) \otimes u] \quad (\#33) \\
&\quad + \frac{1}{3} 2 g^{\nu_1 \nu_3} \text{Ric}_{\nu_2 \nu_3} X_4[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_2}) \otimes u \otimes u] \quad (\#34) \\
&\quad - g^{\nu_1 \nu_3} \text{Ric}_{\nu_2 \nu_3} X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_2})] \quad (\#35) \\
&\quad - \frac{1}{3} \Re X_4[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1}) \otimes u \otimes u] \quad (\#36) \\
&\quad - \Re X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1})] \quad (\#37)
\end{aligned}$$

$$\begin{aligned}
& -\frac{1}{3}2\Re X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1}) \otimes u] \quad (\#38) \\
& -X_3[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1}) \otimes q] \quad (\#39) \\
& -X_3[u \otimes q \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1})] \quad (\#40) \\
& -X_3[q \otimes u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1})] \quad (\#41) \\
& -\frac{1}{2}g_{\nu_1 \nu_3}X_4[N^{\nu_1} \otimes N^{\nu_2} \otimes (\widehat{\nabla}_{\nu_2} N^{\nu_3}) \otimes u] \quad (\#42) \\
& -\frac{1}{2}g_{\nu_2 \nu_3}X_4[N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_2}) \otimes u \otimes N^{\nu_3}] \quad (\#43) \\
& -\frac{1}{2}g_{\nu_2 \nu_3}X_4[N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_2}) \otimes N^{\nu_3} \otimes u] \quad (\#44) \\
& -\frac{1}{2}g_{\nu_2 \nu_3}X_4[N^{\nu_1} \otimes N^{\nu_2} \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_3}) \otimes u] \quad (\#45) \\
& +\frac{1}{2}g_{\nu_1 \nu_2}X_4[N^{\nu_1} \otimes N^{\nu_2} \otimes u \otimes (\widehat{\nabla}_{\nu_3} N^{\nu_3})] \quad (\#46) \\
& +\frac{1}{2}g_{\nu_1 \nu_2}X_4[N^{\nu_1} \otimes u \otimes N^{\nu_2} \otimes (\widehat{\nabla}_{\nu_3} N^{\nu_3})] \quad (\#47) \\
& +\frac{1}{2}g_{\nu_1 \nu_2}X_4[u \otimes N^{\nu_1} \otimes N^{\nu_2} \otimes (\widehat{\nabla}_{\nu_3} N^{\nu_3})] \quad (\#48) \\
& +\frac{1}{2}g_{\nu_1 \nu_3}X_4[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_2} N^{\nu_2}) \otimes N^{\nu_3}] \quad (\#49) \\
& +\frac{1}{2}g_{\nu_1 \nu_3}X_4[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2} N^{\nu_2}) \otimes N^{\nu_3}] \quad (\#50) \\
& +\frac{1}{2}g_{\nu_1 \nu_3}X_4[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_2} N^{\nu_3}) \otimes N^{\nu_2}] \quad (\#51) \\
& +\frac{1}{2}g_{\nu_1 \nu_3}X_4[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2} N^{\nu_3}) \otimes N^{\nu_2}] \quad (\#52) \\
& +\frac{1}{2}g_{\nu_2 \nu_3}X_4[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1}) \otimes N^{\nu_2} \otimes N^{\nu_3}] \quad (\#53) \\
& +\frac{1}{2}g_{\nu_2 \nu_3}X_4[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_2}) \otimes N^{\nu_1} \otimes N^{\nu_3}] \quad (\#54) \\
& +\frac{1}{2}g_{\nu_2 \nu_3}X_4[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_2}) \otimes N^{\nu_3} \otimes N^{\nu_1}] \quad (\#55) \\
& -g_{\nu_2 \nu_4}g^{\nu_1 \nu_3}X_4[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_2}) \otimes (\widehat{\nabla}_{\nu_3} N^{\nu_4}) \otimes u] \quad (\#56) \\
& -X_4[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_2}) \otimes (\widehat{\nabla}_{\nu_2} N^{\nu_1}) \otimes u] \quad (\#57) \\
& +X_4[u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1}) \otimes u \otimes (\widehat{\nabla}_{\nu_2} N^{\nu_2})] \quad (\#58) \\
& +2X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} N^{\nu_1}) \otimes (\widehat{\nabla}_{\nu_2} N^{\nu_2})] \quad (\#59) \\
& -X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2 \nu_1}^2 N^{\nu_2})] \quad (\#60) \\
& -X_4[u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_2 \nu_1}^2 N^{\nu_2}) \otimes u] \quad (\#61) \\
& +X_4[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_2 \nu_1}^2 N^{\nu_2})] \quad (\#62) \\
& -X_4[N^{\nu_1} \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 N^{\nu_2})] \quad (\#63) \\
& -X_4[N^{\nu_1} \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 N^{\nu_2}) \otimes u] \quad (\#64) \\
& +X_4[u \otimes u \otimes N^{\nu_1} \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 N^{\nu_2})] \quad (\#65) \\
& +X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 N^{\nu_1}) \otimes N^{\nu_2}] \quad (\#66) \\
& +X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2}^2 N^{\nu_2}) \otimes N^{\nu_1}] \quad (\#67) \\
& +2g^{\nu_1 \nu_3}X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1 \nu_2 \nu_3}^3 N^{\nu_2})] \quad (\#68) \\
& -\frac{1}{2}g_{\nu_1 \nu_2}X_4[u \otimes N^{\nu_1} \otimes (\widehat{\Delta} N^{\nu_2}) \otimes u] \quad (\#69) \\
& -\frac{1}{2}g_{\nu_1 \nu_2}X_4[N^{\nu_1} \otimes u \otimes (\widehat{\Delta} N^{\nu_2}) \otimes u] \quad (\#70) \\
& -\frac{1}{2}g_{\nu_1 \nu_2}X_4[u \otimes (\widehat{\Delta} N^{\nu_1}) \otimes u \otimes N^{\nu_2}] \quad (\#71) \\
& -\frac{1}{2}g_{\nu_1 \nu_2}X_4[u \otimes (\widehat{\Delta} N^{\nu_1}) \otimes N^{\nu_2} \otimes u] \quad (\#72) \\
& -X_4[u \otimes u \otimes u \otimes (\widehat{\nabla}_{\nu_1} (\widehat{\Delta} N^{\nu_1}))] \quad (\#73) \\
& -X_4[u \otimes u \otimes (\widehat{\nabla}_{\nu_1} (\widehat{\Delta} N^{\nu_1})) \otimes u] \quad (\#74) \\
& -X_4[u \otimes u \otimes u \otimes (\widehat{\Delta} (\widehat{\nabla}_{\nu_1} N^{\nu_1}))] \quad (\#75) \\
& -X_4[u \otimes u \otimes (\widehat{\Delta} (\widehat{\nabla}_{\nu_1} N^{\nu_1})) \otimes u] \quad (\#76)
\end{aligned}$$

$$\begin{aligned}
R_{4,2}(u = \text{parallel}) &= \frac{1}{2} X_3[u \otimes N^{\nu_1} \otimes N^{\nu_2}] F_{\nu_1 \nu_2} \quad (\#1) \\
&- \frac{1}{2} X_3[N^{\nu_1} \otimes u \otimes N^{\nu_2}] F_{\nu_1 \nu_2} \quad (\#2) \\
&+ \frac{1}{2} X_3[N^{\nu_1} \otimes N^{\nu_2} \otimes u] F_{\nu_1 \nu_2} \quad (\#3) \\
&- g^{\nu_2 \nu_3} X_3[u \otimes (\widehat{\nabla}_{\nu_3} N^{\nu_1}) \otimes u] F_{\nu_1 \nu_2} \quad (\#4)
\end{aligned}$$

$$\begin{aligned}
R_{4,3}(u = \text{parallel}) &= g^{\nu_1 \nu_2} X_4[u \otimes N^{\nu_3} \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#1) \\
&- g^{\nu_1 \nu_2} X_4[N^{\nu_3} \otimes u \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#2) \\
&- g^{\nu_1 \nu_2} X_4[u \otimes u \otimes u \otimes N^{\nu_3}](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#3) \\
&+ g^{\nu_1 \nu_2} X_4[u \otimes u \otimes N^{\nu_3} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#4) \\
&- g^{\nu_2 \nu_3} X_4[u \otimes u \otimes u \otimes N^{\nu_1}](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#5) \\
&+ g^{\nu_2 \nu_3} X_4[u \otimes u \otimes N^{\nu_1} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#6) \\
&+ g^{\nu_2 \nu_3} X_4[u \otimes N^{\nu_1} \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#7) \\
&- g^{\nu_2 \nu_3} X_4[N^{\nu_1} \otimes u \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#8) \\
&- 2g^{\nu_1 \nu_3} X_4[u \otimes u \otimes N^{\nu_2} \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#9) \\
&- 2g^{\nu_1 \nu_3} X_4[u \otimes N^{\nu_2} \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#10) \\
&+ 2g^{\nu_1 \nu_3} X_4[N^{\nu_2} \otimes u \otimes u \otimes u](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#11) \\
&+ 2g^{\nu_1 \nu_3} X_4[u \otimes u \otimes u \otimes N^{\nu_2}](\nabla_{\nu_1 \nu_2 \nu_3}^3 \mathbf{1}) \quad (\#12)
\end{aligned}$$

$$R_{4,4}(u = \text{parallel}) = \frac{1}{12} X_1[u] F^{\nu_1 \nu_2} F_{\nu_1 \nu_2} \quad (\#1)$$

3.2 Case $N^\mu = 0$

$$\begin{aligned}
R_{4,0}(u = \text{parallel}, N = 0) &= \frac{1}{180} |R|^2 X_1[u] \quad (\#1) \\
&\quad - \frac{1}{180} |\text{Ric}|^2 X_1[u] \quad (\#2) \\
&\quad + \frac{1}{30} (\widehat{\Delta} \Re) X_1[u] \quad (\#3) \\
&\quad + \frac{1}{72} \Re^2 X_1[u] \quad (\#4) \\
&\quad + \frac{1}{3} \Re X_3[u \otimes u \otimes q] \quad (\#5) \\
&\quad + \frac{1}{3} \Re X_3[u \otimes q \otimes u] \quad (\#6) \\
&\quad + \frac{1}{3} \Re X_3[q \otimes u \otimes u] \quad (\#7) \\
&\quad + X_2[q \otimes q] \quad (\#8) \\
&\quad + X_3[u \otimes (\widehat{\Delta} q) \otimes u] \quad (\#9)
\end{aligned}$$

$$R_{4,2}(u = \text{parallel}, N = 0) = 0$$

$$R_{4,3}(u = \text{parallel}, N = 0) = 0$$

$$R_{4,4}(u = \text{parallel}, N = 0) = \frac{1}{12} X_1[u] F^{\nu_1 \nu_2} F_{\nu_1 \nu_2} \quad (\#1)$$

4 R_2 for Non Commutative Torus

4.1 R_2 for P_1

$$\begin{aligned}
R_2 = & -(d+2)g^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1} k)(\delta_{\nu_2} k) \otimes u] \quad (\#1) \\
& + \frac{1}{2}(d^2 + 2d + 8)g^{\nu_1 \nu_2} X_4[u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#2) \\
& - (d-2)g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#3) \\
& - 2d g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k \otimes u \otimes u] \quad (\#4) \\
& - (d-2)g^{\nu_1 \nu_2} X_4[u \otimes k(\delta_{\nu_1} k) \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#5) \\
& + 4g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#6) \\
& - 2d g^{\nu_1 \nu_2} X_4[u \otimes u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k] \quad (\#7) \\
& + \frac{1}{2}(d+2)^2 g^{\nu_1 \nu_2} X_4[u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#8) \\
& - (d+2)g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#9) \\
& - 2(d+2)g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u \otimes u] \quad (\#10) \\
& - 2(d+2)g^{\nu_1 \nu_2} X_4[u \otimes u \otimes (\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k] \quad (\#11) \\
& - (d+2)g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#12) \\
& + \frac{1}{2}(d+2)^2 g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#13) \\
& + \frac{1}{2}(d+2)(d+4)g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#14) \\
& - \frac{1}{2}d g^{\nu_1 \nu_2} X_3[u \otimes k(\delta_{\nu_1}^2 k) \otimes u] \quad (\#15) \\
& + 2g^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1}^2 k) \otimes u \otimes u] \quad (\#16) \\
& + 2g^{\nu_1 \nu_2} X_3[u \otimes u \otimes (\delta_{\nu_1}^2 k)k] \quad (\#17) \\
& - \frac{1}{2}d g^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1}^2 k)k \otimes u] \quad (\#18)
\end{aligned}$$

4.2 R_2 for P_2

$$\begin{aligned}
R_2 = & \frac{1}{2}d f^{\nu_1 \nu_2} X_3[u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k] \quad (\#1) \\
& - f^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1} k) \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#2) \\
& + \frac{1}{2}d f^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#3) \\
& + \frac{1}{2}d f^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k] \quad (\#4) \\
& - f^{\nu_1 \nu_2} X_3[(\delta_{\nu_1} k)k \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#5) \\
& + \frac{1}{2}d f^{\nu_1 \nu_2} X_3[(\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#6) \\
& + \frac{1}{2}d f^{\nu_1 \nu_2} X_3[u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k)] \quad (\#7) \\
& - f^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1} k) \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#8) \\
& + \frac{1}{2}d f^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#9) \\
& + \frac{1}{2}d f^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k)] \quad (\#10) \\
& - f^{\nu_1 \nu_2} X_3[(\delta_{\nu_1} k)k \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#11) \\
& + \frac{1}{2}d f^{\nu_1 \nu_2} X_3[(\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#12) \\
& - (d+2)g^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1} k)(\delta_{\nu_2} k) \otimes u] \quad (\#13) \\
& + \frac{1}{2}(d^2 + 4d + 8)g^{\nu_1 \nu_2} X_4[u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#14) \\
& - \frac{1}{2}(d-2)g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#15) \\
& - d g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u \otimes u] \quad (\#16) \\
& - \frac{1}{2}(d-2)g^{\nu_1 \nu_2} X_4[u \otimes k(\delta_{\nu_1} k) \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#17)
\end{aligned}$$

$$\begin{aligned}
& + 2g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#18) \\
& - d g^{\nu_1 \nu_2} X_4[u \otimes u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k)] \quad (\#19) \\
& + \frac{1}{2}(d^2 + 4d + 8) g^{\nu_1 \nu_2} X_4[u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#20) \\
& - \frac{1}{2}(d-2) g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#21) \\
& - d g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k \otimes u \otimes u] \quad (\#22) \\
& - \frac{1}{2}(d-2) g^{\nu_1 \nu_2} X_4[u \otimes k(\delta_{\nu_1} k) \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#23) \\
& + 2g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#24) \\
& - d g^{\nu_1 \nu_2} X_4[u \otimes u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k] \quad (\#25) \\
& + \frac{1}{2}(d^2 + 4d + 8) g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#26) \\
& - \frac{1}{2}(d-2) g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes u \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#27) \\
& - d g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k) \otimes u \otimes u] \quad (\#28) \\
& - \frac{1}{2}(d-2) g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#29) \\
& + 2g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes u \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#30) \\
& - d g^{\nu_1 \nu_2} X_4[u \otimes u \otimes (\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k)] \quad (\#31) \\
& + \frac{1}{2}(d^2 + 4d + 8) g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#32) \\
& - \frac{1}{2}(d-2) g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes u \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#33) \\
& - d g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k \otimes u \otimes u] \quad (\#34) \\
& - \frac{1}{2}(d-2) g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#35) \\
& + 2g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes u \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#36) \\
& - d g^{\nu_1 \nu_2} X_4[u \otimes u \otimes (\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k] \quad (\#37) \\
& - \frac{1}{2}(d+2) g^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1 \nu_2}^2 k)k \otimes u] \quad (\#38) \\
& - \frac{1}{2}(d+2) g^{\nu_1 \nu_2} X_3[u \otimes k(\delta_{\nu_1 \nu_2}^2 k) \otimes u] \quad (\#39)
\end{aligned}$$

4.3 R_2 for $P_1 + P_2$

$$\begin{aligned}
R_2 = & \frac{1}{2} d f^{\nu_1 \nu_2} X_3 [u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k) k] \quad (\#1) \\
& - f^{\nu_1 \nu_2} X_3 [k(\delta_{\nu_1} k) \otimes u \otimes (\delta_{\nu_2} k) k] \quad (\#2) \\
& + \frac{1}{2} d f^{\nu_1 \nu_2} X_3 [k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k) k \otimes u] \quad (\#3) \\
& + \frac{1}{2} d f^{\nu_1 \nu_2} X_3 [u \otimes (\delta_{\nu_1} k) k \otimes (\delta_{\nu_2} k) k] \quad (\#4) \\
& - f^{\nu_1 \nu_2} X_3 [(\delta_{\nu_1} k) k \otimes u \otimes (\delta_{\nu_2} k) k] \quad (\#5) \\
& + \frac{1}{2} d f^{\nu_1 \nu_2} X_3 [(\delta_{\nu_1} k) k \otimes (\delta_{\nu_2} k) k \otimes u] \quad (\#6) \\
& + \frac{1}{2} d f^{\nu_1 \nu_2} X_3 [u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k)] \quad (\#7) \\
& - f^{\nu_1 \nu_2} X_3 [k(\delta_{\nu_1} k) \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#8) \\
& + \frac{1}{2} d f^{\nu_1 \nu_2} X_3 [k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#9) \\
& + \frac{1}{2} d f^{\nu_1 \nu_2} X_3 [u \otimes (\delta_{\nu_1} k) k \otimes k(\delta_{\nu_2} k)] \quad (\#10) \\
& - f^{\nu_1 \nu_2} X_3 [(\delta_{\nu_1} k) k \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#11) \\
& + \frac{1}{2} d f^{\nu_1 \nu_2} X_3 [(\delta_{\nu_1} k) k \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#12) \\
& - 2(d+2) g^{\nu_1 \nu_2} X_3 [u \otimes (\delta_{\nu_1} k) (\delta_{\nu_2} k) \otimes u] \quad (\#13) \\
& + (d^2 + 3d + 8) g^{\nu_1 \nu_2} X_4 [u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k) k \otimes u] \quad (\#14) \\
& - \frac{1}{2} 3(d-2) g^{\nu_1 \nu_2} X_4 [k(\delta_{\nu_1} k) \otimes u \otimes (\delta_{\nu_2} k) k \otimes u] \quad (\#15) \\
& - 3d g^{\nu_1 \nu_2} X_4 [k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k) k \otimes u \otimes u] \quad (\#16) \\
& - \frac{1}{2} 3(d-2) g^{\nu_1 \nu_2} X_4 [u \otimes k(\delta_{\nu_1} k) \otimes u \otimes (\delta_{\nu_2} k) k] \quad (\#17) \\
& + 6 g^{\nu_1 \nu_2} X_4 [k(\delta_{\nu_1} k) \otimes u \otimes u \otimes (\delta_{\nu_2} k) k] \quad (\#18) \\
& - 3d g^{\nu_1 \nu_2} X_4 [u \otimes u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k) k] \quad (\#19) \\
& + (d^2 + 4d + 6) g^{\nu_1 \nu_2} X_4 [u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#20) \\
& - \frac{1}{2} (3d+2) g^{\nu_1 \nu_2} X_4 [k(\delta_{\nu_1} k) \otimes u \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#21) \\
& - (3d+4) g^{\nu_1 \nu_2} X_4 [k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u \otimes u] \quad (\#22) \\
& - \frac{1}{2} (d-2) g^{\nu_1 \nu_2} X_4 [u \otimes k(\delta_{\nu_1} k) \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#23) \\
& + 2 g^{\nu_1 \nu_2} X_4 [k(\delta_{\nu_1} k) \otimes u \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#24) \\
& - d g^{\nu_1 \nu_2} X_4 [u \otimes u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k)] \quad (\#25) \\
& + (d^2 + 5d + 8) g^{\nu_1 \nu_2} X_4 [u \otimes (\delta_{\nu_1} k) k \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#26) \\
& - \frac{1}{2} (d-2) g^{\nu_1 \nu_2} X_4 [(\delta_{\nu_1} k) k \otimes u \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#27) \\
& - d g^{\nu_1 \nu_2} X_4 [(\delta_{\nu_1} k) k \otimes k(\delta_{\nu_2} k) \otimes u \otimes u] \quad (\#28) \\
& - \frac{1}{2} (d-2) g^{\nu_1 \nu_2} X_4 [u \otimes (\delta_{\nu_1} k) k \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#29) \\
& + 2 g^{\nu_1 \nu_2} X_4 [(\delta_{\nu_1} k) k \otimes u \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#30) \\
& - d g^{\nu_1 \nu_2} X_4 [u \otimes u \otimes (\delta_{\nu_1} k) k \otimes k(\delta_{\nu_2} k)] \quad (\#31) \\
& + (d^2 + 4d + 6) g^{\nu_1 \nu_2} X_4 [u \otimes (\delta_{\nu_1} k) k \otimes (\delta_{\nu_2} k) k \otimes u] \quad (\#32) \\
& - \frac{1}{2} (d-2) g^{\nu_1 \nu_2} X_4 [(\delta_{\nu_1} k) k \otimes u \otimes (\delta_{\nu_2} k) k \otimes u] \quad (\#33) \\
& - d g^{\nu_1 \nu_2} X_4 [(\delta_{\nu_1} k) k \otimes (\delta_{\nu_2} k) k \otimes u \otimes u] \quad (\#34) \\
& - \frac{1}{2} (3d+2) g^{\nu_1 \nu_2} X_4 [u \otimes (\delta_{\nu_1} k) k \otimes u \otimes (\delta_{\nu_2} k) k] \quad (\#35) \\
& + 2 g^{\nu_1 \nu_2} X_4 [(\delta_{\nu_1} k) k \otimes u \otimes u \otimes (\delta_{\nu_2} k) k] \quad (\#36) \\
& - (3d+4) g^{\nu_1 \nu_2} X_4 [u \otimes u \otimes (\delta_{\nu_1} k) k \otimes (\delta_{\nu_2} k) k] \quad (\#37) \\
& - (d+1) g^{\nu_1 \nu_2} X_3 [u \otimes k(\delta_{\nu_1 \nu_2}^2 k) \otimes u] \quad (\#38) \\
& + 2 g^{\nu_1 \nu_2} X_3 [k(\delta_{\nu_1 \nu_2}^2 k) \otimes u \otimes u] \quad (\#39)
\end{aligned}$$

$$+ 2g^{\nu_1 \nu_2} X_3[u \otimes u \otimes (\delta_{\nu_1 \nu_2}^2 k)k] \quad (\#40)$$

$$- (d+1)g^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1 \nu_2}^2 k)k \otimes u] \quad (\#41)$$

4.4 R_2 for $P_1 + P_2$ with $d = 2$

$$\begin{aligned}
R_2(d=2) = & f^{\nu_1 \nu_2} X_3[u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k] \quad (\#1) \\
& - f^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1} k) \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#2) \\
& + f^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#3) \\
& + f^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k] \quad (\#4) \\
& - f^{\nu_1 \nu_2} X_3[(\delta_{\nu_1} k)k \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#5) \\
& + f^{\nu_1 \nu_2} X_3[(\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#6) \\
& + f^{\nu_1 \nu_2} X_3[u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k)] \quad (\#7) \\
& - f^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1} k) \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#8) \\
& + f^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#9) \\
& + f^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k)] \quad (\#10) \\
& - f^{\nu_1 \nu_2} X_3[(\delta_{\nu_1} k)k \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#11) \\
& + f^{\nu_1 \nu_2} X_3[(\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#12) \\
& - 8g^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1} k)(\delta_{\nu_2} k) \otimes u] \quad (\#13) \\
& + 18g^{\nu_1 \nu_2} X_4[u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#14) \\
& - 6g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k \otimes u \otimes u] \quad (\#15) \\
& + 6g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#16) \\
& - 6g^{\nu_1 \nu_2} X_4[u \otimes u \otimes k(\delta_{\nu_1} k) \otimes (\delta_{\nu_2} k)k] \quad (\#17) \\
& + 18g^{\nu_1 \nu_2} X_4[u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#18) \\
& - 4g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#19) \\
& - 10g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k) \otimes u \otimes u] \quad (\#20) \\
& + 2g^{\nu_1 \nu_2} X_4[k(\delta_{\nu_1} k) \otimes u \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#21) \\
& - 2g^{\nu_1 \nu_2} X_4[u \otimes u \otimes k(\delta_{\nu_1} k) \otimes k(\delta_{\nu_2} k)] \quad (\#22) \\
& + 22g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k) \otimes u] \quad (\#23) \\
& - 2g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k) \otimes u \otimes u] \quad (\#24) \\
& + 2g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes u \otimes u \otimes k(\delta_{\nu_2} k)] \quad (\#25) \\
& - 2g^{\nu_1 \nu_2} X_4[u \otimes u \otimes (\delta_{\nu_1} k)k \otimes k(\delta_{\nu_2} k)] \quad (\#26) \\
& + 18g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k \otimes u] \quad (\#27) \\
& - 2g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k \otimes u \otimes u] \quad (\#28) \\
& - 4g^{\nu_1 \nu_2} X_4[u \otimes (\delta_{\nu_1} k)k \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#29) \\
& + 2g^{\nu_1 \nu_2} X_4[(\delta_{\nu_1} k)k \otimes u \otimes u \otimes (\delta_{\nu_2} k)k] \quad (\#30) \\
& - 10g^{\nu_1 \nu_2} X_4[u \otimes u \otimes (\delta_{\nu_1} k)k \otimes (\delta_{\nu_2} k)k] \quad (\#31) \\
& - 3g^{\nu_1 \nu_2} X_3[u \otimes k(\delta_{\nu_1 \nu_2}^2 k) \otimes u] \quad (\#32) \\
& + 2g^{\nu_1 \nu_2} X_3[k(\delta_{\nu_1 \nu_2}^2 k) \otimes u \otimes u] \quad (\#33) \\
& + 2g^{\nu_1 \nu_2} X_3[u \otimes u \otimes (\delta_{\nu_1 \nu_2}^2 k)k] \quad (\#34) \\
& - 3g^{\nu_1 \nu_2} X_3[u \otimes (\delta_{\nu_1 \nu_2}^2 k)k \otimes u] \quad (\#35)
\end{aligned}$$