

From particular polynomials to rational solutions to the mKdV equation

Pierre Gaillard

▶ To cite this version:

Pierre Gaillard. From particular polynomials to rational solutions to the mKdV equation. 2022. hal-03649898

HAL Id: hal-03649898 https://hal.science/hal-03649898v1

Preprint submitted on 23 Apr 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

From particular polynomials to rational solutions to the mKdV equation

Pierre Gaillard,

Université de Bourgogne Franche Comté, Institut de mathématiques de Bourgogne, 9 avenue Alain Savary BP 47870 21078 Dijon Cedex, France : E-mail : Pierre.Gaillard@u-bourgogne.fr

Abstract

Rational solutions to the modified Korteweg-de Vries (mKdV) equation are given in terms of a quotient of determinants involving certain particular polynomials. This gives a very efficient method to construct solutions. We construct very easily explicit expressions of these rational solutions for the first orders n = 1 until 10.

Key Words : mKdV equation, rational solutions.

PACS numbers : 33Q55, 37K10, 47.10A-, 47.35.Fg, 47.54.Bd

1 Introduction

We consider the modified Korteweg-de Vries (mKdV) equation in the following normalization

$$4u_t + 6u^2u_x - u_{xxx} = 0, (1)$$

with as usual the subscript meaning the partial derivatives.

The mKdV equation has many applications in various fields as in nonlinear optics for example to model supercontinuum generation in optical fibres [1] or to describe pulses consisting of a few optical cycles [2].

A lot of methods have been used to construct solutions to the mKdV equation. We can recall some works about this topic. In 1972, Hirota [4] constructed the exact soliton for the mKdV equation. Tanaka [5] was the first to solve the mKdV equation by using the inverse scattering technique. In 1976, Ono constructed rational solutions to the mKdV equation [6] by using Bäcklund transformation. Tanaka constructed rational solutions to this equation using recurrence relations in [7].

In 2012, solutions to the mKdV equation has been constructed via bilinear

Bäcklund transformation in [8] and rational solutions in terms of wronskians were obtained.

Periodic solutions and rational solution of first and second order were presented in [9] in 2016, by using a Darboux transformation.

Here, we construct rational solutions by using particular types of polynomials. To prove the results, we use the bilinear Hirota method. The solution can be expressed as the derivative in x of the logarithm of the quotient of two determinants. So rational solutions as a quotient of polynomials in x and t are given and we construct explicit rational solutions in the simplest cases n = 1 until 10.

2 Rational solutions to the mKdV equation

We consider the following polynomials $p_n(x,t)$ defined by

$$\begin{cases} p_n(x,t) = \sum_{l=0}^n \frac{x^k}{k!} \frac{t^{\left(\frac{n-k}{3}\right)}}{\left(\frac{n-k}{3}\right)!} \left(1 - \left[\frac{1}{2}(n-k+1-3\left[\frac{n-k}{3}\right]\right]\right), \quad k \ge 0, \quad (2)\\ p_n(x,t) = 0, \quad n < 0, \end{cases}$$

with [x] denoting the largest integer less or equal to x. We denote $A_n(x,t)$ the determinant defined by

$$A_n(x,t) = \det(p_{n+1-2i+j}(x,t))_{\{1 \le i \le n, 1 \le j \le n\}}$$
(3)

With these notations we have the following result

Theorem 2.1 The function $v_n(x,t)$ defined by

$$v_n(x,t) = \partial_x \left(\ln \frac{A_{n+1}(x,t)}{A_n(x,t)} \right) \tag{4}$$

is a rational to the mKdV equation (1)

$$4u_t + 6u^2u_x - u_{xxx} = 0.$$

3 Explicit rational solutions to the mKdV equation for the first orders

In the following, we will call

$$v_k(x,t) = \partial_x \left(\ln \frac{A_{k+1}(x,t)}{A_k(x,t)} \right)$$

a rational solution to the mKdV equation of order k. In this section we will give some explicit examples of rational solutions to the mKdV equation.

3.1 Rational solutions of order 1 to the mKdV equation

Example 3.1 The function $v_k(x,t)$ defined by

$$v_k(x,t) = \frac{-(2x^3 + 3t)x}{(-x^3 + 3t)x^2}$$
(5)

is a rational to the KdV equation.

3.2 Rational solutions of order 2 to the mKdV equation

Example 3.2 The function $v_k(x,t)$ defined by

$$v_k(x,t) = \frac{3\left(x^6 - 6\,tx^3 + 90\,t^2\right)\left(-x^3 + 3\,t\right)x^2}{\left(-x^3 + 3\,t\right)^2\left(-x^6 + 15\,tx^3 + 45\,t^2\right)}\tag{6}$$

is a rational to the mKdV equation.

3.3 Rational solutions of order 3 to the mKdV equation

Example 3.3 The function $v_k(x,t)$ defined by

$$v_k(x,t) = \frac{(4x^{15} - 150tx^{12} + 2250t^2x^9 + 37800t^3x^6 - 141750t^4x^3 + 212625t^5)(-x^6 + 15tx^3 + 45t^2)}{(-x^6 + 15tx^3 + 45t^2)^2(-x^9 + 45tx^6 + 4725t^3)x}$$
(7)

is a rational to the mKdV equation.

3.4 Rational solutions of order 4 to the mKdV equation

Example 3.4 The function $v_k(x,t)$ defined by

$$v_k(x,t) = \frac{n(x,t)}{d(x,t)} \tag{8}$$

with
$$\begin{split} n(x,t) &= -5 \left(x^{24} - 114 tx^{21} + 4410 t^2 x^{18} - 15120 t^3 x^{15} + 2182950 t^4 x^{12} - 50604750 t^5 x^9 + 250047000 t^6 x^6 + 1875352500 t^7 x^3 + 1406514375 t^8 \right) (-x^9 + 45 tx^6 + 4725 t^3) x \\ and \\ d(x,t) &= (-x^9 + 45 tx^6 + 4725 t^3)^2 (x^{15} - 105 tx^{12} + 1575 t^2 x^9 - 33075 t^3 x^6 - 992250 t^4 x^3 + 1488375 t^5) x^2 \\ is a rational to the mKdV equation. \end{split}$$

3.5 Rational solutions of order 5 to the mKdV equation

Example 3.5 The function $v_k(x,t)$ defined by

$$v_k(x,t) = \frac{n(x,t)}{d(x,t)} \tag{9}$$

with
$$\begin{split} &n(x,t) = 3\left(2x^{33} - 525\,tx^{30} + 50400\,t^2x^{27} - 1984500\,t^3x^{24} + 65488500\,t^4x^{21} + 62511750\,t^5x^{18} - 111583473750\,t^6x^{15} + 2644247025000\,t^7x^{12} + 590736037500\,t^8x^9 + 406131025781250\,t^9x^6 - 682300123312500\,t^{10}x^3 + 10234501849687500\,t^{11}\right)(x^{15} - 105\,tx^{12} + 1575\,t^2x^9 - 33075\,t^3x^6 - 992250\,t^4x^3 + 1488375\,t^5)x^2 \\ &and \\ &d(x,t) = (x^{15} - 105\,tx^{12} + 1575\,t^2x^9 - 33075\,t^3x^6 - 992250\,t^4x^3 + 1488375\,t^5)^2(x^{21} - 210\,tx^{18} + 10395\,t^2x^{15} - 264600\,t^3x^{12} - 5457375\,t^4x^9 - 343814625\,t^5x^6 + 3438146250\,t^6x^3 + 5157219375\,t^7) \\ &is a \ rational \ to \ the \ mKdV \ equation. \end{split}$$

3.6 Rational solutions of order 6 to the mKdV equation

Example 3.6 The function $v_k(x,t)$ defined by

$$v_k(x,t) = \frac{n(x,t)}{d(x,t)} \tag{10}$$

with

$$\begin{split} n(x,t) &= 7 \left(x^{48} - 516 \, tx^{45} + 104760 \, t^2 x^{42} - 10697400 \, t^3 x^{39} + 664438950 \, t^4 x^{36} - \\ & 20691389250 \, t^5 x^{33} + 308450835000 \, t^6 x^{30} - 62918076375000 \, t^7 x^{27} + 5078958570984375 \, t^8 x^{24} - \\ & 107131794804168750 \, t^9 x^{21} + 2646690914052281250 \, t^{10} x^{18} + 19530938501266500000 \, t^{11} x^{15} - \\ & 766159925718531093750 \, t^{12} x^{12} + 13402310448457399218750 \, t^{13} x^9 + 91280600892196340625000 \, t^{14} x^6 - \\ & 228201502230490851562500 \, t^{15} x^3 + 171151126672868138671875 \, t^{16}\right)(x^{21} - 210 \, tx^{18} + \\ & 10395 \, t^2 x^{15} - 264600 \, t^3 x^{12} - 5457375 \, t^4 x^9 - 343814625 \, t^5 x^6 + 3438146250 \, t^6 x^3 + \\ & 5157219375 \, t^7\right) \\ & and \\ & d(x,t) = (x^{21} - 210 \, tx^{18} + 10395 \, t^2 x^{15} - 264600 \, t^3 x^{12} - 5457375 \, t^4 x^9 - 343814625 \, t^5 x^6 + \\ & 3438146250 \, t^6 x^3 + 5157219375 \, t^7\right)^2 (x^{27} - 378 \, tx^{24} + 42525 \, t^2 x^{21} - 2182950 \, t^3 x^{18} + \\ & 19646550 \, t^4 x^{15} - 3094331625 \, t^5 x^{12} - 147496474125 \, t^6 x^9 + 6637341335625 \, t^7 x^6 + \\ & 232306946746875 \, t^9\right) x \\ & is a \ rational \ to \ the \ mKdV \ equation. \end{split}$$

3.7 Rational solutions of order 7 to the mKdV equation

Example 3.7 The function $v_k(x,t)$ defined by

$$v_k(x,t) = \frac{n(x,t)}{d(x,t)} \tag{11}$$

with

$$\begin{split} n(x,t) &= -(8\,x^{63}-7308\,tx^{60}+2770740\,t^2x^{57}-573388200\,t^3x^{54}+73517390100\,t^4x^{51}-6018268721850\,t^5x^{48}+\\ 335265468060600\,t^6x^{45}-15896126159991000\,t^7x^{42}+112751070091852500\,t^8x^{39}+109151834921265386250\,t^9x^{36}-\\ 9193362965791861106250\,t^{10}x^{33}+421668079507718418375000\,t^{11}x^{30}-6155017110530839175625000\,t^{12}x^{27}+\\ 48652560275540649553125000\,t^{13}x^{24}-7698733672089088443189375000\,t^{14}x^{21}+432691544810520766800717187500\,t^{15}x^{18}+\\ 275075049234943040535014062500\,t^{16}x^{15}+49670782713309725940554613281250\,t^{17}x^{12}-\\ &-1126712952508127399160038261718750\,t^{18}x^9+3889474849754083624497666328125000\,t^{19}x^6 \end{split}$$

$$\begin{split} &+14585530686577813591866248730468750\,t^{20}x^3+7292765343288906795933124365234375\,t^{21})(x^{27}-378\,tx^{24}+42525\,t^2x^{21}-2182950\,t^3x^{18}+19646550\,t^4x^{15}-3094331625\,t^5x^{12}-147496474125\,t^6x^9+6637341335625\,t^7x^6+232306946746875\,t^9)x\\ and \end{split}$$

$$\begin{split} d(x,t) &= (x^{27} - 378\,tx^{24} + 42525\,t^2x^{21} - 2182950\,t^3x^{18} + 19646550\,t^4x^{15} - 3094331625\,t^5x^{12} - \\ 147496474125\,t^6x^9 + 6637341335625\,t^7x^6 + 232306946746875\,t^9)^2(-x^{36} + 630\,tx^{33} - 135135\,t^2x^{30} + \\ 13825350\,t^3x^{27} - 638512875\,t^4x^{24} + 29499294825\,t^5x^{21} + 1179971793000\,t^6x^{18} + 54426198952125\,t^7x^{15} - \\ 12683959292379375\,t^8x^{12} + 132879573539212500\,t^9x^9 - 2092853283242596875\,t^{10}x^6 - 31392799248638953125\,t^{11}x^3 + \\ 31392799248638953125\,t^{12})x^2 \end{split}$$

is a rational to the mKdV equation.

3.8 Rational solutions of order 8 to the mKdV equation

Example 3.8 The function $v_k(x,t)$ defined by

$$v_k(x,t) = \frac{n(x,t)}{d(x,t)} \tag{12}$$

with

 $n(x,t) = 9 \left(x^{78} - 1500 \ tx^{75} + 970200 \ t^2 x^{72} - 358835400 \ t^3 x^{69} + 85386089250 \ t^4 x^{66} - 13839887719350 \ t^5 x^{63} + 12839887719350 \ t^5 x^{63} + 12839887719719710 \ t^5 x^{63} + 1283988771971000000 \ t^5 x^{63} + 1283987710000000000000000 \ t^5 x$ $40195977979910303801250\,t^{10}x^{48} - 7885034029944807986250000\,t^{11}x^{45} + 860331027602278517691656250\,t^{12}x^{42} - 86031027602278517691656250\,t^{12}x^{42} - 8603102760227851760\,t^{12}x^{42} - 8603102760227851760\,t^{12}x^{42} - 8603102760227851760\,t^{12}x^{42} - 8603102760227851760\,t^{12}x^{42} - 8603102760\,t^{12}x^{42} - 8603102760\,t^{12}x^{42} - 8603102760\,t^{12}x^{42} - 8603102760\,t^{12}x^{42} - 8603100\,t^{12}x^{42} - 8603100,t^{12}x^{42} - 860310,t^{12}x^{42} - 860310,t^{12}x^{42} - 860310,t^{1$ $49042436051036490839057531250\,{t}^{13}{x}^{39}+1751863511574639624252341250000\,{t}^{14}{x}^{36}$ $-\ 60341491647562717548686917687500\ t^{15}x^{33} + 728485213859962379636955201562500\ t^{16}x^{30}$ $183798097133187256020153764614828125000\ t^{19} x^{21} - 2884871725550740774926862886632781250000\ t^{20} x^{18} - 28848717257847400\ t^{20} x^{18} - 28848717257847400\ t^{20} x^{18} - 28848717400\ t^{20} x^{18} - 28848717400\ t^{20} x^{18} - 28848717400\ t^{20} x^{18} - 28848717400\ t^{20} x^{18} + 288$ $100622321956021200161405700753418407714843750\,{t}^{25}{x}^{3}+1509334829340318002421085511301276115722656250\,{t}^{26})(-{x}^{36}+{x}^{36$ ${630}\,{tx^{33}} - {135135}\,{t^2}{x^{30}} + {13825350}\,{t^3}{x^{27}} - {638512875}\,{t^4}{x^{24}} + {29499294825}\,{t^5}{x^{21}} + {1179971793000}\,{t^6}{x^{18}} + {1179971793000}\,{t^6}{x^{16}} + {11799717900}\,{t^6}{x^{16}} + {1179971790}\,{t^6}{x^{16}} + {11799717$ $54426198952125\,{t}^{7}{x}^{15}-12683959292379375\,{t}^{8}{x}^{12}+132879573539212500\,{t}^{9}{x}^{9}-2092853283242596875\,{t}^{10}{x}^{6}-12683959292379375\,{t}^{8}{x}^{12}+132879573539212500\,{t}^{9}{x}^{9}-2092853283242596875\,{t}^{10}{x}^{6}-12683959292379375\,{t}^{8}{x}^{12}+132879573539212500\,{t}^{9}{x}^{9}-2092853283242596875\,{t}^{10}{x}^{6}-12683959292379375\,{t}^{8}{x}^{12}+132879573539212500\,{t}^{9}{x}^{9}-2092853283242596875\,{t}^{10}{x}^{6}-12683959292379375\,{t}^{8}{x}^{12}+132879573539212500\,{t}^{9}{x}^{9}-2092853283242596875\,{t}^{10}{x}^{6}-12683959292379375\,{t}^{8}{x}^{12}+132879573539212500\,{t}^{9}{x}^{9}-2092853283242596875\,{t}^{10}{x}^{6}-12683959292379375\,{t}^{8}{x}^{12}+132879573539212500\,{t}^{9}{x}^{9}-2092853283242596875\,{t}^{10}{x}^{6}-12683959292379375\,{t}^{8}{x}^{12}+132879573539212500\,{t}^{9}{x}^{9}-2092853283242596875\,{t}^{10}{x}^{6}-12683959292379375\,{t}^{8}{x}^{12}+132879573539212500\,{t}^{9}{x}^{9}-2092853283242596875\,{t}^{10}{x}^{6}-12683959292379375\,{t}^{10}{x}^{10}+12683959656,{t}^{10}{x}^{10}+12683956,{t}^{10}{x}^{10}+12683956,{t}^{10}{x}^{10}+12683956,{t}^{10}{x}^{10}+12683956,{t}^{10}+12683956,{t}^{10}{x}^{10}+12683956,{t}^{10}{x}^{10}+12683956,{t}^{10}+1268395$ $31392799248638953125 t^{11}x^3 + 31392799248638953125 t^{12})x^2$ and $d(x,t) = (-x^{36} + 630 tx^{33} - 135135 t^2 x^{30} + 13825350 t^3 x^{27} - 638512875 t^4 x^{24} + 29499294825 t^5 x^{21} + 12825350 t^3 x^{27} - 638512875 t^4 x^{24} + 29499294825 t^5 x^{21} + 12825350 t^3 x^{27} - 638512875 t^4 x^{24} + 29499294825 t^5 x^{21} + 12825350 t^3 x^{27} - 638512875 t^4 x^{24} + 29499294825 t^5 x^{21} + 12825350 t^3 x^{27} - 638512875 t^4 x^{24} + 29499294825 t^5 x^{21} + 12825350 t^3 x^{21} + 128255350 t^3 x^{21} + 128255550 t^3 x^{21} + 128255550 t^3 x^{21} + 128255550 t^{21} + 12825550 t^{21} + 12825550 t^{21} + 12825550 t^{21} + 128255550 t^{21} + 12825550 t^{21} + 128255550 t^{21} + 12825550 t^{21} + 128255550 t^{21} + 12825550 t^{21} + 12825550 t^{21} + 12825550 t^{21} + 128255550 t^{21} + 12825550 t^{21} + 12$ $1179971793000\,{t}^{6}{x}^{18} + 54426198952125\,{t}^{7}{x}^{15} - 12683959292379375\,{t}^{8}{x}^{12} + 132879573539212500\,{t}^{9}{x}^{9} - 12683959292379375\,{t}^{8}{x}^{9} - 12683959292379375\,{t}^{8}{x}^{12} + 132879573539212500\,{t}^{9}{x}^{9} - 12683959292379375\,{t}^{8}{x}^{9} - 12683959292379375\,{t}^{8}{x}^{9} - 12683959292379375\,{t}^{8}{x}^{9} - 12683959292379375\,{t}^{8}{x}^{9} - 126839592923795\,{t}^{8}{x}^{9} - 12683959292379375\,{t}^{8}{x}^{9} - 126839592923795,{t}^{8}{x}^{9} - 12683956,{t}^{8}{x}^{9} - 12683956,{t}^{8}{x}^{9} - 12683956,{t}^{8}{x}^{9} - 12683956,{t}^{8}{x}^{9} - 12683956,{t}^{8}{x}^{$ $2092853283242596875\,{t}^{10}{x}^{6}-\,31392799248638953125\,{t}^{11}{x}^{3}+\,31392799248638953125\,{t}^{12})^{2}(-{x}^{45}+{x}^{45$

 $\begin{array}{l} 990\,tx^{42}-363825\,t^2x^{39}+67567500\,t^3x^{36}-6810804000\,t^4x^{33}+445298879025\,t^5x^{30}-8210637059625\,t^6x^{27}+\\ 1121710685720625\,t^7x^{24}-48406130360713125\,t^8x^{21}-23885103343673446875\,t^9x^{18}+1037875841064050113125\,t^{10}x^{15}-\\ 23588549355427309378125\,t^{11}x^{12}-305263579893765180187500\,t^{12}x^9-9615802766653603175906250\,t^{13}x^6+\\ 72118520749902023819296875\,t^{14}x^3+72118520749902023819296875\,t^{15})\\ is\ a\ rational\ to\ the\ mKdV\ equation. \end{array}$

3.9 Rational solutions of order 9 to the mKdV equation

Example 3.9 The function $v_k(x,t)$ defined by

$$v_k(x,t) = \frac{n(x,t)}{d(x,t)} \tag{13}$$

with

```
n(x,t) = 5 \left(2 \, x^{99} - 4653 \, tx^{96} + 4799520 \, t^2 \, x^{93} - 2919456540 \, t^3 \, x^{90} + 1177028552700 \, t^4 \, x^{87} - 334613109981150 \, t^5 \, x^{84} + 1177028552700 \, t^4 \, x^{10} + 1177028552700 \, t^{10} \, x^{10} + 11770285700 \, t^{10} \, x^{10} + 1177028
9320789025408230752882500\,t^{10}x^{69} - 500705890189599166577505000\,t^{11}x^{66} - 41832040420750126783836600000\,t^{12}x^{63} + 5000000,t^{12}x^{63} + 5000000,t^{12}x^{63} + 500000,t^{12}x^{63} + 500000,t^{12}x^{63} + 50000,t^{12}x^{63} 
 14969624200681230581860585801011937500\,{t}^{16}{x}^{51}+584715350204300649895694060606585156250\,{t}^{17}{x}^{48}
  1791229004917078151511177546562032102442187500\ t^{20}x^{39} + 12565064668809514621695666757366189442561718750\ t^{21}x^{36} - 1256506466880951462169566757366189442561718750\ t^{21}x^{36} - 1256506466880951462169566757366189442561718750\ t^{21}x^{36} - 12565064668809514621695666757366189442561718750\ t^{21}x^{36} - 12565064668809514621695666757366189442561718750\ t^{21}x^{36} - 1256506466880951462190\ t^{31}x^{36} - 12565064668809514621690\ t^{31}x^{36} - 12565064668809514621690\ t^{31}x^{36} - 12565064668809514621690\ t^{31}x^{31} - 12565064668809514620\ t^{31}x^{31} - 12565064668809514620\ t^{31}x^{31} - 12565064668809514620\ t^{31}x^{31} - 12565064668809514620\ t^{31}x^{31} - 1256506668809514620\ t^{31}x^{31} - 1256506668809514620\ t^{31}x^{31} - 12565066688000\ t^{31}x^{31} - 1256506668800\ t^{31}x^{31} - 1256506
13634147508744289200140961784353357911649986469140625000\,t^{28}x^{15}
  -\ 625478676595763406255434077653018720492489568895507812500\ t^{29}x^{12}
  + 11338984947224872923457450178681819821218595816010742187500 t^{30}x^9
  + 48430918757638440283241990593691840592323493993808593750000 t^{31}x^{6}
  - \ 90807972670572075531078732363172201110606551238391113281250 \ t^{32}x^3
  + 45403986335286037765539366181586100555303275619195556640625\ t^{33})(-x^{45}+990\ tx^{42}-363825\ t^2x^{39}+67567500\ t^3x^{36}-67567500\ t^3x
23885103343673446875\,t^9\,x^{18} + 1037875841064050113125\,t^{10}\,x^{15} - 23588549355427309378125\,t^{11}\,x^{12} - 305263579893765180187500\,t^{12}\,x^9 - 235855427309378125\,t^{11}\,x^{12} - 305263579893765180187500\,t^{12}\,x^{12} - 305263579893765180187500\,t^{12}\,x^{12} - 30526357885765180187500\,t^{12}\,x^{12} - 305263578893765180187500\,t^{12}\,x^{12} - 305263578893765180187500\,t^{12}\,x^{12} - 3052635788549356142\,t^{12}\,x^{12} - 305263578893765180187500\,t^{12}\,x^{12} - 30526357885493564\,t^{12}\,x^{12} - 305263578893765180187500\,t^{12}\,x^{12} - 305263578893765180187500\,t^{12}\,x^{12} - 305263578854\,t^{12}\,x^{12} - 305263578893765180187500\,t^{12}\,x^{12} - 305263578893765180187500\,t^{12}\,x^{12} - 305263578854\,t^{12}\,x^{12} - 305265578893765180187500\,t^{12}\,x^{12} - 305265578854\,t^{12}\,x^{12} - 3052655786\,t^{12}\,x^{12} - 3052655786\,t^{12}\,x^{12}\,x^{12} - 3052655786\,t^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^{12}\,x^
9615802766653603175906250\,{t}^{13}{x}^{6}+72118520749902023819296875\,{t}^{14}{x}^{3}+72118520749902023819296875\,{t}^{15})
  and
d(x,t) = (-x^{45} + 990 tx^{42} - 363825 t^2 x^{39} + 67567500 t^3 x^{36} - 6810804000 t^4 x^{33} + 445298879025 t^5 x^{30} - 8210637059625 t^6 x^{27} + 1000 t^2 x^{36} + 1000 t^2 + 1000 t^
1121710685720625\,t^{7}x^{24} - 48406130360713125\,t^{8}x^{21} - 23885103343673446875\,t^{9}x^{18} + 1037875841064050113125\,t^{10}x^{15} - 23885103346673446875\,t^{9}x^{18} + 2388510334673446875\,t^{9}x^{18} + 2388510334675\,t^{10}x^{15} - 238851034675\,t^{10}x^{15} - 238851034675\,t^{10}x^{15} - 23885105,t^{10}x^{15} - 2388510,t^{10}x^{15} - 2388510,t
72118520749902023819296875\,t^{15})^2(-x^{54}+1485\,tx^{51}-868725\,t^2x^{48}+269594325\,t^3x^{45}-49165491375\,t^4x^{42}+1285485t^3x^{45}-49165491375\,t^4x^{42}+1285485t^3x^{45}-49165491375\,t^4x^{42}+128545t^3x^{45}-49165491375\,t^4x^{42}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{44}+12854t^3x^{45}-49165491375\,t^4x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^3x^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}+12854t^{45}
179878447165530127222233181406250\,{t}^{16}{x}^{6}+3147872825396777226389080674609375\,{t}^{18})x
 is a rational to the mKdV equation.
```

We could go on and present more explicit rational solutions, but they become very complicated. For example, in the case of order 10 the numerator includes 59 terms and the denominator 59 terms with big coefficients. It will be relevant to study in detail the structure of these polynomials.

4 Conclusion

Rational solutions to the modified Korteweg de Vries equation have been given in terms of determinants involving particular polynomials. This gives a very efficient method to construct rational solutions of this equation. We have constructed some examples of these rational solutions for the first orders.

We can mention some other recent works about this equation. For example, in [10], first and second-order rational solutions are given as limiting cases of periodic solutions. Explicit periodic and rational solutions of first and second order are given in [11]. The first four exact rational solutions of the set of rational solutions of the mKdV equation are presented in [12]. Multiple periodic solutions of the mKdV equation are given in [13] and in particular first to thirdorder rational solutions.

The solutions presented in this work are different from these given in [59] to It would be relevant to better understand the structure of polynomials defining the rational solutions of this equation.

References

- H. Leblond, P. Grelu, D. Mihalache, Models for supercontinuum generation beyond the slowly-varying-envelope approximation, Phys. Rev. A, V. 90, 053816-1-9, 2014
- [2] H. Leblond, D. Mihalache, Few-optical-cycle solitons: Modified Kortewegde Vries sine-Gordon equation versus other non-slowly-varying-envelopeapproximation models, Phys. Rev. A, V. 79, 063835-1-7, 2009
- [3] Z.P. Li, Y.C. Liu, Analysis of stability and density waves of traffic flow model in an ITS environment, Eur. Phys. J. B, V. 53, 367-374, 2006
- [4] R. Hirota, Exact envelope-soliton solutions of a nonlinear wave equation, Jour. Of Math. Phys., V. 14, N. 7, 805-809, 1973
- [5] S. Tanaka, Modified Korteweg. de Vries Equation and Scattering Theory, Proc. Japan Acad., V. 48, 466-469, 1972
- [6] Y. Ono, Algebraic Soliton of the Modified Korteweg-de Vries Equation, Jour. Phys. Soc.Japan, V. 41, N. 5, 1817-1818, 1976
- [7] Y. Kametaka, On Rational Similarity Solutions of KdV and m.KdV Equations, Proc. Japan. Acad., V. 59, 407-409, 1983
- [8] Y.Y. Sun, D.J. Zhang, Rational Solutions with non-zero asymptotics of the modified Korteweg-de Vries Equation, Commun. Theor. Phys., V. 57, N.6, 923-929, 2012
- [9] A. Chowdury, A. Ankiewicz, N. Akhmediev, Periodic and rational solutions of modified Korteweg-de Vries equation, Eur. Phys. J. D, V. 70, N. 104, 1-7, 2016
- [10] A. Chowdury, A. Ankiewicz, N. Akhmediev, Periodic and rational solutions of mKdV equation, Eur. Phys. J. D, V. 70, N. 104, 1-7, 2016
- [11] X. Wang, J. Zhang, L. Wang, Conservation laws periodic and rational solutions for an extended mKdV equation, Nonlinear Dyn., V. 92, 1507-1516, 2018

- [12] A. Ankiewicz, N. Akhmediev, Rogue wave-type solutions of the mKdV equation and their relation to known NLSE rogue wave solutions, Nonlinear Dyn., V. 91, 1931-1038, 2018
- [13] Zhaquilao, Z.C. Zhou, S.X. Li, Nonsingular complexiton and rational solutions for the mKdV equation and KdV equation, Pacific Jour. Of Appl. Math., V. 6, N. 3, 43-58, 2014
- [14] P. Gaillard, V.B. Matveev, Wronskian addition formula and its applications, Max-Planck-Institut für Mathematik, MPI 02-31, V. 161, 2002
- [15] P. Gaillard, A new family of deformations of Darboux-Pöschl-Teller potentials, Lett. Math. Phys., V. 68, 77-90, 2004
- [16] P. Gaillard, V.B. Matveev, New formulas for the eigenfunctions of the two-particle Calogero-Moser system, Lett. Math. Phys., V. 89, 1-12, 2009
- P. Gaillard, V.B. Matveev, Wronskian and Casorai determinant representations for Darboux-Pöschl-Teller potentials and their difference extensions, J. Phys A : Math. Theor., V. 42, 404409-1-16, 2009
- [18] P. Dubard, P. Gaillard, C. Klein, V. B. Matveev, On multi-rogue wave solutions of the NLS equation and positon solutions of the KdV equation, Eur. Phys. J. Spe. Top., V. 185, 247-258, 2010
- [19] P. Gaillard, Families of quasi-rational solutions of the NLS equation and multi-rogue waves, J. Phys. A : Meth. Theor., V. 44, 435204-1-15, 2011
- [20] P. Gaillard, Wronskian representation of solutions of the NLS equation and higher Peregrine breathers, J. Math. Sciences : Adv. Appl., V. 13, N. 2, 71-153, 2012
- [21] P. Gaillard, Degenerate determinant representation of solution of the NLS equation, higher Peregrine breathers and multi-rogue waves, J. Math. Phys., V. 54, 013504-1-32, 2013
- [22] P. Gaillard, Wronskian representation of solutions of NLS equation and seventh order rogue waves, J. Mod. Phys., V. 4, N. 4, 246-266, 2013
- [23] P. Gaillard, V.B. Matveev, Wronskian addition formula and Darboux-Pöschl-Teller potentials, J. Math., V. 2013, ID 645752, 1-10, 2013
- [24] P. Gaillard, Two-parameters determinant representation of seventh order rogue waves solutions of the NLS equation, J. Theor. Appl. Phys., V. 7, N. 45, 1-6, 2013
- [25] P. Gaillard, Deformations of third order Peregrine breather solutions of the NLS equation with four parameters, Phys. Rev. E, V. 88, 042903-1-9, 2013

- [26] P. Gaillard, Two parameters deformations of ninth Peregrine breather solution of the NLS equation and multi rogue waves, J. Math., V. 2013, 1-111, 2013
- [27] P. Gaillard, Six-parameters deformations of fourth order Peregrine breather solutions of the NLS equation, J. Math. Phys., V. 54, 073519-1-22, 2013
- [28] P. Gaillard, The fifth order Peregrine breather and its eight-parameters deformations solutions of the NLS equation, Commun. Theor. Phys., V. 61, 365-369, 2014
- [29] P. Gaillard, Ten parameters deformations of the sixth order Peregrine breather solutions of the NLS equation, Phys. Scripta, V. 89, 015004-1-7, 2014
- [30] P. Gaillard, Higher order Peregrine breathers, their deformations and multirogue waves, J. Of Phys. : Conf. Ser., V. 482, 012016-1-7, 2014
- [31] P. Gaillard, M. Gastineau, Eighteen parameter deformations of the Peregrine breather of order ten solutions of the NLS equation, Int. J. Mod. Phys. C, V. 26, N. 2, 1550016-1-14, 2014
- [32] P. Gaillard, Two parameters wronskian representation of solutions of nonlinear Schrödinger equation, eight Peregrine breather and multi-rogue waves, J. Math. Phys., V. 5, 093506-1-12, 2014
- [33] P. Gaillard, Hierarchy of solutions to the NLS equation and multi-rogue waves, J. Phys. : Conf. Ser., V. 574, 012031-1-5, 2015
- [34] P. Gaillard, Tenth Peregrine breather solution of the NLS, Ann. Phys., V. 355, 293-298, 2015
- [35] P. Gaillard, M. Gastineau, The Peregrine breather of order nine and its deformations with sixteen parameters solutions of the NLS equation Phys. Lett. A, V. 379, 1309-1313, 2015
- [36] P. Gaillard, Other 2N-2 parameters solutions to the NLS equation and 2N+1 highest amplitude of the modulus of the N-th order AP breather, J. Phys. A: Math. Theor., V. 48, 145203-1-23, 2015
- [37] P. Gaillard, Multi-parametric deformations of the Peregrine breather of order N solutions to the NLS equation and multi-rogue waves, Adv. Res., V. 4, N. 5, 346-364, 2015
- [38] P. Gaillard, Higher order Peregrine breathers solutions to the NLS equation, Jour. Phys. : Conf. Ser., V. 633, 012106-1-6, 2016
- [39] P. Gaillard, M. Gastineau Patterns of deformations of Peregrine breather of order 3 and 4, solutions to the NLS equation with multi-parameters, Journal of Theoretical and Applied Physics, V. 10,1-7, 2016

- [40] P. Gaillard, M. Gastineau Twenty parameters families of solutions to the NLS equation and the eleventh Peregrine breather, Commun. Theor. Phys, V. 65, N. 2, 136-144, 2016
- [41] P. Gaillard, Rational solutions to the KPI equation and multi rogue waves, Annals Of Physics, V. 367, 1-5, 2016
- [42] P. Gaillard, M. Gastineau Twenty two parameters deformations of the twelfth Peregrine breather solutions to the NLS equation, Adv. Res., V. 10, 83-89, 2016
- [43] P. Gaillard, Towards a classification of the quasi rational solutions to the NLS equation, Theor. And Math. Phys., V. 189, N. 1, 1440-1449, 2016
- [44] P. Gaillard, Fredholm and Wronskian representations of solutions to the KPI equation and multi-rogue waves, Jour. of Math. Phys., V. 57, 063505-1-13, doi: 10.1063/1.4953383, 2016
- [45] P. Gaillard, M. Gastineau Families of deformations of the thirteenth Peregrine breather solutions to the NLS equation depending on twenty four parameters, Jour. Of Bas. And Appl. Res. Int., V. 21, N. 3, 130-139, 2017
- [46] P. Gaillard, From Fredholm and Wronskian representations to rational solutions to the KPI equation depending on 2N2 parameters, Int. Jour. of Appl. Sci. And Math., V. 4, N. 3, 60-70, 2017
- [47] P. Gaillard, Families of rational solutions of order 5 to the KPI equation depending on 8 parameters, New Hor. in Math. Phys., V. 1, N. 1, 26-31, 2017
- [48] P. Gaillard, 6-th order rational solutions to the KPI Equation depending on 10 parameters, Jour. Of Bas. And Appl. Res. Int., V. 21, N. 2, 92-98, 2017
- [49] P. Gaillard, N-Order rational solutions to the Johnson equation depending on 2N-2 parameters, Int. Jour. of Adv. Res. in Phys. Sci., V. 4, N. 9, 19-37, 2017
- [50] P. Gaillard, Families of rational solutions to the KPI equation of order 7 depending on 12 parameters, Int. Jour. of Adv. Res. in Phys. Sci., V. 4, N. 11, 24-30, 2017
- [51] P. Gaillard, Rational solutions to the Johnson equation and rogue waves, Int. Jour. of Inn. In Sci. and Math., V. 6, N. 1, 14-19, 2018
- [52] P. Gaillard, Multiparametric families of solutions of the KPI equation, the structure of their rational representations and multi-rogue waves, Theo. And Mat. Phys., V. 196, N. 2, 1174-1199, 2018

- [53] P. Gaillard, The Johnson equation, Fredholm and wronskian representations of solutions and the case of order three, Adv. In Math. Phys., V. 2018, 1-18, 2018
- [54] P. Gaillard, Families of Solutions of Order 5 to the Johnson Equation Depending on 8 Parameters, NHIMP, V. 2, N. 4, 53-61, 2018
- [55] P. Gaillard, Multiparametric families of solutions to the Johnson equation, J. Phys. : Conf. Series, V. 1141, 012102-1-10, 2018
- [56] P. Gaillard, Rational solutions to the Boussinesq equation, Fund. Jour. Of Math. And Appl., V., 109-112, 2019
- [57] P. Gaillard, Differential relations for the solutions to the NLS equation and their different representations, Comm. In Adv. Math. Sci., V. 2, N. 4, 1-4, 2019
- [58] P. Gaillard, Multi-parametric families of solutions of order N to the Boussinesq and KP equations and the degenerate rational case, UJMA, V. 3, N. 2, 44-52, 2020
- [59] P. Gaillard, The mKdV equation and multi-parameters rational solutions, Wave Motion, V. 100, 102667-1-9, 2021
- [60] P. Gaillard, Degenerate Riemann theta functions, Fredholm and wronskian representations of the solutions to the KdV equation and the degenerate rational case, Jour. Of Geom. And Phys., V. 161, 104059-1-12, 2021
- [61] P. Gaillard, 2N parameter solutions to the Burgers equation, Jour. Of Appl. Nonlin. Dyn., V. 1, N. 1, 1-6, 2021
- [62] P. Gaillard, Multi-Parametric rational Solutions to the KdV equation, Asi. Jour. Of Res. and Rev. In Phys., V. 3, N. 3, 14-21, 2021
- [63] P. Gaillard, Multiparametric solutions to the Gardner equation and the degenerate rational case, Jour. Of Appl. Ana. And Appl., V. 11, N. 4, 2102-2113, 2021
- [64] P. Gaillard, Other families of rational solutions to the KPI equation, Asi. Res. Jour Of Math., V. 17, N. 6, 27-34, 2021