



HAL
open science

Pickup and delivery problems with autonomous vehicles on a ring

Manuel Trotta, Dominique Feillet, Alain Quilliot

► **To cite this version:**

Manuel Trotta, Dominique Feillet, Alain Quilliot. Pickup and delivery problems with autonomous vehicles on a ring. 21ème congrès annuel de la Société Française de Recherche Opérationnelle et d'Aide à la Décision, Université de Montpellier, Feb 2020, Montpellier, France. hal-03655721

HAL Id: hal-03655721

<https://hal.science/hal-03655721v1>

Submitted on 29 Apr 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Pickup and delivery problems with autonomous vehicles on a ring

Manuel Trotta¹, Dominique Feillet², Alain Quilliot³

¹ Université Clermont Auvergne and UMR CNRS 6158 LIMOS, France

`manuel.trotta@uca.fr`

² Ecole des Mines de Saint-Etienne and UMR CNRS 6158 LIMOS, CMP Georges Charpak F-13541 Gardanne, France

`dominique.feillet@mines-stetienne.fr`

³ LIMOS, Institut Supérieur d'Informatique de Modélisation et leurs Applications, ISIMA, Campus des Cézeaux, Aubière Cedex, France

`alain.quilliot@isima.fr`

Keywords : *vehicle routing, mobility, autonomous vehicles*

1 Introduction

It is a matter of a fact that urban mobility (by means of public transport or personal cars) has become a key factor in people's everyday life, making it easier. But urban mobility is also the source of some issues, some of which are traffic congestion, air pollution and noise. Some of these problems may be solved by replacing normal vehicles with autonomous cars, minibuses, and shuttles. However, the use of autonomous vehicles raises legal, ethical, economic and safety issues. Due to these problems it is not likely that autonomous vehicles will totally replace normal vehicles very soon. However, they will probably first be authorized for collective transportation.

There already exist few cases where fully autonomous vehicles are used in public transportation. A collective transportation service is active in the Saclay Plateau neighborhoods. An autonomous Transdev-Lohr i-Cristal shuttle serves four stops, providing users with transportation between the Massy station and the Saclay Plateau to supplement the existing train, regional express, coach and bus services.

On 17 December 2018, Keolis and the European Metropole of Lille launched an electric autonomous shuttle service at the university of Lille in Villeneuve d'Ascq. The service employed two NAVYA electric autonomous shuttles for one year serving four dedicated stops on a 1.4 km route and providing connections to two metro stations. For a recent benchmark study on experimentations with Autonomous Shuttles for Collective Transport, the reader is referred to Antonialli [1].

In these situations there is often a need to schedule the transportation requests that the autonomous vehicles must serve while moving on circular routes (we will call them rings). Pickup and Delivery and Dial-a-Ride problems on circular tracks have already been studied in a certain number of papers, such as [2, 4, 5, 6].

The problems we want to study in this paper have the following structure. There are m stations arranged in a circle and served by some capacitated vehicles that can travel in either one or both directions. The vehicles must serve some transportation requests. A *transportation request* (i, j) ($i, j = 1, \dots, m, i \neq j$) requires a vehicle to reach station i (if it is not already there), pick up a certain number of people or objects and then move them to station j . The number of requests they can serve at the same time depends on their capacity. An additional station (0) is added, that can be thought of as the depot, i.e. a station where the vehicles stay before starting the service and after serving all the requests. Due to the circular layout, to go

from station i to station j the vehicles must pass through all intermediate stations between i and j . There can be identical requests. From this common structure, several different problems can be defined.

The objective of all problems is to minimize either the maximum completion time or the total completion time subject to different constraints, such as the the vehicle capacity, release dates or due dates.

2 Our contributions

We propose a classification scheme for these problems, inspired by the three-field notation for scheduling problems introduced by Graham et al. [3]. It is made up of three fields separated by a vertical bar. Each field may be a comma separated list of symbols that describe one or more features of the problem.

We investigate the complexity of different variants, presenting some complexity results. We prove the complexity of some them by showing reductions from known problems, while for some others we describe new complexity proofs.

We show the equivalence of some variants, in the sense that each can be polynomially reduced to the other and thus solved with the same algorithm. We also show the relations between some problem variants and arc routing, graph coloring and scheduling problems.

For polynomially solvable problems we present some efficient exact algorithms, while for some NP-hard problems we propose mathematical formulations and greedy heuristics. We also compare these heuristics with integer programming models solved with CPLEX and we show the experimental results.

References

- [1] F. Antonialli. International benchmark on experimentations with autonomous shuttles for collective transport. 2019.
- [2] M. Gendreau, G. Laporte, and D. Vigo. Heuristics for the traveling salesman problem with pickup and delivery. *Computers & Operations Research*, 26(7):699–714, 1999.
- [3] R. L. Graham, E. L. Lawler, J. K. Lenstra, and A. R. Kan. Optimization and approximation in deterministic sequencing and scheduling: a survey. In *Annals of discrete mathematics*, volume 5, pages 287–326. Elsevier, 1979.
- [4] H. Ilani, E. Shufan, and T. Grinshpoun. A fixed route dial-a-ride problem. *Proceedings of the 7th Multidisciplinary International Conference on Scheduling : Theory and Applications (MISTA 2015), 25 - 28 Aug 2015, Prague, Czech Republic*, pages 313–324, 2015.
- [5] V. Pimenta, A. Quilliot, H. Toussaint, and D. Vigo. Models and algorithms for reliability-oriented dial-a-ride with autonomous electric vehicles. *European Journal of Operational Research*, 257(2):601–613, 2017.
- [6] T. E. Tzoreff, D. Granot, F. Granot, and G. Sošić. The vehicle routing problem with pickups and deliveries on some special graphs. *Discrete Applied Mathematics*, 116(3):193–229, 2002.