

Correction: Nonin-Lecomte et al. Bacterial Type I Toxins: Folding and Membrane Interactions. Toxins 2021, 13, 490

Sylvie Nonin-Lecomte, Laurence Fermon, Brice Felden, Marie-Laure Pinel-Marie

▶ To cite this version:

Sylvie Nonin-Lecomte, Laurence Fermon, Brice Felden, Marie-Laure Pinel-Marie. Correction: Nonin-Lecomte et al. Bacterial Type I Toxins: Folding and Membrane Interactions. Toxins 2021, 13, 490. Toxins, 2021, 13 (12), pp.878. 10.3390/toxins13120878 . hal-03660711

HAL Id: hal-03660711 https://hal.science/hal-03660711

Submitted on 6 May 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License





Correction Correction: Nonin-Lecomte et al. Bacterial Type I Toxins: Folding and Membrane Interactions. *Toxins* 2021, 13, 490

Sylvie Nonin-Lecomte ^{1,†}, Laurence Fermon ^{2,†}, Brice Felden ^{2,‡} and Marie-Laure Pinel-Marie ^{2,*}

CiTCoM, CNRS, UMR 8038, Université de Paris, 93526 Paris, France; sylvie.nonin@u-paris.fr
BRM (Bactorial Regulatory RNAs and Medicina). Inserem LIMR S 1220. Université de Ronnes

- BRM (Bacterial Regulatory RNAs and Medicine), Inserm, UMR_S 1230, Université de Rennes 1,
- 35000 Rennes, France; laurence.fermon@univ-rennes1.fr (L.F.); brice.felden@univ-rennes1.fr (B.F.)
- Correspondence: marie-laure.pinel@univ-rennes1.fr
- + These authors contributed equally.
- ‡ Deceased author.

The authors wish to make the following corrections to their paper [1].

In the original publication, there was a mistake in Table 1 as published. While editing Table 1, there has been a row offset for the "PDB ID and Structural Insights" column. Moreover, the final lysine residue was missing on the BsrG sequence. Consequently, the size, the charge and the GRAVY index have been modified. The corrected Table 1 appears below. The authors apologize for any inconvenience caused and state that the scientific conclusions are unaffected. The original publication has also been updated.



Citation: Nonin-Lecomte, S.; Fermon, L.; Felden, B.; Pinel-Marie, M.-L. Correction: Nonin-Lecomte et al. Bacterial Type I Toxins: Folding and Membrane Interactions. *Toxins* 2021, *13*, 490. *Toxins* **2021**, *13*, 878. https://doi.org/10.3390/toxins 13120878

Received: 17 November 2021 Accepted: 1 December 2021 Published: 9 December 2021

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). **Table 1.** Overview of membrane-associated type I toxins from toxin-antitoxin systems for which insights into their mechanism of action have been published. Predicted or experimentally determined (according to respective PDB file) α -helix are highlighted in orange and β -sheet in yellow. When the structure has not been experimentally determined, α -helix have been predicted with Jpred4 (http://www.compbio.dundee.ac.uk/jpred/index.html, accessed on 5 April 2021) [27]. Transmembrane domains are delimited by lipid representation surrounding each sequence and have been predicted with TMPRED (https://embnet.vital-it.ch/software/TMPRED_form.html, accessed on 5 April 2021). Boxes colored in blue correspond to the toxins inducing morphological changes as a primary detected effect, the green one for toxins inducing membrane perturbations as a primary detected effect and the grey one is for toxins with dual effects. Polar amino acids are shown in green, negatively charged amino acids in red and positively charged amino acids in blue. Cysteins are shown in orange. The charge and the hydrophobicity index (based on Kyte-Doolittle scale) have been calculated thanks to the R package «Peptides» [28,29]. Unexpected results like low hydrophobicity or global negative charge have been written in red.

Bacteria Species	Toxins	Size (aas)	Amino Acids Sequence with the α -Helical Transmembrane Domain	PDB ID and Structural Insights	Charge	GRAVY Index
E. coli	HokB	49	MKHNPLVVCLLIICITILTFTLLTRQTLYELRFRDGDKEVAALMACTSR (0+)		2.13	0.59
	TisB	29	MNLVDIAILILKLIVAALQLLDAVLKYLK (I+)		0.98	1.62
	LdrA	35	MTLAQFAMIFWEDLAAPILAGIITAAIVSWWRNRK (I++)	Molecular modeling	2.22	0.76
	LdrD	35	MTFAELGMAFWHDLAAPVIAGILASMIVNWLNKRK (I++)	PDB: 5LBJ	1.22	0.69
	IbsC	19	MMRLVIILIVLLLISFSAY (I+)		0.97	2.44
	ZorO	29	MDTLTQKLTVLIAVLELLVALLRLIDLLK (I++)		-0.02	1.40
	ShoB	26	MTDCRYLIKRVIKIIIAVLQLILLFL (O+)		2.94	1.59
	DinQ	27	MIDRATIVKGALIALLELIRFILOLLN (I++)	Molecular modeling	-0.02	1.79
E. faecalis	Fst	33	MKDIMSLVIAPIFVGLVLEMISRVLDEEDDSRK (I+)	PDB: 2KV5	-3.02	0.42
B. subtilis	BsrG	38	MTVYESIMIMINFGGLIINTVLLIFNIMMIVTSSQKKK (I++)		1.98	1.00
L. rhamnosus	Lpt	29	MNSFDKATIAPLLVGVFLLLLKYALDNHK (I++)	Molecular modeling	1.22	0.82
H. pylori	AapA1	30	MATKHGKNSWKTLYLKISFLGCKVVVLLKR (I++)	PDB: 6GIG + Molecular modeling	7.18	0.15
S. aureus	SprA1	30	MLIFVHIIAPVISCCAIAFFSYWLSRRNTK (0+)	PDB: 4B19 + Molecular modeling	3.18	1.00
	SprG1 ₃₁	31	MITISTMLOFGLFLIALIGLVIKLIELSNKK (0-)	PDB: 7NS1	1.98	1.39
	SprG144	44	MVALLKSLERRRLMITISTMLQFGLFLIALIGLVIKLIELSNKK (0+)	Molecular modeling	4.97	1.01

Reference

1. Nonin-Lecomte, S.; Fermon, L.; Felden, B.; Pinel-Marie, M.-L. Bacterial Type I Toxins: Folding and Membrane Interactions. *Toxins* **2021**, *13*, 490. [CrossRef]