

# A high-throughput fluorescence polarization assay to discover inhibitors of arenavirus and coronavirus exoribonucleases

Sergio Hernández, Mikael Feracci, Carolina Trajano de Jesus, Priscila El-Kazzi, Rafik Kaci, Laura Garlatti, Etienne Decroly, Bruno Canard, Francois Ferron, Karine Alvarez

# ▶ To cite this version:

Sergio Hernández, Mikael Feracci, Carolina Trajano de Jesus, Priscila El-Kazzi, Rafik Kaci, et al.. A high-throughput fluorescence polarization assay to discover inhibitors of arenavirus and coronavirus exoribonucleases. 2022. hal-03660938

# HAL Id: hal-03660938 https://hal.science/hal-03660938

Preprint submitted on 6 May 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1	A high-throughput fluorescence polarization assay to discover inhibitors of
2	arenavirus and coronavirus exoribonucleases.
3	
5	
4	Sergio Hernández, Mikael Feracci, Carolina Trajano De Jesus, Priscila El-Kazzi, Rafik Kaci, Laura Garlatti,
5	Etienne Decroly, Bruno Canard, François Ferron* and Karine Alvarez*
6	
7	Université Aix-Marseille, Architecture et Fonction des Macromolécules Biologiques (AFMB) - UMR7257
8	CNRS – Case 932, 163 avenue de Luminy, Marseille CEDEX 09, 13288, France.
9	
10	*Address correspondence to: Karine Alvarez and François Ferron, AFMB, Case 932, 163 avenue de Luminy,
11	13288 Marseille Cedex 9, France, Tel:+33-491-825570, Fax:+33-491-266720, Email: karine.alvarez@univ-
12	amu.fr and francois.ferron@univ-amu.fr.
13	
14	Abstract
15	Viral exoribonucleases are uncommon in the world of RNA viruses. To date, this activity has been identified
16	only in the Arenaviridae and the Coronaviridae families. These exoribonucleases play important but
17	different roles in both families: for mammarenaviruses the exoribonuclease is involved in the suppression of
18	the host immune response whereas for coronaviruses, exoribonuclease is both involved in a proofreading
19	mechanism ensuring the genetic stability of viral genomes and participating to evasion of the host innate
20	immunity. Because of their key roles, they constitute attractive targets for drug development. Here we
21	present a high-throughput assay using fluorescence polarization to assess the viral exoribonuclease activity
22	and its inhibition. We validate the assay using three different viral enzymes from SARS-CoV-2, lymphocytic
23	choriomeningitis and Machupo viruses. The method is sensitive, robust, amenable to miniaturization (384
24	well plates) and allowed us to validate the proof-of-concept of the assay by screening a small focused
25	compounds library (23 metal chelators). We also determined the $IC_{50}$ of one inhibitor common to the three
26	viruses.
<u>-</u>	

28	Keywords				
29	Phosphohydrolase activity, Arenaviridae, Coronaviridae, exoribonuclease activity, fluorescence				
30	polarization, screening, inhibitors, IC <sub>50</sub> .				
31					
32	Highlights				
33	• Arenaviridae and Coronaviridae viral families share an exoribonuclease activity of common				
34	evolutionary origin				
35	• Arenaviridae and Coronaviridae exoribonuclease is an attractive target for drug development				
36	• We present a high-throughput assay in 384 well-plates for the screening of inhibitors using fluores-				
37	cence polarization				
38	• We validated the assay by screening of a focused library of 23 metal chelators against SARS-CoV-2,				
39	Lymphocytic Choriomeningitis virus and Machupo virus exoribonucleases				
40	• We determined the $IC_{50}$ by fluorescence polarization of one inhibitor common to the three viruses.				
41					
42	1. Introduction				
43					
44	RNA viruses code for a polyprotein, forming the replication/transcription complex (RTC) that orcherstrates				
45	viral replication. In this complex process, specific viral enzymatic activities are only found in some RNA				
46	viruses families. This is the case for the 3'-5'-exoribonuclease (ExoN) activity identified in Arenaviridae and				
47	Coronaviridae viral families, although these viruses display very different genome organization and				
48	replication/transcription strategies. Indeed, arenaviruses have an ambisense bi-segmented negative single-				
49	stranded RNA genome whereas the coronavirus genome is composed of a positive single-stranded RNA				
50	(Ferron et al., 2017; Knipe and Howley, 2013, Ogando et al., 2019). The ExoN activity identified in these				
51	two viral families are involved in different processes (Hastie et al., 2011; Snijder et al., 2003). Indeed, the				
52	ExoN carried by arenavirus nucleoprotein (NP) is likely involved in the suppression of the host innate				

55 Ferron et al., 2018) as well as evasion of the host innate immunity (Becares et al., 2016; Lei et al., 2020).

53

54

immune response (Martínez-Sobrido et al., 2009, 2007, 2006) while the ExoN carried by the nsp14 protein

of coronaviruses allows optimization of the replication fidelity of the viral genome (Bouvet et al., 2012;

The arenavirus and coronavirus ExoN belong to the same DEDD superfamily (DED/EDh subfamily), are structurally similar (Zuo and Deutscher, 2001) and are characterized by the presence of four conserved acidic residues (Asp and Glu) (Bouvet et al., 2012; Yekwa et al., 2019). The catalytic residues are essential for the binding of two metal cations involved in the RNA hydrolysis mechanism (Steitz and Steitz, 1993), always proceeding from the 3'- to the 5'-direction.

Because of its biological significance to the viral life cycle and role in infectious processes, arenavirus and coronavirus ExoN is an attractive target for drug development (Papageorgiou et al., 2020; Subissi et al., 2014). Currently, there are almost no FDA-approved antivirals against these viruses, despite the loss of human lives during the short-lived SARS-CoV outbreak in 2002 and the continuing MERS epidemic or regular outbreaks of LASSA virus in West Africa causing several thousand case fatalities. Today, the situation is different, the world is paralyzed by a global SARS-CoV-2 pandemic and this event revealed the urgency to act to develop potent antivirals, in support of a vaccine approach.

While millions of molecules are available in countless compounds libaries, drug development efforts are generally restricted by the limitations of validated therapeutic targets or available potent high-throughput screening assays. For mammarenavirus and coronavirus ExoN assay making use of radiolabeled substrate are available but barely adapted to HT screening (Bouvet et al., 2012; Ferron et al., 2018; Yekwa et al., 2019, 2017; Baddock et al., 2020; Saramago et al., 2021)).

73 Here we present a method using fluorescence polarization (FP) to assess the ExoN activity and its inhibition. 74 The method relies on the hydrolysis of a fluorescent RNA substrate into smaller fragments which translates 75 in a modification of the FP signal which is measured and recorded. The FP signal is altered proportionally to the size of the fluorescent RNA probe. We validate the method on three different viral enzymes of interest 76 from SARS-CoV-2, Lymphocytic Choriomeningitis and Machupo viruses. The method is sensitive, robust, 77 amenable to miniaturization (384 well plates) and allowed us to screen a focused library of 23 metal 78 79 chelators over the three targeted viral ExoN, validating the proof-of-concept of the assay. We also 80 determined the IC<sub>50</sub> of one inhibitor common to the three viruses.

81

82 2. Materials and methods

- 83
- 84 *2.1 Products and reagents.*

Raltegravir (1) and Baloxavir (5) were purchased from Carbosynth. Aurintricarboxyclic acid (11) was
purchased from Acros Organics. Excepting for the compounds 8, 13, 14, 15 and 24, the other compounds
have been described previously (Saez-Ayala et al., 2019, 2018). All compounds were resuspended in 100 %
DMSO at 20 mM and stored at - 20 °C. The 22-mer RNA 5'-UGACGGCCCGGAAAACCGGGCC-3'
containing FAM dye at the 5'-end (5'-FAM-RNA) was purchased from Microsynth AG (Switzerland).

90

## 91 *2.2 Protein expression and purification.*

92 The LCMV, MACV, ExoN plasmids used for this study were described in (Yekwa et al., 2019). The protein production method is detailed in the supplementary data file (see also figure S1 for elution profiles). For the 93 expression of the SARS-CoV-2 nsp10 and nsp14, the synthetic genes were purchased from Twist (USA) and 94 were cloned with a hexahistidine tag in the N-terminus of the protein. E. coli DE3 cells were transformed 95 with the corresponding expression vectors. Bacteria were grown in TB medium with the corresponding 96 97 antibiotic and protein expression was induced by addition of IPTG to a final concentration of 500 µM for nsp10 and 50  $\mu$ M for nsp14 when the OD<sub>600nm</sub> of the culture reached a value of 0.5. The induction was 98 performed during 16 h at 17°C and 200 rpm. Bacterial cell pellets were frozen and resuspended in lysis 99 100 buffer (50 mM HEPES, pH 7.5 and 300 mM NaCl) supplemented with 1 mM PMSF, 10 mM imidazole, 10 µg/ml DNase I, 0.25 mg/ml of lysozyme and 0.5% Triton X-100. After sonication and clarification, proteins 101 102 were purified by two steps of chromatography. The first step consisted of an IMAC (Ni Resin). The lysate 103 was passed through the column and washed with lysis buffer supplemented with 20 mM imidazole. The 104 protein was eluted with lysis buffer supplemented with 250 mM imidazole. Protein fractions were then loaded on a HiLoad 16/60 Superdex 200 gel filtration column (GE Healthcare), and eluted with 10 mM 105 HEPES, pH 7.5, 300 mM NaCl, 1 mM DTT and 5% glycerol. The fraction containing the pure protein, as 106 examined by SDS-PAGE and coomasie staining, were pooled and concentrated in the gel filtration buffer, 107 108 aliquoted in small volumes, flash frozen in liquid nitrogen and stored at -80°C.

109

110 2.3 Set-up of exonuclease activity conditions based on fluorescent polarization assay

111 2.3.1 Optimisation of 5'-FAM-RNA concentration and SARS-CoV-2, LCMV or MACV ExoN ratio

112 Reactions were performed in 20 µl total volume in a buffer containing 40 mM Tris (pH 8), 5 mM DTT and 2

or 5 mM MnCl<sub>2</sub>. The concentration of 5'-FAM-RNA tested varied from 50 to 1000 nM. For each 5'-FAM-

114 RNA concentration (50, 100, 250, 500 and 1000 nM), a range of concentration of ExoN (SARS-CoV-2, LCMV or MACV) was tested from a ratio of 5-fold less enzyme up to 10-fold more enzyme (10 nM to 10 115 116 uM) than 5'-FAM-RNA. For SARS-CoV-2 ExoN, the molar ratio of nsp14:nsp10 complex in the reactions 117 was always kept at 1:4, as optimized previously (Bouvet et al., 2012). The reaction started by the addition of 5'-FAM-RNA and the fluorescence polarization (FP) was read in the Pherastar FSX (BMG Labtech) using 118 the 480 nm excitation and 520 nm emission filter, during 30 minutes at 25°C, every 30 seconds. The gain 119 was set up using the negative control which contained the fluorescent RNA in the reaction buffer with metal 120 121 ion and in the presence of heat-denatured nuclease. Other negative controls tested used consisted in the replacement of MnCl<sub>2</sub> by CaCl<sub>2</sub> or, depletion of the metal ion in the reaction mix and depletion of the 122 enzyme. After 30 minutes, the reactions were stopped by the addition of an equal volume of loading buffer 123 (8M urea containing 10 mM EDTA) and the digestion products were then loaded in 7 M urea containing 124 20% (wt/vol) polyacrylamide gels (acrylamide/bisacrylamide ratio 19:1) buffered with TBE and visualized 125 using a Fluorescent Image Analyzer Typhoon (GE Healthcare). 126

- 127
- 128

#### 2.3.2 Optimisation of temperature, metal ion nature and concentration requirement

To find the optimal temperature, metal ion nature and reagent concentration, reactions were performed in the buffer mentioned above. The 5'-FAM-RNA concentration was kept at 100 nM and ExoN concentration ranged from 100 nM to 1600 nM. The activity was tested in the presence of MnCl<sub>2</sub> or MgCl<sub>2</sub> at three different concentrations 1, 2 or 5 mM. The FP signal was recorded as mentioned previously either at 25°C or at 37°C. After finishing the recording of the FP signal, an aliquot of the sample was examined in urea PAGE as mentioned above.

- 135
- 136

#### 2.3.3 Time course of ExoN assay

137 Reactions of 20  $\mu$ l total volume were performed in the buffer mentioned above, with 2 mM MnCl<sub>2</sub> for 138 SARS-CoV-2 ExoN and 5 mM for LCMV or MACV ExoN. The 5'-FAM-RNA concentration was fixed at 139 100 nM. The SARS-CoV-2 nsp14/nsp10 ExoN complex concentration was ranged from 200 nM to 1  $\mu$ M 140 and pre-incubation at RT during 5 minutes was performed to allow the complex formation. The LCMV and 141 MACV ExoN concentration was ranged from 100 nM to 1600 nM. The reaction started by the addition of 5'-142 FAM-RNA and The FP signal was recorded as mentioned previously. After finishing the recording of the FP signal, an aliquot of the sample was examined in urea PAGE as mentioned above. The assay was done intriplicate for each ExoN.

145

- 146 2.4 High throughput screening and  $IC_{50}$  determination.
- 147
- 148

### 2.4.1 HTS assay based on fluorescent polarization assay

The screening at 5 µM and 20 µM inhibitor concentration was performed in 384-wells with flat bottom Nunc 149 150 plates, in 20 µL total volume reaction. Reactions were performed in a buffer containing 40 mM Tris (pH 8), 5 mM DTT, with 2 mM MnCl<sub>2</sub> for SARS-CoV-2 and 5 mM MnCl<sub>2</sub> for LCMV or MACV ExoN. The 5'-151 FAM-RNA concentration was fixed at 100 nM. The ExoN concentration was fixed at 400 nM. Compounds 152 (1-23) were added to the reaction with final concentration of 5 µM and 20 µM in 5% DMSO. Reactions were 153 initiated by addition of the 5'-FAM-RNA using a multichannel pipette. 48 positive controls (the reaction mix 154 with 5% DMSO, with ExoN and without compound) have been deposited randomly in the 384-well plate. 48 155 negative controls (the reaction mixture with 5% DMSO, without or with ExoN that has been heat denatured, 156 157 and without compound), have been deposited randomly in the 384-well plate. The reaction started by the 158 addition of 5'-FAM-RNA and the FP signal was recorded as mentioned previously. To calculate the percentage of inhibition, a time correction was applied for the delayed initiation of the reaction due to the use 159 of a multichannel pipette. The percentage of inhibition at a given time was calculated as follows : 160

$$Inhibition\% = \frac{100 \times (FP-average of positive controls)}{(average negative controls-average positive controls)}$$

161 where FP correspond to the fluorescent polarization signal of a compound.

162 The time selected for doing this calculation was the time when the signal of the positive control reached the 163 plateau (30 minutes). The Z' factor for the assay was calculated using the following equation:

$$Z' = 1 - \frac{3 \times (SD \text{ of negative controls} + SD \text{ of positive controls})}{(mean of negative controls - mean of positive controls)}$$

where SD is the standard deviation. 48 positive controls and 48 negative controls were considered to calculate the Z' factor.

166

167

2.4.2  $IC_{50}$  determination of compound 11 based on fluorescent polarization assay

168 Reactions were performed in a buffer containing 40 mM Tris (pH 8), 5 mM DTT, with 2 mM MnCl<sub>2</sub> for SARS-CoV-2 ExoN and 5 mM for LCMV or MACV ExoN. The 5'-FAM-RNA concentration was fixed at 169 170 100 nM. The ExoN concentration was fixed at 400 nM. The compound 11 concentration varied from 0.2 to 12.5  $\mu$ M for LCMV ExoN, from 0.4 to 25  $\mu$ M for MACV ExoN and from 0.5 to 16  $\mu$ M for SARS-CoV-2 171 ExoN nsp14/nsp10 complex. The reaction started by the addition of 5'-FAM-RNA and the FP signal was 172 recorded as mentioned previously. The percentage of inhibition was calculated as indicated in the previous 173 section. The curves of percentage of inhibition respect to the inhibitor concentration in a logarithmic scale 174 175 were fitted in Graphpad Prism software using a four parameters equation. The assays were done in triplicate.

176

177 3. Results and discussion

178

Fluorescence polarization (FP) is a reliable and sensitive tool for monitoring enzymatic reaction 179 progress, by determining the difference of polarization signals during reaction (Zhang et al., 2012). FP -180 based assays in HTS studies have been used in drug discovery (Lea and Simeonov, 2011; Uri and Nonga, 181 2020, Baughman et al., 2012; Liu et al., 2014)). The FP signal recorded is proportional to the molecular 182 183 weight (MW) of a fluorescent molecule (Kwok, 2002; Latif et al., 2001). We decided to apply this method to viral ExoN activity, by monitoring the size of a fluorescent labeled RNA probe which is altered in the course 184 of the nuclease activity, reflecting the enzymatic activity (Liu et al., 2014; Zhang et al., 2012). Because 185 several factors can change the FP- monitoring success, the assay was first optimized. 186

187

3.1 Determination of optimized experimental conditions of the SARS-CoV-2 nsp14/nsp10 complex, LCMV
 and MACV ExoN activity based on FP assay

190

To set-up a HTS assay for the SARS-CoV-2, LCMV and MACV ExoN activity, we explored 5'-FAM-RNA substrate(s) and enzyme(s) concentration, metal ion co-factors, temperature and reaction duration. RNA substrate and optimal conditions for arenavirus and coronavirus ExoN activity are already described (Bouvet et al., 2012; Saramago et al., 2021; Yekwa et al., 2019, 2017). A 22mer RNA that forms stable hairpin in its 3' end has been reported to be a valuable substrate for both arenavirus and coronavirus ExoN. Moreover, for SARS-CoV-2 nsp14 ExoN, nsp10 was added in the reaction (ratio 1:4 of nsp14:nsp10) as nsp10 was previously demonstrated to stimulate > 35-fold the nsp14 ExoN activity (Bouvet et al., 2012; Saramago et al., 2021).

199 We first determined the smallest 5'-FAM-RNA concentration that provides sufficient FP signal, concomitantly with the set-up of the ratio of ExoN and 5'-FAM-RNA to obtain a reproducible and stable FP 200 201 signal. For each 5'-FAM-RNA concentration tested (50 to 1000 nM), single turn over (STO) conditions (excess of enzyme respect to substrate) and also multiple turn over (MTO) conditions (excess of substrate 202 respect to enzyme) were tested. Because the RNA substrate is degraded during the ExoN activity, FP value is 203 204 altered proportionally. A significant change in the FP signal due to the hydrolysis of the 5'-FAM-RNA was observed only under STO conditions. 100 nM concentration of 5'-FAM-RNA was selected because it was the 205 smallest concentration of substrate providing a reproducible and stable FP signal. 206

We optimized the positive and negative controls of ExoN activity. Several combinations were tested 207 (Supplementary figure S2): 5'-FAM-RNA in reaction buffer with metal ions, 5'-FAM-RNA in reaction buffer 208 with ExoN and without metal ions, 5'-FAM-RNA in reaction buffer with ions and denaturated ExoN and 5'-209 FAM-RNA in reaction buffer with CaCl<sub>2</sub> instead of MnCl<sub>2</sub>. For all the negative controls tested, there was no 210 variation between the initial and final FP values after 30 min incubation, indicating the absence of 211 212 degradation of the fluorescent probe. However, we observe that the initial FP values are lower without metal ions in the reaction buffer (Supplementary figure S2), or in the presence of EDTA 10 mM (data not shown). 213 This results is in agreement with the study of Liu et al. (Liu et al., 2014), who carried out the experiments to 214 215 investigate the influence of metal ions in FP assays, and reported that cations concentration can affect the FP 216 signal by altering the mobility of the fluorophore through stabilizing the RNA secondary structure. Thus, for the rest of the study, the negative controls were prepared by mixing 5'-FAM-RNA in reaction buffer with 217 ions and without ExoN. 218

Regarding the nature of the metal ion, MnCl<sub>2</sub> and MgCl<sub>2</sub> were tested. An increased activity is observed in the presence of MnCl<sub>2</sub> for both arenaviruses and SARS-CoV-2 ExoN (data not shown). The concentration of MnCl<sub>2</sub> that shows the highest reduction in FP signal is 5 mM for arenaviruses as previously reported (Yekwa et al., 2019, 2017) and 2 mM for SARS-CoV-2 as recently reported (Baddock et al., 2020; Saramago et al., 2021). Finally the temperature selected to perform the assay is 25°C since the incubation at 37°C leads to a significative evaporation of the sample that reduces the stability and reproducibility of the FP signal.

While the 5'-FAM-RNA substrate was fixed at 100 nM, which was the lowest concentration fairly detected by the sensitivity of the method, different concentrations of ExoN were tested (100 nM to 1600 nM). The FP signal change was measured during 30 min. The FP curves and digestion products examined in urea PAGE after FP reading, are gathered in figure 1.

The negative controls (figure 1, brown curves, in panels A, B and C) present flattened curves, as expected. Remarkably, early in the reaction a small increase in the initial FP value is observed, which could correspond to the time required for the formation of the catalytic complex between the ExoN, the catalytic cations and the 5'-FAM-RNA substrate. This is more visible for the SARS-CoV-2 ExoN, which requires the interaction of nsp14 and nsp10 forming the active complex. This increase of fluorescence occurs for all FP curves but is visible mainly on the FP curves corresponding to the lowest ExoN concentrations when the formation of the pre-hydrolytic complex presumably takes the longest time.

For all tested ExoN, excepting for the lowest used concentration, we observe a reduction of the FP signal with time. The decrease of the FP value is correlated with the hydrolysis of the 5'-FAM-RNA substrate by the ExoN, as confirmed on the urea PAGE images (figure 1, panels D, E and F). The difference between initial and final FP value after 30 min is proportional to the number of nucleotides removed from the 5'-FAM-RNA.

By increasing the ExoN concentration, we observe an increase in the FP curves slope but the FP signals reach a plateau which might be related to the inability to remove any extra nucleotide after a certain point.

246 The method efficiency was validated by the difference of FP values between the negative control (figure 1,

brown curves, in panels A, B and C) and the FP value obtained at one concentration after 30 min reaction.

248 This difference was selected as significant enough, with  $\Delta FP + -30$  units of mP.

To validate this method and use it as screening assay, we decided to use a molar ratio 1:4 between the 5'-FAM-RNA substrate (100 nM) and ExoN (400 nM). With the optimized duration, temperature and experimental conditions, this ratio gives the more stable and reproducible FP signals, correlated with specific 5'-FAM-RNA fragments.

253

254 3.3 Screening of a focused library against the SARS-CoV-2, LCMV and MACV ExoN using FP

255 Because ExoN activity is metal dependent, we tested a focused library of 23 metal chelators that we have developed previously (Saez-Ayala et al., 2019, 2018), in order to demonstrate the robustness of our FP 256 method. Two screenings were performed using 5 µM and 20 µM of compounds in 5% DMSO in a single 257 assay. The robustness of the assay for HTS was calculated using 48 negative and 48 positive controls. The 258 lowest Z' value is 0.68 indicating that the assay is reliable (see supplementary data figure S3). The 259 260 percentages of inhibition at 5 µM and 20 µM for each ExoN, extracted from FP curves (see supplementary data figure S4), are gathered in supplementary figure S5 and figure 2 (panels A, B and C), respectively. The 261 262 degree of digestion of the RNA substrate was also controlled by fragments separation on urea-PAGE at the 263 end of the reaction for compounds 4, 11, 13, 18 and 23 (figure 2, panel D).

264 We identified compound 11 which inhibits 100% of the different ExoN activity at 20 µM and 78%, 76% and 100% at 5 µM, respectively against LCMV, MACV and SARS-CoV-2 ExoN. Compound 11 which is 265 Aurintricarboxyclic Acid (ATA) was included as positive control as it has been previously described as 266 nuclease inhibitor (Huang et al., 2016), acting as non-specific metal chelator (Sharma et al., 2000). We also 267 268 identified inhibitors showing more specific inhibition profile. Compound 4 is active against SARS-CoV-2 with 61% inhibition at 20 µM (less than 10% inhibition of LCMV ExoN) while compound 23 is specific to 269 LCMV ExoN with 71% inhibition (less than 10% inhibition of MACV ExoN). Compounds 13 and 18 are 270 potent inhibitors of SARS-CoV-2 ExoN with more 90% and weak inhibitors of LCMV and MACV ExoN 271 (less than 20% inhibition). The FP method allowed the identification of potent ExoN inhibitors as 272 compounds 4, 11, 13, 18 and 23, and the absence of RNA degradation was confirmed by urea PAGE analysis 273 (figure 2 - panel D) used as an orthogonal validation assay. 274

275

### **276** 3.4 Assessing $IC_{50}$ measurement of compound 11 by FP

277 Compound 11 displaying the highest inhibition, at both 5 and 20  $\mu$ M, was used as model for IC<sub>50</sub> 278 determination. The FP curves, the digestion products examined in urea PAGE after FP reading and dose-279 response curves obtained by extraction of FP data are gathered in figure 3. The IC<sub>50</sub> values were determined 280 by hill plot curve fitting (see materials and methods section). The IC<sub>50</sub> values for LCMV, MACV and SARS-281 CoV-2 ExoN were  $3.61 \pm 0.20 \ \mu$ M,  $3.46 \pm 0.29 \ \mu$ M and  $1.64 \pm 0.17 \ \mu$ M, respectively. Notably, these values correlated perfectly with the 80% inhibition obtained by screening at 5  $\mu$ M, confirming the robustness and reproducibility of the assay. The FP signal correlates also with the degree of digestion observed by gel.

284

285

286	1	Conclusion	
200	4.	Conclusion	L

- 287 The use of fluorescence polarization assay for inhibitors identification was investigated and we prove that 288 this technique is reliable and sensitive to monitor nuclease activity.
- 289 Our work presents the development of a viral ExoN HTS assay in 384-well plates. Its most valuable feature
- 290 is that allows a reliable and rapid identification of ExoN inhibitors limiting the ExoN activity of viral
- enzymes belonging to arenavirus (LCMV and MACV) and coronavirus (SARS-CoV-2).
- 292 These results make fluorescence polarization assay an important tool in the screening of compounds libraries
- to discover antivirals.
- 294
- 295 Funding and Acknowledgments

296 This work was supported by grants from the Ministry of the Armed Forces (DGA) – Defense Innovation 297 Agency (AID) and the French National Research Agency (ANR-18-ASTR-0010-01, PaNuVi), Fondation pour la Recherche Medicale (Chemistry for Medecine, DCM20181039531), SCORE project H2020 SC1-298 PHE Coronavirus-2020 (grant#101003627). Priscila El-Kazzi and Rafik Kaci were funded by Fondation 299 300 Mediterranée Infection (Infectiopole Sud), Laura Garlatti was funded by DGA and Aix-Marseille University (fellowship N° DGA01D19024292 AID). The Carolina Trajano De Jesus master's internship was supported 301 by the Coordenação de Aperfeiçoamento de Pessoal de Nível Superior - Brasil (CAPES) - Finance Code 302 001. We thank Thi Hong Van Nguyen and Adrien Delpal for technical assistance. 303

- 304
- 305 Supplementary data associated with this article can be found, in the online version, at

306

307 References

Baddock, H.T., Brolih, S., Yosaatmadja, Y., Ratnaweera, M., Bielinski, M., Swift, L.P., Cruz-Migoni, A.,
Morris, G.M., Schofield, C.J., Gileadi, O., McHugh, P.J., 2020. Characterisation of the SARS-CoV2 ExoN (nsp14ExoN-nsp10) complex: implications for its role in viral genome stability and inhibitor
identification. bioRxiv 2020.08.13.248211. https://doi.org/10.1101/2020.08.13.248211

- Baughman, B.M., Jake Slavish, P., DuBois, R.M., Boyd, V.A., White, S.W., Webb, T.R., 2012.
   Identification of influenza endonuclease inhibitors using a novel fluorescence polarization assay.
   ACS Chem. Biol. 7, 526–534. https://doi.org/10.1021/cb200439z
- Becares, M., Pascual-Iglesias, A., Nogales, A., Sola, I., Enjuanes, L., Zuñiga, S., 2016. Mutagenesis of
  Coronavirus nsp14 Reveals Its Potential Role in Modulation of the Innate Immune Response. J.
  Virol. 90, 5399–5414. https://doi.org/10.1128/JVI.03259-15
- Bouvet, M., Imbert, I., Subissi, L., Gluais, L., Canard, B., Decroly, E., 2012. RNA 3'-end mismatch excision
  by the severe acute respiratory syndrome coronavirus nonstructural protein nsp10/nsp14
  exoribonuclease complex. Proc. Natl. Acad. Sci. 109, 9372–9377.
  https://doi.org/10.1073/pnas.1201130109
- Ferron, F., Subissi, L., Silveira De Morais, A.T., Le, N.T.T., Sevajol, M., Gluais, L., Decroly, E., Vonrhein,
   C., Bricogne, G., Canard, B., Imbert, I., 2018. Structural and molecular basis of mismatch correction
   and ribavirin excision from coronavirus RNA. Proc. Natl. Acad. Sci. U. S. A. 115, E162–E171.
   https://doi.org/10.1073/pnas.1718806115
- Ferron, F., Weber, F., de la Torre, J.C., Reguera, J., 2017. Transcription and replication mechanisms of
   Bunyaviridae and Arenaviridae L proteins. Virus Res. 234, 118–134.
   https://doi.org/10.1016/j.virusres.2017.01.018
- 329 Hastie, K.M., Kimberlin, C.R., Zandonatti, M.A., MacRae, I.J., Saphire, E.O., 2011. Structure of the Lassa virus nucleoprotein reveals a dsRNA-specific 3' to 5' exonuclease activity essential for immune 330 331 suppression. Proc. Natl. Acad. Sci. U. S. A. 108. 2396-2401. https://doi.org/10.1073/pnas.1016404108 332
- Knipe, D.M., Howley, P.M. (Eds.), 2013. Fields virology, 6th ed. ed. Wolters Kluwer/Lippincott Williams &
   Wilkins Health, Philadelphia, PA.
- Huang, K.-W., Hsu K.-C., Chu, L.-Y., Yang J.-M., Yuan H. S., Hsiao Y.-Y. 2016. Identification of Inhibitors
   for the DEDDh Family of Exonucleasesand a Unique Inhibition Mechanism by Crystal Structure
   Analysisof CRN-4 Bound with 2-Morpholin-4-ylethanesulfonate (MES). J. Med. Chem. 59, 8019 8029. https://doi.org/10.1021/acs.jmedchem.6b00794
- Kwok, P.-Y., 2002. SNP genotyping with fluorescence polarization detection. Hum. Mutat. 19, 315–323.
   https://doi.org/10.1002/humu.10058
- Latif, S., Bauer-Sardina, I., Ranade, K., Livak, K.J., Kwok, P.Y., 2001. Fluorescence polarization in homogeneous nucleic acid analysis II: 5'-nuclease assay. Genome Res. 11, 436–440. https://doi.org/10.1101/gr.156601
- Lea, W.A., Simeonov, A., 2011. Fluorescence polarization assays in small molecule screening. Expert Opin.
   Drug Discov. 6, 17–32. https://doi.org/10.1517/17460441.2011.537322
- Lei, X., Dong, X., Ma, R., Wang, W., Xiao, X., Tian, Z., Wang, C., Wang, Y., Li, L., Ren, L., Guo, F., Zhao,
  Z., Zhou, Z., Xiang, Z., Wang, J., 2020. Activation and evasion of type I interferon responses by
  SARS-CoV-2. Nat. Commun. 11, 3810. https://doi.org/10.1038/s41467-020-17665-9
- Liu, X., Chen, Y., Fierke, C.A., 2014. A real-time fluorescence polarization activity assay to screen for
   inhibitors of bacterial ribonuclease P. Nucleic Acids Res. 42, e159.
   https://doi.org/10.1093/nar/gku850
- Martínez-Sobrido, L., Emonet, S., Giannakas, P., Cubitt, B., García-Sastre, A., de la Torre, J.C., 2009.
   Identification of Amino Acid Residues Critical for the Anti-Interferon Activity of the Nucleoprotein
   of the Prototypic Arenavirus Lymphocytic Choriomeningitis Virus. J. Virol. 83, 11330–11340.
   https://doi.org/10.1128/JVI.00763-09
- Martínez-Sobrido, L., Giannakas, P., Cubitt, B., García-Sastre, A., Torre, J.C. de la, 2007. Differential
   Inhibition of Type I Interferon Induction by Arenavirus Nucleoproteins. J. Virol. 81, 12696–12703.
   https://doi.org/10.1128/JVI.00882-07
- Martínez-Sobrido, L., Zúñiga, E.I., Rosario, D., García-Sastre, A., de la Torre, J.C., 2006. Inhibition of the
   Type I Interferon Response by the Nucleoprotein of the Prototypic Arenavirus Lymphocytic
   Choriomeningitis Virus. J. Virol. 80, 9192–9199. https://doi.org/10.1128/JVI.00555-06
- Ogando, N.S., Ferron, F., Decroly, E., Canard, B., Posthuma, C.C., Snijder, E.J., 2019. The Curious Case of
   the Nidovirus Exoribonuclease: Its Role in RNA Synthesis and Replication Fidelity. Front.
   Microbiol. 10, 1813. https://doi.org/10.3389/fmicb.2019.01813
- Papageorgiou, N., Spiliopoulou, M., Nguyen, T.-H.V., Vaitsopoulou, A., Laban, E.Y., Alvarez, K.,
   Margiolaki, I., Canard, B., Ferron, F., 2020. Brothers in Arms: Structure, Assembly and Function of
   Arenaviridae Nucleoprotein. Viruses 12. https://doi.org/10.3390/v12070772

- Saez-Ayala, M., Laban Yekwa, E., Mondielli, C., Roux, L., Hernández, S., Bailly, F., Cotelle, P., Rogolino,
  D., Canard, B., Ferron, F., Alvarez, K., 2019. Metal chelators for the inhibition of the lymphocytic
  choriomeningitis virus endonuclease domain. Antiviral Res. 162, 79–89.
  https://doi.org/10.1016/j.antiviral.2018.12.008
- Saez-Ayala, M., Yekwa, E.L., Carcelli, M., Canard, B., Alvarez, K., Ferron, F., 2018. Crystal structures of Lymphocytic choriomeningitis virus endonuclease domain complexed with diketo-acid ligands.
   IUCrJ 5, 223–235. https://doi.org/10.1107/S2052252518001021
- Saramago, M., Bárria, C., Costa, V., Souza, C.S., Viegas, S.C., Domingues, S., Lousa, D., Soares, C.M.,
  Arraiano, C.M., Matos, R.G., 2021. New targets for drug design: Importance of nsp14/nsp10
  complex formation for the 3'-5' exoribonucleolytic activity on SARS-CoV-2. bioRxiv
  2021.01.07.425745. https://doi.org/10.1101/2021.01.07.425745
- Sharma, R.K., Garg, B.S., Kurosaki, H., Goto, M., Otsuka, M., Yamamoto, T., Inoue, J., 2000. Aurine
  tricarboxylic acid, a potent metal-chelating inhibitor of NFkappaB-DNA binding. Bioorg. Med.
  Chem. 8, 1819–1823. https://doi.org/10.1016/s0968-0896(00)00109-7
- Snijder, E.J., Bredenbeek, P.J., Dobbe, J.C., Thiel, V., Ziebuhr, J., Poon, L.L.M., Guan, Y., Rozanov, M.,
  Spaan, W.J.M., Gorbalenya, A.E., 2003. Unique and Conserved Features of Genome and Proteome
  of SARS-coronavirus, an Early Split-off From the Coronavirus Group 2 Lineage. J. Mol. Biol. 331,
  991–1004. https://doi.org/10.1016/S0022-2836(03)00865-9
- Steitz, T.A., Steitz, J.A., 1993. A general two-metal-ion mechanism for catalytic RNA. Proc. Natl. Acad. Sci.
   U. S. A. 90, 6498–6502. https://doi.org/10.1073/pnas.90.14.6498
- Subissi, L., Imbert, I., Ferron, F., Collet, A., Coutard, B., Decroly, E., Canard, B., 2014. SARS-CoV ORF1b encoded nonstructural proteins 12-16: replicative enzymes as antiviral targets. Antiviral Res. 101,
   122–130. https://doi.org/10.1016/j.antiviral.2013.11.006
- Uri, A., Nonga, O.E., 2020. What is the current value of fluorescence polarization assays in small molecule
   screening? Expert Opin. Drug Discov. 15, 131–133. https://doi.org/10.1080/17460441.2020.1702966
- Yekwa, E., Aphibanthammakit, C., Carnec, X., Picard, C., Canard, B., Baize, S., Ferron, F., 2019.
   Arenaviridae exoribonuclease presents genomic RNA edition capacity. bioRxiv 541698.
   https://doi.org/10.1101/541698
- Yekwa, E., Khourieh, J., Canard, B., Papageorgiou, N., Ferron, F., 2017. Activity inhibition and crystal
   polymorphism induced by active-site metal swapping. Acta Crystallogr. Sect. Struct. Biol. 73, 641–
   649. https://doi.org/10.1107/S205979831700866X
- Zhang, M., Le, H.-N., Wang, P., Ye, B.-C., 2012. A versatile molecular beacon-like probe for multiplexed detection based on fluorescence polarization and its application for a resettable logic gate. Chem.
   Commun. Camb. Engl. 48, 10004–10006. https://doi.org/10.1039/c2cc35185d
- Zuo, Y., Deutscher, M.P., 2001. Exoribonuclease superfamilies: structural analysis and phylogenetic distribution. Nucleic Acids Res. 29, 1017–1026.
- 405

- 406
- 407
- 408
- 409
- 410




Figure 1. ExoN activity measured by FP for LCMV (panel A), MACV (panel B) and SARS-CoV-2 (panel C). The FP signal variation is recorded with time during 30 min, each 30 secondes, at 25°C. The 5'-FAM-RNA substrate concentration used is 100 nM and the ExoN concentration tested ranges 100 nM to 1600 nM. The data represents the average and SEM of three independent experiments. The bottom panels illustrate a representative image of the digestion products analyzed in urea PAGE, of the ExoN activity for LCMV (panel D), MACV (panel E) and SARS-CoV-2 (panel F), after recording the FP signal. An aliquot of the sample was loaded into a urea-PAGE 20% and scanned in a fluorescence imager.

- 420
- 421
- 422
- 423
- 424
- 425
- 426





Figure 2. Screening of focused library of metal chelators (23) against LCMV (panel A), MACV (panel B) 429 430 and SARS-CoV-2 (panel C) ExoN followed by FP. Orthogonal validation assay by analysis of the fluorescent RNA substrate by urea PAGE (panel D) The bars show the % of inhibition of the ExoN activity 431 as described in materials and methods. For the screening conditions 100 nM 5'-FAM-RNA, 400 nM ExoN 432 and 20  $\mu$ M of inhibitor were used. 433



436

Figure 3. IC<sub>50</sub> measurement of compound 11 by FP on LCMV, MACV and SARS-CoV-2 ExoN. In A, B and 437 438 C the FP signal variation is recorded with time during 30 min, each 30 seconds, at 25°C. The 5'-FAM-RNA substrate and LCMV (panel A), MACV (panel B) and SARS-CoV-2 (panel C) ExoN concentration were 439 440 respectively 100 nM and 400 nM. The data represents the average and SEM of three independent 441 experiments. In the middle panels it is shown a representative image of the digestion products of the LCMV 442 (panel D), MACV (panel E) and SARS-CoV-2 (panel F) ExoN in presence of the different concentrations of compound 11, visualized in urea AGE after recording the FP signal. In the bottom panels it is shown the 443 dose-response curves obtained by extraction of FP data, the IC<sub>50</sub> values for compound 11 with LCMV (panel 444 G), MACV (panel H) and SARS-CoV-2 (panel I). The data represents the average and SEM of three 445 446 independent experiments.