



HAL
open science

Une nouvelle espèce du genre *Attagenus* (Coleoptera: Dermestidae: Attageninae) décrite de Côte d'Ivoire

Jiri Hava

► To cite this version:

Jiri Hava. Une nouvelle espèce du genre *Attagenus* (Coleoptera: Dermestidae: Attageninae) décrite de Côte d'Ivoire. *Faunitaxys*, 2022, 10 (25), pp.1-3. <hal-03661912>

HAL Id: hal-03661912

<https://hal.science/hal-03661912v1>

Submitted on 8 May 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire HAL, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons CC BY-NC-ND 4.0 - Attribution - Non-commercial use - No Derivative Works - International License

Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique
morphologique et moléculaire*



Volume 10
Numéro 25

Mai 2022

ISSN : 2269 - 6016
Dépôt légal : Mai 2022

Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique
morphologique et moléculaire*

ZooBank : <http://zoobank.org/79A36B2E-F645-4F9A-AE2B-ED32CE6771CC>

Directeur de la publication, rédacteur, conception graphique et PAO:

Lionel Delaunay

Cette revue ne peut pas être vendue

Elle est distribuée par échange aux institutions (version papier)

et sur simple demande aux particuliers (format PDF)

à l'adresse suivante:

AFCFF (Association française de Cartographie de la Faune et de la Flore)

28, rue Voltaire, F- 42100 Saint Etienne

E-mail: lionel.delaunay@free.fr

Elle est disponible librement au téléchargement à partir du site:

<http://faunitaxys.fr/>

La parution de *Faunitaxys* est apériodique

Faunitaxys est indexé dans / *Faunitaxys* is indexed in:

- **Zoological Record**

Articles and nomenclatural novelties are referenced by:

- **ZooBank** (<http://zoobank.org>)

Online Archives:

- **HAL** (<https://hal.archives-ouvertes.fr>)

- **Internet Archive** (<https://archive.org>)

Imprimée sur les presses de SPEED COPIE, 6, rue Tréfilerie, F- 42100 Saint-Etienne

Imprimé le 06 mai 2022

A new *Attagenus* species (Coleoptera: Dermestidae: Attageninae) from Ivory Coast

JIRÍ HÁVA

Forestry and Game Management Research Institute, Strnady 136, CZ-252 02 Praha 5 - Zbraslav, Czech Republic.

- E-mail: hava@vulhm.cz - Orcid: <https://orcid.org/0000-0001-8076-9538>

- ZooBank: <http://zoobank.org/71D662DB-2F3D-4418-98B6-E1DF82895AC5>

Keywords:

Coleoptera; taxonomy;
Dermestidae; new species;
Attageninae; description;
Attagenus; Ivory Coast.

Abstract. – The species *Attagenus* (*Attagenus*) *matsumotoi* sp. nov. from Ivory Coast is described, illustrated and compared with similar species.

Háva J., 2022. – A new *Attagenus* species (Coleoptera: Dermestidae: Attageninae) from Ivory Coast. *Faunitaxys*, 10(25): 1 – 3.

DOI: [https://doi.org/10.57800/faunitaxys-10\(25\)](https://doi.org/10.57800/faunitaxys-10(25))

ZooBank: <http://zoobank.org/30C8299F-A9DE-4215-A41C-2AD34C31BD59>

Received: 10/04/2022 – Revised: 24/04/2022 – Accepted: 25/04/2022

Introduction

The genus *Attagenus* Latreille, 1802 is one of the most numerous genera within the Dermestidae family and it currently includes more than 251 species, most of them found in Palaearctic, Oriental, Ethiopian or Nearctic Regions (Háva 2015, 2022). The genus *Attagenus* is currently split into three subgenera: *Aethriostoma* Motschulsky, 1858, *Telopes* Redtenbacher in Russegger, 1843 and *Attagenus* s. str. Since 2015, few new species of *Attagenus* have been described from the Afrotropical Region (Háva 2016a,b, 2017a,b, 2020; Herrmann & Háva 2016, 2020a,b; Herrmann, Háva & Kadej 2016, 2017, Herrmann, Kadej & Háva 2015). The present article deals with a new species collected in Ivory Coast.

Material and methods

- All photos were made with a camera Olympus SZX16.

- The following measurements were made:

TL total length: linear distance from anterior margin of pronotum to apex of elytra.

EW elytral width: maximum linear transverse distance.

- Type material is deposited in:

BMNH: Natural History Museum (formerly British Museum, Natural History), London, United Kingdom;

JHAC: Jiří Háva, Private Entomological Laboratory and Collection, Prague-west, Czech Republic.

- Type specimens were provided with red labels:

« HOLOTYPE [or PARATYPE] *Attagenus* (*Attagenus*) *matsumotoi* sp. nov. Jiří Háva det. 2022 ».

Taxonomy

Attagenus (*Attagenus*) *matsumotoi* sp. nov.

(Fig. 1, 5, 7, 9)

ZooBank: <http://zoobank.org/C4633800-788C-4599-98ED-9DFBA14BB7D1>

Holotype, ♂: Ivory Coast, Mt Sangbe NP, 08°08'26.5"N, 07°21'17.5"W, 10-13.xi.15, 444 m / On Flower, Aristophanous M., Moretto P., Ruzzier E. lgt, BMNH(E) 2015-177 / NHMUK 013796029, (BMNH).

Paratypes: 3 ♂: same data as holotype but NHMUK 013796030-NHMUK 013796032, (2 BMNH, 1 JHAC).

Description of the holotype.

Measurements (mm). – TL 2.6 mm, EW 1.3 mm.

Body (Fig. 1). – Elongated and oval, slightly convex; dorsally and ventrally unicolorous dark brown, shiny; dorsum covered with long and erect, brown and golden setation; thoracic underside with comparatively long and recumbent, yellow setation and black; visible abdominal ventrites with recumbent, yellow setation, sparser than that on thoracic surface.

Head. – Finely punctate. – **Palpi** dark brown. Frontal median ocellus present. – **Antennae** brown (antennomeres VIII-XI dark brown) with long, yellow setation, composed of 11 antennomeres, antennal club compact with 3 antennomeres, terminal antennomere longly triangular (Fig. 5).

Pronotum. – Finely punctate on the disc, coarsely punctate on lateral margins; covered by yellow setation (Fig 7). – **Hypomeron** matt, coarsely punctate.

Scutellum. – Small and triangular, shining, with rounded apex, without setation.

Elytra. – Coarsely punctate on humeri and with one small humeral bump, other parts finely punctate; anterior part with yellow setation other parts covered by intermixed brown and yellow setation.

Ventral surface. – **Epipleuron** dark brown, short, coarsely punctate with short yellow setae. – **Prosternum** without “collar”, mouthparts free. Prosternal process long and narrow. – **Meta-mesosternum** coarsely punctate discally and laterally, with yellow, recumbent setation. – **Abdomen** brown, with five visible abdominal ventrites, each ventrite laterally with small depressions, covered by recumbent, yellow setation.

Pygidium. – Brown with short yellow setae.

Legs. – Brown, covered with comparatively short and thick, yellow setation. Tarsi moderately long.

Aedeagus. – As in Fig. 9.

Reviewer :

Andreas Herrmann (*Stade Deutschland, Germany*)

Homepage: www.Dermestidae.com

ZooBank: <http://zoobank.org/AD5F7951-8404-4434-9418-EDA2FC21244D>



This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

Copyright 2022 The Authors. *Faunitaxys* published by Lionel Delaunay on behalf of the AFCFF (Association française de Cartographie de la Faune et de la Flore).

Differential diagnosis. – The new species is visually similar to species *Attagenus: balakaensis* Háva, 2016, *lategriseus* Kalík, 1955 and *africanus* Mroczkowski, 1958, but differs from them by the following characters:

1. Setation on pronotum type A (Fig. 6)	2
— Setation on pronotum type B (Fig. 7)	3
2. Antenna (Fig. 3); prosternal process short and broad (<i>Malawi</i>)	<i>A. balakaensis</i> Háva, 2016
— Antenna (Fig. 2); prosternal process long and broad (<i>Congo, Ethiopia, Nigeria</i>)	<i>A. africanus</i> Mroczkowski, 1958
3. Antenna (Fig. 4); aedeagus (Fig. 8), tip of median lobe (Fig. 8); apical part of each elytron only with black setation (<i>Burundi; Congo; Rwanda; Uganda</i>)	<i>A. lategriseus</i> Kalík, 1955
— Antenna (Fig. 5); aedeagus (Fig. 9), tip of median lobe (Fig. 9); apical part of each elytron with intermixed golden and black setation (<i>Ivory Coast</i>)	<i>A. matsumotoi</i> sp. nov.

Etymology. – The epithet is a patronym honouring of my friend and colleague Keita Matsumoto (BMNH).

Female. – Unknown.

Variability. – Body: TL 2.6-2.8 mm, EW 1.3-1.6 mm.

Acknowledgements

I am indebted very much to Miloslav Rakovič (Prague, Czech Republic) for English revision of the manuscript. The paper was supported by the Ministry of Agriculture of the Czech Republic, institutional support MZE-RO0118.

References

- Háva J., 2015. – *World Catalogue of Insects. Volume 13. Dermestidae (Coleoptera)*. Brill, Leiden/Boston, xxvi + 419 pp.
- Háva J., 2016a. – Contribution to the knowledge of *Attagenus* species from Eastern and Southern Africa (Coleoptera: Dermestidae: Attageninae). *Folia Heyrovskyana*, series A, 24(1): 5-16.
- Háva J., 2016b. – Contribution to the knowledge of the genus *Attagenus* from Western Africa (Coleoptera: Dermestidae: Attageninae). *Folia Heyrovskyana*, serie A, 24(2): 4-9.
- Háva J., 2017a. – A new *Attagenus* species from Kenya (Coleoptera: Dermestidae: Attageninae). *Folia Heyrovskyana*, series A, 25(2): 1-3.
- Háva J., 2017b. – A new *Attagenus* species from Madagascar (Coleoptera: Dermestidae: Attageninae). *Annali del Museo Civico di Storia Naturale « G. Doria »*, 110: 399-403.
- Háva J., 2020. – Contribution to the knowledge of genus *Attagenus* Latreille, 1802 from Ethiopia (Dermestidae: Attageninae). *Folia Heyrovskyana*, Series A, 28(1): 5-9.
- Háva J., 2022. – *Dermestidae World (Coleoptera)*. - World Wide Web electronic publication (open in 2004): <http://www.dermestidae.wz.cz> (version 2018, update January 2022).
- Herrmann A. & Háva J., 2016. – *Attagenus* (s. str.) *pseudorobustior* n. sp. (Coleoptera: Dermestidae: Attagenini) from Namibia. *Stuttgarter Beiträge zur Naturkunde A, N. S.*, 9: 177-179.
- Herrmann A. & Háva J., 2020a. – A new species of *Attagenus* Latreille, 1802 from the Republic of Equatorial Guinea (Coleoptera: Dermestidae: Attagenini). *Studies and Reports, Taxonomical Series*, 16(1): 93-96.
- Herrmann A. & Háva J., 2020b. – *Attagenus (Attagenus) roberti* sp. nov., a new dermestid species (Coleoptera: Dermestidae) from the Republic of South Africa. *Studies and Reports, Taxonomical Series*, 16(2): 347-352.
- Herrmann A., Háva J. & Kadej M., 2016. – A new *Attagenus*-species (Coleoptera: Dermestidae) from South Africa. *Folia Heyrovskyana*, series A, 24(1): 17-20.
- Herrmann A., Háva J. & Kadej M., 2017. – *Attagenus (Attagenus) freyi* sp. nov., a new species from South Africa (Coleoptera: Dermestidae). *Folia Heyrovskyana*, Serie A, 25(1): 8-12.
- Herrmann A., Kadej M. & Háva J., 2015. – Contribution to the knowledge of genus *Attagenus* (Coleoptera: Dermestidae) from South Africa. The complex of *Attagenus capensis* with description of five new species. *Studies and Reports, Taxonomical Series*, 11(2): 277-287.
- Kadej M. & Háva J., 2015. – Description of a new species of *Attagenus* Latreille, 1802 from Republic of South Africa (Coleoptera: Dermestidae: Attageninae). *African Entomology*, 23(2): 438-442.

Résumé

Háva J., 2022. – Une nouvelle espèce du genre *Attagenus* (Coleoptera: Dermestidae: Attageninae) décrite de Côte d'Ivoire. *Faunitaxys*, 10(25) : 1 – 3. *Attagenus (Attagenus) matsumotoi* sp. nov. est décrite de la Côte d'Ivoire. Elle est illustrée et comparée avec les espèces les plus proches.

Mots-clés. – Coleoptera, Dermestidae, Attageninae, *Attagenus*, taxinomie, nouvelle espèce, description, Côte d'Ivoire.



Ivory Coast, Mt Sangbe NP.





Fig. 1. *Attagenus* (*A.*) *matsumotoi* sp. nov., habitus, dorsal aspect.

Fig. 2-5. Antennae. 2. *A. africanus* Mroczkowski. 3. *A. balakensis* Háva. 4. *A. lategriseus* Kalík. 5. *A. matsumotoi* sp. nov.

Fig. 6-7. Setation on pronotum. 6. Type A. 7. Type B.

Fig. 8-9. Male genitalia. 8. *A. lategriseus* Kalík. 9. *A. matsumotoi* sp. nov.



Faunitaxys

Volume 10, Numéro 25, Mai 2022

SOMMAIRE

Une nouvelle espèce du genre *Attagenus* décrite de Côte d'Ivoire (Coleoptera: Dermestidae: Attageninae).

Jiří Háva 1 – 3

CONTENTS

A new *Attagenus* species (Coleoptera: Dermestidae: Attageninae) from Ivory Coast.

Jiří Háva 1 – 3

Illustration de la couverture : *Colobus polykomos* (Zimmermann, 1780). The King Colobus, also known as the Western Black-and-white Colobus, is a species of Old World monkey, found in lowland and mountain rain forests in a region stretching between Gambia and Côte d'Ivoire within Africa. It eats mainly leaves, but also fruits and flowers. Though it is arboreal, it eats primarily on the ground. It lives in small groups consisting of 3 to 4 females and 1 to 3 males, plus their young.

Crédits photos:

© **Jiří Háva** : Fig. 1-9.

Marie Hale (CC - Creative Commons Attribution License): couverture