



HAL
open science

Inferring river properties with SWOT like data

Pierre-André Garambois, Jérôme Monnier, Hélène Roux

► To cite this version:

Pierre-André Garambois, Jérôme Monnier, Hélène Roux. Inferring river properties with SWOT like data. European Geosciences Union General Assembly 2014, Apr 2014, Vienna, Austria. pp.0. <hal-03667260>

HAL Id: hal-03667260

<https://hal.science/hal-03667260v1>

Submitted on 13 May 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization



Open Archive TOULOUSE Archive Ouverte (OATAO)

OATAO is an open access repository that collects the work of Toulouse researchers and makes it freely available over the web where possible.

This is an author-deposited version published in : <http://oatao.univ-toulouse.fr/>
Eprints ID : 11376

To cite this version : Garambois, Pierre-André and Monnier, Jérôme and Roux, Hélène Inferring river properties with SWOT like data. (2014) In: European Geosciences Union General Assembly 2014, 27 April 2014 - 02 May 2014 (Vienna, Austria).

Any correspondence concerning this service should be sent to the repository administrator: staff-oatao@listes-diff.inp-toulouse.fr

Inferring river properties with SWOT like data

Pierre-André GARAMBOIS (1), Jérôme MONNIER (1), and Hélène ROUX (2)

(1) Université de Toulouse, Institut de Mathématiques de Toulouse (IMT), France (p.garambois@gmail.com), (2) Université de Toulouse, Institut de Mécanique des fluides de Toulouse (IMFT), France

Inverse problems in hydraulics are still open questions such as the estimation of river discharges. Remotely sensed measurements of hydrosystems can provide valuable information but adequate methods are still required to exploit it. The future Surface Water and Ocean Topography (SWOT) mission would provide new cartographic measurements of inland water surfaces. The highlight of SWOT will be its almost global coverage and temporal revisits on the order of 1 to 4 times per 22 days repeat cycle [1]. Lots of studies have shown the possibility of retrieving discharge given the river bathymetry or roughness and/or in situ time series. The new challenge is to use SWOT type data to inverse the triplet formed by the roughness, the bathymetry and the discharge.

The method presented here is composed of two steps: following an inverse formulation from [2], the first step consists in retrieving an equivalent bathymetry profile of a river given one in situ depth measurement and SWOT like data of the water surface, that is to say water elevation, free surface slope and width. From this equivalent bathymetry, the second step consists in solving mass and Manning equation in the least square sense [3]. Nevertheless, for cases where no in situ measurement of water depth is available, it is still possible to solve a system formed by mass and Manning equations in the least square sense (or with other methods such as Bayesian ones, see e.g. [4]). We show that a good a priori knowledge of bathymetry and roughness is compulsory for such methods. Depending on this a priori knowledge, the inversion of the triplet (roughness, bathymetry, discharge) in SWOT context was evaluated on the Garonne River [5, 6]. The results are presented on 80 km of the Garonne River downstream of Toulouse in France [7]. An equivalent bathymetry is retrieved with less than 10% relative error with SWOT like observations. After that, encouraging results are obtained with less than 10% relative error on the identified discharge.

References

- [1] E. Rodriguez, SWOT science requirements document, JPL document, JPL, 2012.
- [2] A. Gessese, K. Wa, and M. Sellier, Bathymetry reconstruction based on the zero-inertia shallow water approximation, *Theoretical and Computational Fluid Dynamics*, vol. 27, no. 5, pp. 721-732, 2013.
- [3] P. A. Garambois and J. Monnier, Inference of river properties from remotely sensed observations of water surface, under final redaction for HESS, 2014.
- [4] M. Durand, Sacramento river airswot discharge estimation scenario. <http://swotdawg.wordpress.com/2013/04/18/sacramento-river-airswot-discharge-estimation-scenario/>, 2013.
- [5] P. A. Garambois and H. Roux, Garonne River discharge estimation. <http://swotdawg.wordpress.com/2013/07/01/garonne-river-discharge-estimation/>, 2013.
- [6] P. A. Garambois and H. Roux, Sensitivity of discharge uncertainty to measurement errors, case of the Garonne River. <http://swotdawg.wordpress.com/2013/07/01/sensitivity-of-discharge-uncertainty-to-measurement-errors-case-of-the-garonne-river/>, 2013.
- [7] H. Roux and P. A. Garambois, Tests of reach averaging and manning equation on the Garonne River. <http://swotdawg.wordpress.com/2013/07/01/tests-of-reach-averaging-and-manning-equation-on-the-garonne-river/>, 2013.