



**HAL**  
open science

## New records of Neotropical Cerambycidae (Coleoptera)

Stéphane Le Tirant, Antonio Santos Silva

► **To cite this version:**

Stéphane Le Tirant, Antonio Santos Silva. New records of Neotropical Cerambycidae (Coleoptera). Faunitaxys, 2019, 7 (6), pp.1-8. hal-03671033

**HAL Id: hal-03671033**

**<https://hal.science/hal-03671033v1>**

Submitted on 18 May 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique  
morphologique et moléculaire*



Volume 7  
Numéro 6

Mai 2019

ISSN: 2269 - 6016  
Dépôt légal: Mai 2019

# Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique  
morphologique et moléculaire*

ZooBank : <http://zoobank.org/79A36B2E-F645-4F9A-AE2B-ED32CE6771CC>

Directeur de la publication, rédacteur, conception graphique et PAO:

*Lionel Delaunay*

Cette revue ne peut pas être vendue  
Elle est distribuée par échange aux institutions (version papier)  
et sur simple demande aux particuliers (format PDF)  
à l'adresse suivante:

AFCFF

28, rue Voltaire, F- 42100 Saint Etienne

E-mail: [lionel.delaunay@free.fr](mailto:lionel.delaunay@free.fr)

Elle est disponible librement au téléchargement à partir du site:

<http://faunitaxys.fr/>

La parution de *Faunitaxys* est apériodique

Impression

SARL SPEED COPIE, 6, rue Tréfilerie, F- 42100 Saint-Etienne

[speedcopie@wanadoo.fr](mailto:speedcopie@wanadoo.fr)

**Imprimé le 10 mai 2019**

# New records of Neotropical Cerambycidae (Coleoptera)

STEPHANE LE TIRANT (1) & ANTONIO SANTOS-SILVA

(1) Insectarium de Montréal, 4581 rue Sherbrooke Est Montréal, Québec, Canada, H1X 2B2 - [sletirant@ville.montreal.qc.ca](mailto:sletirant@ville.montreal.qc.ca)  
- ZooBank : <http://zoobank.org/A9391F8A-15D7-4D3B-9E3F-7123BA27EA2E>

(2) Museu de Zoologia, Universidade de São Paulo, Avenida Nazaré # 481, 04263-000, São Paulo, SP, Brazil - [toncriss@uol.com.br](mailto:toncriss@uol.com.br)  
- ZooBank : <http://zoobank.org/E71CB0BE-4876-4B0B-ACAF-5AE13BA81E7E>

## Keywords:

Coleoptera ; Taxonomy ;  
Cerambycidae ; Mexico ;  
Cerambycinae ; Paraguay ;  
Lamiinae ; Central America ;  
New records ; South America.

**Abstract.** – Fifteen new records are provided for Cerambycidae: seven country records, seven state records, and one department record. Additionally, notes on some species are provided, especially on *Placosternus crnicornis* (Chevrolat, 1860) and *Elaphidion irroratum irroratum* (Linnaeus, 1767).

Le Tirant S. & Santos-Silva A., 2019. – New records of Neotropical Cerambycidae (Coleoptera). *Faunitaxys*, 7(6): 1–8.

ZooBank : <http://zoobank.org/4FEDF125-DC99-4CA1-BA50-69828401DF4E>

## Introduction

The study of a series of specimens collected recently in Mexico and Paraguay revealed the occurrence of 15 species in places not previously known. They belong to two subfamilies: Cerambycinae and Lamiinae.

During the process of identification, we found nomenclatural problems on *Placosternus crnicornis* (Chevrolat, 1860). Also, the status of *E. bidens* sensu Olivier (1790) is addressed. Additionally, some previous records not included in the recent catalog by Monné (2018a, b) are provided.

## Materials and Methods

Photographs were taken with a Canon EOS Rebel T3i DSLR camera, Canon MP-E 65mm f/2.8 1-5X macro lens, controlled by Zerene Stacker AutoMontage software. Measurements were taken in “mm” using measuring ocular Hensoldt/Wetzlar - Mess 10 in the Leica MZ6 stereomicroscope (also used in the study of the specimens). The references under each species are limited to the original description and the catalogs by Monné (2018a, b).

The acronyms used in the text are as follows:

- **IMQC**: Insectarium de Montréal, Québec, Canada.
- **MZSP**: Museu de Zoologia, Universidade de São Paulo, São Paulo, Brazil.
- **ZMUC**: Zoological Museum, University of Copenhagen, Copenhagen, Denmark.

## Results

### CERAMBYCINAE

#### CLYTINI Mulsant, 1839

##### *Placosternus crnicornis* (Chevrolat, 1860)

(Fig. 1)

*Clytus (Cyllene) crnicornis* Chevrolat, 1860: 460.

*Placosternus crnicornis*; Monné, 2018a: 156 (cat.).

*Cyllene similiguttatus* Chevrolat, 1862a: 380.

This species was described based on a series of specimens (number and gender not reported) from Mexico (Veracruz). In the original description, Chevrolat reported the existence of a

male from the Dejean collection that he named “Var. β.” According to him, this specimen was listed by Dejean (1836) but had already appeared in Dejean (1835: 330): “*Cl. sanguinipes* Déj., Cat., 3, p. 356.” However, Chevrolat (1860) did not name the specimen as *Clytus (Cyllene) crnicornis* var. *sanguinipes*, as included in catalogs and checklists: it was just a reference to the variety “β.” Accordingly, the name of the variety is: *Clytus (Cyllene) crnicornis* var. *β*. Although Chevrolat (1860) had made clear that it was a variety, Aurivillius (1912) and Blackwelder (1946) mistakenly listed it as an aberration: *Cyllene crnicornis* ab. *sanguinipes*. The variety is considered as a synonym of *Placosternus crnicornis* since Aurivillius (1912). According to ICZN (1999), all scientific names need to use the Latin alphabet, and names of the group of species need to be formed with at least two letters. Thus, *Clytus (Cyllene) crnicornis* var. *β* is an unavailable name. However, the specimen(s) described by Chevrolat (1860) as *Clytus (Cyllene) crnicornis* var. *β* is(are) a syntype(s) of the type series of *Clytus (Cyllene) crnicornis*.

Aurivillius (1912) listed *Cyllene similiguttatus* under *Cyllene crnicornis* as follows: “var.? *similiguttata* Chev. l. c. (4) I, 1861, p. 380.” We believe that Aurivillius (1912) was not synonymizing the species with *C. crnicornis*. Christopher Aurivillius always listed the varieties under the nominative species, what often is wrongly considered as a synonymy. In this case, Aurivillius (1912), when used “var.?” was only following the doubts expressed in the original description of *Cyllene similiguttatus* (translated): “A single male from neighborhood of Caracas, received from Dr. Rojas, which has the following differences with the Mexican types: the macula that is behind the posterior coxae, instead of being white, is of a beautiful yellow as those of underside of the body. The spot of the pygidium is extended in longitudinal line. Are those differences only a local variety? In the case where other specimens confirm the constancy of these two characters, I will provisionally name this insect as *C. similiguttatus*.” Thus, following Aurivillius (1912), *C. similiguttatus* would be considered, at most, as *Placosternus crnicornis similiguttatus* and, the eventual synonymy needs to be verified.

According to Monné (2018a), *Placosternus crnicornis* is known from Mexico (Nuevo León, Veracruz, Puebla, Tamaulipas, Guerrero), Guatemala, Nicaragua, Costa Rica, Panama, Venezuela, and Colombia. Additionally, the species was recorded from Jamaica by Waterhouse (1878), Hawaii by

Sharp (1900), USA (Texas) by Beutenmuller (1896), USA (New York) by Engelhardt (1912), USA (California) by Garnett (1918), Haiti and French Guiana by Hopping (1937), Honduras by Chemsak *et al.* (1980), and Marquesas Islands by Perrault (1978) (work not examined – from Tavakilian & Chevillotte 2018). As far as we know, none of these records were formally refuted and should be accepted.

**Material examined.** – MEXICO, *Quintana Roo (new state record)*: Sian Ka'an, 2 ♂, 1 ♀, 23.IX.2016, J. Medina col. (IMQC; 1 ♂ MZSP).

#### ELAPHIDIINI Thomson, 1864

##### *Elaphidion irroratum irroratum* (Linnaeus, 1767)

(Fig. 2)

*Cerambyx irroratus* Linnaeus, 1767: 633.

*Elaphidion irroratum irroratum*; Monné, 2018a: 299 (cat.).

*Elaphidion ordinatum* Newman, 1840: 26.

*Elaphidion tessellatum* Newman, 1840: 26.

Linnaeus (1767) described the species based on specimens from the Brunnich collection and “Museo Rydbergii.” According to Horn & Kahle (1935: 32), the Brunnich collection is currently at ZMUC: “Brünnich, Morten Thrane (1737–1827), Sammlg. an Zool. Mus. Kopenhagen.” We do not know where the “Rydbergii” collection is. Chalumeau & Touroult (2004) designated a neotype and commented (translated): “The type specimen from “America” – without detailed place. We cannot find it.” However, as seen before, there were syntypes and not a single holotype. As the specimens did not belong to the Linnaeus collection, it is possible that at least a specimen from Brunnich collection has survived and is preserved in ZMUC and has not been recognized as a syntype.

*Cerambyx bidens* sensu Olivier (1790) is considered to be equal to *Elaphidion irroratum*. However, Olivier (1790) affirmed that the antennomeres have two small spines at the apex of each segment, agreeing with Fabricius (1787), who also affirmed that they are bispinose (“antennarum articulis bispinosis”), while Linnaeus (1767) described the antennae in *E. irroratum* as “longioribus aculeatis.”, which suggests antennomeres with a single spine.

White (1853) considered *Elaphidion ordinatum* and *E. tessellatum* as varieties of *Elaphidion irroratum*. Those two species appear in Fleutiaux & Sallé (1889) as equal to *E. irroratum*. Chevrolat (1862b) considered *Elaphidion bidens* as a distinct species from *E. irroratum* and reported (translated): “I own the type of Olivier (Caroline).” However, Olivier (1790) reported that there are two spines at the apex of each antennomere, while Chevrolat (1862b) affirmed that only antennomeres V and VI are bispinose. If this latter information is really true, then it is not possible to separate *E. tessellatum*, *E. ordinatum* and *E. irroratum* from *Stenocorus bidens* sensu Olivier. Furthermore, *Cerambyx bidens* sensu Olivier (1790) has no type because, at most, it would be a misidentification, since *C. bidens* is by Fabricius (1787) as already reported by Lingafelter (2008). Aurivillius (1912) listed *Cerambyx bidens* sensu Olivier (1790) (not Fabricius 1787), *E. ordinatum*, and *E. tessellatum* in the synonymy of *E. irroratum*.

We believe that *Cerambyx bidens* sensu Olivier (1790, 1795) is really equal to *E. irroratum irroratum* and different from *Stenocorus bidens* Fabricius (1787) (= *Elaphidion bidens*). However, it is important to note that the photograph of the holotype of the latter in Lingafelter (2008) and Bezark (2019) does not show the basal antennomeres as bispinose and not different from *E. irroratum irroratum*. This indicates that the differences regarding the antennal spines in *E. irroratum irroratum* and *E. bidens* do not allow separating those species that appear to be really different based on the pronotal and elytral pubescence pattern. Accordingly the information on the antennal shape in *E. bidens* by Fabricius (1787) and Olivier

(1790, 1795) is, at least, partially false. Furthermore, *Cerambyx bidens* sensu Chevrolat (1862) is equal to *C. bidens* sensu Olivier (1790, 1795). Accordingly, the citation of *C. bidens* by Chevrolat (1862) needs to be included under *E. irroratum irroratum*. Currently, this reference is absent in Monné (2018a) and appears in Tavakilian and Chevillotte (2018) in the references of *E. bidens* (Fabricius, 1787).

According to Monné (2018a), *Elaphidion irroratum irroratum* occurs in the United States (Florida), Mexico (Nuevo León), Honduras, Nicaragua, Costa Rica, Cuba, Bahamas, Hispaniola, Puerto Rico, U.S. Virgin Islands (Saint Thomas, Saint John, Saint Croix), British Virgin Islands (Tortola, Guana), Saint Barthélemy, San Martin, Guadeloupe, Curaçao, Bonaire, Saint Kitts and Nevis (Saint Kitts). The record of *Elaphidion ordinatum* and *E. tessellatum* from Brazil was ignored, but no one formalized the exclusion.

**Material examined.** – MEXICO, *Quintana Roo (new state record)*: Sian Ka'an, 1 ♀, 23.IX.2016, J. Medina col. (IMQC).

#### HETEROPSINI Lacordaire, 1868

##### *Chrysoprasia chalybea* Redtenbacher, 1868

(Fig. 6)

*Chrysoprasia chalybea* Redtenbacher, 1868: 195; Monné, 2018a: 411 (cat.).

*Chrysoprasia chalybea* was originally described based on specimens from Brazil (Rio de Janeiro). Currently it is known only from Brazil (Mato Grosso, Mato Grosso do Sul, Distrito Federal, Goiás, Bahia, Minas Gerais, Espírito Santo, Rio de Janeiro, São Paulo, Paraná, Santa Catarina, Rio Grande do Sul) (Monné 2018a).

**Material examined.** – PARAGUAY (**new country record**), *Amambay*: Lag. Cervio (22°20'S / 56°11'W), 1 ♀, 24-27.VI.2016, U. Drechsel col. (IMQC).

#### SMODICINI Lacordaire, 1868

##### *Smodicum recticolle* Martins 1975

(Fig. 4)

*Smodicum recticolle* Martins, 1975: 338; Monné, 2018a: 813 (cat.).

Martins (1975) described *Smodicum recticolle* based on two specimens from Argentina (Santiago del Estero). Later, Martins & Galileo (2002) examined a third specimen from Paraguay (Boquerón). The species remains known from Argentina and Paraguay (Monné 2018a).

**Material examined.** – PARAGUAY, *Alto Paraguay (new department record)*: La Soñada (20°03'S / 61°28'W), 1 ♂, 9-13.VIII.2017, U. Drechsel col. (IMQC).

#### LAMIINAE

##### ACANTHOCININI Blanchard, 1845

##### *Amniscites pictipes* (Bates, 1863)

(Fig. 3)

*Amniscus pictipes* Bates, 1863: 104.

*Amniscites pictipes*; Monné, 2018b: 13 (cat.).

This species was described based on males and females (number of specimens not specified) from Brazil (Amazonas, Rio de Janeiro). According to Bates (1863): “One example, taken at S. Paulo, Upper Amazons. The species also inhabits South-eastern Brazil, specimens from Rio Janeiro (taken by Mr. Squires) not differing from the Amazonian example except in being rather duller in colour”; and “Long. 3½ lin. ♂ ♀.” Monné






Fig. 1-11. - Dorsal Habitus. – 1: *Placosternus crinicornis*, ♀. – 2: *Elaphidion irroratum irroratum*, ♀. – 3: *Amniscites pictipes*, ♀. – 4: *Smodicum recticolle*, ♂. – 5: *Antecurisa apicalis*, ♂. – 6: *Chrysoprasis chalybea*, ♀. – 7: *Atrypanius conspersus*, ♂. – 8: *Leptostylus gibbulosus*, ♀. – 9: *Nesozineus obscurus*, ♂. – 10: *Nesozineus triviale*, ♂. – 11: *Desmiphora (Desmiphora) lenkoi*, ♂.

(2018b) correctly reported that the species was described based on syntypes and listed the species as also occurring in Costa Rica, Panama, Ecuador, Bolivia (Cochabamba, Santa Cruz), Brazil (Amazonas, Pará, Bahia, Minas Gerais, Espírito Santo, Rio de Janeiro, Santa Catarina).

**Material examined.** – PARAGUAY (new country record), *Presidente Hayes*: Lag. Capitan (22°32'S / 59°40'W), 1 ♀, 27-29.V.2017, U. Drechsel col. (IMQC).

***Antecurisa apicalis*** (Bates, 1864)

(Fig. 5)

*Oedopeza apicalis* Bates, 1864: 147.

*Antecurisa apicalis*; Monné, 2018b: 22 (cat.).

*Astynomus setiger* Bates, 1872: 222.

*Antecurisa picta* Gilmour, 1960: 93.

This species was described based on a single male from Guatemala. Monné (2018b) listed the species from Mexico (Veracruz, Jalisco), Guatemala, Nicaragua, El Salvador, Honduras, and Costa Rica.

**Material examined.** – MEXICO, *Quintana Roo* (new state record): Sian Ka'an, 16 ♂, 4 ♀, 23.IX.2016, J. Medina col. (IMQC and MZSP).

***Atrypanius conspersus*** (Germar, 1823)

(Fig. 7)

*Lamia conspersa* Germar, 1823: 474.

*Atrypanius conspersus*; Monné, 2018b: 24.

*Leiopus varipennis* Audinet-Serville, 1835: 87.

*Liopus polymitus* Erichson, 1847: 146.

Germar (1823) described *L. conspersa* from Brazil (detailed place and number of specimens not reported). Later, Audinet-Serville (1835) described *Leiopus varipennis*, also from Brazil and without a specific locality, based on a single specimen. Finally, Erichson (1847) described *Liopus polymitus* from Peru (*Liopus* as an unnecessary replacement name for *Leiopus*). Gemminger (1873) synonymized *L. varipennis* with *A. conspersus*, and Monné & Giesbert (1992) synonymized *L. polymitus* with *A. conspersus*. Currently, the species is recorded from Mexico (Jalisco, Veracruz, Morelos, Chiapas, Tamaulipas), Guatemala, Honduras, Nicaragua, Costa Rica, Panama, Colombia, French Guiana, Brazil (Amazonas, Mato Grosso), Peru, Bolivia (Beni, Santa Cruz) Paraguay, and Argentina (Monné 2018b).

**Material examined.** – MEXICO, *Quintana Roo* (new state record): Sian Ka'an, 4 ♂, 1 ♀, 23.IX.2016, J. Medina col. (IMQC).

***Leptostylus gibbulosus*** Bates, 1874

(Fig. 8)

*Leptostylus gibbulosus* Bates, 1874: 230; Monné, 2018b: 78 (cat.).

*Leptostylus vogti* Dillon, 1956: 141.

This species was originally described based on a single specimen from Venezuela. Dillon (1956) described *L. vogti* from the USA (Texas), and Dillon (1962) considered it as a subspecies of *L. gibbulosus*. Linsley & Chemsak (1995) synonymized *L. vogti* with *L. gibbulosus*. According to Monné (2018b), the species occurs in the USA (Texas), Mexico (Tamaulipas, Chiapas), Guatemala, Nicaragua, Costa Rica, Panama, Colombia, and Venezuela. Additionally, Chemsak *et al.* (1988) reported the species from Mexico (Jalisco), Romero-Nápoles *et al.* (2007) from Mexico (Oaxaca), García-Morales *et al.* (2014) from Mexico (Tamaulipas), and Turnbow *et al.* (2003) from Honduras.

**Material examined.** – MEXICO, *Quintana Roo* (new state record): Sian Ka'an, 1 ♂, 1 ♀, 23.IX.2016, J. Medina col. (IMQC).

**ACANTHODERINI** Thomson, 1860

***Nesozineus obscurus*** Hoffmann, 1984

(Fig. 9)

*Nesozineus obscurus* Hoffman, 1984: 541; Monné, 2018b: 252 (cat.).

This species was described from Argentina (Chaco, Formosa, Santiago del Estero). Currently, it is known from Brazil (Bahia), Argentina (Formosa, Chaco, Santiago del Estero, San Luis) (Monné 2018b). Additionally, Di Iorio (1996) reported it from Argentina (Tucumán, Catamarca, and Salta).

**Material examined.** – PARAGUAY (new country record), *Alto Paraguay*: La Sonada (20°03'S / 61°28'W), 1 ♂, 1 ♀, 9-13.VIII.2017, U. Drechsel col. (IMQC).

***Nesozineus triviale*** Galileo & Martins 1996

(Fig. 10)

*Nesozineus triviale* Galileo & Martins 1996: 45; Monné 2018b: 253.

This species was described from Brazil (Minas Gerais, Espírito Santo, Rio de Janeiro, São Paulo, Paraná, Mato Grosso do Sul, Goiás). Currently, it is known from Costa Rica, Brazil (Goiás, Mato Grosso do Sul, Maranhão, Piauí, Paraíba, Bahia, Espírito Santo, Rio de Janeiro, São Paulo, Santa Catarina), and Bolivia (Santa Cruz, Tarija) (Monné 2018b).

**Material examined.** – PARAGUAY (new country record), *Misiones*: Ayolas (27°24'S / 56°57'W), 1 ♂, 19-20.X.2015, U. Drechsel col. (IMQC).

**CALLIINI** Thomson, 1864

***Callisema rufipes*** Martins & Galileo, 1990

(Fig. 12)

*Callisema rufipes* Martins & Galileo, 1990: 476; Monné, 2018b: 437 (cat.).

This species was described from Brazil (Rondônia, Mato Grosso, Mato Grosso do Sul, Minas Gerais, Espírito Santo, São Paulo). It is known from Brazil (Rondônia, Maranhão, Mato Grosso, Mato Grosso do Sul, Goiás, Ceará, Bahia, Minas Gerais, Espírito Santo, São Paulo), and Bolivia (Santa Cruz) (Monné 2018b).

**Material examined.** – PARAGUAY (new country record), *Alto Paraguay*: Lag. Jacaré (21°30'S / 57°58'W), 1 ♀, 8-12.XI.2016, U. Drechsel col. (IMQC).

**DESMIPHORINI** Thomson, 1860

***Desmiphora (Desmiphora) lenkoi*** (Lane, 1959)

(Fig. 11)

*Ischnolea lenkoi* Lane, 1959: 219.

*Desmiphora (Desmiphora) lenkoi*; Monné, 2018b: 525 (cat.).

This species was described from Brazil (São Paulo) and is known from Brazil (São Paulo) and Argentina (Santiago del Estero) (Monné 2018b).

**Material examined.** – PARAGUAY (new country record), *Concepción*: Garay Cué (22°42'S / 57°22'W), 1 ♂, 19-20.II.2016, U. Drechsel col. (IMQC).





Fig. 12-15. - Dorsal Habitus. – 12: *Callisema rufipes*, ♀. – 13: *Estola ignobilis*, ♀. – 14: *Oncideres cumdisci*, ♂. – 15: *Oncideres pepotinga*, ♂.

***Estola ignobilis* Bates 1872**

(Fig. 13)

*Estola ignobilis* Bates 1872: 200; Monné 2018b: 538.

This species was described from Nicaragua and is recorded from Mexico (Oaxaca, Veracruz), Guatemala, Honduras, Belize, El Salvador, Nicaragua, Costa Rica, Panama, Venezuela, Colombia, and Puerto Rico (Monné 2018b).

**Material examined.** – MEXICO, *Quintana Roo* (new state record): Sian Ka'an, 1 ♀, 23.IX.2016, J. Medina col. (IMQC).

**ONCIDERINI** Thomson, 1860

***Oncideres cumdisci* Noguera, 1993**

(Fig. 14)

*Oncideres cumdisci* Noguera, 1993: 16; Monné, 2018b: 777 (cat.).

This species was described from Mexico (Chiapas). Currently it is known from Mexico (Chiapas) and Honduras (Monné 2018b). Additionally, Audureau & Roguet (2018) listed Nicaragua.

**Material examined.** – MEXICO, *Quintana Roo* (new state record): Sian Ka'an, 1 ♂, 23.IX.2016, J. Medina col. (IMQC).

***Oncideres pepotinga* Martins 1981**

(Fig. 15)

*Oncideres pepotinga* Martins, 1981: 230; Monné, 2018b: 789 (cat.).

This species was described and remains known only from Argentina (Santiago del Estero) (Monné 2018b).

**Material examined.** – PARAGUAY (new country record), *Presidente Hayes*: Chaco Lodge (22°30'S / 59°18'W), 1 ♂, 4-6.XI.2015, U. Drechsel col. (IMQC); 6 ♂, 10-12.IV.2018, U. Drechsel col. (IMCQ and MZSP).



## Aknowledgments

We thank Eugenio H. Nearn (USNM) for sharing his opinion regarding the specimen of *Oncideres cumdisci*. Thanks to Dr. Brett C. Ratcliffe, curator at the University of Nebraska for the review of the paper as well as Dr Allan Taylor. Thanks to Ulf Drechsel and Julio Medina for sending us this nice series of specimens and finally thank to René Limoges of the Montreal Insectarium for the curatorial work on the specimens.

## References

- Audinet-Serville J.G., 1835. – Nouvelle classification de la famille des longicornes (suite). *Annales de la Société Entomologique de France*, (1)4: 5–100.
- Aurivillius C., 1912. – Coleopterorum Catalogus, pars 39, Cerambycidae: Cerambycinae. W. Junk, Berlin, 574 pp.
- Bates H.W., 1863. – Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. *The Annals and Magazine of Natural History*, (3)12: 100–109.
- Bates H.W., 1864. – Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. *The Annals and Magazine of Natural History*, (3)13: 144–164.
- Bates H.W., 1872. – On the longicorn Coleoptera of Chontales, Nicaragua. *The Transactions of the Entomological Society of London*, 1872: 163–238.
- Bates H.W., 1874. – Supplement to the longicorn Coleoptera of Chontales, Nicaragua. *The Transactions of the Entomological Society of London*, 1874: 219–235.
- Beutenmuller W., 1896. – Food-habits of North American Cerambycidae. *Journal of the New York Entomological Society*, 4: 73–81.
- Bezark L.G., 2019. – A photographic Catalog of the Cerambycidae of the World. New World Cerambycidae Catalog. Available from: <https://apps2.cdfa.ca.gov/publicApps/plant/bycidDB/wsearch.asp?w=n> (accessed April 8, 2019).
- Blackwelder R.E., 1946. – Checklist of the coleopterous insects of Mexico, Central America, the West Indies and South America. Part 4. *Bulletin of the United States National Museum*, 185: 551–763.
- Chalumeau F. & Touroult J., 2004. – Nouveaux Elaphidiini des Petites Antilles et notes diverses (Coleoptera, Cerambycidae, Cerambycinae). *Lambillionea*, 104(4): 751–755.
- Chemsak J.A., Linsley E.G. & Hovore F.T., 1988. – A concentration site for Cerambycidae in Jalisco, Mexico (Coleoptera). *The Pan-Pacific Entomologist*, 64(3): 291–295.
- Chemsak J.A., Linsley E.G. & Mankins J.V., 1980. – Records of some Cerambycidae from Honduras (Coleoptera). *The Pan-Pacific Entomologist*, 56(1): 26–37.
- Chevrolat L.A., 1860. – Description d'espèces de *Clytus* propres au Mexique. *Annales de la Société Entomologique de France*, (3)8: 451–504.
- Chevrolat L.A., 1862a. – Description de clytides de l'ancienne Colombie. *Annales de la Société Entomologique de France*, (4)1: 377–388.
- Chevrolat L.A., 1862b. – Coléoptères de l'Île de Cuba. Notes, synonymies et descriptions d'espèces nouvelles. Familles des cérambycides et des parandrides. *Annales de la Société Entomologique de France*, (4)2: 245–280.
- Dejean P.F.M.A., 1835. – Catalogue des Coléoptères de la collection de M. le Comte Dejean. Méquignon-Marvis, Paris. Livraison 4: 257–360.
- Dejean P.F.M.A., 1836. – Catalogue des coléoptères de la collection de M. le comte Dejean. Troisième édition, revue, corrigée et augmentée. Méquignon-Marvis Pere et Fils, Paris. Livraisons 1–4: 1–384.
- Di Iorio O., 1996. – Cerambycidae y otros Coleoptera de Leguminosae cortadas por *Oncideres germari* (Lamiinae, Onciderini) en Argentina. *Revista de Biología Tropical*, 44(2): 551–565.
- Dillon L.S., 1956. – The Nearctic components of the tribe Acanthocinini (Coleoptera, Cerambycidae). Part I. *Annals of the Entomological Society of America*, 49(2): 134–167.
- Dillon L.S., 1962. – Additional notes on Nearctic Acanthocinini (Coleoptera: Cerambycidae). *The Coleopterists Bulletin*, 16(1): 30–32.
- Engelhardt G.P., 1912. – In: Meeting of April 18, 1911. *Journal of the New York Entomological Society*, 20(3): 199–201.
- Erichson W.F., 1847. – Conspectus insectorum coleopterorum quae in Republica Peruana observata sunt. *Archiv für Naturgeschichte*, 13: 67–185.
- Fabricius J.C., 1787. – Mantissa insectorum sistens eorum species nuper detectas adiectis characteribus genericis, differentiis specificis, emendationibus, observationibus. Proft, Hafniae, 1, xx + 348 pp.
- Fleutiaux E. & Sallé A., 1889. – Liste des Coléoptères de la Guadeloupe et descriptions d'espèces nouvelles. *Annales de la Société Entomologique de France*, (6)9: 351–484.
- Galileo M.H.M. & Martins U.R., 1996. – Revisão do gênero *Nesozineus* Linsley & Chemsak, 1966 (Coleoptera, Cerambycidae, Lamiinae, Acanthoderini). *Revista Brasileira de Entomologia*, 40(1): 41–46.
- García-Morales L.J., García-Jiménez J., Toledo V.H. & Cantú-Ayala C.M., 2015. – Lista anotada preliminar de los Cerambycidae (Coleoptera) de Tamaulipas, México, pp. 97–115. In: Correa S.A., J.V. Horta V., J. García J. & L. Berrientos L. (ed.), Biodiversidade Tamaulipeca. Vol. 2(2). Instituto Tecnológico de Ciudad Victoria, Tamaulipas.
- Garnett R.T., 1918. – An annotated list of the Cerambycidae of California. *The Canadian Entomologist*, 50(6): 205–213.
- Gemminger M., 1873. – In: Gemminger M. and Harold E., Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus. Gummi, Monachii, v. 10, p. 2989–3232.
- Germar E.F., 1823. – Insectorum species novae aut minus cognitae, descriptionibus illustratae. Hendel & Sons, Halae, xxiv + 624 pp.
- Gilmour E.F., 1960. – On the Neotropical Acanthocinini VIII (Coleoptera, Cerambycidae, Lamiinae). Three new Central American genera and species. *Ciência*, 20(3–4): 89–96.
- Hoffmann M., 1984. – *Nesozineus* Linsley & Chemsak, 1966 (Coleoptera, Cerambycidae, Lamiinae, Acanthoderini): sinonímias, descrições e chave para as espécies. *Revista Brasileira de Entomologia*, 28(4): 537–545.
- Hopping G.R., 1937. – A revision of the Clytini of boreal America (Cerambycidae: Coleoptera). Part II. *Annals of the Entomological Society of America*, 30(3): 438–457.
- Horn W. & Kahle I., 1935. – Über entomologische Sammlungen, Entomologen und Entomo-Museologie (Ein






Fig. 16-21. - Various regions of Paraguay. – 16-18: Alto Paraguay. – 19-20: Misiones. – 21: Alto Parana.

## Résumé

Le Tirant S. & Santos-Silva A., 2019. – Nouvelles citations de Cerambycidae néotropicaux (Coleoptera). *Faunitaxys*, 7(6): 1 – 8.

Quinze nouvelles citations sont mentionnées pour la famille des Cerambycidae: sept concernent des pays, sept des états et une mention pour un département. De plus, des notes sur certaines espèces sont fournies, en particulier sur *Placosternus crinicornis* (Chevrolat, 1860) et *Elaphidion irroratum irroratum* (Linnaeus, 1767).

Mots clés. – Coleoptera, Cerambycidae, Cerambycinae, Lamiinae, nouvelles citations, taxonomie, Mexique, Paraguay, Amérique centrale, Amérique du Sud.

- Beitrag zur Geschichte der Entomologie). *Entomologische Beihefte aus Berlin-Dahlem*, 2: 1–160, 16 plates.
- ICZN. – International Commission on Zoological Nomenclature. 1999. International Code of Zoological Nomenclature. 4ed. London, International Trust for Zoological Nomenclature. xxx + 306p.
- Lane F., 1959. – Two new species of *Ischnolea* Thomson, 1860 (Coleoptera, Lamiidae). *Studia Entomologica*, 2(1–4): 219–224.
- Lingafelter S.W., 2008. – Seven new species of Elaphidiini (Coleoptera, Cerambycidae) from the Dominican Republic with taxonomic notes, new country records, and a key to *Elaphidion* Audinet-Serville from Hispaniola. *The Coleopterists Bulletin*, 62(3): 353–379.
- Linnaeus C., 1767. – Systema naturae. Editio duodecima reformata. Holmiae, Salvius, v. 1, pt. 2, pp. 533–1327.
- Linsley E.G. & Chemsak J.A., 1995. – The Cerambycidae of North America. Part VII, No. 2. Taxonomy and classification of the subfamily Lamiinae, tribes Acanthocinini through Hemilophini. University of California, *Publications in Entomology*, 114: xii+ 292 pp.
- Martins U.R., 1975. – A taxonomic revision of the world Smodicini (Coleoptera, Cerambycidae). *Arquivos de Zoologia*, 26(4): 319–359.
- Martins U.R., 1981. – Descrições e notas sobre Onciderini II (Coleoptera, Cerambycidae, Lamiinae). *Papéis Avulsos de Zoologia*, 34(21): 221–234.
- Martins U.R. & Galileo M.H.M., 1990. – Notas sobre Calliini (Coleoptera, Cerambycidae, Lamiinae). II. Descrição de três gêneros novos. *Revista Brasileira de Entomologia*, 34(2): 475–480.
- Monné M.A., 2018a. – Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Cerambycinae. Available from: <http://cerambyxcat.com/> (accessed April 8, 2019.)
- Monné M.A., 2018b. – Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Lamiinae. Available from: <http://cerambyxcat.com/> (accessed April 8, 2019.)
- Monné M.A. & Giesbert E.F., 1992. – Nomenclatural notes on Western Hemisphere Cerambycidae (Coleoptera). *Insecta Mundi*, 6(2): 249–255.
- Newman E., 1840. – Entomological notes. *The Entomologist*, 2: 17–32.
- Noguera F.A., 1993. – Revisión taxonómica del género *Oncideres* Serville en México (Coleoptera, Cerambycidae). *Folia Entomologica Mexicana*, 88: 9–60.
- Olivier A.G., 1790. – Encyclopédie méthodique, ou par ordre de matières; par une société de gens de lettres, de savans et d'artistes; précédée d'un vocabulaire universel, servant de table pour tout l'ouvrage, ornée des portraits de Mm. Diderot & d'Alembert, premiers éditeurs de l'Encyclopédie. Panckoucke Libraire Paris, Vol. 5(1), 368 pp.
- Perrault G.H., 1978. – Peuplement entomologique des Marquises. *Cahiers du Pacifique*, 21: 359–388.
- Redtenbacher L., 1868. – Coleopteren, iv + pp. 1–249. In: Reise des österreichischen Fregatte Novara und die Erde in den Jahren 1857, 1858, 1859, unter der Befehl des Commodore B. Von Wüllerstorff-Urbair. Zoologischer Theil. Vol. 2. Karl Gerold's Sohn, Wien.
- Romero-Nápoles J., Chemsak J.A. & Rodríguez-Hernández C., 2007. – Some notes on natural history and distribution of *Leptostylus gibbulosus* Bates, 1874 (Coleoptera, Cerambycidae). *Acta Zoológica Mexicana* (n.s.), 23(1): 171–173.
- Sharp D., 1900. – Coleoptera. I. Coleoptera Phytophaga, pp. 91–270. In: Sharp, D., Fauna Hawaiiensis being the Land-Fauna of the Hawaiian Islands, Vol. 2(3). Cambridge University Press, London.
- Tavakilian G. & Chevillotte H., 2018. – Titan: base de données internationales sur les Cerambycidae ou Longicornes. Version 3.0. Available from: <http://titan.gbif.fi/> (accessed April 8, 2019.)
- Turnbow R.H., Cave R.D. & Thomas M.C., 2003. – A list of Cerambycidae of Honduras, with additions of previously unrecorded species. *Ceiba*, 44(1): 1–43.
- Waterhouse C.O., 1878. – Notice on a small collection of Coleoptera from Jamaica, with descriptions of new species from the West Indies. *The Transactions of the Entomological Society of London*, 1878: 303–311.
- White A., 1853. – Catalogue of the coleopterous insects in the collection of the British Museum. Longicornia 1. Vol. 7. pp. 1–174. British Museum, London.

### Faunitaxys est échangée avec les revues suivantes (« print versions ») :

- Annali del Museo Civico di Storia Naturale G. Doria (Italie)
- Boletín de la Asociación española de Entomología (Espagne)
- Boletín de la Sociedad Andaluza de Entomología (Espagne)
- Bollettino del Museo di Storia Naturale di Venezia (Italie)
- Bulletin de la Société linnéenne de Lyon (France)
- Bulletin of Insectology (Italie)
- Heteropterus Rev. Entomol. (Espagne)
- Israel Journal of Entomology (Israël)
- Klapalekiana (République Tchèque)
- Koleopterologische Rundschau (Allemagne)
- Memorie del Museo Civico di Storia Naturale di Verona (Italie)
- Proceedings of the Entomological Society of Washington (USA)
- Revue suisse de Zoologie (Suisse)
- Spixiana (Allemagne)
- Stuttgarter Beiträge zur Naturkunde A, Biologie (Allemagne)
- Zoosystematica Rossica (Russie)



## Articles publiés depuis 2018

- Cumming R. T. & Le Tirant S., 2018. – *Phyllium shurei* n. sp., a third species of leaf insect from Java, Indonesia (Phasmida, Phylliidae). *Faunitaxys*, 6(1) : 1 – 5.
- Cumming R. T., Le Tirant S. & Teemsma S. N., 2018. – On the *Phyllium* of Peninsular Malaysia and Sumatra, Indonesia, with range expansions for currently known species, description of the previously unknown *Phyllium* (*Pu.*) *abdufatahi* Seow-Choen female, and description of the new species *Phyllium* (*Ph.*) *rubrum* n. sp. from Peninsular Malaysia (Phasmida: Phylliidae). *Faunitaxys*, 6(2) : 1 – 21.
- Audibert C. & Porion T., 2018. – Note sur quelques *Scamandra* de Sulawesi, avec la description de deux nouvelles espèces : *Scamandra multimaculata* n. sp. et *Scamandra silighinii* n. sp. (Hemiptera, Fulgoromorpha, Fulgoridae). *Faunitaxys*, 6(3) : 1 – 5.
- Lassalle B., Schnell R. & Bendanillo F., 2018. – Note sur les Trigonotomi de Cebu (Philippines) et description d'une espèce nouvelle (Coleoptera, Pterostichidae, Trigonotomi). *Faunitaxys*, 6(4) : 1 – 4.
- Robiche G. & Coache A., 2018. – Découverte du mâle de *Cossyphus* (*Acontodactylus*) *longepilis* Ardoin, 1960 (Coleoptera, Tenebrionidae, Lagriinae). *Faunitaxys*, 6(5) : 1 – 4.
- Vives E., 2018. – Descripción de una nueva especie del género *Pelossus* Thomson (Coleoptera, Cerambycidae), procedente del Norte de Filipinas. (Cerambycidos nuevos o interesantes de Filipinas. Pars XVI). *Faunitaxys*, 6(6) : 1 – 3.
- Oremans P., 2018. – Contribution à l'étude des *Euphaedra* de Guinée et description d'une nouvelle espèce (Lepidoptera, Nymphalidae). *Faunitaxys*, 6(7) : 1 – 3.
- Degallier N. & Gomy Y., 2018. – Contribution à la connaissance des escarbots afro-tropicaux du genre *Chaetabraeus* Portevin, 1929 (Insecta, Coleoptera, Histeridae, Abraeinae). *Faunitaxys*, 6(8) : 1 – 40.
- Cumming R. T., Le Tirant S. & Teemsma S. N., 2018. – Northeastern Australia record of *Nanophyllium pygmaeum* Redtenbacher, 1906, now recognized as a new species, *Nanophyllium australianum* n. sp. (Phasmida, Phylliidae). *Faunitaxys*, 6(9) : 1 – 5.
- Alonso C., 2018. – A new African *Potamogethes* Delève (Coleoptera, Elmidae). *Faunitaxys*, 6(10) : 1 – 8.
- Borowiec L. & Coache A., 2018. – *Aspidomorpha* (*Afroaspidomorpha*) *rainoni*, a new species from Benin (Coleoptera, Chrysomelidae, Cassidinae). *Faunitaxys*, 6(11) : 1 – 5.
- Opitz W., 2018. – Classification, natural history, and evolution of the Korynetinae (Coleoptera: Cleridae). Part IV. The new genus *Nolafigura* Opitz, and fourteen new species of *Korynetes* Herbst. *Faunitaxys*, 6(12) : 1 – 17.
- Lassalle B. & Schnell R., 2018. – Trois nouveaux Brachinidae des Philippines (Coleoptera). *Faunitaxys*, 6(13) : 1 – 4.
- Vives E., 2018. – Una nueva especie del género *Janidera* Heffern (Coleoptera, Cerambycidae) procedente de Sulawesi (Indonesia). *Faunitaxys*, 6(14) : 1 – 3.
- Gomy Y., 2018. – Description de deux *Chaetabraeus* nouveaux du sous-genre *Mazureus* Gomy, 1991 de Côte d'Ivoire (Coleoptera, Histeridae, Abraeinae). *Faunitaxys*, 6(15) : 1 – 4.
- Degallier N. & Kovarik P. W., 2018. – Description de trois espèces nouvelles de *Chaetabraeus* (*s. str.*) associées aux latrines du Daman des rochers en Afrique du Sud et notes sur l'écologie des espèces du genre (Insecta, Coleoptera, Histeridae, Abraeinae). *Faunitaxys*, 6(16) : 1 – 9.
- Delaunay L., Coache A. & Rainon B., 2019. – Contribution à la connaissance de la biodiversité entomique africaine. II. – *Scopaeus lescuyeri* n. sp. de la République du Bénin (Coleoptera, Staphylinidae, Paederinae). *Faunitaxys*, 7(1) : 1 – 2.
- Gomy Y., 2019. – Description de quatre *Chaetabraeus* nouveaux du sous-genre *Mazureus* Gomy, 1991 d'Afrique tropicale et équatoriale (Coleoptera, Histeridae, Abraeinae). *Faunitaxys*, 7(2) : 1 – 8.
- Limoges R. & Le Tirant S., 2019. – Nouvelle espèce du genre *Eupholus* Boisduval, 1835 de la Papouasie occidentale, Indonésie (Coleoptera : Curculionidae : Entiminae). *Faunitaxys*, 7(3) : 1 – 5.
- Cumming R. T., Le Tirant S. & Hennemann F. H., 2019. – Review of the *Phyllium* Illiger, 1798 of Wallacea, with description of a new subspecies from Morotai Island (Phasmatodea: Phylliidae: Phylliinae). *Faunitaxys*, 7(4) : 1 – 25.
- Opitz W., 2019. – Classification, natural history, and evolution of the Korynetinae (Coleoptera: Cleridae). Part V. Taxonomy of the African genera *Avena* Opitz, *Dolichopsis* Gorham, *Notostenus* Spinola, and *Pectobullus* Opitz. *Faunitaxys*, 7(5) : 1 – 13.
- Le Tirant S. & Santos-Silva A., 2019. – New records of Neotropical Cerambycidae (Coleoptera). *Faunitaxys*, 7(6) : 1 – 8.

# Faunitaxys

Volume 7, Numéro 6, Mai 2019

## SOMMAIRE

Nouvelles citations de Cerambycidae néotropicaux (Coleoptera)

*Stéphane Le Tirant & Antonio Santos-Silva* ..... 1 – 8

## CONTENTS

New records of Neotropical Cerambycidae (Coleoptera)

*Stéphane Le Tirant & Antonio Santos-Silva* ..... 1 – 8

**Illustration de la couverture** : River between the border of Paraguay and Argentina (Catalogue libre de droits Shutterstock).

Crédit:

© **Antonio Santos-Silva** (Brazil) : Fig. 1-15.

© **Ulf Drechsel** (Paraguay) : Fig. 16-21.

Publié par l'Association Française de Cartographie de la Faune et de la Flore (AFCFF)