


Sample Information

Sample Name : SLE 049 17h-2
Vial # : 5
Injection Volume : 1.00
Data File : C:\GCMSsolution\Data\Project1\AM2N3\Sébastien Lemouzy\SLE 049 17h-2-t.qgd
Method File : C:\GCMSsolution\Data\Project1\AM2N3\Sébastien Lemouzy\50-280 (split 30) interrui
Tuning File : C:\GCMSsolution\System\Tune1\2021.01.04.qgt

Chromatogram SLE 049 17h-2 C:\GCMSsolution\Data\Project1\AM2N3\Sébastien Lemouzy\SLE 049 17h-2-t.qgd



Peak Report							Name
Peak#	R.Time	I.Time	F.Time	Area	Area%	Height	
1	4.451	4.427	4.473	1748375	58.14	1990673	
2	7.284	7.260	7.307	403529	13.42	541576	
3	7.812	7.787	7.847	855524	28.45	919228	
				3007428	100.00	3451477	

Spectrum

Method

[Comment]

===== Analytical Line 1 =====

[AOC-20i+s]

of Rinses with Presolvent :6
of Rinses with Solvent(post) :6
of Rinses with Sample :2
Plunger Speed(Suction) :High
Viscosity Comp. Time :0.2 sec
Plunger Speed(Injection) :High
Syringe Insertion Speed :High
Injection Mode :Normal
Pumping Times :5
Inj. Port Dwell Time :0.0 sec
Terminal Air Gap :No
Plunger Washing Speed :High
Washing Volume :8uL
Syringe Suction Position :0.0 mm
Syringe Injection Position :0.0 mm
Solvent Selection :All A,B,C

[GC-2010]

Column Oven Temp. :50.0 °C
Injection Temp. :250.00 °C
Injection Mode :Split
Flow Control Mode :Linear Velocity
Pressure :108.3 kPa
Total Flow :25.9 mL/min

Column Flow	:0.74 mL/min	
Linear Velocity	:38.2 cm/sec	
Purge Flow	:3.0 mL/min	
Split Ratio	:30.0	
High Pressure Injection	:OFF	
Carrier Gas Saver	:ON	
Carrier Gas Saver Split Ratio	:10.0	
Carrier Gas Saver Time	:1.00 min	
Splitter Hold	:OFF	
Oven Temp. Program		
Rate	Temperature(°C)	Hold Time(min)
-	50.0	2.00
22.00	280.0	2.00

< Ready Check Heat Unit >

Column Oven	: Yes
SPL1	: Yes
MS	: Yes

< Ready Check Detector(FTD) >

< Ready Check Baseline Drift >

< Ready Check Injection Flow >

SPL1 Carrier	: Yes
SPL1 Purge	: Yes

< Ready Check APC Flow >

< Ready Check Detector APC Flow >

External Wait :No

Equilibrium Time :1.0 min

[GC Program]

[GCMS-QP2010 SE]

IonSourceTemp	:200.00 °C
Interface Temp.	:280.00 °C
Solvent Cut Time	:1.50 min
Detector Gain Mode	:Relative
Detector Gain	:0.89 kV +0.00 kV
Threshold	:0

[MS Table]

--Group 1 - Event 1--

Start Time	:4.00min
End Time	:5.00min
ACQ Mode	:Scan
Event Time	:0.20sec
Scan Speed	:5000
Start m/z	:30.00
End m/z	:800.00

--Group 2 - Event 1--

Start Time	:5.30min
End Time	:14.45min
ACQ Mode	:Scan
Event Time	:0.20sec
Scan Speed	:5000
Start m/z	:30.00
End m/z	:800.00

Sample Inlet Unit :GC

[MS Program]

Use MS Program :OFF

Library

No peaks found