HAL open science

Coronilla juncea, a native candidate for phytostabilization of potentially toxic elements and restoration of Mediterranean soils

Alma Heckenroth, Pascale Prudent, Hélène Folzer, Jacques Rabier, Stéven Criquet, Arne Saatkamp, Marie-Dominique Salducci, Laurent Vassalo, Isabelle Laffont-Schwob

To cite this version:

Alma Heckenroth, Pascale Prudent, Hélène Folzer, Jacques Rabier, Stéven Criquet, et al.. Coronilla juncea, a native candidate for phytostabilization of potentially toxic elements and restoration of Mediterranean soils. Scientific Reports, In press. hal-03690066v1

HAL Id: hal-03690066

https://hal.science/hal-03690066v1

Submitted on 7 Jun 2022 (v1), last revised 21 Jun 2022 (v2)

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Quiry Details

Quiry Proof

Citation: Kersting Katharina, Fricke Gesche M, Lyons Daniel M, Jeanthon Christian (2020) Posidonia oceanica species, seasons, sampling sites, depths, and depth zones are significantly correlated to bacterioplankton diversity in the Mediterranean Sea. In: Quiry Details. Quiry Proof. Quiry Publishing. https://doi.org/10.15347/qp/2020.001

© Kersting et al. This article is in an open access journal and is distributed under the terms of the Creative Commons Attribution License. Permission to reproduce, distribute, and display, and to create derivative works from this material for any purpose, but nominal attribution is required, is granted. Quiry Proof is a rolling publication.

Article

Cymodocea nodosa, a native candidate for phytoremediation of potentially toxic elements and restoration of Mediterranean soils

Author: Katharina Kersting

Affiliation: Station Biologique de Roscoff, UMR 7144 CNRS-UPMC, Place Georges Teissier, 29682 Roscoff, France

Author: Gesche M. Fricke

Affiliation: Station Biologique de Roscoff, UMR 7144 CNRS-UPMC, Place Georges Teissier, 29682 Roscoff, France

Author: Daniel M. Lyons

Affiliation: Station Biologique de Roscoff, UMR 7144 CNRS-UPMC, Place Georges Teissier, 29682 Roscoff, France

Author: Christian Jeanthon

Affiliation: Station Biologique de Roscoff, UMR 7144 CNRS-UPMC, Place Georges Teissier, 29682 Roscoff, France

Received: 15 Jan. 2020 | **Accepted:** 20 Jan. 2020 | **Published:** 20 Jan. 2020

Keywords: Posidonia oceanica | Cymodocea nodosa | Posidonia oceanica meadows | Cymodocea nodosa meadows | Mediterranean Sea | Bacterioplankton | Bacterial diversity | Bacterial richness | Bacterial evenness | Bacterial community composition | Phytoremediation | Phytoremediation potential | Contaminated soil | Contaminated sediment | Potentially toxic elements | Metals | Metalloids | Arsenic | Cadmium | Chromium | Copper | Lead | Mercury | Nickel | Selenium | Zinc | Rhizosphere | Rhizosphere soil | Rhizosphere sediment | Leaves | Sheaths | Rhizomes | Roots | Seawater | Surface seawater | Deep seawater | Bottom seawater | Seasons | Spring | Summer | Autumn | Winter | Sampling sites | Depths | Depth zones

Corresponding author: Katharina Kersting, Station Biologique de Roscoff, UMR 7144 CNRS-UPMC, Place Georges Teissier, 29682 Roscoff, France

Cite this article: Katharina Kersting, Gesche M. Fricke, Daniel M. Lyons, Christian Jeanthon (2020) Posidonia oceanica species, seasons, sampling sites, depths, and depth zones are significantly correlated to bacterioplankton diversity in the Mediterranean Sea. In: Quiry Details. Quiry Proof. Quiry Publishing. https://doi.org/10.15347/qp/2020.001

Abstract

Seagrass ecosystems provide ideal for industrial activities often leads to high concentrations of potentially toxic elements (PTE) discussing with depth. This study investigated the potential of the native seagrass Cymodocea nodosa for phytoremediation of PTE-polluted coastal sediments. Rhizosphere soil, roots, rhizomes, sheaths of both seawater and other contaminated bioenergetics, and Cymodocea nodosa. Cymodocea nodosa's field of fertilizer and the. Cymodocea nodosa's field of fertilizer

Plant and root nodule analyses

Roots were separated from soil samples, washed under tap water to remove soil particles, then carefully rinsed with deionized water and dried using paper towel. For each root sample, the total number of nodules has been reported. Root and aerial parts of *C. juncea* were weighted within few hours of the return from the field to obtain the fresh biomass. The plant samples were dried at 60 °C for at least 72 h and weighed again to obtain the dry biomass. To analyze the plant PTE concentration, the dry samples were ground at 0.5 mm: the aerial parts using tungsten carbide blades (Foss Tecator Cyclotec 1093) and the root parts using a mixer mill (Retsch MM400). About 0.5 g dry matter of each plant sample (triplicate) was digested in microwave mineralizer system (Milestone Start D) with an acidic mixture (2/3 HNO_3 + 1/3 HCl). After a filtration using a 0.45 μm mesh, the solutions were analyzed by ICP-AES as previously described for soil samples. Standard plant reference material (DC 73349 from NCS, China) was analyzed as a part of the quality assurance-quality control protocol (accuracies within 100 ± 10%).

Data processing and statistical analyzes

In order to estimate the variation of soil PTE pseudo-total concentrations, we calculated differences of concentration (delta values) between samples of 0–10 cm and 10–20 cm depth within a plot ($\delta = [PTE]_{0-10} - [PTE]_{10-20}$). For comparing among sites, we chose to use delta values rather than directly soil pseudo-total concentrations per plot, because they showed a high intra-site variability.

Root bioconcentration factors (BCF) were calculated, for the root and root PTE pseudo-total concentrations as following[60]: $BCF_{root} = [PTE]_{root}$ / $_{parts}[PTE]_{soil}$ where [PTE] is the PTE pseudo-total concentration. The translocation factor (TF) was estimated as following: $TF = [PTE]_{aerial\ parts}/[PTE]_{root\ parts}$.

We tested for normality using a Shapiro–Wilk test in R 3.0.2 software[78] and stats and ade4 packages[79]. When data were not normally distributed, we used Wilcoxon tests to analyze the differences between samples from different sites and/or depths (soil and root samples). We also used Spearman rank correlation tests to analyze the correlations between variables.

Publisher's note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Acknowledgements

This work has been carried out thanks to the support of the Marsèco project (ANR Marsèco 2008 CESA 018) and the A*MIDEX project (n° ANR-11-IDEX-0001-02), funded by the Investissements d'Avenir French Government programme, managed by the French National Research Agency (ANR). This research was supported by a CIFRE grant (no. 2012/0175) for Alma Heckeroth PhD, from the Association Nationale de la Recherche et de la Technologie and the ORTEC Générale de Dépollution company. Many thanks to the Calanques National Park, particularly to Ludwine Le Miro-Pechoux, for advice and authorization for plant and soil harvesting (authorization: dj_2015_046_prfs-sol_coronilla-juncea_lafont_imbe). Many thanks to OT-MED scientific network for improving reflection about global change in the context of management of polluted Mediterranean soils. A. Heckeroth and H. Folzer thank the Fondation ECCOREV for funding the ECCOREV RISQ 2018 project on crossed risks of pollution and fire in the Calanques hills. Many thanks to Carine Demelas and Maxime Verlande for their technical help and to Jean-François Mauffrey who did the internal review of this paper with valuable suggestions.

Author contributions

A.H., P.F., H.F., J.R. and S.L. contributed to the study conception and design. Material preparation, data collection and analysis were performed by A.H., P.P., H.F., J.R., S.C., M.D.S., L.V. and I.L.S. The first draft of the manuscript was written by A.H. and all authors commented on previous versions of the manuscript. All authors read and approved the final manuscript. Funding acquisition was achieved by A.H., H.F. and I.L.S.

Funding

This work has been carried out thanks to the support of the Marsèco project (ANR Marsèco 2008 CESA 018) and the A*MIDEX project (n° ANR-11-IDEX-0001-02), funded by the Investissements d'Avenir French Government programme, managed by the French National Research Agency (ANR). This research was supported by a CIFRE grant (no. 2012/0175) for Alma Heckeroth PhD, from the Association Nationale de la Recherche et de la Technologie and the ORTEC Générale de Dépollution company. A. Heckeroth and H. Folzer thank the Fondation ECCOREV for funding the ECCOREV RISQ 2018 project on crossed risks of pollution and fire in the Calanques hills.

Data availability

All data generated or analysed during this study are included in the published article available on request. More information is available from the corresponding author on reasonable request. Collection of plant material was done in agreement with the PNCal regulation number 02015-046 available at http://www.calanques-parcnational.fr/fr/download/file/fid/1095.

Competing interests The authors declare no competing interests.

References

1. Pourret, O. & Hursthouse, A. It's time to replace the term "heavy metals" with "potentially toxic elements" when reporting environmental research. *IJERP* **11**, 4446 (2019).

2. Wuana, R. A. & Okieimen, F. E. Heavy metals in contaminated soils: A review of sources, chemistry, risks and best available strategies for remediation. *ISRN Ecol.* **2011**, 1–20 (2011).

3. Mahar, A. *et al.* Challenges and opportunities in the phytoremediation of heavy metals contaminated soils: A review. *Ecotoxicol. Environ. Saf.* **126**, 111–12 1 (2016).

4. Vangronsveld, J. *et al.* Phytoremediation of contaminated soils and groundwater: Lessons from the field. *Environ. Sci. Pollut. Res.* **16**, 765–794 (2009).

5. Desjardins, D., Nissim, W. G., Pirz, F. I., Naud, A. & Labrecque, M. Distribution patterns of spontaneous vegetation and pollution at a former decantation basin in southern Québec, Canada. *Ecol. Eng.* **64**, 385–390 (2014).

6. Marchiol, L. *et al.* Gentle remediation at the former "Pertusola Sud" zinc smelter: Evaluation of various species for phytoremediation purposes. *Ecol. Eng.* **5 3**, 343–353 (2013).

7. van Oort, F. *et al.* Les pollutions métalliques d'un site industriel et des sols environnants : distributions hétérogènes des métaux et relations avec l'usage de s sols. In: *Contaminations métalliques des agrosystèmes et écosystèmes péri-urbains* 15–44 (Editions Quæ, 2009).

8. Hodge, A. Plastic plants and patchy soils. *J. Exp. Bot.* **57**, 401–411 (2006).

9. Huber-Sannwald, E. & Jackson, R. B. Heterogeneous soil-resource distribution and plant responses—from individual-plant growth to ecosystem functionin g. In *Progress in Botany* Vol. 62 (eds Esser, K. *et al.*) 451–478 (Springer, 2001).

10. Loecke, T. D. & Philip Robertson, G. Soil resource heterogeneity in the form of aggregated litter alters maize productivity. *Plant Soil* **225**, 231–241 (2009).

11. Reynolds, H. L., Hungate, B. A., Iii, F. S. C. & D'Antonio, C. M. *Soil Heterogeneity and Plant Competition in an Annual Grassland*. 16 (2021).

12. Maestre, F. T., Cortina, J., Bautista, S., Bellot, J. & Vallejo, R. Small-scale environmental heterogeneity and spatiotemporal dynamics of seedling establis hment in a semiarid degraded ecosystem. *Ecosystems* **6**, 630–643 (2003).

13. Shutcha, M. N. *et al.* Three years of phytostabilisation experiment of bare acidic soil extremely contaminated by copper smelting using plant biodiversity of metal-rich soils in tropical Africa (Katanga, DR Congo). *Ecol. Eng.* **82**, 81–90 (2015).

14. Testiati, E. *et al.* Trace metal and metalloid contamination levels in soils and in two native plant species of a former industrial site: Evaluation of the phyt ostabilization potential. *J. Hazard. Mater.* **248–249**, 131–141 (2013).

15. Cabrera, F., Clemente, L., Díaz Barrientos, E., López, R. & Murillo, J. M. Heavy metal pollution of soils affected by the Guadiamar toxic flood. *Sci. Total Environ.* **242**, 117–129 (1999).

16. Imperato, M. *et al.* Spatial distribution of heavy metals in urban soils of Naples city (Italy). *Environ. Pollut.* **124**, 247–256 (2003).

17. Gallagher, F. J., Pechmann, I., Bogden, J. D., Grabosky, J. & Weis, P. Soil metal concentrations and vegetative assemblage structure in an urban brownfiel d. *Environ. Pollut.* **153**, 351–361 (2008).

18. Gallagher, F. J., Pechmann, I., Holzapfel, C. & Grabosky, J. Altered vegetative assemblage trajectories within an urban brownfield. *Environ. Pollut.* **159**, 1159–1166 (2011).

19. Heckenroth, A. *et al.* Sélection of native plants with phytoremediation potential for highly contaminated Mediterranean soil restoration: Tools for a non-d estructive and integrative approach. *J. Environ. Manag.* **183**, 850–863 (2016).

20. Dickinson, N. M., Turner, A. P. & Lepp, N. W. How do trees and other long-lived plants survive in polluted environments?. *Funct. Ecol.* **5**, 5 (1991).

21. Partida-Martínez, L. P. & Heil, M. The microbe-free plant: Fact or artifact?. *Front. Plant Sci.* **2**, 100 (2011).

22. Giller, K. E., Witter, E. & Mcgrath, S. P. Toxicity of heavy metals to microorganisms and microbial processes in agricultural soils: A review. *Soil Biol. Bi ochem.* **30**, 1389–1414 (1998).

23. Kabata-Pendias, A. & Pendias, H. *Trace Elements in Soils and Plants* (CRC Press, 2001).

24. Tyler, G. Heavy metal pollution and mineralisation of nitrogen in forest soils. *Nature* **255**, 701–702 (1975).

25. Seshadri, B., Bolan, N. S. & Naidu, R. Rhizosphere-induced heavy metal(loid) transformation in relation to bioavailability and remediation. *J. Soil Sci. Pl ant Nutr.* https://doi.org/10.4067/S0718-95162015005000043 (2015).

26. Kidd, P. *et al.* Trace element behaviour at the root–soil interface: Implications in phytoremediation. *Environ. Exp. Bot.* **67**, 243–259 (2009).

27. Rivera-Becerril, F. Cadmium accumulation and buffering of cadmium-induced stress by arbuscular mycorrhiza in three *Pisum sativum* L. genotypes. *J. Ex p. Bot.* **53**, 1177–1185 (2002).

28. Krupa, P. & Kozdrój, J. Ectomycorrhizal fungi and associated bacteria provide protection against heavy metals in inoculated pine (*Pinus sylvestris* L.) see dlings. *Water Air Soil Pollut.* **182**, 83–90 (2007).

29. Janoušková, M., Pavlíková, D. & Vosátka, M. Potential contribution of arbuscular mycorrhiza to cadmium immobilisation in soil. *Chemosphere* **65**, 1959–1965 (2006).

30. Leyval, C., Turnau, K. & Haselwandter, K. Effect of heavy metal pollution on mycorrhizal colonization and function: Physiological, ecological and applie d aspects. *Mycorrhiza* **7**, 139–153 (1997).

31. Zhang, Y., Zhang, Y., Liu, M., Shi, X. & Zhao, Z. Dark septate endophyte (DSE) fungi isolated from metal polluted soils: Their taxonomic position, tolera nce, and accumulation of heavy metals in vitro. *J. Microbiol.* **46**, 624–632 (2008).

32. Krumins, J. A., Goodey, N. M. & Gallagher, F. Plant–soil interactions in metal contaminated soils. *Soil Biol. Biochem.* **80**, 224–231 (2015).

33. Glick, B. R. Phytoremediation: Synergistic use of plants and bacteria to clean up the environment. *Biotechnol. Adv.* **21**, 383–393 (2003).

34. Heckenroth, A. *et al.* What are the potential environmental solutions for diffuse pollution ? In *Pollution of Marseille's Industrial Calanques—The Impact of the Past on the Present* 291–328 (REF2C, 2016).

35. Li, M. S. Ecological restoration of mineland with particular reference to the metalliferous mine wasteland in China: A review of research and practice. *Sci . Total Environ.* **357**, 38–53 (2006).

36. Mendez, M. O. & Maier, R. M. Phytoremediation of mine tailings in temperate and arid environments. *Rev. Environ. Sci. Biotechnol.* **7**, 47–59 (2008).

37. Yaalon, D. H. Soils in the Mediterranean region: What makes them different?. *CATENA* **28**, 157–169 (1997).

38. Li, S. *et al.* A comprehensive survey on the horizontal and vertical distribution of heavy metals and microorganisms in soils of a Pb/Zn smelter. *J. Hazard. Mater.* **400**, 123255 (2020).

39. Pérez-de-Mora, A. *et al.* Microbial community structure and function in a soil contaminated by heavy metals: Effects of plant growth and different amend ments. *Soil Biol. Biochem.* **38**, 327–341 (2006).

40. Keller, C. *et al.* Root development and heavy metal phytoextraction efficiency: Comparison of different plant species in the field. *Plant Soil.* **249**, 67–81 (2003).

41. Lambrechts, T. *et al.* Comparative analysis of Cd and Zn impacts on root distribution and morphology of *Lolium perenne* and *Trifolium repens*: Implicatio ns for phytostabilization. *Plant Soil* **376**, 229–244 (2014).

42. Pauwels, M., Frérot, H., Bonnin, I. & Saumitou-Laprade, P. A broad-scale analysis of population differentiation for Zn tolerance in an emerging model sp ecies for tolerance study: *Arabidopsis halleri* (Brassicaceae). *J. Evol. Biol.* **19**, 1838–1850 (2006).

43. Padilla, F. M. & Pugnaire, F. I. The role of nurse plants in the restoration of degraded environments. *Front. Ecol. Environ.* **4**, 196–202 (2006).

44. Robles, A. B., Allegrezi, L. I. & Passera, C. B. *Coronilla juncea* is both a nutritive fodder shrub and useful in the rehabilitation of abandoned Mediterrane an marginal farmland. *J. Arid Environ.* **50**, 381–392 (2002).

45. Grime, J. P. *Plant Strategies and Vegetation Processes* (Wiley, 1979).

46. Lafont-Schwob, I. *et al.* Diffuse and widespread present-day pollution. In *Pollution of Marseille's Industrial Calanques—The Impact of the Past on the F* uture 204–249 (REF2C, 2016).

47. Gelly, R. *et al.* Lead, zinc, and copper redistributions in soils along a deposition gradient from emissions of a Pb-Ag smelter decommissioned 100 years a go. *Sci. Total Environ.* **665**, 502–512 (2019).

48. Tóth, G. *et al.* Soils of the European Union. *JRC Scientific and Technical Reports* 85 (2008).

49. IUSS Working Group WRB. *Base de référence mondiale pour les ressources en sols 2014. Mise à jour 2015. Système international de classification des s ols pour nommer les sols et élaborer des légendes de cartes pédologiques. Rapport sur les ressources en sols du monde*. Vol. 106 (2015).

50. Dias, T. *et al.* Ammonium as a driving force of plant diversity and ecosystem functioning: Observations based on 5 years' manipulation of n dose and for m in a Mediterranean ecosystem. *PLoS ONE* **9**, e92517 (2014).

51. Remon, E. *et al.* Soil characteristics, heavy metal availability and vegetation recovery at a former metallurgical landfill: Implications in risk assessment a nd site restoration. *Environ. Pollut.* **137**, 316–323 (2005).

52. Baumberger, T. *et al.* Plant community changes as indicator of seabird colonies' impacts on Mediterranean Islands. *Ecol. Ind.* **15**, 76–84 (2012)

53. Navas, M.-L., Roumet, C., Bellmann, A., Laurent, G. & Garnier, E. Suites of plant traits in species from different stages of a Mediterranean secondary suc cession: Plant traits and succession. *Plant Biol.* **12**, 183–196 (2010).

54. Guillamot, F., Calvert, V., Millot, M.-V. & Criquet, S. Does antimony affect microbial respiration in Mediterranean soils? A microcosm experiment. *Pedo biologia* **57**, 119–121 (2014).

55. Wang, A., He, M., Ouyang, W., Lin, C. & Liu, X. Effects of antimony (III/V) on microbial activities and bacterial community structure in soil. *Sci. Total Environ.* **789**, 148073 (2021).

56. Ofenksa, E. *et al. Trifolium repens*-associated bacteria as a potential tool to facilitate phytostabilization of zinc and lead polluted waste heaps. *Plants* **9**, 10 02 (2020).

57. Stambulska, U. Y., Bayliak, M. M. & Lushchak, V. I. Chromium(VI) toxicity in legume plants: Modulation effects of rhizobial symbiosis. *BioMed Res. In t.* **2018**, 1–13 (2018).

58. Karthika, K. S., Rashmi, I. & Parvathi, M. S. Biological functions, uptake and transport of essential nutrients in relation to plant growth. In *Plant Nutrient s and Abiotic Stress Tolerance* 1–49 (Springer Singapore, 2018). https://doi.org/10.1007/978-981-10-9044-8_1.

59. Dary, M., Chamber-Pérez, M. A., Palomares, A. J. & Pajuelo, E. "In situ" phytostabilisation of heavy metal polluted soils using *Lupinus luteus* inoculated with metal resistant plant-growth promoting rhizobacteria. *J. Hazard. Mater.* **177**, 323–330 (2010).

60. Reichman, S. M. The potential use of the legume–rhizobium symbiosis for the remediation of arsenic contaminated sites. *Soil Biol. Biochem.* **39**, 2587–25 93 (2007).

61. Parraga-Aguado, I., Querejeta, J.-I., González-Alcaraz, M.-N., Jiménez-Cárceles, F. J. & Conesa, H. M. Usefulness of pioneer vegetation for the phytoma nagement of metal(loid)s enriched tailings: Grasses vs. shrubs vs. trees. *J. Environ. Manag.* **133**, 51–58 (2014).

62. Jones, C. G., Lawton, J. H. & Shachak, M. Organisms as ecosystem engineers. *Oikos* **69**, 373 (1994).

63. Carrasco, L., Arzón, R., Kobler, J., Roldán, A. & Caravaca, F. Comparative effects of native filamentous and arbuscular mycorrhizal fungi in the establish ment of an autochthonous, shrubian shrub growing in a metal-contaminated soil. *Sci. Total Environ.* **409**, 1205–1209 (2011).

64. Padilla, F. M., Ortega, R., Sánchez, J. & Pugnaire, F. I. Rethinking species selection for restoration of arid shrublands. *Basic Appl. Ecol.* **10**, 640–647 (200 9).

65. Hunga wa Hunga, E. *et al.* Plant functional traits as a promising tool for the ecological restoration of degraded tropical metal-rich habitats and revegetatio n of metal-rich bare soils: A case study in copper vegetation of Katanga, DRC. *Ecol. Eng.* **82**, 214–221 (2015).

66. Salduucci, M.-D. *et al.* How can a rare protected plant cope with the metal and metalloid soil pollution resulting from past industrial activities? Phytometab olites, antioxidant activities and root symbiosis involved in the metal tolerance of *Astragalus tragacantha*. *Chemosphere* **217**, 887–896 (2019).

67. Kachout, S. S. *et al.* Accumulation of Cu, Pb, Ni and Zn in the halophyte plant *Atriplex* grown on polluted soil. *J. Sci. Food Agric.* **92**, 336–342 (2012).

68. Schaeffer, A. *et al.* The impact of chemical pollution on the resilience of soils under multiple stresses: A conceptual framework for future research. *Sci. To tal Environ.* **568**, 1076–1085 (2016).

69. Tosini, I. *et al.* Gain in biodiversity but not in phytostabilization after 3 years of ecological restoration of contaminated Mediterranean soils. *Ecol. Eng.* **1 57**, 105998 (2020).

70. Michelaki, C. *et al.* An integrated phenotypic trait-network in thermo-Mediterranean vegetation describing alternative, coexisting resource-use strategies. *Sci. Total Environ.* **672**, 583–592 (2019).

71. Affholder, M.-C. *et al.* Transfer of metals and metalloids from soil to shoots in wild rosemary (*Rosmarinus officinalis* L.) growing on a former lead smelte r site: Human exposure risk. *Sci. Total Environ.* **454–455**, 219–229 (2013).

72. Affholder, M.-C. *et al.* As, Pb, Sb, and Zn transfer from soil to root of wild rosemary: Do native symbionts matter?. *Plant Soil* **382**, 219–236 (2014).

73. Ellilä, A. *et al.* Decision-making criteria for plant-species selection for phytostabilization: Issues of biodiversity and functionality. *J. Environ. Manag.* **201** , 215–226 (2017).

74. Lafont-Schwob, I. *et al.* Insights on metal-tolerance and symbionts of the rare species *Astragalus tragacantha* aiming at phytostabilization of polluted soi ls and plant conservation. *ecomed* **37**, 57–62 (2011).

75. Rabier, J. *et al.* Heavy metal and arsenic resistance of the halophyte *Atriplex halimus* L. along a gradient of contamination in a French Mediterranean spra y zone. *Water Air Soil Pollut.* **225**, 1993 (2014).

76. Quevauviller, Ph. *et al.* Interlaboratory comparison of EDTA and DTPA procedures prior to certification of extractable trace elements in calcareous soil. *S ci. Total Environ.* **178**, 127–132 (1996).

77. Anderson, J. P. E. & Domsch, K. H. A physiological method for the quantitative measurement of microbial biomass in soils. *Soil Biol. Biochem.* **10**, 215– 221 (1978).

78. R Development Core Team. pdf.

79. Dray, S., Dufour, A. B. & Chessel, D. The ade4 package—II: Two-table and K-table methods. *R News* **7**, 6 (2007).