

Impact of societal and legal context on the blood supply of African-ancestry populations in Western countries: A review of practices and the French example

Pauline Oviedo, Yannick Jaffré, Bruno Danic, Stéphane Mazières, Jacques Chiaroni

► To cite this version:

Pauline Oviedo, Yannick Jaffré, Bruno Danic, Stéphane Mazières, Jacques Chiaroni. Impact of societal and legal context on the blood supply of African-ancestry populations in Western countries: A review of practices and the French example. Vox Sanguinis, 2022, 10.1111/vox.13326. hal-03695255

HAL Id: hal-03695255 https://hal.science/hal-03695255

Submitted on 14 Jun 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés. DOI: 10.1111/vox.13326

REVIEW

Vox Sanguinis Society International Society

Impact of societal and legal context on the blood supply of African-ancestry populations in Western countries: A review of practices and the French example

Pauline Oviedo^{1,2} | Yannick Jaffré³ | Bruno Danic^{4,5} | Stéphane Mazières¹ | Jacques Chiaroni^{1,2,5}

¹Aix Marseille Univ, CNRS, EFS, ADES, UMR 7268, Marseille, France

²Etablissement Français du Sang PACA Corse, "Biologie des groupes sanguins", Marseille, France

³Aix Marseille Univ, CNRS, UMI3189, Marseille, France

⁴Etablissement Français du Sang Bretagne, Rennes, France

⁵Etablissement Français du Sang Socialab, Saint-Denis, France

Correspondence

Jacques Chiaroni, Etablissement Français du Sang PACA Corse, 149 Boulevard Baille, 13005 Marseille, France. Email: jacques.chiaroni@efs.sante.fr

Funding information Etablissement Français du Sang (EFS), the French blood agency

Abstract

In Western countries, blood supply agencies encounter impediments in providing blood groups defined as rare or of interest, notably for sub-Saharan African ancestry (SSAA) recipients. To establish warning levels and anticipate future blood needs, an estimate of the current carriers of rare blood groups, both potential patients or donors, is crucial but complex. Indeed, if the strict needs can be estimated in medical terms, the modalities of blood product collection must be considered from an interdisciplinary perspective, at the interface of biological data and social norms. Here, we aim to understand how legal choices and a set of representations of otherness may influence the supply of rare blood for SSAA populations. After examining these issues, considering different norms and limits that govern French society, we compare this data with those of four Western countries facing the same difficulties (United States, United Kingdom, Italy and the Netherlands). This work began as part as the reflections of Social Lab, an institutional programme created by the French Blood Establishment (EFS). How can we effectively improve the qualitative blood coverage for SSAA populations? There is no unique solution, but there are many more or less effective answers. Comparison across countries reveals a strong influence of the socio-political histories and ethical choices before technical and medical considerations. We consider that an institutional policy is required to resolve recruitment issues of SSAA donors sustainably. Lastly, we introduce a working group called the EFS Social Lab, which aims to set up a monitoring mechanism for donors and societal trends to make blood donation effective.

KEYWORDS

anthropology, donor motivation, donor recruitment, donors, ethics, social norms

Highlights

• Specific societal contexts of each countries affect differently blood donation, particularly in terms of the ethical and legal representation of 'otherness'.

This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made. © 2022 The Authors. Vox Sanguinis published by John Wiley & Sons Ltd on behalf of International Society of Blood Transfusion.

- Rather than subsuming populations with African ancestry into a single ethnic group, an indepth knowledge of those populations involved is required to improve blood donation.
- The creation of Social Lab, a French institutional initiative to use medical humanities sciences in the monitoring of donors and social trends, will help in this endeavour.

WHY A CLOSE ATTENTION TO SUB-SAHARAN AFRICAN ANCESTRY POPULATION?

Globalization contributes to the deterritorialization of populations, both as cause and effect. Today, about 3.4% of the world population, totalling 258 million international migrants, do not live in their places of birth [1]. Migration routes follow the former colonial political areas and present linguistic communities and idealize the Western countries [2-4]. In France, migrations originate mainly from Africa (47.5% of immigrants), of which 18.3% are from sub-Saharan Africa [5]. Here we refer to the French sub-Saharan African ancestry (SSAA) population, the diversified immigrants and descendants of sub-Saharan origin who live in metropolitan and overseas France. This population was and is motivated to migrate by a multitude of motives, and they have different administrative statuses (i.e., recent or long-term migration, permanent or temporary arrivals), nationalities and the number of generations since arrival [6, 7]. Socially, the entanglement between the country of origin, ages, administrative status and access to citizenship builds an extremely complex patchwork of infinite cultural and political variations [8]. However, though diverse in their identities and backgrounds, the French SSAA population shares biological links with the sub-Saharan African subcontinent. The hiatus between the almost immobile time of genetic transmission and the extreme variability of social situations is not without consequences for blood transfusion. It generates haematological management problems related to migration, explicitly concerning rare blood groups (RBGs).

In France, RBGs have a frequency of less than 1/250 in the general population and no alternative for transfusion compatibility by another blood group. RBGs refer to the following situations: (1) rare blood phenotypes per se, defined by a private, low-frequency or absence of a public antigen (e.g., the Dantu MNS25 antigen, the 700 series or the lack of RH:18 and 19) and (2) relative rarity, related to the uneven geographical repartition of phenotypes [9]. If all human populations are considered, SSAA populations are more exposed to rarity consequences after migration to Western countries. The genetic diversity of African populations is the highest of any population in the world, mainly caused by a longer pre-historic incubation followed by drip out-of-Africa expansion. Moreover, SSAA populations are largely carriers of red cell abnormalities in response to selective pressures of malaria, such as membrane protein polymorphisms, enzymatic disorders and haemoglobin variants [10]. Notably, one of the latter is responsible for sickle cell disease requiring sustained and complex transfusion therapy [11, 12]. The healthcare challenge results from this tension between necessity and scarcity, between, on one hand, a demographic increase of SSAA populations in Western countries with specific haematological characteristics, and, on the other hand, blood product supplies under pressure and sometimes insufficient to handle some distinctive pathologies and the daily health events (childbirth, accidents and surgical procedures).

To ensure self-sufficiency in rare blood products in response to growing demand, it is crucial to have adequate stocks of the targeted blood and, therefore, upstream recruitment of SSAA donors. Effective recruitment intricately involves medical and social dimensions. Here we want to focus on the social aspect, which influences both supply and demand of blood products. Availability of rare blood products requires anticipation and requisite expertise to assess future needs from quantitative and qualitative perspectives. We seek to understand how legal choices and representations of otherness may influence the supply efficiency of rare blood for the Afro-descendant population and what resources organizations have to deal with these availability issues. Finally, we present the strategy adopted by the French Blood Establishment (EFS) to improve availability based on social trends.

THE DIFFICULTIES OF AN ETHNIC CENSUS AND COMMUNITY DONOR RECRUITMENT

Foremost, to correctly assess the level of the stocks of RBG concentrates required, we must evaluate the needs and human resources present in France and thus have demographic data tagging 'African ancestry'. While it is neutral and easy to define biologically, it is more complex to handle sociologically and legally. In France, the legislation stipulates that 'it is forbidden to process personal data revealing the alleged racial or ethnic origin [...]' [13]. Meanwhile, by decision no. 2007-557 DC of 15 November 2007 (act relating to the control of immigration, integration and asylum), the French Constitution Council prohibits 'the processing of personal data that directly or indirectly reveals the racial or ethnic origins of individuals and the introduction of variables of race or religion into administrative files. This applies to the identification directory of natural persons'. Only studies on the measurement of the diversity of origins, discrimination and integration based on objective data such as geographical origin or nationality before French nationality, or subjective data, such as the 'feeling of belonging', are authorized. While these legal and ethical precautions help in avoiding various forms of discrimination, they complicate the assessment of the size of populations with RBG. If a character-based census of individuals is per se possible, it would indirectly reveal the

ethnic origin, which is illegal as stipulated before. Moreover, it would not distinguish the double descendants of African immigrantshomozygous Africans-from those with an African surname but from admixed 'domino couples' who are genetically heterozygous and so are unlikely to carry an RBG. In practice, there are indirect ways to obtain an estimation. EFS is allowed to register the birthplace of the donors and point out the geographical origin through a computer flag. This makes it possible to implement additional biological screening to search for rare phenotypes and genotypes.

Therefore, RBG needs estimation relies on the 'rare blood network', a dedicated process that monitors data related to the delivery of phenotypes considered to be of interest, the number of sickle cell patients (10,000 currently with 400 births per year), the number of active blood donors with phenotypes of interest and the stocks of frozen red blood cells. However, this piecemeal research does not allow for a precise estimate of current and future needs. It is possible to operate legally, but on the margins and by benevolent tracking of donors. This discordance between ethical precautions and the lack of biological precision to identify low-frequency blood phenotypes restrains proactive policies for RBG needs.

The other main limitation of blood product availability is blood collection and, hence, the modalities of donation. In Marseille, where we operate [14-16], in France [17], but also in Europe [18, 19] and in other Western countries [20-27], studies have documented the blood donation determinants of various SSAA populations and highlighted low participation of both occasional neo-donors and recurrent blood donors. Furthermore, the representation of the body and its tissues (blood and organs), as well as the normative systems (e.g., misplaced belief that religions discourage blood or organs donation) are essential but in no way subsume all the factors determining the behaviour of donors.

Indeed, donor behaviour includes socio-political dimensions linked to migration, such as cognitive and practical difficulties to give blood in case of linguistic precariousness and administrative irregularity. The positive correlation between blood donation, social inclusion and even the acquisition of citizenship has previously been shown [15, 26, 28, 29]. If the act of giving inscribes the person in a relationship that includes a counter-gift in return, or at least a recognition of the act [30], what reciprocity or recognition a person might expect when he(she) is precisely not admitted to reside and live in the political space where he(she) stays? A young Senegalese street vendor we met in Marseille says: 'I wonder how they'll see it... because a black man who comes to donate blood... they don't look at you [...]. It's an apprehension maybe, [...] and already you want to do a good deed, and people look at you strangely, and finally, you wonder ...' [15]. We must recognize that in many ways, access to information, the possibility of presenting identity documents during control without fear of getting into trouble, linguistic ability and citizenship are essential determinants of donation.

In summary, the donation of RBG is thus constrained, in France, by a specific configuration articulating ethical rules and, largely, situations of social, linguistic and administrative precariousness of migrant populations or those recently settled in France.

COMPARE THE INFLUENCE OF LEGAL AND ETHICAL CHOICES ON THE EFFECTIVE **SUPPLY FOR RBG**

In this review, we perform a reflection on the French supply system of compatible blood products for SSAA populations considering French history and its legal and cultural components. However, many Western countries are subject to the same worldwide phenomenon of population mobility and undergo blood supply issues. The decisions taken in four different countries-the United States, the Netherlands, the United Kingdom and Italy-depict an interweaving of historical, legal and ethical dimensions specific to each county and a diversity of responses to blood collection problems.

As illustrated in Table 1, these four countries encounter the same under-representation of SSAA individuals in their donor population. However, the presence of the SSAA population in these countries and their possible estimation are not subject to the same historical and social background. For example, despite descending from forced migration [50] and a history of racial segregation policies, African-Americans are demographically and statutorily constitutive of the American nation. In this country, an ethnic census with selfdetermination allows the possibility to know the 'racial' origin of Americans. Conversely, Italy was a country of emigration until the 1970s, and then of transit for African populations. It was only in the early 2000s that it also became a host country for immigrants from Eastern Europe, North Africa mainly, but also South Africa [51, 52]. Identification of immigrants or descendants of immigrants is based on citizenship [53]. British migration flows reflect its colonial past (i.e., significant proportion of immigration is from Commonwealth member countries and former territories of the British Empire from West Indies [Antilles], the Indian subcontinent and Africa) [54], as in France. But similar to the United States, the United Kingdom became a multicultural societal model where self-determination has indicated the ethnic origin since the 1991 census [53]. However, this approach has two limitations. First, it remains subjective and, second, the categories proposed in the census (e.g., nationality, region, subcontinent continent, skin colour) are not always standardized. In this regard, the Dutch case is interesting, which combines a recognition of its ethnic diversity to fight against discrimination, but based on the birthplace (or the birthplace of parents) and not on self-determination as in the United Kingdom [55]. The Netherlands is an example of mixed migration of Africans, on the one hand, of American origin with flows from former colonies of the Dutch Empire and, on the other hand, from recent migrations from sub-Saharan Africa for political, humanitarian or economic reasons.

Through the prism of their own historical and legal background, countries tend to conceive adapted solutions. Issues of rare blood supply are tangible in the United States, where African-Americans represent a substantial part of the needs due to RBG and a high prevalence of sickle cell disease (1/500 births) [23]. Compared to European countries, the bibliography on African-Americans blood donation is abundant and long-standing [36, 56-60]. In addition to the barriers systematically found (lack of awareness and knowledge,

TABLE 1 Ov	erview of SSAA populations and o	donors and rare blood programs	in France, United States, Unite	d Kingdom, Italy and the Nethe	rlands	
	SSAA individuals in general population ^a	SSAA individuals in donor population ^a	Ethnicity recognition in population [31]	RBD programs	RBD registration	Research and awareness on RBD ^b
France	4.48% of African immigrants (1.85% SSA) [5]	1.5% donors born in SSA ^c	By citizenship, birthplace and citizenship of parents for descendants of immigrants	National since 1980s (RBD database since end of 1960s) [32]	~13,000 RBD and patient registered (2016)	 National campaigns with Social Lab Studies about determinants of blood donation with community campaigns [14-16] University events but unspecific to SSAA Local campaigns with territorial approach
United States	13% of Black or African- Americans [33]	3% [33]	By self-determination: decennial census with self-determined ethnicity categories	National since 1998 (RBD database since 1960s) [34]	51,000 active RBD (2013) [35]	 States campaigns Local, religious, community campaigns [36, 37] Studies about deferral factors [38, 39] Studies about determinants and events on university [40]
United Kingdorr	a 3.3% in England and Wales (Black, African, Caribbean or Black British) [41]	~1% [41]	By self-determination: decennial census with self-determined ethnicity categories and citizenship, birthplace	National program since 1952 [42]	~2000 active RBD (2016)	 Studies about determinants of blood donation for SSAA population awareness [43]: Nationals campaigns Local, religious, community campaigns Local, religious, community campaigns Target events University events
Italy	~1.6% of African immigrants (less than 1% of SSA) [44]	n/a	By citizenship: birthplace and citizenship of parents	Regional programs in Lombardy (LORD-P 2005) and Sicilia (2010) and local ones [45]	LORD-P: ~9300 RBD registered [46]	• n/a
Netherlands	3% (SSAA residents) [31]	n/a on SSAA population but only 1% from minority groups [47]	By citizenship: birthplace and citizenship of parents	National program [48] RB units frozen and stored since 1970s, Sanquin Bank of Frozen Blood since 2006	900 active RBD	 Studies about determinants of blood donation for SSAA population [18, 31, 49].
Abbreviations: n/a ^a As legislation diff	1, not available; RB, rare blood; RBD ers, it refers to several options (cen:	, rare blood donor; SSA, Sub-Saha sus/estimation and nationality/eth	ran Africa; SSAA, sub-Saharan Af nicity). Therefore, comparisons b	rican ancestry. etween them should be carefully	considered. Diverse po	ssibilities are specified.

4_____Vox Sanguinis

OVIEDO ET AL.

^bResearches about donor recruitment only (not immunohaematology aspects). ^cIncluding French territories (Guadeloupe, Martinique, Guyana, Reunion island and Mayotte).

technical barriers), more sporadic obstacles include distrust of health institutions, ethnic discrimination and lack empathy due to a lack of identification with the receiver. Determinants of blood donation in the United States are well known, and further studies will enhance the accuracy of the expertise, like for European SSAA populations. But just as we cannot summarize all the variability in the perception of SSAA individuals under the umbrella of a single African culture, the representations of blood donation for African-Americans cannot be invariably applied to all other SSAA populations. In contrast to the United Kingdom, which has had a dedicated rare blood programme for over half a century [42], addressing RBG issues is new for Italy, and so is the policy for SSAA blood donation. However, despite recent attention to the issue, Italy has local programmes, plus two regional programs in Lombardy and Sicily [45]. Consequently, the country counts many active rare blood donors. Lastly, the studies of blood donation in the Dutch population of Surinamese, sub-Saharan and Caribbean ancestry have highlighted the lack of awareness and practical constraints as the main impediment [18, 31, 49]. As in France, where blood donation is possible only in French, language can be an obstacle in the Netherlands because it is done only in English or Dutch. The Netherlands still has only a few SSAA donors compared to the general donor population. As it happens in other countries, importation of compatible blood for African blood phenotypes is required, and therefore European and international collaboration is indispensable.

At the European scale, the European Blood Alliance initiated the Missing Minorities (MIMI) project to understand low donation determinants among minorities in Europe. It demonstrates the increased awareness of European countries regarding blood donation by people of African ancestry. However, government-wide management of rare blood remains at an early stage [47]. All the studies recently conducted at the European level highlight the relevance of this topic [61]. Ultimately, blood drive policies are different. It appears that their definitions are probably more influenced by their socio-political histories and ethical choices rather than by technical and medical considerations alone. This multidisciplinary approach is essential and has resulted in concrete actions.

EFS SOCIAL LAB: A FRENCH INTENT TO IMPROVE BLOOD SUPPLY OF SSAA POPULATIONS

Although legislation evolves to suit societies and their needs, it is unlikely that the limitations regarding the ethnic origins of individuals will change soon in France, restricting leeway for anticipating needs. Current socio-political debates on blood donation mainly concern blood donation at 17 years of age or the restrictions for men who have sex with men. Despite this, it is still possible to work on new donor recruitment.

In 2018, the EFS created an internal working group called 'EFS Social Lab', made up of around 15 EFS professionals (e.g., MD, communicators, researchers). EFS Social Lab monitors the donors and societal trends to identify topics that may impact blood donation

(e.g., the donor recognition in a voluntary blood donation system, the conversion from whole-blood donation to plasma donation, the evolution of commitments among young people, and, as we have just described, blood donation in minorities). The final objective is to give recommendations based on evidence and not just perceptions to guide the EFS executive direction in strategic decision making.

On this basis, the work began with a bibliographic inventory supplemented by surveys, as well as masters and PhD studies in connection with the academic world. Three organizational deficiencies stood out: the insufficient and non-procedural orientation of the recipients and their siblings to donation, the non-specific collection policy and donor relationship, and a welcome system insufficiently attentive to diversity. The EFS Social Lab made recommendations based on 10 points.

To optimize the existing system and define a specific programme for rare blood:

- 1. Review current procedures, check their range of application and identify their weaknesses.
- 2. Review the current collection practices for recruiting rare donors (RDs).
- 3. Define RBG donors and proceed with adequate information depending on the frequency of the phenotype in the population.
- 4. Define a specific donor care.

To create a network of rare blood referents including doctors from the blood collect:

- Identify one or several 'rare blood' referents in each regional blood transfusion centre.
- 6. Produce an annual activity report for each regional blood centre.
- 7. Create a dynamic network of rare blood referents based on sharing and feedback.

To evaluate the efficiency of recruitment actions:

8. Define a methodology and a protocol to apply to guarantee the validation of the effectiveness of the actions.

To help recruit rare blood donors for blood drive managers:

9. Create a reference tool to help them identify the places to collect and the validated recruitment actions to implement.

To train EFS employees and partner volunteers:

10. Create specific training at a national level.

WHICH SOCIAL APPROACH TO BLOOD DONATION?

For some socio-political spaces, blood is a marketable product. For others, it has a human and non-mercantile value that cannot be

Vox Sanguinis

indexed to a price. It also expresses how much giving blood reflects the symbolic representations of oneself, inherent in identity, transmission and filiation. It refers to the sedimentation of the memory of events in which blood was brought to the fore: the contaminated blood affair, the mad cow disease and HIV. Finally, it shows how much the act of giving is part of an expectation of recognition, not necessarily pecuniary, but identity-related.

Indeed, the willingness to donate inscribes the donor in a social community, and if accepted, the donation confirms membership to this community. And this is probably why sexual or territorial minorities are fighting for a right to give, which is synonymous with a confirmation of legitimate social existence. 'The idea that the gift must be returned presupposes that the other is another self that must act like me, and this gesture in return must confirm to me the truth of my gesture, that is, my subjectivity [...], men confirming to one another that they are not things' [62].

But donor recruitment requires the aptitude to mobilize citizens living in evolving societies where social consideration stands above in a multicultural and diverse globalized world. The crucial achievement is to translate academic and practical knowledge into concrete and successful actions. Research and action must be conducted simultaneously and over the long term. It is important to involve the collection operators as early as possible in the development of the experimentation protocols. This is the only way to ensure their future integration into operational procedures for long-term effectiveness. We are increasingly using the human and social sciences to understand the motives of social actors, to dialogue with various populations and to improve the quality of relations with donors at blood drives. However, although they have proven to be effective, these actions aimed at better understanding the contexts of our medical actions are difficult to sustain, as in the case of our anthropological study [14]. We consider, however, that an institutional policy is necessary to patiently build social and health interfaces that will allow us to improve the recruitment problems of the SSAA populations.

We cannot go any further in the framework of a brief exploratory review but merely underline that ensuring the functional chain of blood from the evaluation of needs to the setting up of an alert system, the availability of blood products, and the coherent use of rare bloods requires the construction of an epistemological and technical interdisciplinary space between medical and social sciences.

ACKNOWLEDGEMENTS

Pauline Oviedo received a PhD studentship award as study manager (2018–2021) from Etablissement Français du Sang (EFS), the French blood agency. P.O. analysed the literature, wrote the manuscript and reviewed it. Y.J. wrote the first draft of the manuscript and reviewed it. B.D. reviewed and revised the manuscript. S.M. and J.C. supervised the research and critically reviewed and revised the manuscript.

CONFLICT OF INTEREST

The authors declare no conflict of interests.

ORCID

Pauline Oviedo D https://orcid.org/0000-0002-3654-6406 Jacques Chiaroni b https://orcid.org/0000-0002-3133-8990

REFERENCES

- 1. United Nation. Department of Economic and Social Affairs, Population Division. International Migration Report. 2017.
- de Wenden CW. La question migratoire au XXI^e siècle [Internet]. Presses de Sciences Po. 2017 [cited 2020 Dec 19]. Available from: https://www.cairn.info/la-question-migratoire-au-xxi-9782724621051.htm
- 3. Abélès M. Anthropologie de la globalisation. Paris: Payot. 2008. 280 p.
- Moïsi D. La géopolitique des séries, ou, Le triomphe de la peur: essai. 2016.
- French national institute for statistical and economic studies INSEE [Internet]. 2020. Available from: https://www.insee.fr/fr/ statistiques/3633212
- Héran F. Migrations et sociétés. Paris: Collège de France: Fayard. 2018. 86.
- Sayad A. La double absence des illusions de l'émigré aux souffrances de l'immigré [Internet]. Paris: Editions du Seuil. 1999 [cited 2021 Feb 25]. Available from: http://banq.pretnumerique.ca/accueil/isbn/ 9782021314298
- 8. Noiriel G. État, nation et immigration: vers une histoire du pouvoir. Paris: Gallimard. 2005. 590 p.
- Cavalli-Sforza LL, Menozzi P, Piazza A. The history and geography of human genes. Abridged paperback ed. Princeton, NJ: Princeton University Press; 1996. p. 413.
- Bauduer F. Red cell polymorphisms and malaria: an evolutionary approach. Bull Mém Soc Anthropol Paris. 2013;25:55–64.
- Roberts I, de Montalembert M. Sickle cell disease as a paradigm of immigration hematology: new challenges for hematologists in Europe. Haematologica. 2007;92:865–71.
- 12. Piel FB, Patil AP, Howes RE, Nyangiri OA, Gething PW, Williams TN, et al. Global distribution of the sickle cell gene and geographical confirmation of the malaria hypothesis. Nat Commun. 2010;1:104.
- French Law no 78-17 relating to data processing, the files and freedoms (Jan. 6, 1978). Available from: https://www.legifrance.gouv.fr/ loda/id/LEGISCTA000006095900/2004-08-07/
- Grassineau D, Papa K, Ducourneau A, Duboz P, Boëtsch G, Chiaroni J. Improving minority blood donation: anthropologic approach in a migrant community. Transfusion. 2007;47:402–9.
- Magnani C. Don du sang en population migrante à Marseille [Mémoire de Maîtrise en Anthropologie]. Marseille: EHESS-CNE; 2007.
- Duboz P, Boëtsch G, Cunéo B. Le don de sang des populations étrangères et d'origine étrangère à Marseille. Sante Publique. 2010; 22:379–91.
- Cuneo B. Don du sang et immigration. Stratégie de conquête et de fidélisation des donneurs de phénotypes d'intérêt. Transfus Clin Biol J Soc Francaise Transfus Sang. 2015;4726:183.
- Klinkenberg EF, Fransen MP, de Kort WLAM, van Weert JCM, Huis In't Veld EMJ. Blood donation among individuals of African origin in the Netherlands: how are barriers and motivators associated with intention? Blood Transfus. 2020;19:24–33.
- Lattimore S, Wickenden C, Brailsford SR. Blood donors in England and North Wales: demography and patterns of donation. Transfusion. 2015;55:91–9.
- Charbonneau J, Cloutier M-S, Carrier É. Whole blood and apheresis donors in Quebec, Canada: demographic differences and motivations to donate. Transfus Apher Sci. 2015;53:320–8.
- Charbonneau J, Tran N. Le don de sang et les communautés ethnoculturelles au Québec: Rapport de recherche. [Internet]. Montréal: Institut national de la recherche scientifique (INRS) - Urbanisation,

Culture et Société. 2014 [cited 2020 Dec 19]. Available from: https:// central.bac-lac.gc.ca/.item?id=DonSangRapportRecherche&op=pdf& app=Library

- Charbonneau J, Cloutier M-S, Quéniart A, Tran N. Le don de sang: un geste social et culturel. 2015.
- Yazer MH, Delaney M, Germain M, Karafin MS, Sayers M, Vassallo R, et al. Trends in US minority red blood cell unit donations. Transfusion. 2017;57:1226–34.
- Polonsky MJ, Renzaho AMN, Brijnath B. Barriers to blood donation in African communities in Australia: the role of home and host country culture and experience. Transfusion. 2011;51:1809–19.
- Polonsky M, Francis K, Renzaho A. Is removing blood donation barriers a donation facilitator? Australian African migrants' view. J Soc Mark. 2015;5:190–205.
- Polonsky MJ, Brijnath B, Renzaho AMN. "They don't want our blood": social inclusion and blood donation among African migrants in Australia. Soc Sci Med. 2011;73:336–42.
- Francis KL, Polonsky MJ, Jones SC, Renzaho AMN. The effects of a culturally-tailored campaign to increase blood donation knowledge, attitudes and intentions among African migrants in two Australian States: Victoria and South Australia. PLoS One. 2017;12: e0188765.
- Alessandrini M, Carr A, Coghlan P. Building social capital through blood donation: the social futures project. ISBT Sci Ser. 2007;2: 46–52.
- Masser B, Ferguson E, Merz E-M, Williams L. Beyond description: the predictive role of affect, memory, and context in the decision to donate or not donate Blood. Transfus Med Hemother. 2020;47:175–85.
- Ricœur P. Parcours de la reconnaissance: trois études. Paris: Gallimard. 2009. 431 p. (Folio).
- Klinkenberg EF, Fransen MP, de Kort WLAM, Huis in't Veld EMJ, Weert JCM. Unknown, so also unvalued? Blood donation awareness and attitudes of potential donors of Dutch and African descent. Vox Sang. 2020;116:513–23.
- Peyrard T. The French national rare blood program. Immunohematology. 2016;32:23–5.
- African American Blood donors, American Red Cross [Internet].
 2021. Available from: https://www.redcrossblood.org/donateblood/blood-types/diversity/african-american-blood-donors.html
- Flickinger C. REGGI and the American rare donor program. Transfus Med Hemother. 2014;41:342–5.
- Meny GM, Flickinger C, Marcucci C. The American rare donor program. J Crit Care. 2013;28:110.e9–110.e18.
- Frye V, Caltabiano M, Kessler DA, Schaffler H, Reboza M, Hillyer CD, et al. Evaluating a program to increase blood donation among racial and ethnic minority communities in New York City: program to increase minority donation. Transfusion. 2014;54:3061–7.
- Custer B, Schlumpf K, Simon TL, Spencer BR, Wright DJ, Wilkinson SL, et al. Demographics of successful, unsuccessful and deferral visits at six blood centers over a 4-year period: donation demographics. Transfusion. 2012;52:712–21.
- Shaz BH, James AB, Demmons DG, Schreiber GB, Hillyer CD. The African American church as a donation site: motivations and barriers. Transfusion. 2010;50:1240–8.
- Shaz BH, James AB, Hillyer KL, Schreiber GB, Hillyer CD. Demographic variations in blood donor deferrals in a major metropolitan area. Transfusion. 2010;50:881–7.
- Shaz BH, Demmons DG, Crittenden CP, Carnevale CV, Lee M, Burnett M, et al. Motivators and barriers to blood donation in African American college students. Transfus Apher Sci. 2009;41: 191–7.
- Ethnicity facts and figures, Gov.UK [Internet]. 2021. Available from: https://www.ethnicity-facts-figures.service.gov.uk/uk-populationby-ethnicity

42. Thornton NM. The United Kingdom national rare donor panel. Immunohematology. 2016;32:67–9.

Vox Sanguinis

- NHS Blood and Transplant [Internet]. 2021 Available from: https:// www.nhsbt.nhs.uk/how-you-can-help/get-involved/key-messages-andinformation/why-black-asian-and-minority-ethnic-donors-are-needed/
- 44. Population and Households, I.Stats [Internet]. 2021. Available from: https://dati.istat.it/Index.aspx
- 45. Paccapelo C, Truglio F, Villa MA, Revelli N, Manera MC, Erba E, et al. Rare donor program in Italy. Immunohematology. 2016;32:47–8.
- Revelli N, Villa MA, Paccapelo C, Manera MC, Rebulla P, Migliaccio AR, et al. The Lombardy rare donor Programme. Blood Transfus. 2014;12:s249–55.
- 47. van Dongen A, Mews D, de Kort WLAM Wagenmans E. Missing minorities – a survey based description of the current state of minority blood donor recruitment across 23 countries. Divers Equal Health Care [Internet]. 2016 [cited 2021 Apr 1]. Available from: http:// diversityhealthcare.imedpub.com/missing-minorities-a-survey-baseddescriptionof-the-current-state-of-minority-blood-donorrecruitmentacross-23-countries.php?aid=8326.
- Luken JS, Danovic F, de Haas M, Koopman R. Requests for red cells with rare blood types in The Netherlands. Immunohematology. 2016;32:51–2.
- 49. Klinkenberg EF, Huis In't Veld EMJ, de Wit PD, van Dongen A, Daams JG, de Kort WLAM, et al. Blood donation barriers and facilitators of sub-Saharan African migrants and minorities in Western highincome countries: a systematic review of the literature. Transfus Med. 2019;29:28-41.
- 50. Emmer P. The Atlantic Slave Trade [Internet]. Available from: https://ehne.fr/en/node/21292
- Schmoll C, Thiollet H, Wihtol de Wenden C. Migrations en Méditerranée: permanences et mutations à l'heure des révolutions et des crises. Paris: CNRS éditions. 2015. 382 p.
- 52. The Twenty-fifth Italian Report on Migrations 2019. ISMU Foundation - Initiatives and Studies on Multi-ethnicity. 2019.
- 53. Héran F. Inégalités et discriminations: pour un usage critique et responsable de l'outil statistique: Rapport du comité pour la mesure de la diversité et l'évaluation des discriminations [Internet]. Paris: Comité pour la mesure de la diversité et l'évaluation des discriminations. 2010 p. 272. Available from: https://www.vie-publique. fr/rapport/30934-inegalites-et-discriminations-usage-critique-etresponsable-statistiques
- Daguerre A. L'intégration des migrants au Royaume-Uni. In: L'enjeu mondial [Internet]. Paris: Presses de Sciences Po. 2009. pp. 207–14. (Annuels). Available from: https://www.cairn.info/l-enjeu-mondial-2–9782724611311-p-207.htm
- Guiraudon V, Phalet K, ter Wal J. Monitoring ethnic minorities in The Netherlands. Int J Soc Sci. 2005;57:75–87.
- Murphy EL, Shaz B, Hillyer CD, Carey P, Custer BS, Hirschler N, et al. Minority and foreign-born representation among US blood donors: demographics and donation frequency for 2006. Transfusion. 2009; 49:2221–8.
- 57. Grossman B, Watkins AR, Fleming F, DeBaun MR. Barriers and motivators to blood and cord blood donations in young African-American women. Am J Hematol. 2005;78:198–202.
- Boulware LE, Ratner LE, Ness PM, Cooper LA, Campbell-Lee S, LaVeist TA, et al. The contribution of sociodemographic, medical, and attitudinal factors to blood donation among the general public. Transfusion. 2002;42:669–78.
- Boulware EL, Ratner LE, Cooper LA, Sosa JA, Laveist TA, Powe NR. Race and gender differences in willingness to donate Blood and cadaveric organs: understanding disparities in donor behavior. Med Care. 2002;40:85–95.
- 60. James AB, Demmons DG, Schreiber GB, Hillyer CD, Shaz BH. Contribution of attitudinal factors to blood donation in African American

8

church attendees: attitudinal factors in African Americans. Transfusion. 2011;51:158-65.

- Klinkenberg EF, Huis in't Veld EMJ, de Kort WLAM, Weert JCM, Fransen MP. Recruiting ethnic minorities of African descent as blood donors through a systematic intervention development. Vox Sang. 2021;16:92–101.
- 62. Lefort C. Formes de l'histoire: essais d'anthropologie politique. In: Ricœur P. Parcours de la reconnaissance. 2004. p. 329. (Stock).

How to cite this article: Oviedo P, Jaffré Y, Danic B, Mazières S, Chiaroni J. Impact of societal and legal context on the blood supply of African-ancestry populations in Western countries: A review of practices and the French example. Vox Sang. 2022.