

















Axel Bonnet <sup>1</sup>
Gaulthier Martin <sup>1</sup>
Sorina Pop <sup>1</sup>
Fréderic Cervenansky <sup>1</sup>

<sup>1</sup> CREATIS; CNRS (UMR 5220); INSERM (U1206); INSA Lyon; Université de Lyon, France







#### Overview

- What is VIP?
- Why set up CI and CD on VIP?
- Our solution for continuous integration
- Our solution for continuous deployment
- Conclusion





## The Virtual Imaging Platform



#### Scientific applications


# Cancer therapy simulation

Prostate radiotherapy plan simulated with GATE(L. Grevillot and D. Sarrut)




Echocardiography simulated with FIELD-II (O. Bernard *et al*)

#### Neuro-image analysis




Brain tissue segmentation with Freesurfer

#### Modeling and optimization of distributed computing systems



Acceleration yielded by non-clairvoyant task replication (R. Ferreira da Silva et al)

#### Infrastructure



#### Users





# What are continuous integration and continuous deployment (CI / CD)?

- Automatize as much computing tasks as possible
- Gain time
- Avoid errors
- Concerns mainly testing and deployment

HOME > NEWS > OUTAGES

## OVHcloud goes down in outage affecting global backbone

At least it's not a fire this time

October 13, 2021 By: Sebastian Moss O Comment





## Why set up CI / CD on VIP?

- More than 10 years old
- Small team
- Things kept simple and manual
- Almost no automation



### Why set up CI / CD on VIP?

- More than 10 years old
- Small team
- Things kept simple and manual
- Almost no automation




CI / CD is a possibility for VIP But would that be useful?





#### Interest of CI/CD in VIP: testing new developments


 Testing on production servers





#### Interest of CI/CD in VIP: testing new developments

- Testing on production servers
  - Risk of impacting production service (Database, ports...)
- Manual <del>delivery</del> deliveries
  - Manual configuration
  - Takes a long time
- Manual tests
  - Covers a small subset of features
- Pray





## Testing new developments:

#### Before CI /CD

#### After

- Testing on production servers
  - Risk of impacting production service (Database, ports...)
- Manual <del>delivery</del> deliveries
  - Manual configuration
  - Takes a long time
- Manual tests
  - Covers a small subset of features
- Pray


- New identical and independent development platform
- CD : Continuous deployment
  - Changes automatically delivered on dev. platform
- CI : Continuous integration
  - Changes automatically tested (compilation, unit tests, functional tests)
- Be a relaxed developer





### Our solution for the CI part

- Done with jenkins
- Hosted jenkins instance
- Automatic scan of github
- Essentially java deployment : easy with maven
- BUT : need more tests








#### Our solution for CD

- Done with Ansible
- With Ansible, describe deployment for each software element
  - How to install / update the software
  - How to install / update the configuration files
- Many Yaml files with precise instructions
  - Packages / Files / Permissions / Services...







#### CI and CD

- Jenkins and Ansible can work together
- On every change on our "develop" branches on github
  - Jenkins compiles, tests, and builds the package
  - Jenkins asks Ansible to update the package on the development platform



## Use Ansible to deploy a VIP test instance

- With Ansible alone: install all the VIP infrastructure from scratch on brand new Vms
- Can use several VMs with Centos images
- Edit some config files
  - IP adress
  - Activate Dirac/NFS/etc options as desired
- Call \$ ansible-playbook -i vip-config/hosts prod.yml
- 10 minutes later: a brand new VIP instance ready to be tested



#### Conclusion

- Big effort (5 months internship) but big improvement on VIP
- Faster and less stress to develop and test
- Need a more complete test suite
- Better in the end for VIP users
- Advice:
  - Think about deployment / tests as soon as possible



# Thank you for your attention! Questions?