



HAL
open science

Correlation between cytologic and microbial respiratory profiles and performance in french trotters

Margot Cessans, Eric Richard, Louise Lemonnier, Marie-Pierre Toquet,
Ludovic Petit, Anne Courouce

► To cite this version:

Margot Cessans, Eric Richard, Louise Lemonnier, Marie-Pierre Toquet, Ludovic Petit, et al.. Correlation between cytologic and microbial respiratory profiles and performance in french trotters. 11th International Conference on Equine Exercise Physiology, Jun 2022, Uppsala, Sweden. hal-03728109

HAL Id: hal-03728109

<https://hal.science/hal-03728109>


Submitted on 20 Jul 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

CORRELATION BETWEEN CYTOLOGIC AND MICROBIAL RESPIRATORY PROFILES AND PERFORMANCE IN FRENCH TROTTERS

CESSANS M.¹, RICHARD, E.A.³, LEMONNIER, L.C.¹, TOQUET, M-P.³,
 PETIT, L.³, COUROUCE, A.^{1,2}



¹Department of Equine Internal Medicine, University Animal Hospital, CISCO-Oniris, Route de Gachet, 44300 Nantes, France

²BIOTARGEN, Normandie Univ, UNICAEN, 14000 Caen, France

³Labeo-Frank Duncombe Laboratory, 1 route de Rosel, 14053 Caen, France



Objective: Investigate a possible association between cytological, mycological and bacteriological profiles of the respiratory tract of racehorses and the level of performance

Materials and methods:

Standardbred racehorses

Modified performance scoring

(out of 4 based on the podiums ratio, earnings, national index and ranking)

Good performers

Poor performers

Clinical evaluation

Bilateral Broncho-Alveolar Lavage « BAL »

Tracheal Wash « TW »

Bilateral Guttural Pouch Lavage « GPL »

- Cytodiagnosis consistent with moderate Equine Asthma « mEA »: *neutrophils > 5%, eosinophils > 1% or mast cells > 2% in BAL*¹
- Cytodiagnosis consistent with Exercise-Induced Pulmonary Hemorrhage « EIPH »: *hemosiderophages/macrophages ratio > 20% in BAL*²

- Fungal element: *Cytology + mycology on TW & BAL*
- Cytodiagnosis consistent with Tracheal Inflammation Syndrome « TIS »: *neutrophils > 20% in TW*³
- Mycoplasma: *PCR on TW*
- Bacteria: *Bacteriology on TW*

Results & Discussion:

Statistical analysis: Mann-Whitney or Chi-square test (P-value < 0,05)

GOOD PERFORMERS

12

Homogeneous: gender, age, living environment

20

POOR PERFORMERS

Higher prevalence of:

- mEA (cytodiagnosis)
- EIPH (cytodiagnosis)


Statistically significant difference (p-value = 0,041)

No statistically significant difference

Higher prevalence of:

- Higher respiratory rate
- Abnormal respiratory auscultation
- TIS (cytodiagnosis)
- Bacteria (including mycoplasma) in the TW

Crispe et al (2017)⁴: a low-grade EIPH would not decrease performance. It would be a sign of a more intense exercise.
Morley et al (2015)⁵: a non-EIPH horse would be >2 times more likely to win races.



- *Fungal colonization of the airways was not associated with poor performance.*
- *BAL seems to be more specific than TW⁸: Mycology (+) on BAL pool = 9% Mycology (+) on TW = 96%*

⁸ Lemonnier, L.C. et al (2022) - Variability of fungi detection in the respiratory tract of racehorses according to the sampling site (ICEEP, Sweden)

Conclusion & limits:

- **Innovative and interesting database**
- **Methodological biases:** number of individuals included, performance measurement
- The relationship between airway colonization by bacterial or fungal elements and the link with performance remains to be proven : **Pilot study**
- Search for fungal elements: *Is the BAL more specific than the TW ?*