

Modelling interactions of waves with diffused interfaces

Kevin Schmidmayer, Joris Cazé, Fabien Petitpas, Eric Daniel, Nicolas Favrie

▶ To cite this version:

Kevin Schmidmayer, Joris Cazé, Fabien Petitpas, Eric Daniel, Nicolas Favrie. Modelling interactions of waves with diffused interfaces. MultiMat 2022 - 10th International Conference on Numerical Methods for Multi-Material Fluid Flow, Aug 2022, Zürich, Switzerland. hal-03752096

HAL Id: hal-03752096 https://hal.science/hal-03752096

Submitted on 16 Aug 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Modelling interactions of waves with diffused interfaces

K. Schmidmayer^{†*}, J. Cazé^{†‡}, F. Petitpas[†], É. Daniel[†] and N. Favrie[†]

† Aix Marseille Univ, CNRS, IUSTI, Marseille, France (kevin.schmidmayer@univ-amu.fr, fabien.petitpas@univ-amu.fr, eric.daniel@univ-amu.fr, nicolas.favrie@univ-amu.fr)

[‡] Centre National d'Etudes Spatiales, Paris, France (joris.caze@univ-amu.fr)

* INRIA Bordeaux Sud-Ouest, project-team CAGIRE, Universite de Pau et des Pays de l'Adour, E2S UPPA, Laboratory of Mathematics and Applied Mathematics (LMAP), Pau, France

Keywords: diffuse-interface method, multiphase, compressible, interface, interaction, relaxation.

ABSTRACT

When simulating multiphase compressible flows using the diffuse-interface methods, the test cases presented in the literature to validate the modellings with regard to interface problems are always textbook cases: interfaces are sharp and the simulations therefore easily converge to the exact solutions. In real problems, it is rather different because the waves encounter moving interfaces which consequently have already undergone the effects of numerical diffusion. Numerical solutions resulting from the interactions of waves with diffused interfaces have never been precisely investigated and for good reasons, the results obtained are extremely dependent on the model used.

Precisely, well-posed models, such as the model of Kapila et al. [1], present similar and important issues when such an interaction occurs, coming from the appearance of a wave-trapping phenomenon. To circumvent those issues, we propose to use a thermodynamically-consistent pressure-disequilibrium model [2] with finite, instead of infinite, pressure-relaxation rate to overcome the difficulties inherent in the computation of these interactions. Because the original method to solve this model only enables infinite relaxation, we propose a new numerical method allowing infinite as well as finite relaxation rates.

Solutions of the new modelling are examined and compared to literature, in particular we propose the study of a shock on a water–air interface, but also for problems of helium–air and water–air shock tubes, spherical and non-spherical bubble collapses.

References

- [1] A. Kapila, R. Menikoff, J. Bdzil, S. Son and D. Stewart, "Two-phase modeling of DDT in granular materials: Reduced equations", *Phys. Fluids*, 13, pp. 3002–3024, 2001.
- [2] R. Saurel, F. Petitpas and R. Berry, "Simple and efficient relaxation methods for interfaces separating compressible fluids, cavitating flows and shocks in multiphase mixtures", J. Comp. Phys., 228(5), pp. 1678–1712, 2009.

K.S. and N.F. acknowledge support from the A*MIDEX and the ANR under grants ANR-11-LABX-0092, ANR-11-IDEX-0001-02 and ANR-ASTRID project SNIP ANR-19-ASTR-0016-01. J.C., F.P. and E.D. acknowledge support from the CNES under grant RT-CT-2310000-2001-CNES.